

THE REGISTRAR GENERAL'S STATISTICAL REVIEW

OF

FOR THE YEAR

1968

PART I TABLES, MEDICAL



LONDON

HER MAJESTY'S STATIONERY OFFICE

PRICE £3. 0s. 0d. NET

Sample Census 1966

United Kingdom General and Parliamentary
Constituency Tables £3. 5s. (£3. 9s. 6d.)
Great Britain Summary Tables: £1. 12s. 6d. (£1. 14s. 2d.)
Commonwealth Immigrant Tables, Great Britain . £3. 5s. (£3. 9s. 6d.)
Economic Activity Tables, Great Britain:
Part I £3. 2s. 6d. (£3 7s.)
Part II
Part III £2. (£2. 2s.)
Part IV
ENGLIND AND WATER
ENGLAND AND WALES
Workplace and Transport Tables:
Part I
Part II
Household Composition Tables £3. 17s. 6d. (£4. 2s.)
Housing Tables:
Part I £2. 17s. 6d. (£3. 2s.)
Part II
Usual Residence Tables 9s. (9s. 6d.)
Migration Regional Reports:
Northern
Yorkshire and Humberside £1. 10s. (£1 11s. 8d.)
North Western
East Midlands
West Midlands
East Anglia
South Eastern
South Western
Migration Summary Tables:
Part II
Part I
County Reports (Prices vary from 9s. 6d. to £1. 16s. net)
Classification of Occupations, 1966 £2. (£2. 1s. 9d.)

Prices in brackets include postage

Published by

HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1). Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

THE REGISTRAR GENERAL'S STATISTICAL REVIEW


OF

ENGLAND AND WALES

FOR THE YEAR

1968

PART I TABLES, MEDICAL



LONDON
HER MAJESTY'S STATIONERY OFFICE
1970

TABLE OF CONTENTS

E-ml anot an	na Natao	Page
Explanator	y notes	vi
Correction	s	XXXX
Population		
Table 1.	Estimated populations: total, home and civilian, by sex and age, as	
Table 2.	at 30th June 1968. England and Wales Estimated home population, by sex and age group, as at 30th June 1968. England and Wales, standard regions, Wales, conurbations, urban and	2
	rural aggregates, hospital regions	3
Serial mor	tality records	
Table 3.	Deaths, death rates, Standardised Mortality Ratios, infant mortality, and live and still birth rates, 1841 to 1968. England and Wales	5
Table 4.	Death rates per 1,000 population within sex and age groups, and infant mortality per 1,000 live births, 1841 to 1968. England and Wales	6
Table 5.	Deaths by quarter of registration: numbers, annual death rates per 1,000 population, and ratios of quarterly rates to yearly rates,	
Table 6.	1841 to 1968. England and Wales	9
Table 7.	Deaths by cause and sex, 1967 and 1968, and estimated deaths by cause and sex, 1958 to 1966. England and Wales	11
Table 8.	Death rates per million population from principal causes, by sex, 1958 to 1968. England and Wales	53
Table 9.	Standardised Mortality Ratios (base year 1968), for certain causes of	
Table 10.	Death rates from certain causes: rates per 100,000 population by age group and infant deaths per 1,000 live births, by sex,	65
Table 11.	1965 to 1968. England and Wales	69
Table 12.	Temporarily suspended	
Vital stat	cistics by local areas	
Table 13.	Home population, live births, stillbirths, deaths, infant mortality and perinatal mortality, 1968. England and Wales, standard regions, sub-divisions of standard regions, Wales, conurbations, urban and rural aggregates, hospital regions, counties, Greater London, City of London, London and county boroughs, urban and rural districts	76
Deaths by	age	
Table 14.	Deaths by age, sex and marital condition, 1968. England and Wales	110
Table 15.	Deaths by age group, sex and marital condition, after proportional distribution of cases with unstated marital condition, 1968. England	
Table 16.	and Wales	112
Cause anal	lysis	
Table 17.	Deaths by cause, sex and age group, 1968. England and Wales	114

			Page
Table	17A.	Death rates per million population from principal causes, by sex and	
Table	18A.	age group, 1968. England and Wales	200
Table	18B.	occurrence, and sex, 1968. England and Wales	210
Table	18C.	Deaths from violent causes, by external cause, nature of injury and	
Table	18D.	sex, 1968. England and Wales	221
Table	18E.	Deaths from accidents in the home and residential institutions: numbers, and rates per million population. by cause, sex and	
Table	19.	age group, 1968. England and Wales	226
Table	20.	conurbations, urban and rural aggregates, hospital regions Suspended	228 303
Table		Deaths by cause and sex, 1968. England and Wales, Greater London, City of London, London and county boroughs, administrative counties	304
Table		Deaths by cause, month of occurrence and sex, 1968. England and Wales	334
Table	22 SU	PPLEMENT. Deaths from accidents occurring in the home and residential institutions, by cause, month of occurrence, and	7 4 4
G44111		sex, 1968. England and Wales	344
Stillb	irths	and Infant mortality	
Table	23.	Stillbirths by sex and legitimacy, and stillbirth rates per 1,000 total births, 1968. England and Wales, standard regions, Wales, conurbations, hospital regions, Greater London, City of London, London and county boroughs, urban and rural aggregates in each	
Table	23A.	administrative county	346
Table	23B.	England and Wales	349
Table	23C.	Wales	354
Table		total births for ICD 'P' List sections), 1968. England and Wales Stillbirths by cause and area of residence of mother (with rates per	. 358
		1,000 total births for ICD 'P' List sections), 1968. England and Wales, standard regions, Wales, urban and rural aggregates, hospital regions	7.00
Table	23E.	regions Stillbirths by cause and length of gestation, 1968. England and Wales	362 370
Table	23F.		373
Table	23G.	Stillbirths by cause and place of confinement (with rates per 1,000 total births for ICD 'P' List sections), 1968. England and Wales	376
Table	23Н.	Legitimate stillbirths by selected causes, parity of mother and number of previous stillbirths, with rates per 1,000 total	
Table	231.	births, 1968. England and Wales	378
Table	23J.	Stillbirths, deaths under 1 week, perinatal deaths and perinatal mortality rate per 1,000 total births, by cause, 1968. England and	
Table	24.	Wales Infant deaths and rates per 1,000 live births by age and stillbirths and combined stillbirths and infant deaths per 1,000 total births, 1968. England and Wales, standard regions, Wales,	380
Table	24 SU	conurbations, urban and rural aggregates, hospital regions PPLEMENT. Stillbirth rates, and infant death rates by age, 1906 to	382
		1968. England and Wales	384

Table 25. Numbers and rates of infant deaths by age, and stillbirths, by sex	Page
Table 25 SUPPLEMENT. Infant death and stillbirth rates from principal causes, by quarter: infant death rates per 1,000 live births and stillbirth rates per 1.000 total births. with quarterly percentages of appual	385
Table 26. Infant deaths from certain causes: deaths and rates per 1,000 live births by age, and deaths of illegitimate infants and rates per 1,000 illegitimate live births, 1968. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates, hospital	386
Table 27. Suspended. Starting in 1968, data previously published in this table are being included in Table 17 Table 27 SUPPLEMENT. Infant death rates per 1,000 live births from principal	387
causes, by age and sex, 1968. England and Wales	399
Infectious diseases	
Table 28. Weekly notifications of certain infectious diseases and deaths from certain causes, 1968. England and Wales	100
and Wales	400
1968. England and Wales, standard regions, Wales, conumbations	401
urban and rural aggregates, hospital regions	402
Table 31. Notifications of certain infectious diseases: original and corrected notifications, 1968. England and Wales, standard regions, Wales,	419
conurbations, urban and rural aggregates, hospital regions, London and county boroughs, urban and rural totals within counties Table 31 SUPPLEMENT. Corrected notifications and deaths assigned to a few	420
uncommon infectious diseases, 1968. England and Wales	430
Table 32. Quarterly air temperature, rainfall and sunshine, by district, 1968. England and Wales Rainfall, mean temperature and sunshine, 1914 to 1968. England and	431
Wales Table 34. Meteorological observations, 1968. Kew Observatory, Richmond	432 433
Appendices	100
Appendix A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), death rates by age group, and infant mortality rates from selected causes, 1968. England and Wales,	
Scotland, Northern Ireland, Irish Republic Appendix B. Abridged life table, 1968. England and Wales	434 440
Appendix C1. Tuberculosis of the respiratory system: death rates per million	110
Appendix C2. Tuberculosis of the respiratory system: notification rates per 100,000 population, by sex and age group, 1959 to 1968. England	441
Appendix C3. Tuberculosis of the respiratory system: death rates per million population by sex and age group, notifications per 100 deaths, and Standardised Mortality Ratios, 1968. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates	441
Appendix C4. Tuberculosis of the respiratory system: notification rates per 100,000 population by sex and age group, and Standardised Notification Ratios. 1968. England and Wales, standard regions	442
Wales, conurbations, urban and rural aggregates, hospital regions	443

			Page
Appendix	D.	Cancer for selected sites: Standardised Mortality Ratios by sex, 1968. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates, hospital regions	444
Appendix	E.	Diseases of the circulatory system and vascular lesions affecting the central nervous system: death rates per million population, by sex at ages 45-64 and 65 and over, 1968. England and Wales, standard regions, Wales, conurbations, urban and rural	
Appendix	F1.	aggregates	446
Appendix	F2.	England and Wales Deaths certified as associated with pregnancy or childbearing but not assigned to those causes, by assigned cause and	447
Appendix	G.	age group, 1968. England and Wales	448
Appendix	Н1.	performed, by sex and age group, 1968. England and Wales Deaths from encephalitis certified as secondary to infectious disease, by underlying cause, sex and age group, 1968. England	449
Appendix	н2.	Deaths due to tetanus, by cause (where stated), sex and	452
Appendix	нз.	age, 1968. England and Wales	453 454
Appendix	H4.	Deaths by type of institution etc. in which they occurred, by cause and sex, 1968. England and Wales	454
Appendix	H5.	Deaths by method of certification, by cause and sex, 1968.	459
Appendix	I(a).	Estimated home population, by sex and age group, as at 30th June 1966. (Revised in the light of the 1966 Census). England and Wales, standard regions, Wales, conurbations,	
Appendix	I(b).	urban and rural aggregates, hospital regions	461
		England and Wales, standard regions, Wales, conurbations, urban and rural aggregates, hospital regions	463

EXPLANATORY NOTES

1. New or recent changes in presentation

The Eighth Revision of the International Classification of Diseases, adopted in 1968 (see paragraph 5), has necessitated changes in the cause lists in several tables in this volume. Tables affected by these and other changes introduced in 1968 are as follows.

- Table 1. Revised to show single years of age up to 24, and some additional age groups.
- Table 6. Omitted for this year.
- Table 7. Revised (Eighth Revision) cause list. Figures for 1967 and 1968 have been classified according to the new list, and for as many categories as possible comparable figures for years 1958 to 1966 have been estimated by means of factors derived from 1967 experience. For further details see paragraph 5 below.
- Table 8. Revised (Eighth Revision) cause list. Rates have been calculated from the revised version of Table 7.
- Table 9. Revised (Eighth Revision) cause list based on the I.C.D. List 'A' of 150 causes (see paragraph 21). The Standardised Mortality Ratios have been calculated on the base year 1968 instead of the period 1950-52 (see paragraph 7).
- Table 10. Revised (Eighth Revision) cause list. Rates are presented according to the new list for years 1967 and 1968, and for years 1965 to 1967 inclusive rates for broadly comparable Seventh Revision groups are also given.
- Tables 11 and 12. Omitted for this year.
- Table 13. Revised to include sub-divisions of standard regions.
- Table 17. Revised (Eighth Revision) cause list. Table format has been changed to include the young age-groups previously presented separately in Table 27, which is now discontinued.
- Table 17A. Revised (Eighth Revision) cause list. A new table format has been adopted.
- Table 18A. Revised (Eighth Revision) cause list. For this year figures are not available for the separate 'At work' column, but as in past years these deaths are included elsewhere in the table.
- Tables 18C, 18D, 18E. Revised (Eighth Revision) cause lists.
- Table 19. Revised (Eighth Revision) cause list based on the I.C.D. List 'B' of 50 causes (see paragraph 21), with further sub-divisions.
- Table 21. Revised to use the same (Eighth Revision) cause list as Table 19, and in consequence the table no longer includes areas distinguished in Table 19.
- Tables 22 and 22 Supplement. Revised (Eighth Revision) cause lists.
- Tables 23A to 23G. Revised (Eighth Revision) cause lists based on the I.C.D. List 'P' of 100 causes for tabulation of perinatal mortality (see paragraph 21).
- Table 23H. Revised (Eighth Revision) cause list.
- Table 231. Temporarily suspended for 1968.

Table 23J. A new table has been added showing perinatal mortality by cause, according to the I.C.D. List 'P' of 100 causes.

Tables 25 Supplement, and 26. Revised (Eighth Revision) cause lists.

Table 27. Omitted. This table is now replaced by the extended detail in Table 17.

Table 27 Supplement. Revised (Eighth Revision) cause list.

Tables 28 to 31 and 31 Supplement. Various minor changes have been made to accommodate the Eighth Revision of the I.C.D. and the amended list of notifiable diseases specified in the Health Services and Public Health Act, 1968 and in the Public Health (Infectious Diseases) Regulations, 1968.

Appendices A, D, E, F1, F2, G, H1-H5. Revised (Eighth Revision) cause lists.

2. Additional tables and data

The following unpublished items are available for reference at the General Register Office, or copies can be supplied on payment:

- (i) Cancer mortality by site, sex, age, and month of occurrence.
- (ii) Cancer mortality by site, sex, age, and hospital region of residence.
- (iii) Deaths by cause (the I.C.D. List 'B' of 50 causes, with additional subdivisions), sex, and age, for each county borough, London borough, municipal borough, urban district and rural district in England and Wales. Also, for each area, the live births, stillbirths, deaths under 1 year, deaths under 4 weeks and deaths under 1 week, all by sex and legitimacy.
- (iv) Stillbirths by area, place of confinement, mother's age and parity.
- (v) Full list of I.C.D. categories for Table 17.
- (vi) Deaths by sex and five year age-groups for each county borough, London borough, municipal borough, urban district and rural district in England and Wales.

3. Populations

The estimates of populations appearing in this volume and described as 'home', 'total' or 'civilian' populations have the following content:

Home population - the population, of all types, actually in England and Wales. distributed by area according to residence.

Total population - the home population plus members of H.M. Forces belonging to England and Wales and serving overseas but minus the forces of other countries temporarily in England and Wales.

Civilian population - the total population minus members of H.M. Forces belonging to England and Wales at home or overseas.

4. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in Tables 16, 22 and 22 Supplement the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In Tables 16, 22 and 22 Supplement deaths are classified by calendar month of occurrence, but they exclude deaths occurring in the current year which were registered after 31st March in the following year.

In general deaths are assigned to the area of usual residence of the deceased if this is within England or Wales; if not, to the area of occurrence. Accommodation provided under Parts III and IV of the National Assistance Act, 1948, is regarded as the place of residence of persons dying there. Before 1st January 1958 chronic sick and psychiatric hospitals were similarly treated for this purpose but from this date the method of classification was modified, the main change being that a death in such a hospital is now assigned to the area of occurrence only if the deceased had been there six months or more. If the deceased had been there less than six months the death is transferred to the area of previous usual residence.

In some small areas the number of deaths may also have been appreciably affected by the opening, closing or change of use of certain institutions, so that figures may not be comparable with those of earlier years.

5. Causes of death

Where more than one cause of death is mentioned on the medical certificate, the choice of the assigned cause is in accordance with international procedure, determined in the main from the statement of the certifier, and not by arbitrary rules of precedence.

The classification of causes of death is that prescribed in the International Classification of Diseases, Injuries and Causes of Death, 1965* (Eighth Revision), which has operated with effect from the beginning of 1968 by international agreement. In the tables this classification is referred to as the I.C.D. Violent deaths are generally classified according to the External Cause of Injury (E codes), but the alternative method of classification by the Nature of Injury (N codes) is also used in Tables 7, 8, 17, 17A, 18C, 18D, 19, 21 and 22.

Tables 18C and 18D employ one or both of the alternative classifications for violent deaths in the I.C.D. List 'A' of 150 causes. Other tables using special tabulation lists from the I.C.D. are Table 9 ('A' List of 150 causes), Tables 19, 21 and Appendices A, G, H3 and H5 ('B' List of 50 causes) and Tables 23A to 23G, and 23J ('P' List of 100 causes, of which only categories 1 to 80 are used for Tables 23A to 23G). Details of these cause lists are set out in paragraph 21 below. In Tables 19 and 21 there is broad comparability between the cause categories now used and those of the Abridged List used in previous years.

The Eighth Revision of the I.C.D. differs considerably from the Seventh Revision used in past years, and this creates problems with regard to the presentation of serial tables according to the new classification. In Table 10 broadly comparable cause groups from the two classifications have been used side by side as a means of presenting death rates over the period 1965 to 1968; and other tables (i.e. Tables 6, 11, 12 and 231) have been temporarily suspended because of the special problems of comparability. It is hoped to restore these tables in future years.

In Tables 7, 8 and 9 steps have been taken to convert data for past years to the new classification. Death records for the year 1967 have been coded according to both the old and the new classifications, and 'bridge' tabulations prepared to show the proportional distribution of deaths in each compared with the other. These have been used to construct estimated figures for years 1958 to 1966 according to the new classification. However, late publication of the index (Volume II) to the new classification has meant that some of the Eighth Revision coding for 1967 had to be undertaken without this, and it appears from examination of the results that this may have affected continuity of coding for certain categories between 1967 and 1968. In the three tables, figures for years 1958 to 1966 or 1967 have been omitted where such doubt exists or where for other reasons it has been impossible to construct them, and investigations will be made in order to restore as much as possible of the missing data before the next issue of the volume. Meanwhile, all the figures in these tables for years before 1968 should be regarded as provisional estimates.

It is proposed to publish the 'bridge' tabulations when they have been revised.

^{*} Manual obtainable from Her Majesty's Stationery Office, price 60s. Od. net (2 vols.).

6. Death rates

The death rates for 1950 and on (except for infant mortality and maternal mortality) are derived from the total deaths registered in this country and are based on the home population, while those for 1940-49 are derived from civilian deaths and populations (see note 3 on page vii). Except in Table 10, all death rates for years prior to 1968 have been revised so far as possible to the new method of cause classification. Death rates for the years 1951 to 1953 shown in this volume are in some cases slightly different from corresponding rates published in Parts I and II for these years because the estimated populations on which they are based have been revised in the light of final data from the 1951 Census. Similarly, death rates for 1961 and 1962 have been recalculated using final data from the 1961 Census.

The crude death rates for local areas in Table 13 (col. 14) may not be comparable one with another. In the first place, the populations on which they are based may have widely differing structures by sex and age. In order to eliminate differences between local death rates due to this cause a standardising factor, termed an Area Comparability Factor, is calculated (as described on page 144 of the 1965 Statistical Review, Part III, Commentary*). In the second place, the populations on which the crude death rates are based may include a disproportionate number of invalids if there are certain types of hospitals in the area. In order to eliminate this difference the Area Comparability Factors are adjusted so that they have the effect of apportioning the deaths and the populations in chronic sick and psychiatric hospitals over all areas of the country according to their non-institutional populations. The product of the crude death rate and the adjusted Area Comparability Factor (col. 15 in Table 13) is a rate which makes allowance for these two influences. The ratio of this adjusted rate to the rate for England and Wales as a whole is shown in col. 16 of Table 13.

Infant mortality rates are based upon the live births occurring in the year, except in the years 1931 to 1956 when they were based upon related live births, i.e. the combined live births of the associated and preceding year to which they relate.

Maternal mortality rates are based upon live and still births occurring in the calendar year, except in the case of deaths from abortion which are based on the estimated numbers of women aged 15-44. Perinatal mortality rates are based on the number of deaths under one week plus still-births per thousand total live and still births.

7. Standard Mortality comparisons

The Comparative Mortality Index introduced in 1942 was from 1958 until 1967 replaced by a Standardised Mortality Ratio (SMR) which showed the number of deaths registered in the year of experience as a percentage of those which would have been expected in that year had the sex/age mortality of a standard period (1950-52) operated on the sex/age population of the year of experience. SMRs. on this basis are still shown in Table 3.

However, the extensive changes involved in the Eighth Revision of the International Classification of Diseases have made it necessary to adopt a new standard period for which mortality data are available classified according to the new system, and in Table 9 the SMRs. have accordingly been re-calculated to use the single year 1968 as the standard period. In Table 19, SMRs. for areas are similarly calculated by applying the sex/age mortality in England and Wales in the year under review to the sex/age populations of the areas. In Appendix A a United Kingdom and Irish Republic standard is similarly used.

8. Births and birth rates

The births recorded are those occurring in the calendar year. Births are assigned to the area of the mother's usual residence if this is within England or Wales; if not, to the area of occurrence.

The crude birth rates for local areas in Table 13 (col. 8) may not be comparable one with another because the populations on which they are based may contain different relative numbers of women of childbearing ages.

^{*} Obtainable from Her Majesty's Stationery Office, price 33s. 6d. net.

In order to eliminate differences between local birth rates due to this cause a standardising factor, termed an Area Comparability Factor, is calculated (as described on page 144 of the 1965 Statistical Review, Part III, Commentary*). The product of the crude birth rate and this Area Comparability Factor (col. 9 in Table 13) is a rate which makes allowance for this influence. The ratio of this adjusted rate to the rate for England and Wales as a whole is shown in col. 10 of Table 13.

Causes of stillbirth

Classification of causes of stillbirth in Tables 23A-23J is in accordance with the International Statistical Classification of Diseases, Injuries and Causes of Death, 1965† (Eighth Revision). Unlike earlier revisions, this provides a common classification for deaths and for stillbirths.

10. Notifications of infectious diseases

Tables 29, 30, 30 Supplement, 31, 31 Supplement and Appendices C2, C3, C4, are based on notifications corrected for subsequent amendments of diagnosis by the notifying medical practitioner or by the medical superintendent of the infectious disease hospital. Non-civilians are included unless otherwise stated.

Minor changes have been made in these tables to accommodate alterations in the list of notifiable infectious diseases prescribed by the Health Services and Public Health Act, 1968 and the Public Health (Infectious Diseases) Regulations. 1968.

11. Changes in boundaries

Areas which have undergone a change in boundary during the year are identified in Table 13 by an asterisk *: for any such area the statistics shown for the current year represent the events assigned to the area within the boundaries as they existed at the date of the event, and the population given in Table 13 (col. 2), which is used for the calculation of crude birth and death rates, is a weighted average of the mid-year populations of the area as constituted before and after the change. This population figure may therefore differ from any given in Table 2 for the same region, conurbation, etc., which relates to the area as constituted at mid-year. Newly created areas are identified in Table 13 by the sign t. Statistics of events occurring in the first quarter of 1968 for areas obolished on 1st April 1968 have been included with the areas to which they were transferred on 1st April 1968. Details of boundary changes are given in an appendix to Part II of the Statistical Review.

12. Indication of reliability

Rates given as O indicate that the actual rate is less than one half of a unit. A dash (-) in any column indicates that there were no events. Where a cell has been left blank, no denominator is available (unless otherwise specified).

Rates calculated from less than 20 births, deaths or notifications are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their reliability as a measure.

Numbers

If d represents the deaths in an area and P the population in that area then, if d/p is small, the standard error (s.e.) of d is approximately \sqrt{d} assuming that the deaths are independent of one another. Clearly, the larger the number of deaths the smaller will be the proportionate variability. A deviation either way of twice the s.e. may be expected about once in 20 times. Using this criterion one might expect towns each averaging 20 deaths per year to yield in the same year numbers ranging between 11 and 29 without such differences having any statistical significance. Alternatively it could be said that if 20 deaths were recorded for a term this number would have a 95 per gent said that if 20 deaths were recorded for a town, this number would have a 95 per cent confidence interval of approximately ±9, there being a 95 per cent chance that the underlying mortality is represented by a number of deaths within this interval.

If d is thought to be an extreme variation it would be more reliable to use as the standard error not \sqrt{d} but \sqrt{d} ! where d! is the number of deaths expected if some standard rate (e.g. the national rate) were applied.

^{*} Obtainable from Her Majesty's Stationery Office, price 33s. 6d. net. † Obtainable from Her Majesty's Stationery Office, price 60s. 0d. net (2 vols.).

The appropriate standard error of a death rate when d represents the number of death and p the population is

$$\frac{\sqrt{d}}{p}$$
 or $\frac{m}{\sqrt{d}}$

where m is the death rate. The difference between two local death rates m_1 and m_2 can be regarded as significant only if it amounts to more than twice the standard error of the difference, viz.

$$2 / \left(\frac{m_1^2}{d_1} + \frac{m_2^2}{d_2} \right)$$

Comparison of adjusted rates

Before comparisons are made, other known sources of variations (such as differences in the sex and age composition of the population) must be removed. If C is the local death Area Comparability Factor, then mC is to be compared with m^{\dagger} , the national death rate. The s.e. of mC is

$$C \cdot \sqrt{\frac{m}{p}}$$

and

$$mC \pm 2C$$
 $\sqrt{\frac{m}{p}}$

is to be compared with m^{\dagger} . As already indicated, m^{\dagger} can be used instead of m in the calculation of the s.e.; m^{\dagger} has the advantage of itself having only a small sampling error.

13. Abbreviations

administrative county M.B. - municipal borough A.C.

C.B. - county borough

L.B. - London borough

Greater London - the Greater London Council Area, comprising the City of London

(including the Inner and Middle Temple) and the London boroughs.

Standard regions 14.

The constitution of the regions of England and Wales used in this volume is as follows:-

North

Cumberland Durham Northumberland Westmorland Yorkshire, North Riding

Yorkshire and Humberside

Lincolnshire, Parts of Lindsey Yorkshire, East Riding Yorkshire, West Riding

North West

Cheshire Derbyshire (part)1 Lancashire

East Midlands

Derbyshire (part)2 Leicestershire Lincolnshire, Parts of Holland Lincolnshire, Parts of Kesteven Northamptonshire Nottinghamshire Rutland

West Midlands

Herefordshire Shropshire Staffordshire Warwickshire Worcestershire

East Anglia

Cambridgeshire and Isle of Ely Huntingdon and Peterborough Norfolk Suffolk, East Suffolk, West

South East

Bedfordshire Berkshire Buckinghamshire Dorset (part)3 Essex Greater London Hampshire Hertfordshire Kent Oxfordshire Surrey Sussex, East Sussex, West Wight, Isle of

South West

Cornwall Devon Dorset (part)4 Gloucestershire Somerset Wiltshire

Wales I (South East)

Breconshire Carmarthenshire Glamorgan Monmouthshire

Wales II (remainder)

Anglesey Caernarvonshire Cardiganshire Denbighshire Flintshire Merionethshire Montgomeryshire Pembrokeshire Radnorshire

- 1 Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.
- 2 All except areas stated in 1 above.
- 3 Poole M.B. only. 4 All except Poole M.B.

15. Outer Metropolitan Area

The part of the South East region outside Greater London is split in some tables into Outer Metropolitan area and Remainder of South East. The composition of the Outer Metropolitan areas is as follows:-

Hert, fordshire

Surrey

Bedfordshire (part)

Luton C.B.
Dunstable M.B.
Leighton-Linslade U.D.
Luton R.D.

Berkshire (part)

Reading C.B.
Maidenhead M.B.
New Windsor M.B.
Wokingham M.B.
Bradfield R.D.
Cookham R.D.
Easthampstead R.D.
Windsor R.D.
Wokingham R.D.

Buckinghamshire (part)

Aylesbury M.B.
Beaconsfield U.D.
Bletchley U.D.
Chesham U.D.
Eton U.D.
High Wycombe M.B.
Marlow U.D.
Slough M.B.
Amersham R.D.
Aylesbury R.D.
Eton R.D.
Wing R.D.
Wycombe R.D.

Essex (part)

Southend on Sea C.B.
Basildon U.D.
Benfleet U.D.
Brentwood U.D.
Canvey Island U.D.
Chelmsford M.B.
Chigwell U.D.
Epping U.D.
Harlow U.D.
Rayleigh U.D.
Thurrock U.D.
Waltham Holy Cross U.D.
Chelmsford R.D.
Epping and Ongar R.D.
Rochford R.D.

Hampshire (part)

Aldershot M.B. Farnborough U.D. Fleet U.D. Hartley Wintney R.D.

Kent (part)

Chatham M.B. Dartford M.B. Gillingham M.B. Gravesend M.B. Maidstone M.B. Northfleet U.D. Rochester M.B. Royal Tunbridge Wells M.B. Sevenoaks U.D. Southborough U.D. Swanscombe U.D. Tonbridge U.D. Dartford R.D. Maidstone R.D. Malling R.D. Sevenoaks R.D. Strood R.D. Tonbridge R.D.

Oxfordshire (part)

Henley-on-Thames M.B. Henley R.D.

Sussex, East (part)

Burgess Hill U.D. Cuckfield U.D. East Grinstead U.D. Cuckfield R.D. Uckfield R.D.

Sussex, West (part)

Crawley U.D. Horsham U.D. Horsham R.D.

16. Conurbations

The conurbation areas each consist of an aggregation of entire local authority areas and are constituted as follows:-

Durham (part)

Gateshead C.B. South Shields C.B.

Felling U.D. Hebburn U.D. Jarrow M.B. Whickham U.D. Tyneside

Northumberland (part)

Newcastle upon Tyne C.B. Wallsend M.B. Tynemouth C.B. Whitley Bay M.B.

Gosforth U.D. Longbenton U.D. Newburn U.D.

West Yorkshire

Yorkshire, West Riding (part)

Bradford C.B. Dewsbury C.B. Halifax C.B. Huddersfield C.B. Leeds C.B. Wakefield C.B.

Aireborough U.D. Baildon U.D. Batley M.B. Bingley U.D. Brighouse M.B.

Colne Valley U.D. Denby Dale U.D. Denholme U.D. Elland U.D. Heckmondwike U.D. Holmfirth U.D.

Horbury U.D. Horsforth U.D. Keighley M.B. Kirkburton U.D. Meltham U.D.

Mirfield U.D. Morley M.B. Ossett M.B. Pudsey M.B.

Queensbury and Shelf U.D. Ripponden U.D.

Rothwell U.D. Shipley U.D. Sowerby Bridge U.D. Spenborough M.B. Stanley U.D.

South East Lancashire

Cheshire (part)

Stockport C.B.

Alderley Edge U.D. Altrincham M.B. Bowdon U.D. Bredbury and Romiley U.D. Cheadle and Gatley U.D.

Dukinfield M.B. Hale U.D. Hazel Grove and Bramhall U.D. Hyde M.B.

Marple U.D. Sale M.B. Stalybridge M.B. Wilmslow U.D.

Disley R.D.

Lancashire (part)

Bolton C.B. Bury C.B. Manchester C.B. Oldham C.B. Rochdale C.B. Salford C.B.

Ashton-under-Lyne M.B. Audenshaw U.D. Chadderton U.D. Crompton U.D. Denton U.D.

Droylsden U.D. Eccles M.B. Failsworth U.D. Farnworth M.B. Heywood M.B.

Horwich U.D. Irlam U.D.

Kearsley U.D. Lees U.D. Littleborough U.D. Little Lever U.D. Middleton M.B.

Milnrow U.D. Mossley M.B. Prestwich M.B. Radcliffe M.B. Royton U.D.

Stretford M.B. Swinton and Pendlebury M.B. Tottington U.D. Urmston U.D. Wardle U.D.

Westhoughton U.D. Whitefield U.D. Whitworth U.D. Worsley U.D.

Cheshi re	Merseyside (part)	Lancashire (part)
Birkenhead C.B. Wallasey C.B. Bebington M.B.	Ellesmere Port M.B. Hoylake U.D. Neston U.D. Wirral U.D.	Bootle C.B. Liverpool C.B. Crosby M.B. Huyton-with-Roby U.D. Litherland U.D.
	West Midlands	
Staffordshire (part)	Warwickshire (part)	Worcestershire (part)
Dudley C.B. Walsall C.B. West Bromwich C.B. Wolverhampton C.B. Aldridge-Brownhills U.D.	Birmingham C.B. Solihull C.B. Sutton Coldfield M.B.	Warley C.B. Halesowen M.B. Stourbridge M.B.

Greater London Council Area

17. Urban and rural aggregates

These aggregates comprise (a) the six conurbations combined, (b) the aggregates of urban local authority areas outside the conurbations in three groups according to the size of their resident population at the 1961 Census and (c) the aggregate of rural local authority areas outside the conurbations. Urban areas include boroughs and urban districts as deplayed the Local Government Acts, and rural areas are rural districts as similarly defined.

The constitution of the sub-divisions of standard regions now in general use is as follows*:-

NORTH

Durham (part)

Gateshead C.B. South Shields C.B. Sunderland C.B. Blaydon U.D. Boldon U.D.

Brandon and Byshottles U.D. Chester-le-Street U.D. Consett U.D. Durham M.B. Felling U.D.

Hebburn U.D. Hetton U.D. Houghton-le-Spring U.D. Jarrow M.B. Ryton U.D.

Seaham U.D. Stanley U.D. Washington U.D. Whickham U.D. Chester-le-Street R.D.

Durham R.D. Lanchester R.D.

Northumberland (part)

Newcastle upon Tyne C.B. Tynemouth C.B. Ashington U.D. Bedlingtonshire U.D. Blyth M.B.

Gosforth U.D. Longbenton U.D. Newbiggin-by-the-Sea U.D. Newburn U.D. Seaton Valley U.D.

Wallsend M.B. Whitley Bay M.B. Castle Ward R.D.

Industrial North-East, North | Industrial North-East, South | Rural North-East, South

Durham (part)

Darlington C.B. Hartlepool C.B. Bishop Auckland U.D. Crook and Willington U.D. Shildon U.D.

Spennymoor U.D. Tow Law U.D. Darlington R.D. Easington R.D.

Sedgefield R.D. Stockton R.D.

> Yorkshire, North Riding (part)

Teesside C.B. Guisborough U.D. Loftus U.D. Saltburn and Marske-by-the-Sea U.D.

Skelton and Brotton U.D. Croft R.D. Stokesley R.D.

Rural North-East, North

Northumberland (part)

Alnwick U.D. Amble U.D. Berwick-upon-Tweed M.B. Hexham U.D. Morpeth M.B.

Prudhoe U.D. Alnwick R.D. Belford R.D. Bellingham R.D. Glendale R.D.

Haltwhistle R.D. Hexham R.D. Morpeth R.D. Norham and Islandshires R.D. Rothbury R.D.

Durham (part)

Barnard Castle U.D. Barnard Castle R.D. Weardale R.D.

> Yorkshire, North Riding (part)

Malton U.D. Northallerton U.D. Pickering U.D. Richmond M.B. Scalby U.D.

Scarborough M.B. Whitby U.D. Aysgarth R.D. Bedale R.D. Easingwold R.D.

Flaxton R.D. Helmsley R.D. Kirkbymoorside R.D. Leyburn R.D. Malton R.D.

Masham R.D. Northallerton R.D. Pickering R.D. Reeth R.D. Richmond R.D.

Scarborough R.D. Startforth R.D. Thirsk R.D. Wath R.D. Whitby R.D.

Cumberland and Westmorland

Cumberland

Westmorland

^{*} This list refers to Local Authority Areas as constituted on 1st April 1968, and it therefore differs in some respects from that published in the Hunt Committee's Report on The Intermediate Areas, which refers to areas as constituted in January 1967.

YORKSHIRE AND HUMBERSIDE

North Humberside

Yorkshire, East Riding (part)

Kingston upon Hull C.B. Beverley M.B. Haltemprice U.D. Hedon M.B. Hornsea U.D.

Withernsea U.D. Beverley R.D. Holderness R.D. Howden R.D.

> Yorkshire, West Riding (part)

Goole M.B. Goole R.D.

South Humberside

Lincolnshire (Parts of Lindsey) (part)

Grimsby C.B. Barton-upon-Humber U.D. Brigg U.D. Cleethorpes M.B. Scunthorpe M.B.

Caistor R.D. Glanford Brigg R.D. Grimsby R.D.
Isle of Axholme R.D.

Mid Yorkshire

Yorkshire, East Riding (part)

Bridlington M.B. Driffield U.D. Filey U.D. Norton U.D. Bridlington R.D.

Derwent R.D. Driffield R.D. Norton R.D. Pocklington R.D.

> Yorkshire. West Riding (part)

York C.B. Harrogate M.B. Knaresborough U.D. Ripon M.B. Selby U.D.

Mid Yorkshire (contd.)

Yorkshire, West Riding (part) (contd.)

Nidderdale R.D. Ripon and Pateley Bridge R.D. Selby R.D. Tadcaster R.D. Wetherby R.D.

South Lindsey

Lincolnshire (Parts of Lindsey) (part)

Alford U.D. Gainsborough U.D. Horncastle U.D. Louth M.B. Mablethorpe and Sutton U.D.

Market Rasen U.D. Skegness U.D. Woodhall Spa U.D. Gainsborough R.D. Horncastle R.D.

Louth R.D. Spilsby R.D. Welton R.D.

South Yorkshire

Yorkshire, West Riding (part)

Rotherham C.B. Sheffield C.B. Rawmarsh U.D.

Stocksbridge U.D. Rotherham R.D. Wortley R.D.

Yorkshire Coalfield

Yorkshire, West Riding (part)

Barnsley C.B. Doncaster C.B. Adwick-le-Street U.D. Bentley with Arksey U.D. Castleford M.B.

Conisbrough U.D. Cudworth U.D. Darfield U.D. Darton U.D. Dearne U.D.

Dodworth U.D. Featherstone U.D.

| Yorkshire Coalfield (contd.)

Yorkshire, West Riding (part) (contd.)

Garforth U.D. Hemsworth U.D. Hoyland Nether U.D. Knottingley U.D. Maltby U.D.

Mexborough U.D. Normanton U.D. Penistone U.D. Pontefract M.B. Royston U.D.

Swinton U.D. Tickhill U.D. Wath upon Dearne U.D. Wombwell U.D. Worsbrough U.D.

Doncaster R.D. Hemsworth R.D. Kiveton Park R.D. Osgoldcross R.D. Penistone R.D. Thorne R.D.

West Yorkshire

Yorkshire, West Riding (part)

Bradford C.B. Dewsbury C.B. Halifax C.B. Huddersfield C.B. Leeds

Wakefield C.B. Aireborough U.D. Baildon U.D. Barnoldswick U.D. Batley M.B.

Bingley U.D. Brighouse M.B. Colne Valley U.D. Denby Dale U.D. Denholme U.D.

Earby U.D. Elland U.D. Hebden Royd U.D. Heckmondwike U.D. Holmfirth U.D.

Horbury U.D. Horsforth U.D. Ilkley U.D. Keighley M.B. Kirkburton U.D.

YORKSHIRE AND HUMBERSIDE (contd.)

West Yorkshire (contd.)

Yorkshire, West Riding (part) (contd.)

Meltham U.D.
Mirfield U.D.
Morley M.B.
Ossett M.B.
Otley U.D.
Pudsey M.B.
Queensbury and Shelf U.D.
Ripponden U.D.

Rothwell U.D.
Saddleworth U.D.
Shipley U.D.
Silsden U.D.
Skipton U.D.
Sowerby Bridge U.D.
Spenborough M.B.
Stanley U.D.

Todmorden M.B.
Bowland R.D.
Hepton R.D.
Sedbergh R.D.
Settle R.D.
Skipton R.D.
Wakefield R.D.
Wharfedale R.D.

NORTH WEST

South Cheshire (High Peak)

Cheshire (part)

Chester C.B.
Alsager U.D.
Bollington U.D.
Congleton M.B.
Crewe M.B.

Longdendale U.D. Macclesfield M.B. Middlewich U.D. Nantwich U.D. Northwich U.D.

Sandbach U.D. Winsford U.D. Chester R.D. Congleton R.D. Disley R.D.

Macclesfield R.D. Nantwich R.D. Northwich R.D. Tarvin R.D. Tintwistle R.D.

Derbyshire (part)

Buxton M.B. Glossop M.B. New Mills U.D. Whaley Bridge U.D. Chapel-en-le-Frith R.D.

South Lancashire

Cheshire (part)

Lymm U.D. Runcorn R.D.

Lancashire (part)

St. Helens C.B. Warrington C.B. Wigan C.B.

South Lancashire (contd.)

Lancashire (part) (contd.)

Abram U.D. Ashton-in-Makerfield U.D. Aspull U.D. Atherton U.D. Billinge and Winstanley U.D.

Golborne U.D.
Haydock U.D.
Hindley U.D.
Ince-in-Makerfield U.D.
Leigh M.B.

Newton-le-Willows U.D. Orrell U.D. Rainford U.D. Standish-with-Langtree U.D. Tyldesley U.D.

Warrington R.D. Wigan R.D.

Manchester

Cheshire (part)

Stockport C.B.
Alderley Edge U.D.
Altrincham M.B.
Bowdon U.D.
Bredbury and Romiley U.D.
Cheadle and Gatley U.D.

Dukinfield M.B. Hale U.D. Hazel Grove and Bramhall U.D. Hyde M.B. Knutsford U.D.

Marple U.D.
Sale M.B.
Stalybridge M.B.
Wilmslow U.D.
Bucklow R.D.

Manchester (contd.)

Lancashire (part)

Bolton C.B.
Bury C.B.
Manchester C.B.
Oldham C.B.
Rochdale C.B.
Salford C.B.
Ashton-under-Lyne M.B.
Audenshaw U.D.

Blackrod U.D. Chadderton U.D. Crompton U.D. Denton U.D. Droylsden U.D. Eccles M.B. Failsworth U.D. Farnworth M.B.

Heywood M.B.
Horwich U.D.
Irlam U.D.
Kearsley U.D.
Lees U.D.
Littleborough U.D.
Little Lever U.D.
Middleton M.B.

Milnrow U.D.
Mossley M.B.
Prestwich M.B.
Radcliffe M.B.
Ramsbottom U.D.
Royton U.D.
Stretford M.B.
Swinton and Pendlebury M.B.

Tottington U.D.
Turton U.D.
Urmston U.D.
Wardle U.D.
Westhoughton U.D.
Whitefield U.D.
Whitworth U.D.
Worsley U.D.

NORTH WEST (contd.)

Merseyside

Cheshire (part)

Birkenhead C.B. Wallasey C.B. Bebington M.B. Ellesmere Port M.B.

Hoylake U.D. Neston U.D. Runcorn U.D. Wirral U.D.

Lancashire (part)

Bootle C.B. Liverpool C.B. Southport C.B. Crosby M.B. Formby U.D.

Huyton-with-Roby U.D. Kirkby U.D. Litherland U.D. Ormskirk U.D. Prescot U.D.

Skelmersdale and Holland U.D. Widnes M.B. West Lancashire R.D. Whiston R.D.

Furness

Lancashire (part)

Barrow-in-Furness C.B. Dalton-in-Furness U.D. Grange U.D. Ulverston U.D. North Lonsdale R.D.

Fylde

Lancashire (part)

Blackpool C.B. Fleetwood M.B. Kirkham U.D. Lytham St. Anne's M.B. Poulton-le-Fylde U.D.

Preesall U.D. Thornton Cleveleys U.D. Fylde R.D.

Lancaster

Lancashire (part)

Carnforth U.D. Lancaster M.B. Morecambe and Heysham M.B. Lancaster R.D. Lunesdale R.D.

Mid Lancashire

Lancashire (part)

Preston C.B. Addington U.D. Chorley M.B. Fulwood U.D.

Leyland U.D. Longridge U.D. Walton-le-Dale U.D. Withnell U.D.

Chorley R.D. Garstang R.D. Preston R.D.

North East Lancashire

Lancashire (part)

Blackburn C.B. Burnley C.B. Accrington M.B. Bacup M.B. Barrowford U.D.

Brierfield U.D. Church U.D. Clayton-le-Moors U.D. Clitheroe M.B. Colne M.B.

Darwen M.B. Great Harwood U.D. Haslingden M.B. Nelson M.B. Oswaldtwistle U.D.

Padiham U.D.
Rawtenstall M.B.
Rishton U.D.
Trawden U.D.
Blackburn R.D.

Burnley R.D. Clitheroe R.D.

EAST MIDLANDS

Nottingham-Derbyshire (Notts.-Derby Coalfield and High Derbyshire)

Derbyshire (part)

Alfreton U.D. Ashbourne U.D. Bakewell U.D. Bolsover U.D. Chesterfield M.B.

Clay Cross U.D. Dronfield U.D. Heanor U.D. Matlock U.D. Ripley U.D. Staveley U.D. Derbyshire (part) (contd.)

Wirksworth U.D. Ashbourne R.D. Bakewell R.D.

Blackwell R.D. Chesterfield R.D. Clowne R.D.

Nottinghamshire (part)

East Retford M.B. Eastwood U.D.

Nottinghamshire (part) (ctd.)

Kirkby-in-Ashfield U.D. Mansfield M.B. Mansfield Woodhouse U.D. Newark M.B. Sutton in Ashfield U.D.

Warsop U.D.
Worksop M.B.
East Retford R.D.
Newark R.D.
Southwell R.D.
Worksop R.D.

EAST MIDLANDS (contd.)

Nottingham-Derbyshire (Notts.-Derby)

Derbyshire (part)

Derby C.B.
Belper U.D.
Ilkeston M.B.
Longeaton U.D.

Belper R.D. Repton R.D. S.E. Derbyshire R.D.

Leicestershire (part)

Castle Donington R.D.

Nottinghamshire (part)

Nottingham C.B. Arnold U.D. Beeston and Stapleford U.D. Carlton U.D.

Huckmall U.D. West Bridgford U.D. Basford R.D. Bingham R.D.

Leicester

Derbyshire (part)

Swadlincote U.D.

Leicestershire (part)

Leicester C.B.
Ashby de la Zouch U.D.
Ashby Woulds U.D.
Coalville U.D.
Hinckley U.D.

Loughborough M.B.
Market Harborough U.D.
Oadby U.D.
Shepshed U.D.
Wigton U.D.

Ashby de la Zouch R.D. Barrow upon Soar R.D. Billesdon R.D. Blaby R.D. Lutterworth R.D.

Market Bosworth R.D. Market Harborough R.D.

Eastern Lowlands

Leicestershire (part)

Melton Mowbray U.D. Melton and Belvoir R.D.

Lincolnshire (Parts of Holland)

Lincolnshire (Parts of Kesteven)

Rutland

Northampton

Northamptonshire

WEST MIDLANDS

Central (North)

Shropshire (part)

Dawley U.D. Newport U.D. Oakengates U.D. Wellington U.D.

Bridgmorth R.D. Shifnal R.D. Wellington R.D.

Staffordshire (part)

Burton-upon-Trent C.B. Cannock U.D. Lichfield M.B. Rugeley U.D. Stafford M.B.

Tamworth M.B. Uttoxeter U.D. Cannock R.D. Lichfield R.D. Seisdon R.D.

Stafford R.D. Tutbury R.D. Uttoxeter R.D.

Central (South)

Warwickshire (part)

Stratford-upon-Avon M.B. Alcester R.D. Meriden R.D. Shipston on Stour R.D. Stratford-on-Avon R.D.

Worcestershire (part)

Worcester C.B.
Bewdley M.B.
Bromsgrove U.D.
Droitwich M.B.
Evesham M.B.

Kidderminster M.B.
Malvern U.D.
Redditch U.D.
Stourport-on-Severn U.D.
Bromsgrove R.D.

Droitwich R.D. Evesham R.D. Kidderminster R.D. Martley R.D. Pershore R.D.

Tenbury R.D. Upton upon Severn R.D.

Conurbation

Staffordshire (part)

Dudley C.B.
Walsall C.B.
West Bromwich C.B.
Wolverhampton C.B.
Aldridge-Brownhills U.D.

Warwickshire (part)

Birmingham C.B. Solihull C.B. Sutton Coldfield M.B.

Worcestershire (part)

Warley C.B. Halesowen M.B. Stourbridge M.B.

WEST MIDLANDS (contd.)

Coventry Belt

Warwickshire (part)

Coventry C.B.
Bedworth U.D.
Kenilworth U.D.
Nuneaton M.B.

Royal Leamington Spa M.B. Rugby M.B. Warwick M.B. Atherstone R.D.

Rugby R.D. Southam R.D. Warwick R.D.

The Rural West

Herefordshire

Shropshire (part)

Shrewsbury M.B.
Atcham R.D.
Clum and Bishop's Castle R.D.
Ludlow R.D.

Market Drayton R.D. North Shropshire R.D. Oswestry R.D.

North Staffordshire

Staffordshire (part)

Stoke on Trent C.B.
Biddulph U.D.
Kidsgrove U.D.
Leek U.D.
Newcastle-under-Lyme M.B.

Stone U.D. Cheadle R.D. Leek R.D. Newcastle-under-Lyme R.D. Stone R.D.

EAST ANGLIA

South East

Suffolk, East (part)

Ipswich C.B.
Aldeburgh M.B.
Eye M.B.
Felixstowe U.D.
Leiston-cum-Sizewell U.D.

Saxmundham U.D. Stowmarket U.D. Woodbridge U.D. Blyth R.D. Deben R.D.

Gipping R.D. Hartismere R.D. Samford R.D.

Suffolk, West (part)

Bury St. Edmunds M.B. Hadleigh U.D. Sudbury M.B. Cosford R.D.

Melford R.D. Thedwastre R.D. Thingoe R.D.

North East

Norfolk (part)

Great Yarmouth C.B. Norwich C.B. Cromer U.D. Diss U.D. East Dereham U.D.

North Walsham U.D. Sheringham U.D.

North East (contd.)

Norfolk (part) (contd.)

Swaffham U.D.
Thetford M.B.
Wells-next-the-Sea U.D.
Wymondham U.D.
Blofield and Flegg R.D.

Depwade R.D. Erpingham R.D. Forehoe and Henstead R.D. Loddon R.D. Mitford and Launditch R.D.

St. Faiths and Aylsham R.D. Smallburgh R.D. Swaffham R.D. Walsingham R.D. Wayland R.D.

Suffolk, East (part)

Beccles M.B.
Bungay U.D.
Halesworth U.D.
Lowestoft M.B.

Southwold M.B. Lothingland R.D. Wainford R.D.

North West

Cambridgeshire and Isle of Ely (part)

Chatteris U.D.
March U.D.
Whittlesey U.D.
Wisbech M.B.
North Witchford R.D.
Wisbech R.D.

Huntingdon and Peterborough (part)

Old Fletton U.D. Peterborough M.B. Ramsey U.D. Barnack R.D.

Huntingdon R.D. Norman Cross R.D. Peterborough R.D. Thorney R.D.

Norfolk (part)

Downham Market U.D. Hunstanton U.D. King's Lynn M.B. Docking R.D.

Downham R.D. Freebridge Lynn R.D. Marshland R.D.

South West

Cambridgeshire and Isle of Ely (part)

Cambridge M.B.
Ely U.D.
Chesterton R.D.
Ely R.D.
Newmarket R.D.
South Cambridgeshire R.D.

EAST ANGLIA (contd.)

South West (contd.)

Huntingdon and Peterborough (part)

Huntingdon and Godmanchester M.B. St. Ives M.B. St. Neots U.D. St. Ives R.D. St. Neots R.D.

South West (contd.)

Suffolk, West (part)

Haverhill U.D. Newmarket U.D. Clare R.D. Mildenhall R.D.

SOUTH EAST

Greater London

Greater London Council
Area i.e.

The City of London (with the Inner Temple and Middle Temple) and the London boroughs.

Outer Metropolitan Area (West)

Berkshire (part)

Reading C.B.
Maidenhead M.B.
New Windsor M.B.
Wokingham M.B.
Bradfield R.D.

Cookham R.D. Easthampstead R.D. Windsor R.D. Wokingham R.D.

Oxfordshire (part)

Henley-on-Thames M.B. Henley R.D.

Buckinghamshire (part)

Aylesbury M.B.
Beaconsfield U.D.
Bletchley U.D.
Chesham U.D.
Eton U.D.

High Wycombe M.B. Marlow U.D. Slough M.B. Amersham R.D. Aylesbury R.D.

Eton R.D. Wing R.D. Wycombe R.D.

Outer Metropolitan Area (North)

Hert, fordshire

Bedfordshire (part)

Luton C.B.
Dunstable M.B.
Leighton-Linslade U.D.
Luton R.D.

Outer Metropolitan Area (East)

Essex (part)

Southend-on-Sea C.B. Basildon U.D. Benfleet U.D. Brentwood U.D. Canvey Island U.D.

Chelmsford M.B. Chigwell U.D. Epping U.D. Harlow U.D. Rayleigh U.D.

Thurrock U.D. Waltham Holy Cross U.D. Chelmsford R.D. Epping and Ongar R.D. Rochford R.D.

Outer Metropolitan Area (South East)

Kent (part)

Chatham M.B.
Dartford M.B.
Gillingham M.B.
Gravesend M.B.
Maidstone M.B.

Northfleet U.D. Rochester M.B. Royal Tunbridge Wells M.B.

Outer Metropolitan Area (South East) (contd.)

Kent (part) (contd.)

Sevenoaks U.D.
Southborough U.D.
Swanscombe U.D.
Tonbridge U.D.
Dartford R.D.

Maidstone R.D.
Malling R.D.
Sevenoaks R.D.
Strood R.D.
Tonbridge R.D.

Outer Metropolitan Area (South)

Surrey (part)

Banstead U.D. Caterham and Warlingham U.D. Dorking U.D. Epsom and Ewell M.B.

Leatherhead U.D. Reigate M.B. Dorking and Horley R.D. Godstone R.D.

Sussex (part)

Burgess Hill U.D. Cuckfield U.D. East Grinstead U.D. Cuckfield R.D.

Uckfield R.D. Crawley U.D. Horsham U.D. Horsham R.D.

SOUTH EAST (contd.)

Outer Metropolitan Area (South West)

Surrey (part)

Chertsey U.D.
Egham U.D.
Esher U.D.
Farnham U.D.
Frimley and Camberley U.D.

Godalming M.B.
Guildford M.B.
Haslemere U.D.
Staines U.D.
Sunbury-on-Thames U.D.

Walton and Weybridge U.D. Woking U.D. Bagshot R.D. Guildford R.D. Hambledon R.D.

Hampshire (part)

Aldershot M.B. Farnborough U.D. Fleet U.D. Hartley Wintney R.D.

Outer South East (Essex)

Essex (part)

Braintree and Bocking U.D. Brightlingsea U.D. Burnham-on-Crouch U.D. Clacton U.D. Colchester M.B.

Frinton and Walton U.D. Halstead U.D. Harwich M.B. Maldon M.B. Saffron Walden M.B.

West Mersea U.D.
Witham U.D.
Wivenhoe U.D.
Braintree R.D.
Dunmow R.D.

Halstead R.D. Lexden and Winstree R.D. Maldon R.D. Saffron Walden R.D. Tendring R.D.

Outer South East (Kent)

Kent (part)

Canterbury C.B.
Ashford U.D.
Broadstairs and
St. Peter's U.D.
Deal M.B.
Dover M.B.

Faversham M.B. Folkestone M.B. Herne Bay U.D. Hythe M.B. Lydd M.B.

Margate M.B.
New Romney M.B.
Queenborough-in-Sheppey M.B.
Ramsgate M.B.
Sandwich M.B.

Sittingbourne and
Milton U.D.
Tenterden M.B.
Whitstable U.D.
Bridge-Blean R.D.
Cranbrook R.D.

Dover R.D.
East Ashford R.D.
Eastry R.D.
Elham R.D.
Hollingbourn R.D.

Romney Marsh R.D. Swale R.D. Tenterden R.D. West Ashford R.D.

Outer South East (Sussex Coast)

Sussex, East (part)

Brighton C.B. Eastbourne C.B. Hastings C.B. Bexhill M.B. Hove M.B.

Lewes M.B. Newhaven U.D. Portslade-by-Sea U.D. Rye M.B. Seaford U.D.

Outer South East (Sussex Coast) (contd.)

Sussex,
East (part) (contd.)

Battle R.D. Chailey R.D. Hailsham R.D.

Sussex, West (part)

Arundel M.B.
Bognor Regis U.D.
Chichester M.B.
Littlehampton U.D.

Shoreham-by-Sea U.D. Southwick U.D. Worthing M.B. Chanctonbury R.D.

Chichester R.D.
Midhurst R.D.
Petworth R.D.
Worthing R.D.

Outer South East (Solent)

Dorset (part)

Poole M.B.*

Hampshire (part)

All areas except:-

Aldershot M.B. Farnborough U.D. Fleet U.D. Hartley Wintney R.D.

Wight, Isle of

^{*} For statistical purposes Poole M.B. is in the South East and not in the South West region.

SOUTH EAST (contd.)

Outer South East (Beds, Bucks, Berks, Oxon.)

Bedfordshire (part)

Ampthill U.D. Bedford M.B. Biggleswade U.D. Kempston U.D.

Sandy U.D. Ampthill R.D. Bedford R.D. Biggleswade R.D.

Buckinghamshire (part)

Buckingham M.B. Newport Pagnell U.D. Wolverton U.D. Buckinghamshire (part) (contd.)

Buckingham R.D. Newport Pagnell R.D. Winslow R.D.

Berkshire (part)

Abingdon M.B. Newbury M.B. Wallingford M.B. Wantage U.D. Abingdon R.D. Berkshire (part) (contd.)

Faringdon R.D. Hungerford R.D. Newbury R.D. Wallingford R.D. Wantage R.D.

Oxfordshire (part)

All areas except:-

Henley-on-Thames M.B. Henley R.D.

SOUTH WEST

Central

Dorset (part)

All areas excluding Poole M.B.*

Somerset (part)

Bridgwater M.B.
Burnham-on-Sea U.D.
Chard M.B.
Crewkerne U.D.
Frome U.D.

Glastonbury M.B. Ilminster U.D. Shepton Mallet U.D. Street U.D. Taunton M.B.

Wellington U.D. Wells M.B. Yeovil M.B. Bridgwater R.D. Chard R.D.

Frome R.D.
Langport R.D.
Shepton Mallet R.D.
Taunton R.D.
Wellington R.D.

Wells R.D. Wincanton R.D. Yeovil R.D.

Central (contd.)

Wiltshire (part)

Salisbury M.B. Warminster U.D. Westbury U.D. Wilton M.B.

Amesbury R.D.
Mere and Tisbury R.D.
Salisbury and Wilton R.D.
Warminster and
Westbury R.D.

Southern

Cornwall (part)

Liskeard M.B. Looe U.D. Saltash M.B.

Torpoint U.D. Liskeard R.D. St. Germans R.D.

Devon (part)

Exeter C.B.
Plymouth C.B.
Torbay C.B.
Ashburton U.D.
Buckfastleigh U.D.

Southern (contd.)

Devon (part) (contd.)

Budleigh Salterton U.D. Crediton U.D. Dartmouth M.B. Dawlish U.D. Exmouth U.D.

Honiton M.B.
Kingsbridge U.D.
Newton Abbot U.D.
Ottery St. Mary U.D.
Salcombe U.D.

Seaton U.D. Sidmouth U.D. Teignmouth U.D. Tiverton M.B. Totnes M.B.

Axminster R.D. Crediton R.D. Honiton R.D. Kingsbridge R.D. Newton Abbot R.D.

Plympton St. Mary R.D. St. Thomas R.D. Tavistock R.D. Tiverton R.D. Totnes R.D.

^{*} For statistical purposes Poole M.B. is in the South East region (Solent sub-division).

Western

Cornwall (part)

Bodmin M.B.
Bude-Stratton U.D.
Camborne-Redruth U.D.
Falmouth M.B.
Helston M.B.

Launceston M.B. Newquay U.D. Penryn M.B. Penzance M.B. St. Austell with Fowey M.B.

St. Ives M.B. St. Just U.D. Truro M.B. Camelford R.D. Kerrier R.D.

Lauceston R.D. St. Austell R.D. Scilly, Isles of Stratton R.D. Truro R.D.

Wadebridge and Padstow R.D. West Penwith R.D.

Devon (part)

Barnstaple M.B.
Bideford M.B.
Great Torrington M.B.
Ilfracombe U.D.
Lynton U.D.

Northam U.D. Okehampton M.B. Barnstaple R.D Bideford R.D. Holsworthy R.D.

Okehampton R.D. South Molton R.D. Torrington R.D.

Somerset (part)

Minehead U.D. Watchet U.D. Dulverton R.D. Williton R.D.

SOUTH WEST (contd.)

Northern (North Gloucestershire)

Gloucestershire (part)

Gloucester C.B.
Charlton Kings U.D.
Cheltenham M.B.
Cirencester U.D.
Nailsworth U.D.

Stroud U.D. Tewkesbury M.B. Cheltenham R.D. Cirencester R.D. Dursley R.D.

East Dean R.D.
Gloucester R.D.
Lydney R.D.
Newent R.D.
North Cotswold R.D.

Northleach R.D. Stroud R.D. Tetbury R.D. West Dean R.D.

Northern (Bristol-Severnside)

Gloucestershire (part)

Bristol C.B. Kingswood U.D. Mangotsfield U.D.

Sodbury R.D. Thornbury R.D. Warmley R.D.

Somerset (part)

Bath C.B. Clevedon U.D. Keynsham U.D. Norton-Radstock U.D. Portishead U.D.

Weston-super-Mare M.B. Axbridge R.D. Bathavon R.D. Clutton R.D. Long Ashton R.D.

Northern (North Wiltshire)

Wiltshire (part)

Bradford-on-Avon U.D. Calne M.B. Chippenham M.B. Devizes M.B. Malmesbury M.B.

Marlborough M.B.
Melksham U.D.
Swindon M.B.
Trowbridge U.D.
Bradford and Melksham R.D.

Calne and Chippenham R.D. Cricklade and Wootton Bassett R.D. Devizes R.D. Highworth R.D. Malmesbury R.D.

Marlborough and Ramsbury R.D. Pewsey R.D.

WALES

Industrial South Wales Central and Eastern Valleys

Breconshire (part)

Brynmawr U.D. Vaynor and Penderyn R.D.

Glamorgan (part)

Merthyr Tydfil C.B. Aberdare U.D. Caerphilly U.D. Gelligaer U.D.

Glynorrwg U.D. Maesteg U.D. Mountain Ash U.D. Ogmore and Garw U.D.

Pontypridd U.D. Rhondda M.B. Llantrisant and Llantwit Fardre R.D.

Monmouthshire (part)

Abercarn U.D. Abertillery U.D. Bedwas and Machen U.D. Bedwellty U.D.

Blaenavon U.D. Ebbw Vale U.D. Mynyddislwyn U.D. Nantyglo and Blaina U.D.

Pontypool U.D. Rhymney U.D. Risca U.D. Tredegar U.D.

Industrial South Wales West South Wales

Breconshire (part)

Ystradgynlais R.D.

Carmarthenshire (part)

Ammanford U.D. Burry Port U.D. Cwmamman U.D.

Kidwelly M.B. Llanelli M.B. Llanelli R.D.

Industrial South Wales West South Wales (contd.)

Glamorgan (part)

Swansea C.B. Llwchwr U.D. Neath M.B. Port Talbot M.B.

Gower R.D. Neath R.D. Pontardawe R.D.

Industrial South Wales Coastal Belt

Breconshire (part)

Crickhowell R.D.

Glamorgan (part)

Cardiff C.B.
Barry M.B.
Bridgend U.D.
Cowbridge M.B.
Penarth U.D.

Porthcawl U.D. Cardiff R.D. Cowbridge R.D. Penybont R.D.

Monmouthshire (part)

Newport C.B. Abergavenny M.B. Caerleon U.D. Chepstow U.D.

Cwmbran U.D. Monmouth M.B. Usk U.D. Abergavenny R.D.

Chepstow R.D.
Magor and St. Mellons R.D.
Monmouth R.D.
Pontypool R.D.

North East Wales

Denbighshire (part)

Wrexham M.B. Wrexham R.D.

North East Wales (contd.)

Flintshire (part)

Buckley U.D. Connah's Quay U.D. Flint M.B. Holywell U.D.

Mold U.D. Hawarden R.D. Holywell R.D. Maelor R.D.

North West Wales North Coast

Caenarvonshire (part)

Conway M.B. Llandudno U.D.

Denbighshire (part)

Abergele U.D. Colwyn Bay M.B.

Flintshire (part)

Prestatyn U.D. Rhyl U.D. St. Asaph R.D.

North West Wales Remainder

Anglesey

Caernarvonshire (part)

Bangor M.B.
Bethesda U.D.
Betws-y-Coed U.D.
Caernarvon M.B.
Criccieth U.D.

Llanfairfechan U.D. Penmaenmawr U.D. Portmadoc U.D. Pwllheli M.B. Gwyrfai R.D.

Lleyn R.D. Nant Conway R.D. Ogwen R.D. WALES (contd.)

North West Wales Remainder (contd.)

Denbighshire (part)

Denbigh M.B. Llangollen U.D. Llanrwst U.D. Ruthin M.B.

Aled R.D. Ceiriog R.D. Hiraethog R.D. Ruthin R.D.

Merionethshire

Central Wales

Breconshire (part)

Brecknock M.B.
Builth Wells U.D.
Hay U.D.
Llanwrtyd Wells U.D.

Brecknock R.D. Builth R.D. Hay R.D.

Montgomeryshire

Radnorshire

South West Wales

Cardiganshire

Carmarthenshire (part)

Carmarthen M.B. Llandeilo U.D. Llandovery M.B. Newcastle Emlyn U.D.

Carmarthen R.D. Llandeilo R.D. Newcastle Emlyn R.D.

Pembrokeshire

19. Hospital regions

The hospital regions presented in this volume consist of aggregations of entire local authority areas. They are identical with the areas of the regional hospital boards except where the boundaries of the latter divide local authority areas. Any such divided local authority area is allocated to the hospital region containing the greater proportion of the population.

Estimates of the population of hospital regions, in which the figures for the parts of divided areas have been allocated to the regions in which they are situated, have been published in the Registrar General's Quarterly Return (see return No. 481 for the first quarter of 1969).

Cumberland

Durham

Northumberland

Westmorland (part)

Appleby M.B.

North Westmorland R.D.

Newcastle

Yorkshire, North Riding (part)

Teesside C.B.

Guisborough U.D.
Loftus U.D.
Northallerton U.D.
Richmond M.B.
Saltburn and
Marske-by-the-Sea U.D.

Skelton and Brotton U.D.

Croft R.D.
Northallerton R.D.
Reeth R.D.
Richmond R.D.
Startforth R.D.
Stokesley R.D.

Leeds

Yorkshire, East Riding

Yorkshire, North Riding (part) (except areas stated in Newcastle Region) Yorkshire, West Riding (part) (except areas stated in Sheffield Region)

Sheffield

Leicestershire

Lincolnshire,
Parts of Holland
Lincolnshire,
Parts of Lindsey

Nottinghamshire

Derbyshire (part) (except areas stated in Manchester Region)

Lincolnshire
Parts of Kesteven (part)
(except areas stated in
East Anglain Region)

Rutland (part)

Oakham U.D. Oakham R.D. Uppingham R.D. Yorkshire, West Riding (part)

Barnsley C.B.
Doncaster C.B.
Rotherham C.B.
Sheffield C.B.

Adwick-le-Street U.D.
Bentley with Arksey U.D.
Conisbrough U.D.
Cudworth U.D.
Darfield U.D.

Darton U.D.
Dearne U.D.
Dodworth U.D.
Hoyland Nether U.D.
Maltby U.D.

Mexborough U.D. Penistone U.D. Rawmarsh U.D.

Royston U.D. Stocksbridge U.D. Swinton U.D. Tickhill U.D.

Wath upon Dearne U.D. Wombwell U.D. Worsbrough U.D.

Doncaster R.D. Kiveton Park R.D. Penistone R.D. Rotherham R.D.

Thorne R.D. Wortley R.D.

East	Anglian
------	---------

Cambridgeshire and Isle of Ely

Huntingdon and Peterborough

Nor.folk

Suffolk, East

Suffolk, West

Essex (part)

Saffron Walden M.B. Saffron Walden R.D.

Hertfordshire (part)

Royston U.D.

Lincolnshire Parts of Kesteven (part)

Bourne U.D. Stamford M.B. South Kesteven R.D.

Rutland (part)

Ketton R.D.

North West Metropolitan

Bedfordshire

Hertfordshire (part) (except areas stated in East Anglian and North East Metropolitan Regions)

Surrey (part)

Staines U.D.

Sunbury-on-Thames U.D.

Essex (part) (except areas stated in

East Anglian Region)

Berkshire (part)

Maidenhead M.B. New Windsor M.B. Cookham R.D. Easthampstead R.D. Windsor R.D.

Buckinghamshire (part)

Beaconsfield U.D. Eton U.D. Slough M.B. Eton R.D. Greater London (part)

Barnet L.B.
Brent L.B.
Camden L.B.
Ealing L.B.
Haringey L.B.
Harrow L.B.

Hillingdon L.B.
Hounslow L.B.
Islington L.B.
Richmond-upon-Thames L.B.
Westminster L.B.

North East Metropolitan

Greater London (part)

City of London
Inner and Middle Temple
Barking L.B.
Enfield L.B.
Hackney L.B.
Havering L.B.
Newham L.B.
Redbridge L.B.
Tower Hamlets L.B.
Waltham Forest L.B.

Hertfordshire (part)

Bishop's Stortford U.D. Cheshunt U.D. Hertford M.B. Hoddesdon U.D. Sawbridgeworth U.D. Ware U.D.

Braughing R.D. Hertford R.D. Ware R.D.

South East Metropolitan

Kent

Sussex, East

Greater London (part)

Bexley L.B.
Bromley L.B.
Greenwich L.B.

Lewisham L.B. Southwark L.B.

South West Metropolitan

Sussex, West

Hampshire (part)

Aldershot M.B. Farnborough U.D. Fleet U.D.

Greater London (part)

Croydon L.B.

Greater London (part) - ctd.

Hammersmith L.B.

Kensington and Chelsea L.B. Kingston upon Thames L.B.

Lambeth L.B. Merton L.B.

Sutton L.B. Wandsworth L.B.

Surrey (part) (except areas stated in North West Metropolitan Region)

Wessex

Wight, Isle of

Dorset (part) (all areas except Lyme Regis M.B.)

Hampshire (part) (except areas stated in South West Metropolitan Region) Wiltshire (part)

Salisbury M.B. Wilton M.B. Amesbury R.D. Mere and Tisbury R.D. Salisbury and Wilton R.D.

Oxford

Northamptonshire

Ox.fordshire

Berkshire (part) (except areas stated in North West Metropolitan Region)

Buckinghamshire (part) (except areas stated in North West Metropolitan Region)

Gloucestershire (part)

Cirencester U.D.

Cirencester R.D. North Cotswold R.D. Northleach R.D.

Wiltshire (part)

Marlborough M.B. Swindon M.B.

Cricklade and Wootton Bassett R.D. Highworth R.D. Marlborough and Ramsbury R.D. Pewsey R.D.

South Western

Cornwall Devon Somerset

Dorset (part)

Lyme Regis M.B.

Gloucestershire (part) (except areas stated in Oxford Region)

Wiltshire (part) (except areas stated in Wessex and Ox, ford Regions)

Welsh

All areas in Wales including Monmouthshire

Birmingham

Here, fordshire

Shropshire

Sta.f.fordshire

Warwickshire

Worcestershire

Manchester

Cheshire (part)
(except areas stated in Liverpool Region)

Lancashire (part)
(except areas stated in Liverpool Region)

Westmorland (part)
(except areas stated in Newcastle Region)

Derbyshire (part)

Buxton M.B. Glossop M.B. New Mills U.D. Whaley Bridge U.D.

Chapel en le Frith R.D.

Liverpool

Cheshire (part)

Birkenhead C.B. Chester C.B. Wallasey C.B.

Bebington M.B.
Ellesmere Port M.B.
Hoylake U.D.
Lymm U.D.
Neston U.D.
Runcorn U.D.

Wirral U.D. Chester R.D. Runcorn R.D. Tarvin R.D. Lancashire (part)

Bootle C.B. Liverpool C.B. St. Helens C.B. Southport C.B. Warrington C.B.

Crosby M.B.
Formby U.D.
Golborne U.D.
Haydock U.D.
Huyton-with-Roby U.D.
Kirkby U.D.

Litherland U.D.
Newton-le-Willows U.D.
Ormskirk U.D.
Prescot U.D.
Rainford U.D.
Skelmersdale and
Holland U.D.
Widnes M.B.

Warrington R.D.
West Lancashire R.D.
Whiston R.D.

20. Local areas

The following abbreviated or common titles are used in this volume:-

Area name used

Durham M.B.
Dartmouth M.B.
Launceston M.B.
Salisbury M.B.

Correct name

Durham and Framwelgate M.B. Clifton, Dartmouth, Hardness M.B. Duheved, otherwise Launceston M.B. New Sarum M.B.

Also, in this volume the area sometimes known as Brecon M.B. is shown as Breckhock M.B.; and Lincoln C.B. is included with Lincolnshire - Parts of Kesteven, and not with Parts of Lindsey.

A number of special abbreviated lists of causes of death prescribed in the International Classification of Diseases, Injuries and Causes of Death, 1965 (Eighth Revision) are employed in this volume, (see paragraph 5). The categories of the various abbreviated lists and their relationship to the detailed categories of the ICD are as follows, the detailed categories being shown in brackets.

ICD List 'A' of 150 causes (Tables 9, 18C, 18D)

A 1 A 2 A 3 A 4 A 5 A 6	(000) (001) (002, 003) (004, 006) (008, 009) (010-012)	A 40 A 41 A 42 A 43	(122) (125) (126) (121, 123, 124, 127-129)	A 77 A 78 A 79	(375) (381, 383) (321-333, 341-344, 346-358, 370-373, 376-380,	A 112 A 113	(591,593, 595-599, 601-607, 612-629) (636-639) (632, 651-653)
A 7 A 8 A 9 A 10 A 11 A 12	(013) (014) (015) (016-019) (020) (022)	A 44 A 45 A 46	(085, 089, 099, 100-117, 130-136) (140-149) (150)	A 80 A 81 A 82 A 83 A 84	384-389) (390-392) (393-398) (400-404) (410-414) (420-429)	A 114 A 115 A 116 A 117	(640, 641) (642-645) (670, 671, 673) (630, 631, 633-635,
A 13 A 14 A 15 A 16 A 17 A 18	(023) (030) (032) (033) (034) (035)	A 47 A 48 A 49 A 50 A 51 A 52	(151) (152, 153) (154) (161) (162) (170)	A 85 A 86 A 87 A 88 A 89 A 90	(430-438) (440-448) (450-453) (454-458) (460-466) (470-474)	A 118 A 119 A 120	654-662, 672, 674-678) (650) (680-686) (690-709)
A 19 A 20 A 21	(036) (037) (005, 007, 021, 024-027, 031, 038, 039)	A 53 A 54 A 55 A 56 A 57 A 58	(172, 173) (174) (180) (181, 182) (185) (155-160,	A 91 A 92 A 93 A 94 A 95 A 96	(480) (481-486) (490-493) (500) (510, 513) (501-508,	A 121 A 122 A 123 A 124 A 125	(710-715) (716-718) (720) (727, 735-738) (721-726.
A 22 A 23 A 24 A 25 A 26 A 27	(040-043) (044) (050) (055) (060) (062-065)	A 59 A 60	163, 171, 183, 184, 186-199) (204-207) (200-203, 208, 209)	A 97 A 98 A 99 A 100	511, 512, 514-519) (520-525) (531-533) (535) (540-543)	A 126 A 127 A 128 A 129 A 130	728-734) (741) (746) (747) (749) (740,
A 28 A 29	(070) (045,046, 051-054, 056, 057, 061, 066-068,	A 61 A 62 A 63 A 64 A 65	(210-239) (240, 241) (242) (250) (260-269) (243-246,	A 101 A 102 A 103 A 104	(550-553, 560) (571) (574, 575) (526-530, 534, 536,	A 131	742-745, 748, 750-759) (764-768, 772) (770, 771)
A 30 A 31 A 32 A 33 A 34 A 35	071-079) (080-083) (084) (086, 087) (088) (090) (091)	A 67 A 68 A 69 A 70 A 71 A 72	251-258, 270-279) (280-285) (286-289) (290-299) (300-309) (310-315) (320)	A 105 A 106 A 107 A 108	537, 561-570, 572, 573, 576, 577) (580) (581-584) (590) (592, 594)	A 133 A 134 A 135 A 136 A 137	(774, 775) (776) (760-763, 769, 773, 777-779) (794) (780-793, 795, 796)
A 36 A 37 A 38 A 39	(094) (092, 093, 095-097) (098) (120)	A 73 A 74 A 75 A 76	(340) (345) (360-369) (374)	A 109 A 110	(600) (610, 611)		100, 1009

```
ICD List 'A' of 150 causes (Tables 9, 18C, 18D) - continued
AE 138
          (E810-E823)
                           AE 145
                                     (E916-E921
                                                     AN 138
                                                               (N800-N804)
                                                                              AN 146
                                                                                         (N910-N929)
                                      E923-E928)
AE 139
          (E800-E807
                                                               (N805-N809)
                                                     AN 139
                                                                               AN 147
                                                                                         (N930-N939)
           E825-E845)
                           AE 146
                                     (E900-E909,
                                                     AN 140
                                                                (N810-N829)
                                                                               AN 148
                                                                                         (N940-N949)
AE 140
          (E850-E877)
                                      E911-E915
                                                     AN 141
                                                               (N830-N839)
                                      E929-E949)
                                                                               AN 149
                                                                                         (N960-N989)
AE 141
          (E880-E887)
                                                     AN 142
                                                               (N840-N848)
                                                                               AN 150
                                                                                         (N950-N959
AE 142
          (E890-E899)
                           AE 147
                                     (E950-E959)
                                                     AN 143
                                                               (N850-N854)
                                                                                         N990-N999)
             (E910)
AE 143
                           AE 148
                                      (E960-E978)
                                                               (N860-N869)
                                                     AN 144
AE 144
             (E922)
                           AE 149
                                      (E980-E989)
                                                     AN 145
                                                               (N870-N908)
                           AE 150
                                     (E990-E999)
         ICD List 'B' of 50 causes (Tables 19, 21 and Appendices A, G, H3, H5)
             (000)
                                     (Rem. of 000-136)
                           B 18
                                                     B 34
                                                              (531 - 533)
                                                                                       (780 - 796)
                                                                              B 45
             (001)
B 2
                                                     B 35
                                                              540-543)
                                                                              B 46
                                                                                        (Rem. of
B 3
          (004, 006)
(008, 009)
                           B 19
                                    (140-209)
                                                     B 36
                                                              (550-553,
                                                                                        240-738)
B
                           B 20
                                    (210-239)
                                                                 560)
B 5
          (010-012)
                           B 21
                                      (250)
                                                                (571)
                                                     B 37
                                                                              BE 47
                                                                                       (E810-E823)
B 6
          (013 - 019)
                           B 22
                                    (260-269)
                                                     B 38
                                                              (580 - 584)
                                                                              BE 48
                                                                                       (E800-E807
                                                                                        E825-E949)
B 7
             (020)
                           B 23
                                    (280 - 285)
                                                     B 39
                                                                (600)
                                                                                       (E950-E959)
                                                                              BE 49
B 8
             (032)
                           B 24
                                      (320)
                                                              (640 - 645)
                                                     B 40
                                                                              BE 50
                                                                                       (E960-E999)
B
             (033)
                           B 25
                                    (390 - 392)
                                                     B 41
                                                              (630 - 639)
B
  10
             (034)
                           B 26
                                    (393-398)
                                                              650-678)
                                                                              BN 47
                                                                                       (N800-N829
             (036)
B
  11
                           B 27
                                    (400-404)
                                                     B 42
                                                              (740-759)
                                                                                        N850-N869)
B 12
                           B 28
          (040-043)
                                                              (764 - 768,
                                    (410-414)
                                                     B 43
                                                                              BN 48
                                                                                       (N940-N949)
                                                               772, 776)
                                                                              BN 49
                                                                                       (N960-N989)
                           B 29
B 13
             (050)
                                    (420 - 429)
                                                                                        (Rem. of
B 14
             (055)
                           B 30
                                    (430 - 438)
                                                              (760 - 763,
                                                     B 44
                                                                                        N800-N999)
                                                               769-771,
B 15
          (080 - 083)
                           B 31
                                    (470-474)
            (084)
B 16
                           B 32
                                    (480 - 486)
                                                              773-775
B 17
          (090 - 097)
                           B 33
                                    (490 - 493)
                                                              777-779)
                ICD List 'P' of 100 causes (Tables 23A-23G (P1-P80), 23J)
           (760.0)
(760.2)
P 1
                                 (764.0, 764.1)
(764.2, 764.3)
                           P 21
                                                    P 40
                                                                (769.4)
                                                                              P 59
                                                                                         (776.9)
P 2
                           P 22
                                                    P 41 (769.5, 769.9)
                                                                              P 60 (776.0, 776.3)
       (760.1, 760.3)
(760.4, 760.5)
P
  3
                                 (764.4, 764.9)
                           P 23
P
  4
                                                                                          (777)
(778.0)
                                                     P 42
                                                                (770.0)
                                                                              P 61
                                 (765.0,
                           P 24
                                          765.1
                                                    P 43
                                                                 770.1
                                                                              P 62
                                 (765.2, 765.3)
                                                                                          (778.1)
P 5
            (761.0)
                           P 25
                                                    P 44
                                                                (770.2)
                                                                              P 63
                                 (765.4, 765.9)
P 6
            (761.1)
                           P 26
                                                    P 45
                                                                (770.8)
                                                                              P 64
                                                                                          778.2)
P
  7
            (761.3)
                                                                                          778.3)
                                                    P 46
                                                                (770.9)
                                                                              P 65
P
  8
            (761.5)
                                                                              P 66
                           P 27
                                 (766.0, 766.1)
                                                                                          (778.9)
           (761.6)
(761.7)
P
  9
                           P 28
                                 (766.2, 766.3)
                                                    P 47
                                                                (771.0)
                                                                              P 67
                                                                                          779.0)
P
  10
                           P 29
                                                    P 48
                                                                 771.1)
                                                                              P 68
                                 (766.4,
                                          766.9)
                                                                                          (779.9)
P
  11
        (761.2, 761.4,
                                                    P 49
                                                                (771.9)
            761.9)
                           P 30
                                 (767.0, 767.1
                                                                              P 69
                                                                                           (740)
                                 (767.2, 767.3)
(767.4, 767.9)
                                                           (772.0, 772.1)
(772.2, 772.9)
(773)
                                                                                           (741)
                           P
                             31
                                                                              P 70
                                                    P 50
                                                                                           (742)
           (762.0)
P 12
                             32
                                                    P 51
                                                                              P 71
                                                                                       (743, 744)
(746, 747)
(748)
P 13
            762.1
                                                                              P 72
                                                    P 52
P 14
            (762.2
                           P 33
                                 (768.0, 768.1)
                                                                              P 73
P 15
            (762.3)
                                 (768.2, 768.3)
                           P 34
                                                    P 53
                                                           (774.0, 775.0)
                                                                              P 74
                                 (768.4, 768.9)
P 16
           (762.4)
                                                    P 54
                                                           (774.1, 775.1)
                           P 35
        (762.5, 762.9)
                                                    P 55
 17
                                                           (774.2, 775.2)
                                                                              P 75
                                                                                       (749 - 751)
                                      (769.0)
(769.1)
(769.2)
                                                                                       (752, 753)
(754-756)
                           P 36
                                                           (774.9, 775.9)
                                                                              P
                                                                                76
           (763.0)
(763.1)
P 18
                           P
                             37
                                                                              P
                                                                                77
P 19
                                                          (776.1, 776.2)
(776.4)
                           P
                             38
                                                    P 57
                                                                              P 78
                                                                                         (759.3)
P 20
           (763.9)
                                      (769.3)
                           P 39
                                                    P 58
```

ICD List 'P'	f 100 causes (Tables	23A-23G (P1-P80), 23J) - continued
P 79 (759.0-759.2,	P 83 (037)	P 89 (240-246)	P 95 (E900)
759.4-759.9)	P 84 (038)	P 90 (273.0)	P 96 (E901)
P 80 (745, 757,	P 85 (040-079)	P 91 (280-289)	P 97 (E904)
758)	P 86 (090)	P 92 (480-486)	P 98 (E911)
	P 87 (130)	P 93 (Rem. of	P 99 (E913)
P 81 (009)	P 88 (Rem. of 000-136)	140-738)	P 100 (Rem. of
P 82 (027.0)		P 94 (780-796)	E800-E999)

CORRECTIONS

Statistical Review, 1965: Part I, Tables, Medical

Table 23A Page 308:

Errors occurred in some of the figures given in the rates section and for the 'Total live and still births'. The amended figures are set out below:

TOD		2									45
ICD Number	(Cause		Allages	Under 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	and over
		Stil	llbirths	per 1	,000 to	otal bi	irths				
Y30-Y39	All causes		M F P	15.6	14.0 14.8 14.4	12.7 12.6 12.7	14.3 13.7 14.0	17.9 17.7 17.8	25.6 24.0 24.8	38.0 35.4 36.7	59.4 48.7 54.1
Y30-Y35	Maternal co	nditions		4.1	3.6	3.1	3.4	4.9	7.3	11.8	14.6
Y30.2 Y30.3	Diabetes Circulator	у		0.1	0.1	0.1	0.1	0.2	0.3	0.5	1·4 2·8
Y32 Y32.2 Y32.4	Diseases of Haemorrhage Other toxae	e N.E.C.	ıcy	2.5 0.5 1.9	2.5 0.7 1.6	2.0 0.4 1.5	2.1 0.4 1.6	2.9	4.0 0.7 3.2	6.8 1.4 5.2	6·2 2·1 4·2
Y34 Y34.2 Y34.3	Difficultie Malposition Abnormal fo	n	our	1.0 0.4 0.1	0.8 0.4 0.0	0.8	0.9 0.3 0.1	1.1 0.5 0.1	1.8	2.1 1.1 0.7	4·2 2·8
Y36	Placental as conditions	nd cord		4.9	3.6	3.8	4.5	5.5	8.4	12.1	15.9
Y36.1 Y36.2	Placenta pr Placenta ar		tal	0.2	0.0	0.1	0.1	0.2	0.4	0.5	-
Y36.5	separation Placental i	n - '	,	1.5	1.2	1.2	1.3	1.7	2.4	2.8	2.8
Y37-Y39	Foetal cond:	itions		6.8	7.2	5.9	6.2	7.4	9.2	12.8	23.6
Y37 Y38 Y38.0 Y38.1 Y38.2	Birth injur Congenital Anencephal Hydrocephal Spina bific	malforma us Lus	tion	0.3 2.9 1.7 0.4 0.3	0.4 3.5 2.0 0.5	0.3 2.8 1.7 0.4 0.3	0.2 2.5 1.5 0.4 0.3	0.4 3.0 1.6 0.5 0.3	0.4 3.4 1.7 0.6 0.5	0·4 4·3 1·9 0·9	0·7 6·2 2·8 -
Y39 Y39.2 Y39.6	Other and in causes Erythroblas Unspecified	stosis	ed	3.6 0.7 0.8	3.4 0.2 0.9	2.8 0.4 0.7	3.4 0.9 0.7	4.1 1.1 0.8	5.3 1.1 1.2	8.1	16.6 2.8 1.4
		All ages	Under 20	20-24	25=	29 3	0-34	35 - 39	40-4		5 and over
	al live M and F llbirths P	450,390 426,176 876,566	42,712 40,094 82,806	137,31	2 129,	872 7	5,661 1,599 7,260	37,804 36,050 73,854	10,5	530	724 719 1,443

CORRECTIONS - continued

Statistical Reviews, 1965 and 1966: Part I, Tables, Medical

Table 23I Page 339:

Stillbirths per 1,000 total births

ICD Number Cause Year

Y30-Y35 Maternal conditions 1964 for 4.9

read 4.3

Statistical Review, 1967: Part I, Tables, Medical

Table 13 Page 85:

SHROPSHIRE

	BIR	RTHS	DEA	THS
Area	Col. 9	Col. 10	Col. 15	Col. 16
SHROPSHIRE	for 1.01 read 1.03	for 1.04 read 1.06	for 1.05 read 1.01	for 0.98 read 0.95
M.Bs. and U.Ds.	for 0.96 read 1.00	for 1.00 read 1.04	for 1.11 read 1.04	for 1.06 read 0.99
Dawley U.D.	for 0.86 read 0.97	for 0.83 read 0.94	for 1.30 read 0.97	for 1.50 read 1.12

Table 13 Page 86:

SHROPSHIRE - continued

R.Ds.	for 1.03 read 1.04	for 1.05 read 1.06	for 1.02 read 1.00	for 0.95 read 0.93
Bridgnorth R.D.	for 0.96 read 1.04	for 1.02 read 1.11	for 1.36	for 1.14 read 0.91

Table 17 Page 113:

ICD causes 180, 181....192. Certain errors occurred in the figures for these causes for the age groups 35-; 40-; 45-; 50- and 55-. The corrected figures are as follows:

	18	0	18	1	181.	0;.8	18:	1.7	190-	-199	19	0	19	91	19	2
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
35- 40- 45- 50- 55-	6 22 40 75 136	3 14 18 41 50	8 18 52 88 196	5 8 20 37 70	8 18 52 87 192	5 8 20 36 68	1 4	1 2	103 140 200 309 454	85 118 163 276 386	17 18 18 29 29	21 24 30 24 25	4 4 7 11 27	3 3 6 7	1 2 3 13 9	2 1 3 7

CORRECTIONS - continued

Statistical Review, 1967: Part I, Tables, Medical - continued

Table 23D Pages 316, 318 and 320:

The heading to the following column is incorrect:

Urban/Rural aggregates

Areas outside conurbations

for Urban areas with population of 150,000 and under 100,000

read Urban areas with populations of 50,000 and under 100,000

Table 23I Page 339:

Stillbirths per 1.000 total births

ICD Number Cause Year


Y30-Y35 Maternal conditions 1964 for 4.9

read 4.3

Table 25 Page 343:

Rates per 1,000 total births

Stillbirths plus infant deaths under 1 week All infants M for 19.99 read 26.82 F for 18.30 read 23.94 Р for 19.17 read 25.42 March quarter for 19.66 read 25.59 June quarter for 18.69 read 24.96 September quarter for 18.70 read 25.08 for 19.64 December quarter read 26.10 Legitimate M for 19.56 read 26.04 for 17.86 for 18.73 F read 23.16 read 24.64 P for 24.75 for 23.12 read 35.33 read 32.41 Illegitimate M F for 23.95 read 33.90



PART I TABLES, MEDICAL

TABLE 1. Estimated populations: total, home and civilian, by sex and age, as at 30th June 1968

(Figures in thousands)

				e explanator	, 11000 0 OII	1400 111.			- Unousands)
Age		Total			Home			Civilian	
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
All ages	48,669.0	23,704.4	24,964.6	48,593.0	23,629.9	24,963.1	48,318.5	23,366.6	24,951.9
0 1 2 3 4	808.3 829.1 834.0 844.9 839.4	414.7 425.4 427.0 433.3 430.5	393.6 403.7 407.0 411.6 408.9	808.3 829.1 834.0 844.9 839.4	414.7 425.4 427.0 433.3 430.5	393.6 403.7 407.0 411.6 408.9	808.3 829.1 834.0 844.9 839.4	414.7 425.4 427.0 433.3 430.5	393.6 403.7 407.0 411.6 408.9
5 6 7 8 9	824.1 805.4 773.4 737.0 723.1	422.6 412.6 396.6 378.0 370.7	401.5 392.8 376.8 359.0 352.4	824.1 805.4 773.4 737.0 723.1	422.6 412.6 396.6 378.0 370.7	401.5 392.8 376.8 359.0 352.4	824·1 805·4 773·4 737·0 723·1	422.6 412.6 396.6 378.0 370.7	401.5 392.8 376.8 359.0 352.4
10 11 12 13 14	708.7 680.8 657.0 645.4 657.2	363.5 348.7 337.2 330.5 336.1	345.2 332.1 319.8 314.9 321.1	708.7 680.8 657.0 645.4 657.2	363.5 348.7 337.2 330.5 336.1	345.2 332.1 319.8 314.9 321.1	708.7 680.8 657.0 645.4 657.2	363.5 348.7 337.2 330.5 336.1	345.2 332.1 319.8 314.9 321.1
15 16 17 18 19	656.2 654.6 670.0 703.7 739.9	334.7 334.9 340.2 357.3 375.4	321.5 319.7 329.8 346.4 364.5	656.6 655.4 670.6 700.3 733.7	335.1 335.7 340.7 353.9 369.4	321.5 319.7 329.9 346.4 364.3	653.8 648.5 659.0 686.5 717.6	332.3 328.8 330.0 342.1 355.5	321.5 319.7 329.0 344.4 362.1
20 21 22 23 24	804.8 850.1 698.7 692.3 684.2	406.7 431.7 355.0 351.3 345.7	398.1 418.4 343.7 341.0 338.5	795.7 842.2 692.6 686.3 679.3	397.9 424.1 349.0 345.4 340.8	397.8 418.1 343.6 340.9 338.5	777.8 825.2 678.1 671.9 664.6	381.9 408.2 335.1 331.4 326.4	395.9 417.0 343.0 340.5 338.2
0-4 5-9 10-14 15-19 20-24	4,155.7 3,863.0 3,349.1 3,424.4 3,730.1	2,130.9 1,980.5 1,716.0 1,742.5 1,890.4	2,024.8 1,882.5 1,633.1 1,681.9 1,839.7	4,155.7 3,863.0 3,349.1 3,416.6 3,696.1	2,130.9 1,980.5 1,716.0 1,734.8 1,857.2	2,024.8 1,882.5 1,633.1 1,681.8 1,838.9	4,155.7 3,863.0 3,349.1 3,365.4 3,617.6	2,130.9 1,980.5 1,716.0 1,688.7 1,783.0	2,024.8 1,882.5 1,633.1 1,676.7 1,834.6
25-29 30-34 35-39 40-44 45-49	3,054.6 2,938.2 2,958.8 3,065.7 3,272.4	1,553.5 1,512.0 1,515.5 1,543.6 1,627.4	1,501.1 1,426.2 1,443.3 1,522.1 1,645.0	3,039.5 2,930.2 2,952.1 3,062.9 3,271.3	1,538.7 1,504.1 1,508.8 1,540.8 1,626.4	1,500.8 1,426.1 1,443.3 1,522.1 1,644.9	2,987.5 2,897.9 2,924.7 3,048.3 3,258.6	1,487.3 1,472.1 1,481.7 1,526.5 1,613.9	1,500.2 1,425.8 1,443.0 1,521.8 1,644.7
50-54 55-59 60-64 65-69 70-74	2,900.9 3,043.6 2,776.6 2,271.5 1,664.5	1,412.0 1,458.3 1,292.8 991.0 631.1	1,488.9 1,585.3 1,483.8 1,280.5 1,033.4	2,900.4 3,043.6 2,776.6 2,271.5 1,664.5	1,411.6 1,458.3 1,292.8 991.0 631.1	1,488.8 1,585.3 1,483.8 1,280.5 1,033.4	2,895.1 3,043.1 2,776.6 2,271.5 1,664.5	1,406.4 1,457.8 1,292.8 991.0 631.1	1,488.7 1,585.3 1,483.8 1,280.5 1,033.4
75-79 80-84 85 and over	1,152.8 670.9 376.2	399.2 206.6 101.1	753.6 464.3 275.1	1,152.8 670.9 376.2	399.2 206.6 101.1	753.6 464.3 275.1	1,152.8 670.9 376.2	399.2 206.6 101.1	753.6 464.3 275.1
All ages under 21	15,597.0	7,976.6	7,620.4	15,580.1	7,960.1	7,620.0	15,511.0	7,898.0	7,613.0
All ages under 15	11,367.8	5,827.4	5,540.4	11,367.8	5,827.4	5,540.4	11,367.8	5,827.4	5,540.4
15-44	19,171.8	9,757.5	9,414.3	19,097.4	9,684.4	9,413.0	18,841.4	9,439.3	9,402.1
45-64 (Males) 45-59 (Females)	10,509.7	5,790.5	4,719.2	10,508.1	5,789.1	4,719.0	10,489.6	5,770.9	4,718.7
65 and over (Males) 60 and over (Females)	7,619.7	2,329.0	5,290.7	7,619.7	2,329.0	5,290.7	7,619.7	2,329.0	5,290.7

See explanatory note 3 on page vii.

TABLE 2. Estimated home population, by sex and age group, as at 30th June 1968

TABLE 2. Estimated home populati age group, as at 30th June 1968	home Oth		population une 1968	, by	sex ar	and			England urban a	nd an	nd Wales rural a	es, agg	s, standard aggregates,	ر م	regions, hospital	Wales, regions		urk	oations,
Area		All	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
ENGLAND AND WALES Standard regions and	22	23,629.9	414.7 1 393.6 1	1,716.2	1,980.5	1,716.0 1	1,734.8	1,857.2 1	1,538.7 1	1,504.1 1,426.1 1	1,508.8 1	1,540.8	1,626.4 1	1,488.8 1	1,585.3 1	1,292.8	991.0	631.1	706.9
conurbations: North	×	1,635.7	27.5	115.6	148.4	123.7	123.4	119.9	100.4	104.1	107.3	110.8	114.3	93.7	98.2	88.5	70.2	43.4	86 8.3 8.5
Tyneside Conurbation		406.7	0.0 0.0	28.4	37.1	20.5	30.8	31.0	24.7	25.1	26.4 26.1	28.1	29.6	23.6	25.2	22.4	17.4	10.6	11.2
Remainder of North	ΣĿ	1,229,0	19.8	87.2	111.3	93.2	92.6	90.9	75.7	79.0	80.9	79.3	84.7	70.1	73.0	66.1	\$2.8 61.8	32.4 4.9.5 5.0	65.1
Yorkshire and Humberside	34	2,345.0	42.0	170.8	200.7	174.7	174.1	177.4	151.1	147.1	147.8	155.0	162.7	141.2	145.5	128.7	98.1	61.9	66.2
. West Yorkshire Conurbation	ΣĿ	835.8	15.3	52.3	71.3	61.7	59.3	62.8	53.2	52.2	52.1	54.9	58.3	50.5	51.5	47.4	36.7	320.00	52.4
Remainder of Yorkshire and Humberside	ΣĿ	1,509.2	26.7	108.5	123.5	113.0	113.5	113.5	97.9	94.9	95.7	100.1	104.4	90.7	94.0	81.3	61.4	39.3	43.8
North West	24	3,255.5	01 00 01 00 00 00	247.0	289.7	248.2 237.6	236.3	243.9	207.9	204.6	200.3	212.4	222.1	191.2	204.3	179.3	134.9	85.5	89.1 201.3
South East Lancashire Conurbation	MF	1,179.1	21.7	90.9	103.2	89.2	85.7	89.9	74.9	72.8	72.1	79.5	82.28	70.9	76.2	65.5	46.5	0.45 0.40	29.6
Merseyside Conurbation	ZH	647.9	11.00	51.4	63.3	52.3	51.1	50.9	42.0	41.5	39.9	39.2	42.5	36.0	38.1	33.4	23. 34.3	15.0	15.6
Remainder of North West	ΣĿ	1,428.5	25.2	104.7	123.2	106.7	99.5	103.1	91.0	90.3	88.3	93.7	98.2	91.2	90.0	95.9	64.6	41.4 68.3	43.9
East Midlands	MA	1,640.8	29.2	120.0	137.6	1122.1	119.4	129.8	104.9	103.5	106.6	110.3	115.0	97.4	97.6	87.9	68. 81.9	42.3	48.7
West Midlands	K	2,523.3	46.9	189.7	215.1	184.7	186.3	206.7	171.9	165.3	169.8	171.0	179.6	151.7	146.3	129.0	92.4	56.3 90.5	60.6
West Midlands Conurbation	ΣĿ	1,203.0	000 100 000	85.8	99.7	86.4	88.2	100.3	82.3	79.0	81.3	81.6	88.8	74.0	71.0	61.3	43.4	25.4	27.0
Remainder of West Midlands	Z L	1,320.3	223.9	99.4	115.4	98.3	98.3	108.4	89.6	86.3	88.5	89.4	90.8	77.7	75.3	67.7	60.3	30.9	33.6 64.6
East Anglia	MA	810.2	14.3	52.6	65.3	54.2	60.7	72.3	53.0	51.5	52.6	51.3	53.3	47.7	47.8	44.3	37.0	23.3	29.9
South East	F	8,307.4	144.5	602.2	662.0	582.8	582.5	689.7	559.6	538.1	533.3	530.7	566.6	506.8 542.3	527.5	458.0	342.3	222.9 371.8	259.6 579.1
Greater London	医压	3,727.2	65.6	256.2	261.4	242.8	258.4	325.1	268.5	241.8	236.7	241.8	262.4	242.4	258.8 280.4	219.0	150.8 203.6	10 ~	104.0
Outer Metropolitan Area	Σ'n	2,533.1	44.8	206.0	229.2	188.9	189.2	181.9	165.6	176.4	178.6	172.8	173.6	147.8	144.3	123.3	86.8	56.0	87.9
Remainder of South East	ΣÞ	2,047.1	324.4	140.0	171.4	151.1	153.2	162.7	125.5	119.9	118.0	116.1	139.7	116.6	124.4	115.7	104.7	75.4	87.7
South West	××	1,786.9	29.6	126.6	149.4	129.4	133.2	137.9	109.1	108.7	109.3	110.7	118.3	105.1	110.4	101.9	85.1	888.55 8.8	65.7

TABLE 2 - continued

						-		-	-			-	-					
Area	All	Under 1	4-1	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	62-69	70-74	75 and over
Wales	I,325.1 I,394.9	1 21.9 9 20.8	91.7	112.3	96.2	100.6	99.6	80.8	81.2	81.8	88.6	93.3	78.9	80.7	75.2	62.5	39.0	40.8
Wales I (South East)	M 950.	6 15.7	66.7	81.2	69.6	71.4	72.2	59.2	59.5	59.2	64.8	67.7	56.9	56.8	52.9	43.1	26.8	27.0
Wales II (remainder)	M 374.5 F 404.3	0.00	23.8	31.1	25.9	28.2	27.4	21.6	21.7	22.6	23.8	25.8 25.8	22.1	23.9	22.3	19.4	12.2	13.8
Urban and rural aggregates:																		
Conurbations	M 7,999.7 F 8,553.9	144.1	579.5	636.0	562.9	574.8	658.0	545.6	512.4	508.5	525.1	563.0	497.4	520.8	449.0	318.6 432.9	194.2	209.8
Areas outside conurbations:																		
Urban areas with populations of 100,000 and over	M 3,178.8 F 3,370.3	5 53.7	222.1	262.8	226.0	247.1	269.5	202.3	191.0	194.3	206.0	223.4	194.2	197.5	176.2	134.7	88.2	94.2
Urban areas with populations of 50,000 and under 100,000	F 2,296.1	36.6	168.1	203.4	170.6	170.2	179.4	141.6	142.0	147.9	153.5	160.7	133.3	138.3	119.0	94.7	62.3	72.0
Urban areas with populations under 50,000	F 5,407.6	84.4	371.5	433.1	375.2	369.0	368.7	320.3	320.3	321.2	328.9	343.2	294.9	303.8	278.0	224.3	145.2	165.1
Rural districts	M 5,107.2 F 5,161.3	89.9	353.0	445.2	381.3	373.7	381.6	331.4	338.4	336.9	327.3	340.5	291.8	297.9	270.6	218.7	141.2	165.8
Hospital regions:																		
Newcastle	H 1,519.1 F 1,573.1	25.6	113.3	143.4	119.5	115.0	109.8	92.2	95.9	98.8	102.3	104.0	88.3 88.3	89.5	80.0	62.9	38.9 59.5	41.3
Leeds	M 1,558.4 1,658.1	27.7	112.7	134.1	116.7	116.6	117.1	98.5	96.8	97.3	102.3	107.8	93.7	96.5	86.6	66.9	42.2	44.9
Sheffleld	M 2,284.4	3.9.0	167.5	193.1	171.7	168.0	180.9.	148.2	143.9	148.2	153.8	160.6 152.8	135.9	136.6	121.2 129.9	92.0		65.1
East Anglian	M 846.4 F 867.4	15.7	57.8	70.8	58.8	58.2	71.3	54.3	53.1	54.4 50.8	53.1	56.7	47.5	49.7	45.9	39.0	24.6	31.6
	F 2,212.9	35.0	146.0	158.4	139.6	142.6	178.9	155.1	142.6	141.5	141.1	147.1	131.7	137.1	114.5	74.4		56.0
	M 1,606.8 F 1,587.4	26.5	116.2	120.7	115.1	119.6	125.2	106.9	106.4	105.6	105.5	109.8	98.2	102.3	88.9	61.6	40.2	46.7
	M 1,627.0 F 1,796.0	27.9	116.2	129.4	113.8	118.7	122.3	98.5	100.9	100.0	99.9	111.9	100.1	104.4	93.0	79.0	51.4	59.6
South West Metropolitan M	1,577.8	25.2	104.6	118.8	104.7	112.8	130.9	106.8	100.3	99.3	99.2	111.9	100.2	104.4	92.3	69.0	45.1	52.3
Wessex	1,027.3	15.7	69.2	80.6	70.9	70.5	74.1	59.2	57.6	57.1	59.5	61.3	54.9	57.2	52.6	47.6	31.1	36.1
M Oxford	947.9	18.0	75.2	81.2	71.4	71.9	80.1	66.4	62.7	62.1	59.9	58.1	52.3	54.1	46.0	36.0	23.4	27.3
South Western R		22.9	104.8	122.7	106.2	106.9	112.6	90.0	90.3	90.8	92.2	100.1	89.1	93.6	86.3	72.5	48.1	55.7
Welsh . M	1,325.1	20.8	91.7	112.3	96.2	100.6	99.0	80.8	81.2	81.8	88.6	93.3	78.9	80.7	75.2	62.5	39.0	40.8
Birmingham M FF	2,523.3	46.9	189.7	215.1	184.7	186.3	206.7	171.9	165.3	169.8	171.0	179.6	151.7	146.3	129.0	92.4	56.3	60.6
Manchester M	2,192.7	36.9	161.8	182.8	158.2	159.2	165.2	138.9	136.2	133.9	145.2	153.6	132.6	142.5	126.2	94.9	60.2	62.4
Liverpool	1,090.9	19.4	89.5	107.1	88.5	84.0	82.5	71.0	70.9	68.2	67.3	70.6	59.9	63.4	55.1	40.3		26.5
Note. The population of the whole of an administrative greater proportion of the bonulation.	e of an a	dministrat	tive area	split	between tw	two or mor	or more Hospital Regions 1s	al Regio		allocated	to that	Region c	containing the	g the				

The population of the whole of an administrative area split between two or more Hospital Regions is allocated to that Region containing the greater proportion of the population.

TABLE 3. Deaths, death rates, Standardised Mortality Ratios, infant mortality, and live and still birth rates, 1841 to 1968

For explanation of Standardised Mortality Ratios see note 7 on page ix.

	T		CAPIGIACION (T DUMING	ar dised h	TOP-CALL C	y Ratios	see note	7 on pa	age ix.				
		Deaths	1		rude rate per 1,000 living		Mort	tandardi: tality Ra 950-52 = 3	atios	und	hs of in er 1 yea O live b	r per	tes per	es per ive and
Period	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate	Live birth rat 1,000 populati	Stillbirth rates per 1,000 total (live and still) births
1841-1850 1851-1860 1861-1870 1871-1880 1881-1890	3,769,396 4,210,715 4,794,498 5,178,311 5,244,770	1,909,125 2,138,536 2,459,489 2,679,416 2,698,316	1,860,271 2,072,179 2,335,009 2,498,895 2,546,454	22·4 22·2 22·5 21·4 19·1	23·1 23·1 23·7 22·7 20·3	21.4 21.4 20.1 18.1	357 348 351 335 304	320 313 319 306 281	396 384 383 362 327	153 154 154 149 142			32.6 34.1 35.2 35.4 32.4	
1891-1900 1901-1910 1911-1920* 1921-1930 1931-1940*	5,575,375 5,248,774 5,188,052 4,722,991 4,992,208	2,865,226 2,706,356 2,684,511 2,407,475 2,551,612	2,710,149 2,542,418 2,503,541 2,315,516 2,440,596	18·2 15·4 14·4 12·1 12·3	19·3 16·4 15·9 12·9 13·1	17·1 14·4 13·0 11·4 11·5	288 235 197 151 131	268 221 187 142 125	307 248 207 159 136	153 128 100 72 59	96 70 57	194 130 95	29·9 27·2 22·7 18·3 14·9	40
1941-1950* 1951-1960	4,997,653 5,188,116	2,586,188 2,669,747	2,411,465 2,518,369	12·4 11·6	14.1	11.0 10.9	106 94	104 96	107 92	43 25	41 24	61 31	18.0 15.8	27 22
1841-1845 1846-1850 1851-1855 1856-1860 1861-1865	1,746,110 2,023,286 2,087,236 2,123,479 2,331,957	885,168 1,023,957 1,061,271 1,077,265 1,192,943	860,942 999,329 1,025,965 1,046,214 1,139,014	21·4 23·3 22·7 21·8 22·6	22·1 24·1 23·5 22·6 23·7	20.6 22.6 21.8 21.0 21.5	344 369 356 341 353	307 331 321 306 320	381 409 392 377 387	148 157 156 152 151			32·3 32·8 33·9 34·4 35·1	
1866-1870 1871-1875 1876-1880 1881-1885 1886-1890	2,462,541 2,572,749 2,605,562 2,585,164 2,659,606	1,266,546 1,330,063 1,349,353 1,330,461 1,367,855	1,195,995 1,242,686 1,256,209 1,254,703 1,291,751	22·4 22·0 20·8 19·4 18·9	23·7 23·3 22·1 20·5 20·0	21·2 20·7 19·5 18·3 17·8	349 342 328 308 300	318 314 302 284 278	380 371 354 333 322	157 153 145 139 145			35·3 35·5 35·3 33·5 31·4	
1891-1895 1896-1900 1901-1905 1906-1910 1911-1915*	2,785,391 2,789,984 2,671,566 2,577,208 2,598,719	1,427,164 1,438,062 1,379,931 1,326,425 1,344,171	1,358,227 1,351,922 1,291,635 1,250,783 1,254,548	18·7 17·7 16·0 14·7 14·3	19.8 18.8 17.1 15.6 15.4	17.7 16.6 15.0 13.8 13.3	296 279 249 221 205	275 262 234 208 195	318 297 264 234 215	151 156 138 117 110	113 105	224 210	30·5 29·3 28·2 26·3 23·9	
1916-1920* 1921-1925 1926-1930 1931-1935 1936-1940*	2,589,333 2,336,270 2,386,721 2,426,435 2,565,773	1,340,340 1,189,865 1,217,610 1,232,370 1,319,242	1,248,993 1,146,405 1,169,111 1,194,065 1,246,531	14·4 12·1 12·1 12·0 12·5	16.5 12.9 12.9 12.7 13.5	12.8 11.4 11.4 11.4	190 157 145 134 128	180 147 137 127 123	199 166 153 141 132	90 76 68 62 5 5	85 73 65 60 54	179 140 119 103 86	21.5 19.9 16.7 15.0 14.9	41 38
1941-1945* 1946-1950* 1951-1955 1956-1960 1961-1965	2,497,013 2,500,640 2,571,153 2,616,963 2,766,372	1,301,357 1,284,831 1,325,747 1,344,000 1,415,447	1,195,656 1,215,809 1,245,406 1,272,963 1,350,925	12.8 11.8 11.7 11.6 11.8	15·1 12·8 12·5 12·3 12·4	11.1 10.9 10.9 10.9 11.2	112 101 97 91 91	110 99 98 94 95	113 102 95 89 87	50 36 27 23 21	48 36 27 22 20	71 51 34 28 26	17.6 18.4 15.2 16.4 18.0	30 24 23 21 17
1947* 1948* 1949* 1950	517,615 469,898 510,736 510,301	267,714 242,899 260,686 261,152	249,901 226,999 250,050 249,149	12·3 11·0 11·8 11·6	13.6 11.9 12.6 12.3	11.3 10.1 11.1 11.0	107 94 101 99	106 93 99 98	108 95 103 101	41 34 32 30	40 33 32 29	58 45 45 39	21·1 18·1 16·9 15·9	24 23 23 23
1951 1952 1953 1954 1955	549,380 497,484 503,529 501,896 518,864	281,724 257,760 259,490 259,797 266,976	267,656 239,724 244,039 242,099 251,888	12.5 11.3 11.4 11.3 11.7	13·4 12·2 12·2 12·2 12·5	11.8 10.5 10.7 10.5 10.9	106 95 95 93 95	106 96 96 95 97	106 93 94 91 93	30 28 27 25 25	29 27 27 25 25	38 35 33 32 32	15.5 15.3 15.5 15.2 15.0	23 23 22 23 23
1956 1957 1958 1959 1960	521,331 514,870 526,843 527,651 526,268	267,904 266,407 270,639 269,878 269,172	253,427 248,463 256,204 257,773 257,096	11.7 11.5 11.7 11.6 11.5	12.5 12.3 12.4 12.3 12.2	10.9 10.7 11.0 11.0	94 91 92 91 89	96 94 95 94 92	92 88 90 89 87	24 23 23 22 22	23 23 22 22 22	29 30 28 27 26	15·7 16·1 16·4 16·5 17·1	23 22 22 21 20
1961 1962 1963 1964 1965	551,752 557,636 572,868 534,737 549,379	280,782 285,154 292,410 274,773 282,328	270,970 272,482 280,458 259,964 267,051	11.9 11.9 12.2 11.3 11.5	12.6 12.6 12.8 11.9 12.2	11.4 11.3 11.6 10.7 10.9	92 92 94 87 88	95 96 98 91 93	90 89 91 83 83	21 22 21 20 19	21 21 21 19 19	25 27 26 26 25	17.6 18.0 18.2 18.5 18.1	19 18 17 16 16
1966 1967 1968	563,624 542,516 576,754	288,622 277,178 293,213	275,002 265,338 283,541	11·7 11·2 11·9	12·3 11·8 12·4	11·1 10·7 11·4	89 84 89	94 88 93	85 80 85	19 18 18	19 18 18	· 25 24 23	17·7 17·2 16·9	15 15 14

^{*} For the years 1915-20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the number of deaths include those of non-civilians registered in England and Wales. For the years 1915-20, live birth rates are based on civilian population, whereas for other years they are based on home population.
† Based on related live births from 1931 to 1956.

‡ Based on the numbers registered up to 1938 inclusive and on the numbers of occurrences from 1939.

TABLE 4. Death rates per 1,000 population within sex and age groups, and infant mortality per 1,000 live births, 1841 to 1968

PERSONS

						PERSON							
Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	7 5-	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850		9 •05	5 •29	7 •48	9 •29	10 • 3	12 ·9	17 °0	29 •9	63 °6	141 •5	301 •0	153
1851-1860		8 •46	4 •97	7 •04	8 •67	9 • 76	12 ·3	16 °5	28 •9	61 °7	139 •9	296 •5	154
1861-1870		7 •99	4 •49	6 •42	8 •21	9 • 83	12 ·7	17 °4	30 •4	62 °8	140 •4	296 •6	154
1871-1880		6 •47	3 •71	5 •35	7 •07	8 • 96	12 ·7	17 °8	31 •6	65 °0	142 •2	308 •3	149
1881-1890		5 •30	3 •03	4 •37	5 •63	7 • 56	11 ·5	17 °1	31 •4	65 °0	137 •6	284 •0	142
1891-1900	5 •65	4 • 34	2 ·51	3 ·73	4 •74	6 •40	10 •5	16 ·8	31 ·5	65 •0	137 •2	270 •8	153
1901-1910		3 • 56	2 ·11	2 ·99	3 •82	5 •13	8 •31	14 ·3	28 ·1	58 •8	127 •2	260 •8	128
1911-1920*		3 • 60	2 ·28	3 ·32	4 •29	5 •47	7 •41	12 ·6	25 ·0	55 •8	125 •5	254 •2	100
1921-1930		2 • 42	1 ·64	2 ·55	3 •21	3 •64	5 •54	10 ·0	21 ·3	50 •8	120 •9	260 •2	72
1931-1940*		2 • 01	1 ·31	2 ·17	2 •85	3 •04	4 •58	9 ·26	20 ·2	48 •8	119 •5	259 •8	59
1941-1950*	2 •55	1 •13	0 •85	1 •58	2 •24	2 • 37	3 •38	7 •44	17 °6	42 •4	104 • 0	216 •5	43
1951-1960	1 •02	0 •44	0 •37	0 •65	0 •89		2 •27	6 •11	16 °2	41 •0	102 • 5	227 •5	25
1841-1845		8 • 69	5 · 01	7 ·21	8 •81	9.66	12 •2	16 •1	28 • 7	62 ·0	137 •2	295 •3	148
1846-1850		9 • 39	5 · 56	7 ·74	9 •77	10.9	13 •6	18 •1	31 • 4	65 ·9	145 •7	306 •5	157
1851-1855		8 • 64	5 · 23	7 ·48	9 •06	10.1	12 •7	17 •2	29 • 6	62 ·9	143 •2	299 •6	156
1856-1860		8 • 33	4 · 72	6 ·74	8 •33	9.38	12 •0	16 •1	28 • 4	61 ·0	136 •7	293 •4	152
1861-1865		8 • 39	4 · 72	6 ·64	8 •39	9.79	12 •6	17 •2	30 • 3	62 ·5	139 •1	299 •0	151
1866-1870		7 •62	4 •28	6 •21	8 •03	9 •86	12 ·9	17 •6	30 °6	63 •2	141 • 7	294 ·3	157
1871-1875		6 •86	3 •97	5 •81	7 •74	9 •61	13 ·1	18 •0	31 °6	65 •3	141 • 7	305 ·2	153
1876-1880		6 •10	3 •47	4 •93	6 •46	8 •35	12 ·3	17 •5	31 °6	64 •7	142 • 9	311 ·5	145
1881-1885		5 •76	3 •23	4 •63	5 •96	8 •01	11 ·8	17 •2	31 °0	63 •5	136 • 2	277 ·9	139
1886-1890		4 •86	2 •84	4 •13	5 •32	7 •15	11 ·1	17 •1	31 °8	66 •4	139 • 0	290 ·1	145
1891-1895		4 • 56	2 •65	3 •98	5 •01	6 •81	11 •0	17 •3	32 • 5	67 •3	140 • 7	273 •9	151
1896-1900		4 • 12	2 •36	3 •48	4 •50	6 •03	10 •1	16 •2	30 • 5	62 •9	133 • 8	267 •7	156
1901-1905		3 • 74	2 •19	3 •11	4 •00	5 •44	8 •86	14 •9	28 • 7	59 •4	127 • 3	258 •6	138
1906-1910		3 • 38	2 •03	2 •87	3 •64	4 •84	7 •81	13 •7	27 • 5	58 •1	127 • 0	262 •4	117
1911-1915*		3 • 39	2 •08	2 •88	3 •58	4 •57	7 •28	13 •1	26 • 2	57 •3	126 • 2	257 •9	110
1916-1920* 1921-1925 1926-1930 1931-1935 1936-1940*	6 •56 4 •70	3 •81 2 •48 2 •37 2 •18 1 •84	2 •48 1 •71 1 •57 1 •41 1 •20	3 •77 2 •61 2 •49 2 •33 2 •01	5 •16 3 •30 3 •11 2 •96 2 •72	6 · 55 3 · 79 3 · 49 3 · 20 2 · 87	7 ·54 5 ·71 5 ·37 4 ·82 4 ·35	12 ·1 10 ·1 9 ·94 9 ·44 9 ·09	24 ·0 21 ·6 21 ·0 20 ·1 20 ·4	54 °5 51 °1 50 °6 49 °0 48 °5	124 •8 121 •8 120 •2 119 •3 119 •7	250 •7 251 •4 268 •2 255 •7 263 •4	90 76 68 62 55
1941-1945*	3 •50	1 •50	1 •08	1 •96	3 ·06	3 ·04	3 · 95	8 •00	18 ·1	43 · 0	104 · 5	213 •0	50
1946-1950*	1 •77	0 •77	0 •62	1 •18	1 ·63	1 ·84	2 · 89	6 •94	17 ·1	41 · 9	103 · 5	219 •3	36
1951-1955	1 •14	0 •47	0 •41	0 •68	0 ·96	1 ·24	2 · 40	6 •36	16 ·6	42 · 0	105 · 7	235 •7	27
1956-1960	0 •91	0 •41	0 •34	0 •63	0 ·82	0 ·99	2 · 13	5 •87	15 ·9	40 · 1	99 · 7	221 •0	23
1961-1965	0 •86	0 •40	0 • 33	0 •67	0 ·78	0 ·91	2 · 11	5 •86	15 ·9	39 · 5	97 · 5	220 •2	21
1947*	2 •18	0 •90	0 •70	1 •39	1 •92	2 •03	3 ·08	7 •24	17 •5	42 •8	108 ·3	234 •4	41
1948*	1 •75	0 •75	0 •60	1 •20	1 •55	1 •82	2 ·79	6 •70	16 •4	39 •4	94 ·1	191 •9	34
1949*	1 •56	0 •69	0 •56	1 •10	1 •51	1 •70	2 ·80	6 •81	17 •2	43 •1	105 ·7	227 •5	32
1950	1 •35	0 •64	0 •48	0 •90	1 •24	1 •57	2 ·62	6 •72	17 •0	42 •7	106 ·9	227 •6	30
1951	1 • 35	0 •55	0 • 47	0 •76	1 ·12	1 ·45	2 ·63	6 • 90	18 · 0	46 °1	117 •2	266 •9	30
1952	1 • 18	0 •49	0 • 43	0 •71	1 ·03	1 ·26	2 ·42	6 • 35	16 · 5	41 °0	102 •3	228 •4	28
1953	1 • 18	0 •49	0 • 41	0 •64	0 ·92	1 ·22	2 ·35	6 • 26	16 · 3	41 °1	103 •3	230 •9	27
1954	0 • 94	0 •41	0 • 37	0 •63	0 ·87	1 ·15	2 ·37	6 • 19	16 · 1	40 °6	101 •0	222 •2	25
1955	1 • 00	0 •43	0 • 38	0 •64	0 ·86	1 ·10	2 ·23	6 • 14	16 · 1	41 °4	105 •1	233 •5	25
1956 1957 1958 1959 1960	0.91 0.97 0.88 0.91 0.87	0 •40 0 •41 0 •40 0 •41 0 •44	0 •34 0 •38 0 •32 0 •34 0 •32	0 •57 0 •68 0 •60 0 •65 0 •64	0 ·80 0 ·84 0 ·80 0 ·83 0 ·81	1 ·04 1 ·03 0 ·98 0 ·96 0 ·93	2 •19 2 •20 2 •27 2 •09 2 •07	5 •95 6 •00 5 •92 5 •77 5 •73	16 •1 16 •2 15 •9 15 •6	41 •0 40 •4 40 •4 39 •9 38 •8	104 •1 97 •4 101 •0 99 •2 97 •0	233 •3 208 •0 224 •2 223 •2 217 •3	24 23 · 23 22 22
1961	0 • 93	0 • 40	0 •32	0 •66	0 •81	0 • 94	2 · 08	5 •85	16 · 0	40 ·5	100 •8	226 •9	21
1962	0 • 86	0 • 38	0 •34	0 •64	0 •79	0 • 91	2 · 08	5 •83	16 · 1	40 ·3	100 •3	227 •8	22
1963	0 • 91	0 • 40	0 •32	0 •63	0 •77	0 • 92	2 · 12	5 •97	16 · 3	40 ·9	102 •8	235 •5	21
1964	0 • 81	0 • 39	0 •33	0 •70	0 •78	0 • 90	2 · 13	5 •82	15 · 5	37 ·8	91 •5	202 •9	20
1965	0 • 82	0 • 40	0 •36	0 •70	0 •75	0 • 88	2 · 14	5 •83	15 • 6	38 ·3	92 •5	209 •9	19
1966	0 •84	0 •37	0 •34	0 • 74	0 • 75	0.88	2.07	5 •81	15 •6	38 · 8	94 •5	219 •1	19
1967	0 •77	0 •37	0 •35	0 • 69	0 • 70	0.82	1.99	5 •53	15 •0	37 · 0	87 •8	204 •8	18
1968	0 • 80	0 • 37	0 • 33	0 • 63	0 • 66	0.80	1.99	5 • 62	15.5	38 · 7	94 • 5	228 • 4	18

^{*} Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949 for males, and from 1st June 1941 to 31st December 1949 for females.

† Based on related live births from 1931 to 1956.

TABLE 4 - continued

MALES

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live birthst
1841-1850		9·17	5·13	7.05	9 • 51	9·94	12·9	18·2	31·8	67.5	148·3	312·3	167
1851-1860		8·51	4·88	6.69	8 • 83	9·57	12·5	18·0	30·9	65.3	146·7	308·2	168
1861-1870		8·19	4·48	6.19	8 • 48	9·94	13·5	19·3	33·1	67.1	147·2	315·0	168
1871-1880		6·71	3·71	5.25	7 • 36	9·34	13·8	20·1	34·9	69.7	150·8	327·4	163
1881-1890		5·35	2·95	4.32	5 • 73	7·77	12·4	19·4	34·7	70.5	146·6	305·8	155
1891-1900	5•96	4·31	2·45	3.79	5.06	6.76	11.5	18·9	34·9	70 • 4	146 · 1	286 · 8	168
1901-1910		3·50	2·05	3.09	4.18	5.57	9.15	16·2	31·8	64 • 8	137 · 7	279 · 2	140
1911-1920*		3·61	2·23	3.44	4.94	6.46	8.61	14·5	29·0	63 • 5	139 · 3	274 · 5	112
1921-1930		2·52	1·65	2.62	3.41	3.86	6.34	11·6	24·6	58 • 2	135 · 4	285 · 8	81
1931-1940*		2·13	1·36	2.30	3.08	3.20	5.17	11·1	24·3	56 • 8	137 · 5	282 · 9	66
1941-1950* 1951-1960	2.72	1·28 0·52	0.95 0.44	1·79 0·87	2·72 1·18	2·72 1·28	3·93 2·58	9·16 7·63	22.7	51·6 54·2	120·2 124·7	234.7	48 28
1841-1845		8 • 82	4.84	6.76	8 • 9 9	9·37	12·2	17·2	30·3	65.5	143·7	350 • 1	162
1846-1850		9 • 54	5.39	7.35	10 • 0	10·5	13·6	19·2	33·2	69.5	152·9	319 • 5	172
1851-1855		8 • 75	5.15	6.98	9 • 2 4	9·95	12·9	18·6	31·6	66.7	150·9	310 • 9	172
1856-1860		8 • 30	4.63	6.42	8 • 4 4	9·17	12·2	17·5	30·4	64.3	142·7	305 • 3	166
1861-1865		8 • 53	4.68	6.39	8 • 6 5	9·76	13·2	18·9	32·8	66.4	145·9	316 • 6	166
1866-1870		7.88	4.30	5·99	8·31	10·1	13·7	19.6	33.5	67 · 8	148 · 7	313.5	170
1871-1875		7.10	3.99	5·71	8·07	10·0	14·3	20.3	34.8	70 · 1	149 · 6	323.3	167
1876-1880		6.34	3.44	4·84	6·70	8·70	13·4	19.8	34.9	69 · 4	152 · 2	331.5	159
1881-1885		5.85	3.16	4·53	6·00	8·16	12·8	19.3	34.2	68 · 8	145 · 4	297.9	152
1886-1890		4.86	2.76	4·12	5·48	7·40	12·1	19.4	35.2	72 · 1	147 · 9	313.7	159
1891-1895		4.53	2·57	4.00	5·23	7.07	11.9	19·5	35.8	72·5	149 · 2	290 · 8	165
1896-1900		4.09	2·32	3.59	4·90	6.47	11.1	18·4	34.1	68·3	143 · 1	282 · 8	170
1901-1905		3.68	2·14	3.20	4·39	5.89	9.74	17·0	32.4	65·3	137 · 6	274 · 6	151
1906-1910		3.33	1·97	2.97	3·97	5.25	8.62	15·5	31.2	64·4	137 · 7	283 · 0	129
1911-1915*		3.42	2·05	3.01	3·98	5.15	8.20	14·9	30.2	64·1	139 · 2	281 · 6	121
1916-1920* 1921-1925 1926-1930 1931-1935 1936-1940*	6·88 5·00	3·81 2·55 2·48 2·28 1·96	2·41 1·69 1·61 1·44 1·27	3.91 2.66 2.58 2.45 2.15	6.60 3.53 3.30 3.15 2.99	8.58 4.05 3.68 3.31 3.09	9·07 6·51 6·18 5·40 4·95	14.0 11.6 11.6 11.2 11.0	27 • 9 24 • 9 24 • 4 23 • 6 25 • 0	63.0 58.2 58.3 56.7 56.8	139 • 4 135 • 5 135 • 4 135 • 2 139 • 5	267 · 8 272 · 7 298 · 1 278 · 9 286 · 3	101 86 77 70 62
1941-1945*	3.72	1.69	1.20	2.22	5.00	4·16	4.81	9 • 85	23·1	51.7	121.6	226 • 1	56
1946-1950*	1.90	0.88	0.69	1.33	1.75	1·92	3.23	8 • 55	22·4	51.6	119.0	241 • 6	41
1951-1955	1.23	0.55	0.48	0.86	1.23	1·39	2.71	7 • 93	22·5	54.6	126.7	265 • 9	30
1956-1960	0.99	0.49	0.40	0.88	1.12	1·17	2.45	7 • 35	21·9	53.7	122.7	239 • 2	25
1961-1965	0.94	0.47	0.41	0.94	1.09	1·09	2.44	7 • 37	21·8	54.2	122.6	253 • 2	23
1947*	2·38	1.04	0.78	1.62	2.05	2·12	3·44	8 • 98	22·9	52 • 5	125·9	266 • 5	46
1948*	1·87	0.88	0.64	1.30	1.54	1·87	3·15	8 • 24	21·6	49 • 0	108·6	210 • 2	38
1949*	1·69	0.80	0.63	1.27	1.59	1·75	3·12	8 • 39	22·6	53 • 2	120·7	249 • 0	36
1950	1·42	0.75	0.56	1.01	1.39	1·69	2·92	8 • 26	22·5	53 • 3	122·5	250 • 4	34
1951	1 • 44	0.65	0.57	0.89	1.36	1.61	2.96	8.62	24·3	58 · 8	136 · 9	307 · 8	34
1952	1 • 32	0.57	0.50	0.90	1.33	1.43	2.75	7.91	22·2	53 · 1	122 · 1	265 · 1	31
1953	1 • 26	0.56	0.46	0.82	1.18	1.37	2.61	7.81	22·2	53 · 7	123 · 4	258 · 1	30
1954	1 • 06	0.48	0.43	0.81	1.12	1.29	2.66	7.69	21·9	53 · 3	123 · 0	249 · 6	29
1955	1 • 04	0.49	0.45	0.88	1.18	1.25	2.53	7.66	22·0	54 · 2	128 · 5	256 · 2	28
1956	0.98	0.46	0.41	0.79	1.07	1·21	2·49	7·45	22·1	54 · 2	127.5	256·2	27
1957	1.04	0.48	0.44	0.91	1.15	1·19	2·50	7·51	22·3	54 · 0	119.9	226·8	26
1958	0.99	0.49	0.39	0.83	1.07	1·17	2·43	7·40	21·9	54 · 3	124.6	242·6	25
1959	1.00	0.49	0.39	0.94	1.14	1·13	2·42	7·23	21·8	53 · 6	122.2	240·0	25
1960	0.95	0.53	0.38	0.91	1.17	1·12	2·41	7·17	21·4	52 · 5	119.6	232·1	25
1961	1.04	0.48	0.39	0.92	1·11	1.15	2·41	7·33	21 · 9	54.7	124.5	256 · 9	24
1962	0.94	0.44	0.42	0.92	1·10	1.06	2·39	7·34	22 · 1	55.3	125.2	261 · 1	24
1963	0.98	0.49	0.40	0.89	1·11	1.10	2·46	7·50	22 · 4	56.0	129.4	272 · 8	24
1964	0.87	0.46	0.41	0.98	1·10	1.09	2·47	7·33	21 · 3	52.0	115.8	234 · 0	22
1965	0.87	0.48	0.42	1.00	1·05	1.07	2·48	7·36	21 · 4	53.0	118.4	242 · 4	21
1966 1967 1968	0.92 0.83 0.87	0.44 0.44 0.44	0.42 0.42 0.39	1.06 0.97 0.89	1.04 0.96 0.92	1.06 0.99 0.95	2·43 2·30 2·33	7·26 6·87 7·01	21·4 20·6 21·1	53·6 51·1 53·7	120·8 112·4 123·2	258·2 238·6 267.4	21 20 21

^{*} Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949. † Based on related live births from 1931 to 1956.

TABLE 4 - continued

FEMALES

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live birthst
1841-1850 1851-1860 1861-1870 1871-1880 1881-1890		8·90 8·42 7·80 6·23 5·26	5·44 5·06 4·51 3·72 3·11	7 · 89 7 · 39 6 · 65 5 · 45 4 · 42	9·09 8·53 7·97 6·81 5·54	10.6 9.93 9.72 8.61 7.38	12.9 12.1 12.1 11.6 10.6	16.0 15.2 15.6 15.6	28·4 27·0 27·9 28·7 28·5	61.0 58.7 59.1 61.0 60.4	135 • 9 134 • 5 134 • 9 135 • 4 130 • 6	293·3 288·9 285·1 296·4 270·8	137 139 139 134 128
1891-1900	5 •34	4.37	2·57	3.67	4.46	6.08	9·59	14.7	28·4	60·7	130 · 6	261·4	138
1901-1910		3.61	2·17	2.89	3.50	4.74	7·53	12.5	24·8	53·9	119 · 8	250·3	114
1911-1920		3.59	2·34	3.21	3.87	4.78	6·42	10.9	21·5	49·6	116 · 3	243·6	89
1921-1930		2.33	1·63	2.48	3.02	3.45	4·85	8.61	18·3	44·9	111 · 6	248·2	63
1931-1940		1.90	1·26	2.04	2.63	2.88	4·07	7.71	16·7	42·3	107 · 9	249·1	51
1941-1950*	2·36	0·97	0·76	1.40	1·97	2·11	2·91	5·96	13·4	35·2	93·3	207·9	37
1951-1960	0·93	0·36	0·30		0·61	0·95	1·97	4·67	11·4	31·8	89·2	216·8	21
1841-1845		8 · 56	5·17	7.65	8 · 64	9 • 92	12·1	15·1	27·2	59·1	131 ·8	288 • 6	133
1846-1850		9 · 23	5·72	8.12	9 · 57	11 • 2	13·7	17·0	29·7	62·7	140 · 0	297 • 7	142
1851-1855		8 · 54	5·32	7.75	8 · 90	10 • 3	12·6	15·8	27·8	59·7	137 · 2	292 • 1	• 141
1856-1860		8 · 35	4·82	7.06	8 · 24	9 • 57	11·8	14·8	26·5	58·1	131 · 9	285 • 8	137
1861-1865		8 · 26	4·76	6.89	8 · 17	9 • 82	12·1	15·5	27·9	59·1	133 · 8	287 • 9	136
1866-1870		7·37	4·27	6 · 42	7 • 78	9 • 63	12·1	15.8	27·9	59·1	136 • 1	282·3	142
1871-1875		6·61	3·95	5 · 92	7 • 43	9 • 23	12·0	15.9	28·7	61·3	135 • 3	293·9	138
1876-1880		5·87	3·50	5 · 02	6 • 23	8 • 03	11·3	15.3	28·6	60·8	135 • 5	299·0	130
1881-1885		5·68	3·30	4 · 72	5 • 93	7 • 86	10·9	15.2	28·1	59·1	129 • 0	265·5	125
1886-1890		4·85	2·93	4 · 15	5 • 17	6 • 92	10·3	15.0	28·8	61·7	132 • 3	276·1	131
1891-1895		4.59	2·73	3.97	4.81	6 • 57	10·1	15·2	29 • 5	63.0	134·3	264 · 0	135
1896-1900		4.15	2·40	3.37	4.14	5 • 63	9·10	14·3	27 • 4	58.5	127·0	258 · 7	141
1901-1905		3.79	2·24	3.02	3.66	5 • 04	8·05	13·1	25 • 4	54.8	119·9	249 · 4	124
1906-1910		3.44	2·09	2.76	3.34	4 • 46	7·05	12·0	24 • 3	53.1	119·6	250 · 9	105
1911-1915		3.37	2·11	2.75	3.25	4 • 08	6·46	11·4	22 • 7	51.7	117·5	245 · 4	97
1916-1920 1921-1925 1926-1930 1931-1935 1936-1940	6°23 4°40	3.81 2.41 2.25 2.07 1.71	2.56 1.72 1.53 1.37 1.13	3.66 2.56 2.41 2.22 1.87	4.47 3.11 2.94 2.77 2.49	5•48 3•58 3•33 3•09 2•68	6·39 5·03 4·69 4·33 3·83	10·4 8·79 8·44 7·96 7·47	20·4 18·7 18·0 17·0 16·5	47.7 45.5 44.4 42.8 41.8	115·1 112·9 110·4 108·9 107·1	241 · 9 241 · 2 254 · 4 245 · 0 252 · 7	79 66 59 54 48
1941-1945*	3·26	1.31	0.97	1.74	2·41	2·46	3.27	6.43	14.0	36.0	93·5	206 • 6	44
1946-1950*	1·62	0.64	0.54	1.05	1·54	1·76	2.56	5.51	12.8	34.4	93·2	208 • 9	32
1951-1955	1·04	0.39	0.34	0.50	0·70	1·09	2.11	4.89	11.8	33.1	92·4	222 • 0	23
1956-1960	0·82	0.33	0.27	0.38	0·52	0·81	1.83	4.46	10.9	30.7	86·4	212 • 5	20
1961-1965	0·78	0.32	0.25	0.38	0·47	0·72	1.78	4.42	10.6	29.6	84·2	206 • 6	18
1947*	1.96	0.75	0.61	1.21	1.82	1.94	2·74	5.72	13·1	35·2	96 • 6	219 ·8	36
1948*	1.63	0.62	0.55	1.12	1.56	1.77	2·45	5.33	12·2	32·1	84 • 5	183 · 5	30
1949*	1.43	0.57	0.49	0.96	1.43	1.65	2·48	5.39	12·8	35·5	95 • 8	217 · 5	28
1950	1.27	0.53	0.41	0.78	1.09	1.45	2·32	5.30	12·6	34·7	96 • 6	216 · 9	26
1951	1.26	0.46	0·37	0.64	0.90	1.30	2·32	5.32	13.0	36 · 9	104·4	249 • 1	26
1952	1.03	0.41	0·34	0.52	0.76	1.10	2·09	4.90	11.9	32 · 3	89·6	212 • 3	24
1953	1.09	0.41	0·35	0.46	0.67	1.07	2·11	4.79	11.6	32 · 1	90·7	218 • 8	24
1954	0.82	0.34	0·31	0.46	0.63	1.01	2·09	4.75	11.4	31 · 6	87·4	209 • 7	22
1955	0.97	0.36	0·32	0.40	0.55	0.94	1·93	4.70	11.3	32 · 3	90·9	222 • 9	22
1956 1957 1958 1959 1960	0.83 0.90 0.77 0.81 0.78	0·33 0·34 0·31 0·33 0·34	0.27 0.30 0.24 0.29 0.26	0·36 0·45 0·35 0·37 0·36	0.53 0.54 0.54 0.53 0.44	0.87 0.86 0.80 0.79 0.73	1.90 1.92 1.80 1.78 1.73	4.52 4.56 4.50 4.36 4.35	11·2 11·2 10·9 10·8 10·6	31·8 30·9 30·9 30·5 29·5	90·1 84·2 87·5 86·3 84·4	222.7 199.2 215.6 215.4 210.4	20 20 20 20 20 19
1961	0.81	0·32	0.25	0.39	0.51	0.73	1.76	4 • 45	10.8	30·9	87 · 8	214·1	19
1962	0.77	0·32	0.25	0.35	0.48	0.76	1.78	4 • 39	10.8	30·2	86 · 9	213·8	19
1963	0.83	0·32	0.23	0.35	0.43	0.74	1.79	4 • 50	10.9	30·7	88 · 7	220·2	18
1964	0.74	0·32	0.25	0.40	0.46	0.70	1.78	4 • 38	10.3	28·2	78 · 8	190·3	17
1965	0.76	0·31	0.29	0.40	0.45	0.68	1.79	4 • 36	10.3	28·3	79 · 2	197·1	16
1966	0.75	0·29	0·25	0.40	0.45	0.69	1.70	4·42	10·3	28 • 6	81·1	204·0	16
1967	0.70	0·29	0·27	0.41	0.43	0.64	1.67	4·23	10·0	27 • 1	75·3	192·1	16
1968	0.73	0.30	0·26	0.37	0.40	0.64	1.65	4·28	10·4	28 • 2	80·2	214·1	16

^{*} Civilian mortality only from 1st June 1941 to 31st December 1949. † Based on related live births from 1931 to 1956.

TABLE 5. Deaths by quarter of registration: numbers, annual death rates per 1,000 population, and ratios of quarterly rates to yearly rates, 1841 to 1968

					Qu	arter end	ed					
Period	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.
		Pers	ons			Mal	es			Fema	les	
				,		Deaths						
1841-1850 1851-1860 1861-1870 1871-1880 1881-1890	1,029,485 1,157,916 1,323,406 1,422,776 1,459,550	926,091 1,040,596 1,156,834 1,259,064 1,271,775	892,964 965,924 1,126,288 1,195,003 1,194,102	920,856 1,046,279 1,187,970 1,301,468 1,319,343	522,415 587,846 677,517 731,877 744,679	471,969 532,002 597,458 658,545 661,355	452,208 491,400 578,694 621,924 618,271	462,533 527,288 605,820 667,070 674,011	507,070 570,070 645,889 690,899 714,871	454,122 508,594 559,376 600,519 610,420	440,756 474,524 547,594 573,079 575,831	458,323 518,991 582,150 634,398 645,332
1891-1900 1901-1910 1911-1920* 1921-1930 1931-1940*	1,562,345 1,490,235 1,532,334 1,489,996 1,578,974	1,337,754 1,246,735 1,220,642 1,136,431 1,177,988	1,311,675 1,185,415 1,074,835 936,261 1,005,878	1,363,601 1,326,389 1,360,241 1,160,303 1,229,368	790,553 756,871 785,560 746,920 798,598	697,093 648,442 638,473 585,095 604,458	682,542 621,683 565,071 484,852 518,256	695,038 679,360 695,407 590,608 630,300	771,792 733,364 746,774 743,076 780,376	640,661 598,293 582,169 551,336 573,530	629,133 563,732 509,764 451,409 487,622	668,563 647,029 664,834 569,695 599,068
1941-1950* 1951-1960	1,553,399 1,640,302	1,179,497 1,199,991	1,004,665 1,038,678	1,260,092 1,309,145	801,980	612,766 615,560	519,908 534,854	651,534 678,364	751,419 799,333	566,731 584,431	484,757 503,824	608,558 630,781
1953 1954 1955 1956 1957	171,350 153,120 168,645 170,292 134,557	114,644 117,205 124,230 120,059 118,122	98,545 104,114 101,677 104,131 110,037	118,990 127,457 124,312 126,849 152,154	87,706 79,372 86,465 87,175 68,995	59,119 60,528 63,433 61,748 60,972	50,977 53,851 52,582 53,381 56,828	61,688 66,046 64,496 65,600 79,612	83,644 73,748 82,180 83,117 65,562	55,525 56,677 60,797 58,311 57,150	47,568 50,263 49,095 50,750 53,209	57,302 61,411 59,816 61,249 72,542
1958 1959 1960 1961 1962	163,595 176,880 149,037 177,043 178,210	124,169 120,172 124,338 125,194 128,681	105,629 103,398 112,477 110,747 110,688	133,450 127,201 140,416 138,768 140,057	84,474 90,251 76,121 90,012 89,956	63,140 61,404 63,324 63,669 65,508	53,762 52,919 57,799 56,141 57,137	69,263 65,304 71,928 70,960 72,553	79,121 86,629 72,916 87,031 88,254	61,029 58,768 61,014 61,525 63,173	51,867 50,479 54,678 54,606 53,551	64,187 61,897 68,488 67,808 67,504
1963 1964 1965 1966 1967	196,875 156,072 157,184 173,438 145,323	129,013 127,013 129,865 131,661 130,175	113,918 113,551 119,173 118,005 118,564	133,062 138,101 143,157 140,520 148,457	99,493 79,885 80,346 88,311 74,355	65,681 65,136 66,594 67,534 66,920	58,699 58,096 61,413 60,676 60,773	68,537 71,656 73,975 72,101 75,133	97,382 76,187 76,838 85,127 70,968	63,332 61,877 63,271 64,127 63,255	55,219 55,455 57,760 57,329 57,791	64,525 66,445 69,182 68,419 73,324
1968	181,440	131,263	121,126	142,959	90,464	67,221	62,250	73,316	90,976	64,042	58,876	69,643
			A	Annual death	rates pe	er 1,000 1	iving, by	quarter				
1841-1850 1851-1860 1861-1870 1871-1880 1881-1890	24.7 24.7 25.2 23.8 20.3	22.1 22.1 21.8 20.9 18.6	21.0 20.2 21.0 19.6 17.3	21.7 21.9 22.2 21.3 19.1	25.6 25.7 26.5 25.1 22.7	23.0 23.1 23.1 22.4 20.0	21.8 21.1 22.2 20.9 18.5	22.3 22.6 23.2 22.5 20.1	23.9 23.8 23.9 22.5 20.5	21.2 21.1 20.6 19.4 17.4	20.3 19.5 19.9 18.3 16.2	21.2 21.3 21.2 20.3 18.2
1891-1900 1901-1910 1911-1920* 1921-1930 1931-1940*	20.6 17.7 17.4 15.5 15.6	17.5 14.6 13.7 11.7	17.0 13.8 12.0 9.5 9.8	17.7 15.4 15.1 11.8 12.0	21.6 18.5 19.3 16.2 16.5	18.9 15.7 15.6 12.6 12.4	18.3 14.9 13.6 10.3 10.5	18.6 16.3 16.8 12.6 12.8	19.7 16.8 15.7 14.8 14.8	16.3 13.6 12.1 10.9 10.8	15.8 12.7 10.5 8.8 9.1	16.8 14.5 13.7 11.1 11.2
1941-1950* 1951-1960	14.7 14.9	11.1 10.8	9.3 9.2	11.7 11.6	15.7 15.8	11.9 11.5	10.0	12.5 12.5	13.8 14.0	10.3 10.1	8.7 8.6	10.9
1953 1954 1955 1956 1957	15.8 14.0 15.4 15.3 12.2	10.4 10.6 11.2 10.8 10.6	8.9 9.3 9.1 9.3 9.7	10.7 11.4 11.1 11.3 13.4	16.8 15.1 16.4 16.3 12.9	11.2 11.4 11.9 11.5 11.3	9.5 10.0 9.8 9.9 10.4	11.5 12.3 12.0 12.1 14.6	14.8 13.0 14.5 14.4 11.4	9.7 9.9 10.6 10.1 9.9	8.2 8.7 8.5 8.7 9.1	9.9 10.6 10.3 10.5 12.4
1958 1959 1960 1961 1962	14.7 15.8 13.1 15.5 15.5	11.0 10.6 10.9 10.9 11.1	9.3 9.0 9.8 9.5 9.4	11.7 11.1 12.2 11.9	15.8 16.7 13.9 16.3 16.1	11.7 11.3 11.5 11.4 11.6	9.8 9.6 10.4 10.0 10.0	12.6 11.8 12.9 12.6 12.7	13.7 14.9 12.4 14.8 14.9	10.5 10.0 10.3 10.4 10.5	8.8 8.5 9.2 9.1 8.8	10.9 10.4 11.5 11.3 11.1
1963† 1964† 1965† 1966† 1967†	17.0 13.3 13.4 14.7 12.2	11.0 10.8 10.9 11.0	9.6 9.5 9.9 9.8 9.7	11.2 11.6 11.9 11.6 12.2	· 17.7 14.0 14.1 15.4 12.9	11.6 11.4 11.5 11.6 11.4	10.2 10.1 10.5 10.3 10.3	11.9 12.4 12.7 12.3 12.7	16.3 12.6 12.7 14.0 11.6	10.5 10.2 10.3 10.4 10.2	9.1 9.1 9.3 9.2 9.2	10.6 10.8 11.2 11.0 11.7
1968	15.0	10.9	9.9	11.7	15.4	11.4	10.5	12.3	14.7	10.3	9.4	11.1

^{*} See footnote to Table 3. † Revised rates.

TABLE 5 - continued

					Qu	arter end	ed					
Period	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.
		Pers	ons			Mal	es			Fema	les	
			Ratios of	annual dea	th rates	by quarter	r to each	yearly r	ate taken	as 100		
1841-1850 1851-1860	110 111	99	94	97 99	111	99 100	94 91	96 98	110 111	98 99	9 4 91	98 99
1861-1870	112	97	93	99	112	97	94	98	112	96	93	99
1871-1880	111	98	92	100	110	99	92	99	112	97	91	101
1881-1890	106	97	90	100	112	99	91	99	113	96	90	101
1891-1900	113	96	93	97	112	98	95	96	115	95	92	98
1901-1910	115	95	90	100	113	96	91	100	117	94	88	101
1911-1920*	120	94	83	104	118	96	83	103	121	93	81	105
1921-1930	128	96	78	97	125	97	80	97	130	96	77	97
1931-1940*	128	95	80	98	127	95	81	98	129	94	79	98
1941-1950*	126	95	80	100	126	95	80	100	127	94	80	100
1951-1960	128	93	79	100	127	93	80	101	129	93	79	99
1953	138	91	78	94	137	92	78	94	139	91	77	93
1954	123	93	82	101	124	93	82	101	123	94	83	101
1955 1956	132 131	96 93	78 8 0	95 97	131	95 92	79 80	96	133 132	97 92	78 79	94 96
1957	106	92	85	117	105	92	84	97 119	107	93	85	116
1958	126	94	80	100	127	94	79	101	125	96	80	99
1959	136	91	77	95	135	92	78	96	136	91	77	95
1960	114	95	85	106	114	94	85	106	114	95	85	106
1961	130	91	80	100	130	91	80	100	130	92	80	99
1962	130	93	79	100	128	92	79	101	132	93	78	98
1963†	140	90	79	92	138	91	80	93	141	91	79	91
1964†	118	96	84	103	117	95	84	103	118	96	85	101
1965†	117	95	86	103	116	95	86	104	117	95	85	103
1966†	126	94	84	99	124	94	83	99	126	94	83	99
1967†	109	96	87	109	109	97	87	108	108	95	86	109
1968	126	92	83	98	124	92	85	99	129	90	82	97

^{*} See footnote to Table 3. † Revised ratios.

TABLE 6. Temporarily suspended

TABLE 7. Deaths by cause and sex, 1967 and 1968, and estimated deaths by cause and sex, 1958 to 1966

England and Wales

- Note 1. The table has been revised to take account of the Eighth Revision of the International Classification of Diseases, and the deaths for 1968 have been classified in accordance with this. The change has caused a considerable disturbance in serial continuity of the table. In order to provide conversion factors to estimate the numbers of deaths which would have occurred if the data in the years 1958 to 1966 had been classified by the Eighth Revision the records of 1967 have been coded twice in accordance with the Seventh Revision and the Eighth Revision, respectively. However, the late publication of the second volume of the International Classification has made it necessary to revise the conversion factors, and this process is not yet complete. Statistics for 1958 to 1967 are shown in this table only where the figures are not expected to change with further revision; where shown they should, however, be regarded as provisional. For further details, see explanatory notes 1 and 5 on pages vi and viii.
 - 2. Deaths due to certain underlying causes where the interval since the onset was stated to exceed one year are assigned to other conditions mentioned on the certificate. The numbers of such 'late effects' are given in footnotes for 1968. The categories affected are as follows:- 000-003, 020, 021, 032-035, 036.0, 036.8, 037, 050, 052, 055, 056, 060, 071, 072, 080-083, 470-474, 480-486, and 630-678.

3.	Cells have been left blank	whe	re compara	ble figure	s are not	available.					, 400-400,	and 000-0	10.
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	ALL CAUSES	M F	270,639 256,204	269,878 257,773	269,172 257,096	280,782 270,970	285,154 272,482	292,410 280,458	274,773 259,964	282,328 267,051	288,622 275,002	277,178 265,338	293,213 283,541
000-136	I. INFECTIVE AND PARASITIC DISEASES	M F										2,526 1,784	2,593 1,593
000-009	Intestinal infectious diseases	M F											392 343
000	Cholera	M F	n=	-	-	95a 64a	-	-	-	-	-	-	-
001	Typhoid fever*	M	2	2	2 -	1	2 (A)	3 1	1.	4.2,	, <u>,</u>	į	2
002	Paratyphoid fever	M F	1	2	1	1 -	3 -	1	1	2	1	- 1	1 -
003	Other Salmonella infections	M F	21 15	18 18	20 17	17 14	10 11	12	6 9	12 8	8 7	10 11	12 11
004	Bacillary dysentery	M F	12 14	14 12	9 17	11 17	16 5	1 6	3 10	11 15	7 5	7 4	7 5
005	Food poisoning (bacterial)	M F	1 3	2	3 2	- 1	1 -	5	2	-	1	1 3	1
006	Amoebiasis	M F	3 1	4 2	5 2	4	4 -	5 2	2	1 -	2 3	3 2	2
007	Other protozoal intestinal diseases	M F										-	1
008	Enteritis due to other specified organism	M F											61 69
009	Diarrhoeal disease	MF											305 257
010-019	Tuberculosis	M F	3,154 1,257	2,768 1,038	2,463 927	2,374 922	2,250 801	2,158 764	1,827 628	1,614 638	1,653 672	1,444 622	1,500 591
010	Silicotuberculosis	MF		4									95 6
011	Pulmonary tuberculosis	MF						400					984 344
012	Other respiratory tuberculosis	M F											13 14
013	Tuberculosis of meninges and central nervous system	M F											24 20
014	Tuberculosis of intestines, peritoneum and mesenteric glands	M F											11 13
015	Tuberculosis of bones and joints	M F	9										16 22
016	Tuberculosis of genito- urinary system	M F											29 21
017	Tuberculosis of other organs	M F											8 11
018	Disseminated tuberculosis	M F											22 23
019	Late effects of tuberculosis	M F										i	298 117
020-027	Zoonotic bacterial diseases	M F										3	7 1
020	Plague	M F		-	-	-	1 -	-	-	-	-	-	-
021	Tularaemia	M F	-	-	-	-	-	-		=	90	-	-

^{*} Excluding the following 'late effects', 1968-2 females.

TABLE 7 (Numbers) - continued

022 A1 023 B1 024 G2 025 M6 026 R6 027 G3	Cause of death nthrax rucellosis landers elioidosis at-bite fever ther zoonotic bacterial iseases ther bacterial	M F M F M F M F	1958	1959 - - 1	1960	1961	1962	1963	1964	1965 2	1966	1967 2	1968
023 B) 024 G; 025 Me 026 Re 027 Ot	landers elioidosis eat-bite fever ther zoonotic bacterial	M F M F	- 1	-	-		1	-	-				
024 G; 025 Me 026 Re 027 01	elioidosis cat-bite fever ther zoonotic bacterial iseases	F M F M F						2					
025 Me 026 Re 027 Of	elioidosis at-bite fever ther zoonotic bacterial iseases	M F M F					-	-	-	-	-	1	2 -
026 Re	at-bite fever ther zoonotic bacterial	F M F										-	-
027 O1	ther zoonotic bacterial iseases	M F										-	~
d	iseases											-	-
030-039 01	ther harterial	F										-	4 1
di	iseases	M F										156 149	182 162
030 Le	eprosy	MF	-	-	-	1	-	-	_ 1	-	1 -	1 -	1
	ther diseases due to	M										-	3
	iphtheria	MF	4 4	-	2 3	3 7	2	1	-	-	4 1	_	1
033 W	hooping cough	M	13 14	11 14	20	17	15 9	15 21	22 22	7 14	9	16 11	9
034 St	treptococcal sore throat nd scarlet fever*	MF	4 6	12	10	2 7	2 7	6	6	2 7	2	3 4	1 4
035 E1	rysipelas	M F	2 5	3 3	4 3	3	7	3 2	5 2	6 5	3 4	3 3	. 1
036 Me	eningococcal infection	MF	77 79	103 67	54 55	70 71	94 55	94 63	58 50	64 57	66 50	45 44	64 43
037 Te	etanus	M F	10 10	17	15	15 9	13	10	13	15	10	9	10
038 Se	epticaemia	M F	66 51	53 44	66 45	84 61	79 63	84 61	102 79	77 85	104	73 71	83 90
	ther bacterial iseases	M	17 8	2	3 6	4	4 5	6 9	8 9	8	5 7	6 7	9
er	oliomyelitis and other nterovirus diseases of entral nervous system	M F										8 9	17 13
po	cute paralytic oliomyelitis specified s bulbar	M	34 18	14 15	7 3	11 5	2 3	1	1 -	1 1	-	-	-
	cute poliomyelitis with ther paralysis	M F	14 14	6	6	'9 1	5 2	-	- 1	-	-	-	-
	cute non-paralytic oliomylelitis	M F	-		-	_	-	-	-	-	-	-	-
043 Ac	cute poliomyelitis, nspecified	M F	23 26	21	6 1	24	5	1 1	1 1	- 1	- 1	- 1	-
	ate effects of acute oliomyelitis	M F	11 12	11 9	12 10	12 7	14 11	24	16 8	8 7	15	7 7	11 4
	septic meningitis due o enterovirus	M F										1 -	2 7
	ther enterovirus diseases f central nervous system	M F										- 1	4 2
050-057 Vi	iral diseases accompanied y exanthem	M F										106 108	64 86
050 Sm	mallpox	M F	1 -	-	-	-	7 19	-	-	-		-	-
051 Cd	owpox	M F										-	-
052 Ch	hickenpox	M F	7 6	10	8 11	10	17	13	15 14	6 8	11 7	17	10 7
053 He	erpes zoster	M	22	16	14 31	18	22	18 35	13	21	15 41	19 46	20 38
054 He	erpes simplex	M F	1 3	3 2	3 3	3 4	5 2	5 5	3 5	8	11 10	5 9	8 11

^{*} Excluding the following 'late effects', 1968-1 female.

TABLE 7 (Numbers) - continued

ICD No.	Cause of death	1	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
055	Measles	M F	24 26	50	14 18	80 73	21	63 65	31 43	53 63	44 37	61 39	23 28
056	Rubella	M	1/	-	2	1	2 4	1	2	2 2	-	4	3 2
057	Other viral exanthem	M	*		-				*	_			-
060-068	Arthropod-borne viral diseases	M F										64 56	81 73
060	Yellow fever	M F	_	-	-	-	-	-	-	-	-	-	-
061	Dengue	M F	-	-	-	-	-	-	-	-	-	-	-
062	Mosquito-borne viral encephalitis	M F										1 -	-
063	Tick-borne viral encephalitis	M F										-	-
064	Viral encephalitis transmitted by other arthropods	M F										-	- 1
065	Viral encephalitis, unspecified	M F										35 35	44 43
066	Late effects of viral encephalitis	M F	63 57	56 40	47 55	42 35	40 39	45 35	45 31	24 30	27 41	28 21	37 29
067	Arthropod-borne haemorrhagic fever	M F										-	-
068	Other arthropod-borne viral diseases	M F										-	-
070-079	Other viral diseases	M F										99 16 9	166 169
070	Infectious hepatitis	M F	110 136	120 146	140 170	124 174	114 169	107 125	83 115	88 147	86 145	77 136	119 135
071	Rabies	M F	-	-	-	-	-	-	=	-	-	- 1	-
072	Mumps	M	4	1 7	4 6	6 7	2	2 5	3 7	2	3 7	4 4	1 2
073	Psittacosis	M F										- 1	-
074	Specific diseases due to Cocksackie virus	M F										1 -	3 1
075	Infectious mononucleosis	M F	2 2	2	4 2	5 3	4 2	4 1	- 2	4 7	3 5	3 2	5 -
076	Trachoma, active	M F	_		_	_	_	_	_	_	_[-	-
077	Late effects of trachoma	M F	-	-	-	-	-	-	-	-	-[-	1 :
078	Other viral diseases of the conjunctiva	M										- 1	-
. 079	Other viral diseases	M F										14 24	38 31
080-089	Rickettsioses and other arthropod-borne diseases	M F										5 -	3 2
080	Epidemic louse-borne	M F										-	-
081	Other typhus	M F			1	_	_	1	_	_	2	-	-
082	Tick-borne rickettsiosis	M F	-	1 -	-	-	_	1	_	-	-	-	-
083	Other rickettsioses*	M F										-	1 -
084	Malaria	M F	2 2	- 2	3 -	6	4	4 2	2	2 2	1 -	4 -	2 2
085	Leishmaniasis	M F	1 -	-	1 -	_	-		1 -	_	-	1 -	-
086	American trypanosomiasis	M F										-	-
# E	xcluding the following 'late		1 1000	1 male									

^{*} Excluding the following 'late effects', 1968-1 male.

TABLE 7 (Numbers) - continued

					(312		- cont	1					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
087	Other trypanosomiasis	M F										-	-
088	Relapsing fever	, M	_	_	-	-	-	-	-	-	1	-	-
089	Other arthropod-borne diseases	M F										-	_
090-099	Syphilis and other venereal diseases	M F											106 80
090	Congenital syphilis	M F	10	5 2	4 2	3 2	3 5	1 4	1 4	2	5 2	1	- 1
091	Early syphilis, symptomatic	M P	-	-	-	1	-	-	-	-	-	-	-
092	Early syphilis, latent	MF										-	-
093	Cardiovascular syphilis	M F											59 58
094	Syphilis of central nervous system	M F	110 66	129 67	107 55	96 50	72 39	90 4 5	49	60 41	53 39	52 24	45 18
095	Other forms of late syphilis, with symptoms	M	9 4	9	7 3	7 5	3 2	5	7 3	2	2 2	8 2	-
096	Late syphilis, latent	M F								-	-	-	-
097	Other syphilis and not specified	M	4 4	3 2	3 2	2 2	1 2	1	3 4	1 1	1 3	4 3	1 7
098	Gonococcal infections	M	20	23	28	13	9	13	8	10	7	5	3 1
099	Other venereal disease	M F	1 1	1	1 2	1 -	-	-	1	-	1 1	-	-
100-104	Other spirochaetal diseases	M F										5	8
100	Leptospirosis	M F	18	10	10	14	14	3	6	6	13	3	8
101	Vincent's angina	M F	-	1 2	-	-	- 1	-	- 1	1	1	-	-
102	Yaws	M F	-	-	-	-	-	-	-	-	_	2	_
103	Pinta	M							-	-	-	-	-
104	Other spirochaetal infection	M											-
110-117	Mycoses	M F										21	19
110	Dermatophytosis	M										8 -	12
111	Dermatomycosis, other and unspecified	M	F -	-	-	-	-	-	1	-	-	-	1
112	Moniliasis	M	3 3	6 2	8	6 3	5 3	4 5	7 3	7 2	4 2	8 2	6
113	Actinomycosis	M	3 4	4 _	1 1	2	5	1	-	2	2	-	8
114	Coccidioidomycosis	M	-	-	-	-	-	-	-	-	-	-	_
115	Histoplasmosis	M F								-	-	-	1
116	Blastomycosis	M										-	-
117	Other systemic mycosis	M										13	10
120-129	Helminthiases	M F	3 4	12 8	7 9	6	14	5	10	6	7	5	3 8
120	Schistosomiasis (bilharziasis)	M	1 1	1	1 1	1	9 2	3	2	5	1	2	1
121	Other trematode infection	M F	1	-	-	- 1	1 -	-	1	-	1	-	-

TABLE 7 (Numbers) - continued

				111201	1 (110	mpers)	- 00100	110000					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
122	Hydatidosis	M F	2 2	7 8	5 8	. 3	9 7	3 2	6 2	5 5	5	3 1	3 4
123	Other cestode infection	M F	_ 1	4 -	1 -	2	1 -	1 -	2 -	-	1	-	2
124	Trichiniasis	M	-	-	-	-	-	-	-	-	-	_) .
125	Filarial infection	M F	-	-		-	-	-	-	-	-	-	1
126	Ancylostomiasis	MF	-	-	-	-	1	-	-	-	-	-	_
127	Other intestinal helminthiasis	M								-	-	-	-
128	Other and unspecified helminthiasis	M F	M -	-	-	-	1	1	-	-	- {	-	1
129	Intestinal parasitism, unspecified	M F						-				_	-
130-136	Other infective and parasitic diseases	M F										33 47	40 57
130	Toxoplasmosis	M F	3 -	3 2	4	4	4 3	3 1	5	6	5	4 2	5 2
131	Trichomoniasis urogenitalis	M F										-	-
132	Pediculosis	M F										-	-
133	Acariasis	M F										-	-
134	Other infestation	M F										-	1
135	Sarcoidosis	M F	32 38	34 38	29 30	33 47	38 44	25 61	24 56	30 41	29 60	26 43	25 53
136	Other and unspecified infective and parasitic diseases	M F										3 2	9 2
140-239	II. NEOPLASMS	M F	51,273 45,727	52,324 46,069	53,392 46,777	54,045 47,188	55,292 47,560	55,846 47,964	56,959 49,235	58,146 49,624	59,242 50,315	60,304 51,164	61,669 52,267
140-149	Malignant neoplasm of buccal cavity and pharynx	M F											1,027 626
140	lip	M F	79 3	70 9	64 11	81 8	60 6	53 5	55 7	53 7	45 10	39	56 10
141	tongue	M F	357 143	361 152	305 134	272 145	288 128	267 124	293 134	251 160	232 139	215	230 121
142	salivary gland	M F	91 77	68 78	78 65	87 55	75 74	67 59	69 63	83 58	85 70	90 71	74 59
	O parotid gland	M F	74 67	56 63	59 51	69 44	62 59	47 41	55 60	61 48	64 57	68 55	60 47
	8 other specified salivary gland	M F	15 9	11 14	17 14	14 10	13 14	17 14	9	20	17 10	20	12 11
	9 unspecified salivary gland	M	2 1	1 1	2 -	4 1	- 1	3 4	5 2	2	4 3	2 2	2
143	gum	M F	58 30	52 18	49	44 29	4 3 26	35 24	34 33	30 24	32 25	34	25 36
144	floor of mouth	M F	56 19	69 21	71 21	69 19	61 16	92 21	82 31	81 25	71 21	79 26	93 24
145	other and unspecified parts of mouth	M F	147 54	131 32	122 61	112 52	108 46	86 44	84 60	75 43	79 46	90 49	97 55
146	oropharynx	M F	203 41	174 54	164 48	138 47	161 60	123 43	152 43	147	159 61	154 49	143 51
147	nasopharynx	M F	86 43	98	83 40	91 48	92 42	80	94	82 49	86	94	85 37
148	hypopharynx	M F											162 204
149	pharynx, unspecified	M F	71 45	73 42	57 39	58 38	63 29	44 46	49	46 44	42 47	50 44	62 29

TABLE 7 (Numbers) - continued

					- (2102	nbers)	- 001000	770000					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
150-159	Malignant neoplasm of digestive organs and peritoneum	M F											19,784 18,871
150	oesophagus	M F	1,299	1,369 957	1,300	1,355 1,058	1,390 1,052	1,374	1,348 1,193	1,425	1,484 1,199	1,538 1,241	1,677 1,224
151	stomach	M F									2,222	-,	7,242 5,507
	0 cardia	M F											445 241
	1 pylorus	M F											642
	8 other specified parts	M F											2,748
	9 part unspecified	M F											1,918 3,407
152	small intestine, including duodenum	M F	110 107	104 103	117 132	136 101	121 105	91 111	124 106	122 121	113 120	109 115	2,796 125
153	large intestine, except	M F							200	-	120	115	103 4,061
	O caecum, appendix and ascending colon	M F	709 1,164	724 1,190	7 41 1,242	775 1,252	737 1,196	753 1,280	755 1,331	781 1,290	824 1,340	836 1,344	905 1,485
	1 transverse colon, including hepatic and splenic flexures	M F	579 800	573 874	594 834	567 836	559 830	532 786	541 797	548 833	614 793	572 879	667 878
	2 descending colon	M F	564 972	565 961	554 974	538 983	578 966	522 851	486 780	431 797	443 759	488 840	537 803
	3 sigmoid colon	M F	1,425 1,841	1,320 1,868	1,304 1,780	1,346 1,725	1,326 1,797	1,215 1,650	1,190 1,680	1,239 1,690	1,336 1,687	1,277	1,287 1,705
	8 large intestine (including colon), part unspecified	M	375 589	382 575	382 557	408 596	453 607	497 760	5 95 809	569 841	557 746	633 917	618 944
	9 intestinal tract, part unspecified	M F	42 51	43 59	34 47	40 49	36 63	4 5 50	45 63	51 64	47 48	57 57	47 67
154	rectum and rectosigmoid junction	M	3,117 2,490	3,045 2,591	3,015 2,434	2,905 2,418	2,939 2,430	2,921 2,522	2,946 2,594	2,923	2,933 2,581	3,044 2,633	3,114 2,776
155	liver and intrahepatic bile ducts, specified as primary	M F	241 165	252 158	242 161	255 157	259 170	267 162	261 160	262 152	285 164	292 158	313 197
156	gallbladder and bile ducts	M	338 746	352 715	336 725	356 708	361 768	373 730	362 722	362 685	395 741	414 712	437 688
157	pancreas	M F	1,973 1,747	2,074 1,849	2,071 1,880	2,068 1,903	2,096 2,015	2,231 1,984	2,349	2,343	2,460 2,214	2,458 2,265	2,619 2,279
158	peritoneum and retroperitoneal tissue	M F											159 183
159	unspecified digestive organs	M F	29 39	30 32	32 38	26 [.] 39	26 28	36 41	19 27	34 41	28	47	37 32
160-163	Malignant neoplasm of respiratory system	M F											24,723 5,218
160	nose, nasal cavities, middle ear and accessory sinuses	M F	123 95	121 95	120 125	99	114 114	115 92	127 107	115 100	124 125	117 101	141 104
	O nose (internal) and nasal cavities	M F	16 14	30 7	24 21	13 12	24 21	21	29 15	24 12	26 15	17	34 16
	1 eustachian tube and middle ear	M	8 12	11	9	22 14	15 13	16 16	10 18	6 9	15 11	14	11 14
	2 maxillary sinus	MF	89 62	74 70	82 80	60 63	65 72	69 60	75 68	76 70	70 95	71 62	64 63
	8 other sinus	M F	10 6	6 4	5 5	4 1	10 8	9 7	13	9 8	11	13	30 10
	9 unspecified sinus	MF	1	- 1	- 1	-	-	1	-	1	2 3	2	2
161	larynx	M F											534 117
	O glottis, true vocal chord	M F											164 16

TABLE 7 (Numbers) - continued

				INDU	e / (Nu	mbers)	- Gont	inuea					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	Malignant neoplasms												
	8 other specified parts	M											157
	9 part unspecified	M											39
		F											213 62
162	trachea, bronchus and lung	M F	16,998 2,757	18,135 2,857	18,835	19,415 3,322	20,228	20,711 3,646	21,431 3,862	22,184 4,131	22,562 4,379	23,510 4,678	23,903 4,933
	0 trachea	MF	28	29	17	33 11	25 11	30 15	33	31	24	33	32
	1 bronchus and lung	M	16,970	18,106	18,818	19,382	20,203	20,681	13 21,398	22,153	22,538	23,476	22 23,871
163	other and unspecified	F	2,748	2,846	3,084	3,311	3,461	3,631	3,849	4,117	4,369	4,661	4,911
	respiratory organs	F											145 64
	0 pleura	M F					j						96 39
	1 mediastinum	M F											43
	9 site unspecified	М											23
170-174	Malignant neoplasm of	F M	936	010	000								6 2
210-114	bone, connective tissue, skin and breast	F	9,753	918 9,471	928 9,820	10,060	947 10,163	876 10,198	10,690	990 10,537	971 10,583	1,009	1,000 11,067
170	bone	M	345	321	328	341	315	274	256	336	290	313	322
171	connective and other	IN IN	292	258 109	107	256 129	254	235	248	236	204	242	237
450	soft tissue	F	108	91	92	104	139	112	125 116	117 121	114	151 117	141 132
172	Malignant melanoma of skin	M F	139 214	172 228	177 232	166 239	179 255	191	198 281	209 300	226 277	225 287	223 304
173	Other malignant neoplasm of skin	M F	272 208	258 202	257	271 193	244	227	221	253 210	248 175	235 188	238
174	breast	M	68	58	59	75	74	65	78	75	93	85	190 76
180-189	Malignant neoplasm of	F	8,931	8,692	9,042	9,268	9,333	9,424	9,841	9,670	9,803	10,230	10,204
	genito-urinary organs	F											7,808 9,608
180	cervix uteri	F	2,689	2,543	2,586	2,492	2,499	2,454	2,566	2,442	2,472	2,460	2,434
182	Chorionepithelioma Other malignant neoplasm	F	13	15	15	8	16	14	9	11	9	7	10
	of uterus	F											1,527
	0 corpus uteri 9 uterus, unspecified	F											1,241
183	ovary, fallopian tube.	F											286
	and broad ligament	F	2,882	2,931	2,951	3,049	3,053	3,042	3,146	3,216	3,307	3,310	3,410
	0 ovary	F	2,860	2,912	2,927	3,024	3,026	3,018	3,132	3,198	3,288	3,285	3,393
	1 fallopian tube and broad ligament	F	21	19	24	25	27	24	14	18	19	22	17
	9 part unspecified	F	1	-	-	-	-	-	-	-	-	1	-
184	other and unspecified female genital organs	F	518	529	540	491	519	501	513	543	556	566	546
	0 vagina	F	148	154	145	128	142	144	147	132	130	151	130
	1 vulva	F	364	369	384	355	371	353	355	404	419	403	413
	8 other specified sites	F	3	4	6	2	3	3	4	4	6	5	2
185	9 site unspecified prostate	F	3	2	5	6	3	1	7	3	1	7	1
186	testis	M	3,614	3,588	3,654	3,659	3,819	3,794	3,730	3,982	3,915	3,903	3,939
187	other and unspecified					186	208	217	220	223	230	205	256
188	male genital organs bladder	M	113	116	90	120	104	112	108	97	92	87	94
		M F	2,000	2,003 938	2,131	2,144	950	2,262 896	2,368	2,361	2,485	2,513	2,608
189	other and unspecified urinary organs	M F										954 586	911 592

TABLE 7 (Numbers) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1988
	Malignant neoplasms										2000	1001	1300
	0 kidney, except pelvis	M										699	836
	1 pelvis of kidney	M										529	526 23 21
	2 ureter	M										15 22	33
	9 other and unspecified	M										17	19
190-199	Malignant neoplasm of other and unspecified sites	MF										25	2,899 2,999
190	eye	M F	62 59	60	59 63	60 73	85 61	64	57 63	66 60	68 65	72 56	72
191	brain	M F	938 689	909	958 684	986 735	988	972 736	1,017	1,035	982 717	1,016	930
192	other parts of nervous system	M	136 93	132 96	139	143	143	141	147 95	150	142	147	150
193	thyroid gland	MF	91 245	99	101 275	96 279	109 276	99	97	85	121	103	120
194	other endocrine glands	M	63	54 37	48	42	55	48	282	299	288	275 43	269 57
	0 suprarenal gland	MF	44 29	36 21	41 39 32	30 28	36	30	52 37	37	39	53 28	45 34
195	ill-defined sites	MF	93 176	88	93	106	102	111	125	133	18	35 143	29
196	secondary and unspecified malignant neoplasm of lymph nodes	M F	43	41 15	175 37 27	189 34 24	194 49 23	227 48 26	259 40 22	259 33 29	272 37 28	297 57 25	280 39 31
197	secondary malignant neoplasm of respiratory and digestive systems	M F	295 323	307 339	343 318	344 331	346 328	334 322	386 360	432 338	443 355	441 410	473 420
198	Other secondary malignant neoplasm	M F											111
199	Malignant neoplasm without specification of site	MF										disconnection of the second	799
200-209	Neoplasms of lymphatic and haematopoietic tissue	M	2,796 2,281	2,887 2,473	3,117 2,531	3,060 2,608	3,095 2,675	3,270 2,679	3,389	3,334	3,498	3,571	970 3,781
200	Lymphosarcoma and reticulum-cell sarcoma	MF	487 398	519	555 419	545 479	576 439	612 459	676 458	2,960 647	2,953	718	3,140 753
	0 reticulum-cell sarcoma	M F	195 171	201	223	211 213	225	265	263	526 242	553 242	281	544 318
	1 lymphosarcoma	M	292	318	332 245	334	351	347	209	230 405	236	225	218 435
201	Hodgkin's disease	M	465 309	535 327	501 350	537	251 542	246 514	248	295	316 565	341 560	326 552
202	Other neoplasms of lymphoid tissue	M	147	120	144	139	140	149	347 158	313 158	306	338 173	377 191
	O giant follicular lymphoma	M	18	20	23	20	126	128	170	156	168	190	133 14
	1 mycosis fungoides	M	12	19	19	14	14	23	7	21	18	27	18
	2 other primary malignant neoplasms of lymphoid	M	36	35	43	33	36	41	50	38	7 58	56	15 3 61
	9 other forms of lymphoma	M	81	46	27 59	29 68	36 71	67	32 77	79	95	48	53
203	Multiple myeloma	M	298	295	335	330	334	71 375	102 398	85 425	99	107	59 473
204	Lymphatic leukaemia	F M	287	308	346	365	352	370	423	444	494	461	507
	O acute	F M										423	496
	1 chronic	F										187	270 206
	9 unspecified	F										330 215	362 275
		F										43 21	27 15

TABLE 7 (Numbers) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
205	Myeloid leukaemia	M F										641	398
	0 acute	М										625 378	662 408
	1 chronic	F M										338 203	352 259
	9 unspecified	F M										251	272
206	Monocytic leukaemia	F										60 36	31 38
200		F										86 108	111 113
	O acute	M F										67 79	81 95
	1 chronic	M F										4 3	17 5
	9 unspecified	M F										15 26	13 13
207	Other and unspecified leukaemia	M F										221	208
	O leukaemia, acute	M F										133	185 155 123
	1 leukaemia, chronic	М										126	
	2 acute erythraemia	F M										17	2 6 18
	9 leukaemia, unspecified	F M										10	19
208	Polycythaemia vera	F	40									62 59	33 37
		M F	40 23	35	52 26	42 33	50 41	58 35	50 39	55 50	49 43	67 54	66 49
209	Myelofibrosis	M F										67 70	70 74
210-228	Benign neoplasms	M F											248 415
210	buccal cavity and pharynx	M F	4	4 -	3 4	5 1	5 3	5 1	5	5 3	7 2	6	2 4
211	other parts of digestive system	MF	14 19	21	26	24	22	25 27	21	29	26 16	24	32 35
212	respiratory system	M F									10	10	9
213	bone and cartilage	M	4	4	4	2 5	1	2	4	5	3	5	7 5
214	lipoma	F M	7	3	8	2 2	2	7 2	5	7	3 4	5	5
215	other benign neoplasm of muscular and	F M F	2	2	2	2	2	-	-	2	-	1	3 13
216	connective tissue	М	-		1								
		F	1	1	1 -	1 1	2	-	-	-	1	-	3 2
217	breast	M F	2	2	1	2	-	-	-	1	-	1	-
218	uterine fibroma other benign neoplasm	F	80	83	70	51	54	60	48	42	42	45	56
	of uterus	F	11	13	11	11	9	5	9	4	9	7	6
220	ovary other female genital	, F	81	75	82	69	68	71	71	72	66	59	76
	organs	F	1	3	3	1	-	2	2	2	-	-	-
222	male genital organs	М		1		-	-	-	2	-	-	1	-
	kidney and other urinary organs	M F	75 35	73 37	86 26	82 30	51 27	52 25	58 24	48 34	40 31	42 20	39 18
224	еуе	M F	M 123	114	124	115	110	115	121	95	115	1	-
225	brain and other parts of nervous system	MF	F 152	178	184	171	165	152	170	143	146	102 154	93 134
226	endocrine glands	M F	30 35	25 32	32 39	26 38	29 36	30 31	29 39	29	23	32 37	35 36

TABLE 7 (Numbers) - continued

					- (2100	, ,	00,000						
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
227	Haemangioma and lymphangioma	M F	7 11	8 10	8	8	4 10	7 7	12 3	8 8	10 8	10	17 15
228	other and unspecified organs and tissues	M F	3 5	3 6	4 5	4 8	3 10	3 4	4 9	5 10	5 11	5 6	7 7
230-239	Neoplasm of unspecified nature	M	230 169	234 219	266 233	284 244	281 224	361 295	385 319	387 298	374 302	366 303	399 323
230	digestive organs	M	14 25	21 19	16 24	22 29	25 22	26 28	29 37	40 36	20	27 30	31 35
231	respiratory organs	M F	30 9	15 11	34	23 11	13	31 13	39 15	35 18	37 19	36	51
232	skin and musculoskeletal system	M	6	8 5	9	7 5	10	8 5	7 5	11 8	6 4	7	19
233	breast	M F	-	-	-	-	- 2		-	_	-	6	7
234	uterus	F	1	2	_	4	2	-	1 4	2	-	_	-
235	ovary	F	5	4	7	5	7	5	10	5	2	1	1
236	other female genital organs	F	1	_	1	1	-	1	1	1	6	7	6
237	other genito-urinary organs		4 5	6 5	4 5	8 5	3 3	8 9	11 5	9 8	1 8 8	1 8 4	7 7
238	eye, brain and other parts of nervous system	M F	169 102	180 159	193 167	211 169	219 162	281 211	290 215	283 199	290 197	278 211	281 222
239	other and unspecified organs	M F	7 15	4 14	10 15	13 15	11 13	7 23	9 26	9 20	13	10 27	23 26
240-279	III. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	MF									20	2,027 3,878	2,316 4,075
240-246	Diseases of thyroid gland	M F										90	68 574
240	Simple goitre	M F	3 17	5 15	2 10	1 13	2 8	4	2	2	2	3 10	2
241	Non-toxic nodular goitre	M F	11 25	5 18	3 19	2 27	1 16	1 11	4 9	2 19	3 16	15	- 9
242	Thyrotoxicosis with or without goitre	M F	40 280	55 294	40 309	42 285	64	31 264	39 206	40 217	27 217	43 223	23 209
243	Cretinism of congenital origin	M F							200	2.1		3	_
244	Myxoedema	M										39	36
245	Thyroiditis	M										320	327
246	Other diseases of thyroid gland	MF										1 12	7 4 11
250-258	Diseases of other endocrine glands	M F										14	1,851 3,039
250	Diabetes mellitus	MF											1,716 2,900
251	Disorders of pancreatic internal secretion other than diabetes mellitus	MF	19	13	16 5	16 6	14 7	23 5	17 10	22 12	11 8	17 5	21 14
252	Diseases of parathyroid gland	M F	2 7	3 11	3 9	2 4	6 9	3 7	4 9	1 8	2 7	4 8	4. 9
253	Diseases of pituitary gland	M F	38 59	37 59	40 55	45 62	38 52	50	44	32 57	27 56	36 47	37 43
254	Diseases of thymus gland	MF	4 4	7 2	1 3	4 3	4 4	8	7 5	2	4 4	3 2	3 2
255	Diseases of adrenal glands	MF	79 70	48 66	74 78	59 74	82	72	60	68 65	57 61	56	61 55
256	Ovarian dysfunction	F	-	-	-	-	_	_			91	/0	55
257	Testicular dysfunction	М	-	-	-	-	-	_	_	an,			1
258	Polyglandular dysfunction and other diseases of endocrine glands	M F	11 15	9	9 22	9 15	8 12	5 15	5 12	7 15	5 13	6 17	8 15
260-269	Avitaminoses and other nutritional deficiency	M F										61	73
260	Vitamin A deficiency	M F										104	112
													-

TABLE 7 (Numbers) - continued

	1			IABLE	, / (Mu	mpers)	- conti	nuea					
ICD No	. Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
261	Thiamine deficiency	M F										_	1
262	Niacin deficiency	M										_	_
263	Other vitamin B deficiency	M										3	- 9
264	Ascorbic acid deficiency	M F										1	1
265	Vitamin D deficiency	M F				,						3 4 10	1 9
266	Other vitamin deficiency states	M F										1 1	- 1
267	Protein malnutrition	M F										1 4	- 1
268	Nutritional marasmus	M F						,				6 7	16 24
269	Other nutritional deficiency	M F										4 5	54 66
270-279	Other metabolic diseases	M F										245 303	324 350
270	Congenital disorders of amino-acid metabolism	M F										1 4	8 3
271	Congenital disorders of carbohydrate metabolism	M F										5 4	7
272	Congenital disorders of lipid metabolism	M F										7 15	5 10
273	Other and unspecified congenital disorders of metabolism	M F										98 91	128 80
	O Cystic fibrosis (mucoviscidosis)	M F										68 75	91 68
274	Gout	M		,								24	36 16
275	Plasma protein abnormalities	M F										16 11	17 18
276	Amyloidosis	MF										31 24	3 7 30
277	Obesity not specified as of endocrine origin	M F										43 131	52 148
278	Other hyperalimentation	M F									,	-	-
279	Other and unspecified metabolic diseases	M		,								20	34
280-289	IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	M F											658 1,249
280	Iron deficiency anaemias	M F	77 200	101 228	81 225	83 255	96 222	91 275	91 215	94 247	85 263	96 242	62 183
. 281	Other deficiency anaemias	M F	242 571	222 574	246 512	214 539	201 512	211 487	183 450	170 488	182 460	143 394	165 416
	O pernicious anaemia	M F	212 515	197 512	202 4 57	179 483	177 459	174 414	161 379	138 406	138 379	106 314	126 319
	1-9 other and unspecified deficiency anaemias	M F	30 56	25 62	44 55	35 56	24 53	37 73	22 71	32 82	44 81	37 80	39 97
282	Hereditary haemolytic anaemias	M F										25 14	30 38
283	Acquired haemolytic anaemias	M F										19 37	11 27
284	Aplastic anaemia	M F	111 133	112 · 128	109 120	116 131	117 138	104 168	123 156	131 168	122 152	135 166	138 176
285	Other and unspecified anaemias	M F											132 273
286	Coagulation defects	. M F	10 1	18	12 2	17 2	19	16 2	17 2	14	16 4	15	16 4
287	Purpura and other haemorrhagic conditions	M F	56 76	47 74	54 59	59 90	60 87	46 80	53 60	65 72	63 66	56 70	48 86
288	Agranulocytosis	M F	11 12	8 13	13 12	11 13	11 21	11 13	14 20	9 15	15 10	10	23 15
289	Other diseases of blood and blood-forming organs	M F	37 37	4 3 36	37 38	41 34	39 32	36 30	4 6 32	4 9 3 5	45 43	4 3 36	33 31

TABLE 7 (Numbers) - continued

				*******	7 / 2100		- 00/10/						
000 Da	De se of geetr		1859	1959	1960	1961	1961	1963	1964	1965	1966	1967	1988
290-315	V. MENTAL DISORDERS	M F										425 707	412 835
290-299	Psychoses	MF										338 637	322 752
290	Semile and pre-semile detentia	F	178 398	197 444	243 451	247 497	275 497	262 519	298	3 2 1 5 T C	311	291 570	288 696
291	Alcenelic payonosis	N F	<u>/</u> 2	2	5	4	:	3	<u>:</u> :	-	3	3	_ 1
292	Psychosis associated with intracranial infection	M										-	1 -
293	Psychosis associated with other cerebral condition	P P										2	- 1
294	Psychosis associated with other physical condition	E .	Ed. No.	3 5	2 4	2 4	2	3 5	2 13	3 13	or No	2 5	4 4
295	Schizophrenia	M B	21	20	9 16	21	19 20	15 24	18 / 17	12 15	13 16	15 14	10 14
296	Affective psychoses	M	19 23	12	10	9 1	17 18	11 13	13	11	9 16	13 19	8 23
297	Paranoid states	M P										3	1 6
298	Other psychoses	M										1	1 1
299	Unspecified psychosis	H P				- 4						11 23	9
300-309	Meuroses, personality disorders and other non- psychotic mental disorders	H										72 56	71 72
300	Meuroses	M	2 12	7 18	3 11	FEF	3 16	in the last	- 0	ž	3 13	2 10	3 7
301	Personality disorders	N										-	-
302	Sexual deviation	H										1	-
303	Alcoholist	M	25 16	32 14	25 19	26 16	30 19	31 20	47 22	43 14	43	51 16	46
304	Drug dependence	H	2	4 1	- 3	1 1	4 2	3 2	5 3	8 .	=======================================	12	13
305	Physical disorders of presumably psychogenic origin	H	3 1	3	3	ī	1	1 1	Ξ	Ē	2	3	-
306	Special symptoms not elsewhere classified	M	16	e 25	6 18	16	24	5 17	13 K3	6	5 11	12	2 13
307	Transient situational disturbances	3										-	1
308	Behaviour disorders of childhood	F	-	-	-	-	-	2	-	-	-	-	-
309	Mental disorders not spec. as psychotic associated with physical conditions	P.										ź	-
310-315	Nental retardation	M										15 14	19 11
319	Borierline mental retardation	H										1	-
311	Mild mental retardation	M										3	-
312	Moderate mental retardation	MP		1								:	
313	Severe mental retardation	M		1			1					69.69	3 7
	Profound mental retardation	H P										-	1
315	Unspecified mental netargation	MP							3			9	9
320-389	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	M	3	1								3,009 3,140	3,098 3,230
320-324	Inflammatory diseases of central nervous system	M F	349 256	331 224	343 257	345 270	377 272	371 313	394 316	359 308	349 291	373 277	343 244

TABLE 7 (Numbers) - continued

100 Mg.	Jause of ceate		1959	1959	1980	ipers)							
121		-	209				1962	1968	1964	1345	1966	1997	1966
2.00		7	141	191	188	118	1:1	181	111	188	194	181	182
	: E. influentse	7	10	02	2 4	13	19	15	13	20	14	19 08	17
	1 postococus	7	18 86	5 -	65	3.	90	8.8 8.6	83	8.1 8.4	81 81	54	6.6 3.0
	8 file to other specifies	<i>€</i> ₹	2 T	43 23	52 3.1	51 +1	4	₩0 3.6	= =	45 30	31	84 28	46 3.4
	8 with Do organism specified as pause	¥ 7	8 T 316	8.8 4.6	81 81	15	36	9.6 8.6	115	111	32	114	5 -
321	Relectics and terromate- onlessings of impresental remove simuses	3	5.5	12		- 2	.:	16	15 13	: 1 : 1	14	3 21	11 15
322	Intracranual and intracrunal abscess	E .	45 40	81 17	37 27	÷:	** 16	*=	30	48 36	5:	84	-3
383	Ensequalities apelities.	TA T	7.6	56	71	#5	5 T	# + + 1	5.5 5.5	54	53 53	67	83
31+	Lane effects of intracrantal abscess or progenic infection	3	1.	11	11	4	10	9 9	11	4	200		2.2
330-333	Hereditary and familial diseases of zervous system	M F	136 56	113	134	155	159	145	153	361 114	164 100	191	164
330	Remedicary deliconistilar	% 3	9/6 BI)	913. 5.0	97 40	-15	10:	115	108		138	135	1-2
331	derecitary inseases of the strusto-pailineal system	N F	25	25	26	59 31	2.8	33	3 4	8.5 3.6	3.6 3.6	# Č	ž
332	Seceditary staxus	7.	E67 - P	1	16. 14.	**************************************	=	5		+		=	60
333	familial diseases of demols spaces	16 E	5	=	1	5	*		5 9	5 9		5	9 11
343-349	Other diseases of central cervous system	M F	2,034 2,354	2,094	2,090	1,134 2,818	1.117	0,164	0,101 2,880	2,197	2,104	2.326	0,430 0,755
* 5.	Wiltiple solemosus	W F	32 E 53 I	331	3.44	333	315	33 -	327	300	2 1 5 \$ 3 5	304	32-
341	Doner sempelinaning Siseases of decoral nerous system	74 T	2	3 2	-	Ē	* :	# 2	3	2	3	3	
3-2	Paralysis aginars	3	67.9 85.4	223	8 8 3 8 3 1	8 8 2 9 8 8	890	891	663	373	881	888	356
3 43	Perecral scascio infantile paralysis	7	0.4 4.3	4.1		3.5	40.40	5 9 48	55	77 +3	4 2	35	9.5
* **	ither pereoral paralysis	74	20 e 29 t	202	23:	232	250	288	255	301	32.	3 5 3	4.4
3 45	Spilepsy	7.	36 : 342	3 48	331	333	3	3 6 5	350	354	373	3-3	3.4
3 43	Wignaine	4 3	-	-	-	1	1	-	-	-	-	263	288
2 "	Other diseases of brain	50	85	30	9.7	95	9-	3.3	108	109	200	139	1-1
3.45	Notice neumone pusease	3	288	37	300	243	301	281	335	383	337	336	155
3+3	Choec bleesees of spinal	12	237	245	214	218	218	214	2 43	249	188	257	218
350-358	Diseases of merves and perapheral ganglia	P M	6 2.4	7.5	2.7	2.	2.0	23	2-	27	21	3.8	45
35.	Facial paralysis	N F	:/	1	:	1	1	-	-	-	2	2	-
35:	Chifemnal beharios	». -	2	1			1	2	-	Ţ	1	-	
352	Brachisi neuricis))				1						-	-
353	Sonation	7	2	-	4	:	1	*	3	÷		:	-
35+	Polymeuritis and	7. 7. 3	35	21	20	35	57	30	25	1	28	24	27
355	polymadiculities liner and unspecified frome of meumalgia and meumilies	N F	# # # # # # # # # # # # # # # # # # #	19	Triba Par	20	2 u	20 24.00	P) P(0)	4 4	15	23	

TABLE 7 (Numbers) - continued

				TABL	E 7 (Nu	mbers)	- cont	inued					
ICD No.	. Cause of déath		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
356	Other diseases of cranial nerves	M F	<u>-</u> 1	1	-	-	1 _	-	- 1		- 1	1 1	2
357	Other diseases of peripheral nerves except autonomic	M	4 -	3 1	4 2	8	4 5	3 4	3 3	8	5 12	7 4	8
358	Diseases of peripheral autonomic nervous system	M	1 -	-	2	1 2	1 2	- 2	1	1	1	1	-
360-369	Inflammatory diseases of the eye	M F										1	2 3
360	Conjunctivitis and ophthalmia	M F	-	3 -	1	1 -	-	-	2	1	-	-	-
361	Blepharitis	M	-	-	-	1 -	-	-	-	-	-	_	_
362	Hordeolum	MF	-	1	1 -	-	1 -	-	-	-	-	-	-
363	Keratitis	MF	1 2	- 1	1 2	2	-	- 1	-	-	-	-	1
364	Iritis	MF									_	-	-
365	Choroiditis	MF	-	-		-	_	-	_	-	_	-	-
366	Other inflammation of uveal tract	M F										-	-
367	Inflammation of optic nerve and retina	M	3	3	- 2	=	3	1	- 3	_	3 -	- 1	-
368	Inflammation of lacrimal glands and ducts	M F	-	-	- 1	-	2	-	-	-	-	-	-
369	Other inflammatory diseases of eye	M F	2	-	1	-	-	-	2	- 1	- 1	1	1 2
370-379	Other diseases and conditions of eye	M	13 38	26 35	19 32	24 41	24 31	13 30	18 35	12 25	12 27	9 18	10 19
370	Refractive errors	M	_	-	=	-	-	-	-	-	-	-	-
371	Corneal opacity	M F	-	-	-	1 -	3 1	-	-	-	-	-	-
372	Pterygium	M F	-	-	-	-	-	-	-	-	-	-	-
373	Strabismus	M F	1 -	1 3	2 3	1 2	2	-	1 -	2	1	-	1
374	Cataract	M	6 15	15 22	10 19	8 27	8 15	9	6 24	5 11	5 20	4 9	6 11
375	Glaucoma	M	3 14	4 5	1 7	7 7	5	2 8	6	3 10	3 4	1 6	1 3
376	Detachment of retina	M F	3	2 2	1 1	3 3	3 2	- 1	1 2	2 2	2	3	- 1
377	Other diseases of retina and optic nerve	M F M	1	2	5	2	2	2				-	1
378	Other diseases of eye	M F	4	3	1	1	2	4	3	2	1	1 2	- 3
379	Blindness	M F	2 2	2	-	2	1 _	2	-	-	-]	-	1 1
380-389	Diseases of the ear and mastoid process	M	103 57	138 57	94 62	94 72	125 52	92 84	94 78	91 65	83 55	80 54	74 65
380	Otitis externa	M F	-	1 -	-	1 -	1	-	-	-	=	-	- 1
381	Otitis media without mention of mastoiditis	M F	79 47	109 45	73 48	78 57	98 49	77 74	82 72	79 54	68 44	65 48	59 54
382	Otitis media with mastoiditis	M F	6 2	11	7 1	4	6	5 2	3	4 3	4 4	1	5
383	Mastoiditis without mention of otitis media	M F	16	17 5	13 9	9	14	7 6	8	5 8	10	9	10
	Other inflammatory diseases of ear	M F	2 -	-	- 1	2	1 -	1 1	-	2	-	1	- 1
385	Meniere's disease	M	1	-	=	- 2	1 -	=	_	-	- 1	1 1	-
												1	

TABLE 7 (Numbers) - continued

ICO Na	Cause of death	1989	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
386	Ctosolerosis	MF									-	-
387	Other diseases of ear	M P 1	2	1 3	3	-	2	Ē	=	2	3 -	-
366	Deaf milism	H -	:	-	-	-	-	:	:	-	-	-
389	Other deafness	M -	ī	-	2	1	2	:	=	-	-	:
390-458	VII. DISEASES OF THE CIRCULATORY SYSTEM	M P										142,171 152,214
390-392	Active rheumatic fever	W F									9 16	12 12
390	Rheumatic fever without mention of heart involvement	M P									3	-
391	Rheumatic fever with heart involvement	M F									0.80	11
392	Cacrea	M									-	-
393-398	Chronic rheumatic heart disease	M 3,469 F 5,485	3,287 5,209	3,377 5,295	3,442 5,568	3,444 5,458	3,238 5,206	2,890 4,570	2,848 4,719	2,801 4,564	2,787 4,469	2,612 4,386
3.93	Diseases of pericardium	M F									11	15
224	Diseases of mitral valve	M P									1,012	85± 2,166
395	Diseases of aproid valve	M									1,068	1,107
396	Diseases of mitral and aortic valves	M P									285 425	516
397	Diseases of other endocardial structures	M 183 F 292	164 289	156 277	161 293	155 259	146 195	129 199	99 217	117 191	98 166	55 172
398	Other heart disease, specified as rheumatic	M 384 F 732	427 718	448 733	436 831	421 828	404 794	361 727	362 744	390 753	323 893	333
400-404	Hypertensive disease	M F	1 1									4,774 6,309
400	Malignant hypertension	y 799 F 475	810 441	809 393	647 351	583 307	585 295	553 266	521 231	504 235	461 193	490 207
401	Essential benign hypertension	M 967 F 1,131	865 1,035	833 1,021	817 1,018	714 905	889 864	570 676	517 682	512 845	524 602	582 695
402	Hypertensive heart disease	M 6,033 F 8,333	5,429 7,843	5,408 7,743	5,228 7,836	4,645 7,235	4,614 7,108	3,918 5,917	3,953 5,806	3,682 5,602	3,553 5,124	3,395 5,126
403	Hypertensive renal disease	M 420 F 446	396 435	354 364	327 387	378 392	390 386	314 364	309	219 294	300	230 294
404	Hypertensive heart and renal disease	M F										8-
410-414	Ischaemic heart disease	M F					1					79,735 58,834
4:1	Acute myocardial infarction	M. Z				1					56,456 54,578	59,45T 36,920
411	Other acute and sub-acute forms of ischaemic heart disease	M. F									1,044	1,269
4:2	Chronic ischaemic heart disease	MF										19,093
413	Angina pectoris	M									94	96
414	Asymptomatic ischaemic heart disease	M									-	-
420-429	Other forms of heart disease	H										12,617
420	Acute pericarditis, non-rheumatic	M 16 16 16	[14 14	19 I 13 I	18	17	20	13 16	19	15	24	21
421	Acute and sub-acute endocarditis	M 188 P 150	196	174 133	198 110	166	203	178	157	162	171	152
422	Acute myocarditis	M 43 F 52	60 54	\$1 50	58 56	64 62	7:1	64 47	61 54	59 45	71 48	65
423	Chronic disease of pericardium, non-rheumatic	N 62	62 45	69 50	76 58	76 51	79 63	74	78 65	75	90	70 54

TABLE 7 (Numbers) - continued

				TABLE	E 7 (Nu	mbers)	- cont	inued					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
424	Chronic disease of endocardium	M F										596 824	685 847
	O mitral valve, non-rheumatic	M F										45 124	51 149
	1 aortic valve, non-rheumatic	M F										449 481	524 497
	9 other endocardial structures	M F										102 219	110 201
425	Cardiomyopathy	M											200 121
426	Pulmonary heart disease	M F											954 455
427	Symptomatic heart disease	M	3,873 5,126	3,728 5,162	4,019 5,484	4,300 6,120	4,278 6,147	4,415 6,312	4,054 5,791	4,199 6,277	4,617 6,560	4,319 6,553	4,908 7,223
	O congestive heart failure	MF	2,208	2,211	2,463 3,184	2,726 3,652	2,721	2,826	2,644	2,810 4,166	3,127 4,410	2,946 4,503	3,484 5,085
	1 left ventricular failure	MF	341 340	350 349	380 392	436 480	426 483	452 529	436 485	442 515	513 591	503 588	616 700
	2 heart block	M F	141	142 107	152 117	134 117	125 112	147 127	145 125	163 132	165 134	165 125	147 150
	9 other disorders of heart rhythm	MF	1,183	1,025	1,024	1,004	1,006	990	829 1,485	784 1,464	812 1,425	705 1,336	661
428	Other myocardial insufficiency	M					.,	2,,20	2,100	2,101	2,10	5,991 11,856	5,494 11,021
429	Ill-defined heart disease	M	58 32	59 33	65 37	73 43	72 44	76 46	72 43	76 48	85 52	93	59 65
430-438	Cerebrovascular disease	M								*0	32		31,707 48,645
430	Subarachnoid haemorrhage	M	1,201	1,219	1,297 2,122	1,315 2,089	1,372 2,283	1,391 2,317	1,433 2,365	1,460 2,348	1,452 2,340	1,474 2,547	1,505 2,593
431	Cerebral haemorrhage	M	8,104 12,123	7,814 11,447	7,945 11,797	7,782 11,471	7,849 11,680	7,987 12,036	7,742	7,881 11,400	7,983 11,843	8,264 12,106	8,179 12,017
432	Occlusion of pre-cerebral arteries	M					,	,	,	223 200	11,010	12,100	281
433	Cerebral thrombosis	M	14,757 20,892	14,651 21,078	14,564 21,250	14,622 21,565	14,715 21,657	15,012 22,308	12,963 19,449	14,155 21,161	13,913	12,776 19,823	13,096 20,409
434	Cerebral embolism	M	155 173	153 175	152 176	153 179	154	157	136	148	146	149	139
435	Transient cerebral ischaemia	M			210	113	100	103	101	176	1/2	194	217 6 5
436	Acute but ill-defined cerebrovascular disease	MF										- Constitution of the Cons	4,296
437	Generalized ischaemic cerebrovascular disease	M										3,552 5,606	6,411 3,751
438	Other and ill-defined cerebrovascular disease	M										3,000	6,076 454 680
440-448	Diseases of arteries, arterioles and capillaries	MF	7,075 7,963	6,841 8,116	7,084 8,562	7,339 9,111	7,571 9,266	8,006 9,666	7,238 8,988	7,640 9,444	7,982 9,970	7,756 9,770	8,402 10,441
440	Arteriosclerosis	M	4,385 5,689	4,167 5,862	4,23 2 6,070	4,4 08 6,54 7	4,363 6,482	4,543 6,760	3,922 6,171	4,127 6,415	4,328 6,848	3,947 6,448	4,286 7,061
441	Aortic aneurysm (non-syphilitic)	MF	1,567 1,164	1,556 1,084	1,682 1,236	1,697	1,992	2,143 1,470	2,134	2,274	2,363	2,410 1,697	2,631 1,655
442	Other aneurysm	M F	79 35	93 45	75 42	82 35	90	93 58	105	98	86	110	103
443	Other peripheral vascular disease	M	55 22	62 26	71 38	75 36	82	80 47	62	77	88	119	114
444	Arterial embolism and thrombosis	M	429 537	421 560	455 613	481 636	443 653	498 677	451 654	455 664	483 709	513	79 617
445	Gangrene	M						311	334	004	709	749 493	832 496
446	Polyarteritis nodosa and allied conditions	M										115	610 128
447	Other diseases of arteries and arterioles	M										101	108
448	Diseases of capillaries	M	1 5	1 4	1 6	1 5	1 6	2 8	2 7	2	2	36	3
				*	0	5	6	8	7	9	11	12	8

TABLE 7 (Numbers) - continued

T.72 : .	Tause of searn	-1	1355	1959	1961	19-51	1962	19-55	1954	1945	1946	1967	1966
450-458	Diseases of reigs and lymposition and other inseases of circulatory system	W F										2,061 3,390	2,312 3,579
450	Pulmonary amortism and undaconico	F	47 9 86 4	713 713	* 2 "	750 595	7 7 <u>2</u> 9 3 9	854 1.072	846 1.131	908	964 1,231	1,774	1,058
451	Primerure and Transmacon Leguria	u F	137 254	147 271	155 251	155	1 41 3 9 5	192 278	154	125	114 209	213	84 196
452	Portal rein terrotossus	7										11	8 7
483	Inter remota empolarmant success	# 3										1,618	1,007
f = T	Tablooce relate of lower eathernities	7	157	9.2 1.5.5	8 8 1 5 4	57 158	58 142	70 159	33 127	47 158	45 158	4.6	45 147
455	<u> </u>	P	15	1-	17	13	16	6	5	5	11 8	5	8
4.54	Tariosse neins of other sines	7	27 22	21	18	31 34	27 25	29 38	23 24 i	22 ! 33 ,	29 30	2 = 2 =	25 28
457	on-infectine otherse of lympostic coannels	· 7	3 2	2 4	3	÷	2	2 2	2 5	5	2 4	1 2	- 4
- 5 5	Conor Suseases of Sussession	7										3 8 45	67 71
460-519	7111. DISTASES OF THE RESPIRATORY STOTEM	A E											47,459 37,286
460-466	Acute respiratory undections except influenza	¥	1.719	1,718	1,383	1,818	1,710	1,900	1,300	1,316	1,438	1,243	1,453 1,487
\$5.1	-:ile masconarmagines	N F	÷	2 3	5 5	2 3	Z 3	2	1 1	1	3	4.	1 6
4-5-1	-tite simusitis	8	<u> </u>	1	2 3	<u> </u>	2	-	2 2	ī	ī	1	1 1
±22	lear pastyments	 	12 1	11 11	3 8	11	4	5	=	.1	± 5	7	N 60
4 53	+cure romaillinis	<u>N</u>	1 +	<u> </u>	12	11	-3	1.1 9	6	\$	13	11 5	7 e
€ € €	-cute larguaginis and transports	罗	19	22	27	32	33	31 29	25 31	29	2 E 2 E	25 26	1 ÷
455	-oute under resolvationy underside of multiple or unspecified sites	3	-	13	Ξ		3	=======================================	1.2	15	25 25		5 : 1 5
200	Frice drimitutis and	N F	1.881	1,873	1.317	1,581	1,531	1,341	1.256	1,260	1,378	1,181	1,368
470-474	Influenza	N Z	1,200	3,875 3,935	54 B 540	3,481 3,587	1,501	1,431	466 543	401 406	1,627 2,017	378 505	1,855
£7.1	an altitet	×.	111	80.5 80.5	113	590 895	296 442	275 423	6E 135	8 6 8 8	303 467	83	293 449
÷~:	vete oneumenus	F	198	2,559 3,452	311	1,138	928 1,069	935	312 321	2 7 3 2 4 3	1,036	217 306	1,323
	vint pines resourance; manifestations	* F	211	3-3:	112	525 520	263 258	251 246	82 .	3 <u>1</u> 3 7	276 274	74 71	341 403
=-3	vill digestics manifestations	7A (F	1		13	13	8	11 7	6 7	Ē	10 15	4 6	3 15
÷-+	With methods mamifestar.ons	7	1	5	÷	1	3 3	3 4	4	2 5	4 2	1	= = = = = = = = = = = = = = = = = = = =
450-456	Previous	¥											18,147 22,880
4 80	Tiral positionia	7											173
#5°	Preumococcal preumonia*	% F											1,721 *
+32	Other darrental presmonta	% ₹											75 53
433	Preumonia due no oncer specifical organism	3											3 3
+5+	value interstitual preumonia	7											23 21
488	Smon cologo e um colos. Um sprocióle ar	% 3											15,1199

^{*} Exclusing the following late effects , 1966-1 male. * Exclusing the following late effects , 1966-1 males.

TABLE 7 (Numbers) - continued

				TABLE	7 (Nur	mbers)	- conti	nued					V
ICD No	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
486	Pneumonia, unspecified*	MF											1,000*
490-493	Bronchitis, emphysema and asthma	M F											938 23,945
490	Bronchitis, unqualified	M											8,821 749
491	Chronic bronchitis	M F											832
492	Emphysema	MF										1,067	6,885
493	Asthma	M										²⁸⁸ 702	294
500-508	Other diseases of upper respiratory tract	M	73 54	74	54	82	59	72	51	74	59	943 52	810 47
500	Hypertrophy of tonsils and adenoids	M F	17 12	13	41	10	33 11	55 7	33	35	54	38	38
501	Peritonsillar abscess	M F	5	5	5	1	7 2	5	5	5	2	2	3
502	Chronic pharyngitis and nasopharyngitis	M	1 2	5 1 2	9	3	1	6	5	2	7	2	4
503	Chronic sinusitis	М	27	31	17	28	20	27	20	1 14	16	16	1 7
504	Deflected nasal septum	F	20	18	1	12	6	12	13	7	6	9	5 2
505	Nasal polyp	F M	2	1	-	6	1	1	-	-	1	1	-
506	Chronic laryngitis	F	-	1	1	2	1	1	3	1	2	2	- 1
507	Hay fever	F	2	-	-	1	1	1	-	1	-	1	-
508	Other diseases of upper respiratory tract	F M	20	21	22	32	24	29	22	44	37	30	26
510-519	Other diseases of	F M	9	14	15	18	17	29	11	20	33	22	25 2,011
510	respiratory system Empyema	F M	78	69	62	59	53	71	46	67	51	40	1,265
511	Pleurisy	F	20	23	44	35	29	43	24	29	37	42 31	51 28
512	Spontaneous pneumothorax	F	7	23	45	28	34	21	27	33	25	39	32 26
513	Abscess of lung	F M	43	37	50	54	5 60	3	5 61	3	1	19	19 2
514	Pulmonary congestion	F	15	186	27	27	21	265	24	51 32 272	48 25	50 31	47 20
515	and hypostasis Pneumoconiosis due to	F M	712	371 636	402 641	468	474	451	443	537	286 538	282 542	220 478
	silica and silicates O silicosis	F	10	9	16	12	15	6	651	595 9	603	549	543
	1 anthracosilicosis	F										58	68 1
	2 asbestosis	F										11	10
	9 other, including pneumoconiosis unspecified	F M F										18 4 462 3	9 4 456 1
516	Other pneumoconioses and related diseases	M	12	12	7	11	15	10	13	11	15	10	13
517	Other chronic interstitial pneumonia	M	174	7 155 105	178 90	199	206	256	273	254	253	291	311
518	Bronchiectasis	M		203	90	109	111	142	155	154	173	152	168
519	Other diseases of respiratory system	M											376 208
520-577	IX. DISEASES OF THE DIGESTIVE SYSTEM	M											157 6.801
520-529	Diseases of oral cavity, salivary glands and jaws	M F										14	7,069
	uding the following 'late ef		1 1968-2	malos								38	54

^{*} Excluding the following 'late effects', 1968-2 males.

TABLE 7 (Numbers) - continued

		1		TABLE	3 7 (Nu	mbers)	- GONE	ruea					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
520	Disorders of tooth development and eruption	M F										-	1 -
521	Diseases of hard tissues of the teeth	M F										2	-
522	Diseases of pulp and periapical tissues	M F										1	2
523	Periodontal diseases	MF										1	=
524	Dento-facial anomalies including malocclusion	M F										2 2	2
525		M F										4	4 5
526	Diseases of the jaws	M F										-	- 1
527	Diseases of the salivary glands	M										4 30	- 8 36
528	Diseases of the oral soft tissues, excluding gingiva and tongue	M F										4	2 7
529	Diseases of the tongue and other oral conditions	M F										1	- 2
530-537	Diseases of oesophagus, stomach and duodenum	M											2,954 1,766
530	Diseases of oesophagus	'M F	69 67	54 61	64 75	75 71	87 81	85 98	89 94	85 88	111	107	131 118
531	Ulcer of stomach	M F										995 808	1,042
	0 with perforation	M F										270 160	257 178
	9 without mention of perforation	M F										725 648	785 624
532	Ulcer of duodenum	M F										1,238 520	1,437 551
	0 with perforation	M F										471 211	553 251
	9 without mention of perforation	M F										767 309	884 300
533	Peptic ulcer, site unspecified	M F											215 182
	0 with perforation	M F										51 32	51 4 7
	9 without mention of perforation	MF										118 95	164 · 135
534	Gastrojejunal ulcer	M F	40 i	4 9 1 0	54 9	51 11	40 12	41 12	19	28	34	30	26 9
	0 with perforation	M F	16	19	23 2	14	14	14	6	13	18	10	7
	9 without mention of perforation	M	24	30	31 7	37	26 10	27	13	15	16	20	19
535	· ·	M F	35 55	32 48	31 47	39 41	35 36	32 55	31	33 42	22	37 40	24 49
536	Disorders of function of stomach	M F	11 12	7 11	7 8	8	11 6	11 8	14	7 7	12	8 15	6 7
537	Other diseases of stomach and duodenum	M F	42 18	54 32	65 30	63 32	74 26	82 41	101	80	61 40	73 47	73 48
540-543		M	450 318	421 263	358 263	351 276	338 250	290 248	268 217	272 227	231 209	220 187	210 177
540	Acute appendicitis	M F	385 268	36 3 220	298 222	297 232	294 211	246 210	221 179	217	191 167	182 154	16 9
	0 with peritonitis	M	341 237	320 194	264 199	259 202	262 187	220	191	192	168 147	161	140 118
	9 without mention of peritonitis	MF	44	43 26	34	38 30	32 24	26 31	30	25 21	23	21 18	29 23
541	Appendicitis, unqualified	M	60	51 40	57 40	52 42	41 35	42	44	48	38	37 32	37 36

TABLE 7 (Numbers) - continued

					, (210	mbers,	- 00100	070000					
ICD No.	. Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
542	Other appendicitis	M	1 6	4 1	2	2 2	1	1	3	4 2	1 -	1 -	1 -
543	Other diseases of appendix	M F	4	3 2	1	-	3 3	1 -	2	3 4	1	- 1	3
550-553	Hernia of abdominal cavity	M F	673 737	670 832	664 759	709 817	701 835	657 764	646 778	638 736	595 743	534 753	569 811
550	Inguinal hernia without mention of obstruction	M F	46 2	52	50	50	54	51	62	55	54	52	36
551	Other hernia of abdominal cavity without mention of obstruction	M	115 183	132 211	128 202	127 234	137 243	129 245	163 273	143 249	140 269	144 276	168 293
	O femoral	MF											- 8
	1 umbilical	MF											29
	2 ventral (incisional)	MF											30
	3 diaphragmatic	M F											14
	8 of other specified sites	M											232
	9 of unspecified site	M											9
552	Inguinal hernia with obstruction	M	326 70	309 78	309	339 73	325 74	303	268	280	255	216	7 222
553	Other hernia of abdominal cavity with obstruction	M	186 482	177 541	177 485	193 508	185 516	174	153	160	59 146	59 122	59 143
	O femoral	M		311	400	300	210	451	439	423	412	414	451 51
	1 umbilical	M											239 23
	2 ventral (incisional)	MF											63 15
	3 diaphragmatic	M											49 14
	8 of other specified sites	M											40 19
	9 of unspecified site	M											32 21
560-569	Other diseases of intestine and peritoneum	M F											28 1.479
560	Intestinal obstruction without mention of hernia	MF											2,221 481
	0 intussusception	M F											585 16
	1 paralytic ileus	M F											22
	2 volvulus	M F											25 171
	3 impaction of intestine	M F											166 37
	9 other and unspecified	MF											236
561	Gastro-enteritis and colitis, except ulcerative, of non-infectious origin	MF											325 72 144
562	Diverticula of intestine	M F	360 674	347 691	373 710	367 733	364 690	350 751	351 742	352 746	350 824	346 808	378
563	Chronic enteritis and ulcerative colitis	M F	213 264	205 270	220 278	218 288	215 271	207	208	208	207	204	796 225
	O regional enteritis	M F	27 38	36 49	37 40	40 40	49	49	39 45	49	47 72	46	308 67
	1 ulcerative colitis	M F	181 217	165 211	179 226	172	161	154 242	164 235	154	154	153	77 150
	9 other	M F	5 9	4 10	4 12	6	5 9	4	5 12	222 5 10	238 6 12	216	217
												11	14

TABLE 7 (Numbers) - continued

				TABLE	7 (Nur	nbers)	- conti	nued					
ICD No.	Cause of death		1958	1959	1960	1961 .	1962	1963	1964	1965	1966	1967	1968
564	Functional disorders of intestines	M F	9 15	8 19	8 14	10 21	7 10	8 19	11 21	8 11	8 9	4 12	9 21
565	Anal fissure and fistula	M F	2	2	1 1	-	1 3	3	1	2	1	2	2
566	Abscess of anal and rectal regions	M F	15 4	15 10	11 7	11	6 13	9	12	16 4	10	13 11	9 7
567	Peritonitis	M	58 46	43 47	53 46	51 56	48 48	65 57	67 77	61 66	57 69	76 77	68 78
568	Peritoneal adhesions	MF	4 13	5 8	6 7	5 9	4 11	7 11	5 6	9	9	8 16	6 12
569	Other diseases of intestines and peritoneum	M	108 122	102 125	116 155	140 148	156 168	155 204	156 192	165 204	189 230	181 244	229 270
570-577	Diseases of liver, gallbladder and pancreas	M	1,456 1,886	1,410 1,976	1,486 2,016	1,545 2,013	1,503 1,949	1,515 1,978	1,516 2,023	1,566 2,021	1,578 2,032	1,476 1,975	1,570 2,040
570	Acute and subacute necrosis of liver	M	29 57	38 57	38 48	43 62	4 0 60	; 31 68	35 70	38 64	25 63	35 6 3	26 77
571	Cirrhosis of liver	M	652 560	627 611	690 614	746 651	704 621	705 633	664 659	732 668	735 648	685 682	750 712
572	Suppurative hepatitis and liver abscess	M F	17 8	18 10	23 11	23 10	21 6	19 20	16 15	18 17	17 19	21 14	24 10
573	Other diseases of liver	M F	41 40	3 7 3 3	50 55	47 62	39 55	55 75	76 74	62 83	71 77	59 111	90 91
574	Cholelithiasis	M F	270 525	269 541	230 518	209 496	234 460	224 430	213 459	231 435	222 433	195 404	188 381
575	Cholecystitis and cholangitis, without mention of calculus	M F	184 370	170 355	158 380	169 362	147 326	150 308	164 305	137 284	131 287	140 276	148 281
576	Other diseases of gallbladder and biliary ducts	M F	31 56	23 73	43 85	45 84	50 88	66 89	58 108	66 107	70 130	65 111	85 133
577	Diseases of pancreas	M F	, 232 , 270	228 296	254 305	263 286	268 333	265 355	290 333	282 363	307 375	276 314	259 355
	O acute pancreatitis	M F	200 229	188 262	230 258	217 249	236 295	232 322	257 305	240 318	271 328	244 276	215 325
	1 chronic pancreatitis	M F	27 35	35 26	19 40	42 32	28 31	29 26	29	39 39	32 40	29	34 22
	9 other diseases of pancreas	M F	5 6	5 8	5 7	4 5	4 7	4 7	4 6	3 6	4 7	3 6	10
580-629	X. DISEASES OF GENITO- URINARY SYSTEM	M F	6,999 3,594	6,791 3,590	6,710 3,678	6,439 3,759	6,185 3,803	5,826 3,916	5,532 3,901	5,227 3,820	5,125 3,778	4,801 3,719	4,678 3,604
580-584	Nephritis and nephrosis	M F											1,348 1,120
580	Acute nephritis	M F		,									109
581	Nephrotic syndrome	MF	187 114	144 107	149 107	118 83	136 78	119 84	111	121 74	116 71	99 68	95 78
582	Chronic nephritis	M F	1,694 1,601	1,542 1,449	1,567 1,388	1,471 1,329	1,343 1,331	1,283 1,154	1,118 1,053	1,095	1,032 883	944 867	1,085 939
, 583	Nephritis, unqualified	M F	19 17	16 19	19 18	20 18	24 22	25 23	26 27	33 26	34 30	4 5 37	47 21
584	Renal sclerosis, unqualified	M F	8 6	3 2	7	7 5	6 4	9 14	4 6	8 9	4 6	12 8	12 13
590-599	Other diseases of urinary system	M F	0										1,702 2,331
590	Infections of kidney	M F											1,048
591	Hydronephrosis	M	74 60	67 57	66 7 9	80 50	74 56	74 59	97 60	61 47	62 52	60 62	66 53
592	Calculus of kidney and ureter	MF	119 139	131	127 135	138 126	132 132	126 140	97 131	107 116	83 88	79 120	85 116
593	Other diseases of kidney and ureter	M F	99 78	108	105 91	122 112	147 120	162 131	165 144	182 137	191 145	215 175	264 228
594	Calculus of other parts of urinary system	M F	32	33 8	38 10	26	26 6	25 8	15	21	21 2	18	17 3
595	Cystitis	M F	148 213	124 193	139 188	105 183	110 179	80 174	89 171	71	64 142	56 125	49 97
596	Other diseases of bladder	M F	63 21	68	52 24	69 26	53 24	69 29	80	60 29	58 29	64 25	4 6 29

TABLE 7 (Numbers) - continued

		_		INDUE	, / (Mu	mbers)	- conti	inuea					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
597	Urethritis (non-venereal)	M F	2 -	3 1	4	4 1	2	3 -	1	-	4	- 1	1
598	Stricture of urethra	MF	42	57 1	46	44	48	37 2	39 1	36	23 4	39	30 1
599	Other diseases of urinary tract	M F											96 120
600-607	Diseases of male genital organs	М	3,663	3,587	3,345	3,153	2,959	2,537	2,397	2,096	2,057	1,868	1,627
600	Hyperplasia of prostate	M	3,569	3,498	3,253	3,070	2,895	2,476	2,338	2,039	2,004	1,804	1,580
601	Prostatitis	M	69	56	55	48	37	29	33	34	23	28	18
602	Other diseases of prostate	M	10	8	11	11	9	14	11	8	9	16	16
603	Hydrocele	M	3	1	1	4	1	2	1	1	5	1	-
604	Orchitis and epididymitis	М	4	2	2	2	1	1	4	2	5	1	3
605	Redundant prepuce and phimosis	М	4	6	7	8	7	3	3	2	4	6	_
606	Sterility, male	M	-		-	-	-	-	-	-	-	-	-
607	Other diseases of male genital organs	М	4	16	16	10	9	12	7	10	7	12	10
610-616	Diseases of breast, ovary, fallopian tube and parametrium	M F	27	1 44	33	37	38	36	38	33	44	28	47
610	Chronic cystic disease of breast	M F	-	-	-	-	-	-	-	-	-	=	-
611	Other diseases of breast	M F	2	1 7	1 2	2	- 2	3	3	1	5	-	1
612	Acute salpingitis and oophoritis	F	-	3	4	~	1	-	1	1	5	-	2
613	Chronic salpingitis and oophoritis	F	2	-	2	2	4	1	1	2	1	1	1
614	Salpingitis and oophoritis, unqualified	F	13	25	14	19	17	14	14	10	9	9	12
615	Other diseases of ovary and fallopian tube	F	2	4	4	3	3	2	4	6	7	3	3
616	Diseases of parametrium and pelvic peritoneum (female)	F	8	5	7	11	11	18	15	13	17	15	29
620-629	Diseases of uterus and other female genital organs	F	184	146	153	144	129	139	125	128	135	109	106
620	Infective diseases of cervix uteri	F	5	4	3	3	3	5	5	4	6	2	1
621	Other diseases of cervix	F	2	1	2	3	3	4	3	3	3	3	2
622	Infective diseases of uterus (except cervix), vagina and vulva	F	13	10	7	9	8	13	14	10	15		10
623	Uterovaginal prolapse	F	121	90	105	80	70	65	61	66		6	12
624	Malposition of uterus	F	3	3	2		2	1	01	-	55	58	41
625	Other diseases of uterus	F	19	14	15	23	21	30	22		2		-
626	Disorders of menstruation	F	11	12	9	8	9	9	1	23	26	23	35
627	Menopausal symptoms	F	1	_	1	3			5	9	9	5	6
628	Sterility, female	F		_			-	-	-	-	-	-	-
629	Other diseases of female genital organs	F	9	12	9	15	13	12	15	12	-	-	-
630-678	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F							15	13	19	173	9 200
630-634	Complications of pregnancy	F										33	
630	Infections of genital tract during pregnancy	F										33	33
631	Ectopic pregnancy*	F	13	12	17	12	22	16	21	11	17	11	13
632	Haemorrhage of pregnancy	F	7	8	10	8	8	5	3	5	5	3	4
633	Anaemia of pregnancyt	F	2	1	2	1	-	2		3	١	1	*
* 1	Excluding the following 'late	eff	entel 1069	2-1 fomolo									

^{*} Excluding the following 'late effects', 1968-1 female. † Excluding the following 'late effects', 1968-1 female.

TABLE 7 (Numbers) - continued

				2-1002	, (1401	mbol 5 /	- 001661	riueu					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
634	Other complications of pregnancy*	F	18	23	17	19	25	23	20	13	15	18	16
635-639	Urinary infections and toxaemias of pregnancy and the puerperium	F										44	34
635	Urinary infections arising during pregnancy and the puerperium	F	4	2	1	-	3	3	_	1	2	1	1
636	Renal disease arising during pregnancy and the puerperium	F	3	2	3	2	2	2	1	2			
637	Pre-eclampsia, eclampsia and toxaemia, unspecified+	F	49	42	50	38	41	36	24	34	29	36	3 27
638	Hyperemesis gravidarum	F										_	1
639	Other toxaemias of pregnancy and the puerperium	F	7	6	7	5	6	5	3			_	
640-645		F	63	47	62	54	57	49		4	4	5	2
640	induced for medical indications	F			02	04	31	49	50	52	53	34	50
641	induced for other legal indications	F										_	1
642	induced for other reasons	F	20	23	30	23	29	21	24	21	30	17	22
643	Spontaneous	F										4	12
644	not specified as induced or spontaneous	F										11	10
645	Other abortion	F										1	1
650-662	Delivery .	F										36	41
650	without mention of complication;	F	6	4	3	7 ;	4	6	5	9	9	10	2
651	complicated by placenta praevia or antepartum haemorrhage	F	9	10	14	10	11	6	4	7	7	4	7
652	complicated by retained placenta	F	10	5	10	9	5	7	6	7	5	2	3
653	complicated by other postpartum haemorrhage	F	19	15	9	11	13	11	5	4	8	3	5
654	complicated by abnormality of bony pelvis	F	-	1	2	-	2	-	_	-	1	1	2
655	complicated by foetopelvic disproportion	F										2	4
656	complicated by malpresentation of foetus	F										5	4
657	complicated by prolonged labour of other origin	F	4	4	6	3	4	2	2	4	2	2	6
658	with laceration of perineum, without mention of other laceration	F	-	_	_	_	-	_	_	_	_	_	_
659	with rupture of uterus	F					ĺ					1	1
660	with other obstetrical trauma	F										_	_
661	with other complications	F	5	9	9	9	7	5	7	10	8	6	4
662	Anaesthetic death in uncomplicated delivery	F										-	3
670-678	Complications of the puerperium	F										26	42
670	and the puerperium	F	9	14	7	4	9	5	10	4	7	2	6
671	thrombosis**	F	25	22	21	25	28	18	18	15	11	10	13
672	during the puerperium	F	-	-	-	-	-	-	-	-	-	-	-
	Puerperal pulmonary embolism	F	22	21	19	12	17	11	14	15	12	9	15
* E	xcluding the following 'late	effec	1968 1968	-1 female.									

^{*} Excluding the following 'late effects', 1968-1 female. † Excluding the following 'late effects', 1968-2 female. † Excluding the following 'late effects', 1968-1 female. ** Excluding the following 'late effects', 1968-2 females.

TABLE 7 (Numbers) - continued

Column of death 1980 198					TABLE	7 (Num	bers) -	- conti	nued					
Composer No. 1	ICD No.	. Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
### Comparison of The properties		the puerperium		5	3	2	5	2	4	1	3	2	1	4
Other and unspecified consistence of the proportion of the propo													1	1
Completions of the completion			F										-	-
### Secretary and other continues of a continue of the continues of the	677	complications of the	F										1	2*
### STATESTERS OF THE SKIN #	678		F	-	_	-	1	1	_	1				
## washevitaneous trainer ## 600 Doll And carburols ## 16	680-709	AND SUBCUTANEOUS								-		-	115	115
### Section Marging Ma	680-686						77 90						44	
## def decomposed of the composition of the composi	680	Boil and carbuncle						7	8	18	8	5	6	5
## Second Company Comp	681	Cellulitis of finger and toe	M	3	4	1	3	2	2	2	-	-	-	_
## Second Companies P	682	Other cellulitis and abscess							37	43	47	31	35	34
## 1	683	Acute lymphadenitis			-	-	-	-	-	- 1		-		
Cher local infections	684	Impetigo	М	2	4	3	2	1	2	-				1
Check Color Check Chec	685	Pilonidal cyst	М	1	-	-	_			2	- 1	-		
Company Comp	686	of skin and	M	2	5	3	2	6	1	6	2	4	3	2
## Second Control of Second Co	690-698	conditions of skin and	M F											
Infantile ecsema and M	690	Seborrhoeic dermatitis		2	1 2	- 1			-			-	-	_
Second conditions	691	Infantile eczema and related conditions	М						-	-	1	-	1	1
693 Dermatitis herpetiformis M	692	Other eczema and dermatitis											10	12
694 Pemphigus	693	Dermatitis herpetiformis				4	3	2	2	2	2	2		
695 Erythematous conditions M	694	Pemphigus		24	18	25	21	14	13	16	12	18		
## Spaniasis and similar	695	Erythematous conditions	M	14	18	17	22	18	15	10				23
## Solution	696	Psoriasis and similar	M	2	5	4	4		į				29	19
698 Pruritis and related	697		M			4	7 _		1	8	6			
700-709 Other diseases of skin and subcutaneous tissue F	698	Pruritis and related	M		-	-	-	-	-	-	-	-	-	-
700 Corns and callosities M F F F F F F F F F	700-709	Other diseases of skin		3	1	1	-		-			1		-
701 Other hypertrophic and atrophic conditions of F	700			1										
Skin	701	Other hypertrophic and atrophic conditions of	F	_				-	-			-	-	-
703 Diseases of nail M F 1 - 1 - 1 1 1 1 1 1 1 1 1	702	skin	М										1	-
704 Diseases of hair and M 1 1	703	Diseases of nail	M	-	_	-	1						1	1
705 Diseases of sweat glands M F 706 Diseases of sebaceous M glands F 707 Chronic ulcer of skin M 22 17 19 23 22 26 26 19 33 19 27 70 58 51 68 78 48 61 49 59 85 59 90	704	Diseases of hair and	М	1	-		-	-	1	-	-		-	=
706 Diseases of sebaceous M F Chronic ulcer of skin M 22 17 19 23 22 26 26 19 33 19 27 58 51 68 78 48 61 49 59 85 59 90			1	1	-	-				-	-	-		-
glands F 707 Chronic ulcer of skin M 22 17 19 23 22 26 26 19 33 19 27 F 58 51 68 78 48 61 49 59 85 59 90	706	Diseases of sebaceous	F										1	
F 58 51 68 78 48 61 49 59 85 59 90		glands	F	22	47									-
			F	58	51		23 78	22 48				- 85	19 59	

^{*} Excluding the following 'late effects', 1968-1 female.

TABLE 7 (Numbers) - continued

				1	1 (1401)	bers) .	- 301666	riuea					,
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
708	Urticaria	M F	8 2	6	4 6	1 2	1	2 2	3 6	5 5	5 2	- 2	3 4
709	Other diseases of skin	M F	2	1 2	- 1	- 2	1 -	- 2	1 -	1 -	1 3	2 4	-
710-738	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	M F										602 1,511	663 1,661
710-718	Arthritis and rheumatism, except rheumatic fever	M F	360 1,013	358 1,025	389 1,062	362 1,048	361 1,055	365 1,026	353 1,030	341 997	348 993	357 1,019	410 1,106
710	Acute arthritis due to pyogenic organisms	MF	12 11	10 16	6 16	6 8	4 14	13 14	9	2 12	8	3	10
711	Acute non-pyogenic arthritis	MF	-	-	-	-	-	-	-	-	-	-	-
712	Rheumatoid arthritis and allied conditions	MF	222 747	222 745	250 788	245 760	229 789	221 740	222 727	209 714	217 712	222 715	261 745
713	Osteo-arthritis and allied conditions	MF	96 229	104 235	112 222	78 252	104 225	101	89 241	101	92	100	107 286
714	Other specified forms of arthritis	M F	2 3	2 6	- 5	- 3	1 3	1	1 4	- 4	- 3	1 2	- 3
715	Arthritis, unspecified	MF	9 8	6 7	9	12	9	15 15	15	10	11 9	10 27	17 35
716	Polymyositis and dermatomyositis	M P	15 12	10	11 15	18 17	13	11	15 15	14	16 17	16 15	10 17
717	Other non-articular rheumatism	M F	2	2 2	1 2	3 3	1 2	3 2	2 3	5 2	3	3 3	5 3
718	Rheumatism, unspecified	M F	2 2	2	- 1	-	_	1	- 2	- 1	1	2	- 7
720-729	Osteomyelitis and other diseases of bone and joint	M F										144 284	134
720	Osteomyelitis and periostitis	MF	45 27	36 30	38 26	33	32	25 26	29	21 19	31	24 25	283
721	Osteitis deformans	MF	68 90	68 78	68	87 78	67 95	62	61	82 73	77 93	56	19 61
722	Osteochondrosis	M F	1 -	-	1	1	-	1	-	1	-	89	88
723	Other diseases of bone	MF	15 64	27	26	29	41 83	27 110	33 118	31	37 135	47	40
724	Internal derangement of joint	M							110	140	135	148	156
725	Displacement of intervertebral disc	M	5 5	5 7	10	9	9	12	10	11 5	8 5	8	10
726	Affection of sacro-iliac joint	MF	-	-	-	-	-	-	1	-	-	-	
727	Ankylosis of joint	MF	1 _	- 4	-	2	3	-	-	-	-	1 1	-
728	Vertebrogenic pain syndromes	M F										2	2
. 729	Other diseases of joint	M F	1 4	6 5	3 7	3 6	4 2	5	2 8	4 7	4 12	6	4 12
730-738	Other diseases of musculoskeletal system	MF									-	101	119 272
730	Burion	M	- 1	5	1	- 2	1 3	2	-	1 2	- 4	- 1	- 1
731	Synovitis, bursitis and tenosynovitis	MF	3 2	3	2	1 -	- 2	6	2 2	1	4	- 2	1
732	Infective myositis and other inflammatory diseases of tendon and fascia	M F	1	1 2	1 -	=	1	=	2	2	- 2	1	- 1
733	Other diseases of muscle, tendon and fascia	M	14 22	13 23	14 21	17 27	18 29	16 27	16 28	17 31	20	20 27	33 38
734	Diffuse diseases of connective tissue	MF	47 114	46 121	52 128	54 142	52 144	64	57 150	58 158	60	60 154	58 206
735	Curvature of spine	M	10 15	11 18	11 9	15 25	14	22 26	15	14	24	18	23 26
736	Flat foot	M										- 1	-

				TABLE	/ (Nu	mbers)	- cont	ınuea				1	
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1969
737	Hallux valgus and varus	M										-	-
738	Other deformities	M										3 3	4 -
740-759	XIV. CONGENITAL ANOMALIES	M F	2,630 2,329	2,547 2,444	2,747 2,455	2,712 2,562	2,897 2,629	2,834 2,501	2,785 2,439	2,642	2,561 2,152	2,497	2,540 2,212
740	Anencephalus	M	56 102	47 111	76 106	63 114	71 126	79	92	81	71 91	88 115	78 109
741	Spina bifida	M F	305 407	273 370	268 361	237 356	224 335	276 431	224	247	223	22)	253
	0 with hydrocephalus	M F	193 259	173 236	170 231	150 228	142 216	176 273	143	157	142	140	337 169
	9 without mention of hydrocephalus	M F	112 148	100	98	87 128	82 119	100	81	90	220 81	210	239
742	Congenital hydrocephalus	M F	192 243	226 272	233	250 300	215	113	106	87	128	90	98
743	Other congenital anomalies of nervous system	MF	97 123	100	112	96 120	87 119	94	93	93	96	97	78 88
	O encephalocele	M	36 62	32 58	32 57	29	26 54	30	135 26	120 27	101	106	121 23
	1 microcephalus	M	20	23	27	23 38	21	63	23	23	52 26	20	48 28
	2 other specified anomalies of brain	M	18 15	21	24	20	18	18	19	19	28	16	32 23
	3 other specified anomalies of spinal cord	M F			- 1	10	10	19	22	20	14	17	23
	4 neurofibromatosis	M										6	4
	8 other anomalies of nervous system	M										1	8 -
	9 unspecified anomalies of brain, spinal cord and nervous system	MF										17 4	10 10
744	Congenital anomalies of eye	M										1	1
745	Congenital anomalies of ear, face and neck	M										1	1
746	Congenital anomalies of heart	MF										1,010	986
	O common truncus	MF										758	824
	1 transposition of great vessels	MF										93	21 114
	2 tetralogy of Fallot	M			4							28 75	68 77
	3 ventricular septal defect	M										135	90
	4 atrial septal defect	MF										130	163
	5 ostium atrioventriculare commune	M										104	126 17
	6 anomalies of heart valves	M										100	9
	7 fibroelastosis cordis	MF										57 46	79 40
	8 other specified anomalies of heart	M									Ì	25 55	63
	9 unspecified anomalies of heart	M F										394	68 198
747	Other congenital anomalies of circulatory system	M										178	159 176
	O patent ductus arteriosus	M										155	155 39
	1 coarctation of aorta	M										57	42 58
	2 other anomalies of aorta	MF										21	37 12
1		1										16	15

TABLE 7 (Numbers) - continued

No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
747	3 stenosis or atresia of pulmonary artery	M						:				21	2 2
	4 anomalies of great veins	M P										5 3	-
	5 absence or hypoplasia of umbilical artery	M										-	
	6 other anomalies of peripheral vascular system	MF										4 8	
	8 other specified anomalies of circulatory system	M										12	
	9 unspecified anomalies of circulatory system	M F	-									6	
748	Congenital anomalies of respiratory system	M										73 55	
	4 congenital cystic lung	MF										19	
749	Cleft palate and cleft lip	MF	11 5	11 6	5	5 7	8	6	11	5 1	4	6 7	
750	Other congenital anomalies of upper alimentary tract	MF										77 55	
	O anomalies of tongue	MP	- 1	1			1			1		-	
	1 pyloric stenosis	M										13	
	2 trachec-oesophageal fistula, oesophageal atresia and stenosis	M										48 \ 42	
	8 other specified anomalies of upper alimentary tract	MF								1		12 10	
	9 unspecified anomalies of upper alimentary tract	M P	8		1							4	
751		M					7					161	14

TABLE 7 (Numbers) - continued on next page

				TABLE	7 (Nur	nbers)	- conti	nued					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
752		MF										2	4
753	Congenital anomalies of	MF	M 260 F 178	247 218	302 180	271 203	317 195	287 203	296 179	285 220	273) 203	259 196	271 157
	1 cystic kidney disease	MF										135 137	136 116
754	Clubfoot (congenital)	M	1	-	1	_	2	1	-	-	2	1 2	-
755		MF										7 4	5 6
756		MF										69 65	63 55
757		MF										9	7 5
758		MF										20	26 13
759		MF										141 124	166 135
		MF										30 34	26 35
760-779		M F											4,135 2,082
760		MF										1 3	6
761	Other maternal conditions unrelated to pregnancy	MF										30 21	25 16
762		MF										69 64	44 49
763		M F										2 5	3 5
764		M										2 1	2
765		M										_ 1	1 -
766		M										77 58	62 53
767		M F											21 25
768	Difficult labour with other Mand unspecified complications Mand	MF										23 16	19 8
769	pregnancy and childbirth	M F											413 301
770		MF										97 65	77 51
771		M F										44 28	35 30
772		M F										602 355	608 362
773		M F										2 5	-
774		M P										13 10	10
775	Haemolytic disease of Newborn without mention of kernicterus	M										139 129	129 109
776	Anoxic and hypoxic conditions not elsewhere classified											1,356	1,515 915
777	Immaturity, unqualified M.											1,050 782	1,016
778	Other conditions of Moetus or newborn F												149 102
779	Foetal death of unknown cause F											1	-

				IABLI	E 7 (NU	mbers)	- cont	inued					
ICD No	. Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
780-796	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	M F										1,261 2,788	1,265 2,904
780-789	Symptoms referable to systems or organs	M F										95 105	133
780	Certain symptoms referable to nervous system and special senses	M F	6 7	3 3	2 3	6 7	3	5 4	7 3	11 4	7 4	6 5	218 8 7
781	Other symptoms referable to nervous system and special senses	M F										2	3
782	Symptoms referable to cardiovascular and lymphatic system	M F										58 68	94 173
783	Symptoms referable to respiratory system	M F	1 4	2	4 7	2 5	3 4	5	6	4 5	2 2	2 2	2
784	Symptoms referable to upper gastro-intestinal tract	M F	14 13	10 16	6 13	12 16	9 10	10 13	10 18	14 17	8	11 16	10 14
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M F	5 1	3 4	5 5	5 5	3 4	6 2	3 5	3 6	2 5	2 2	4 7
786	Symptoms referable to genito-urinary system	M F	5 3	4 1	7 2	4 2	2	7 _	4	8 2	2	6 2	5 2
7 87	Symptoms referable to limbs and joints	M F										-	**
788	Other general symptoms	M F	3 13	2 15	3 14	3 13	1 12	7 16	6 11	7 15	10 14	7 8	6
789	Abnormal urinary constituents of unspecified cause	M F								10		1 1	1 +
790-796	Senility and ill-defined diseases	M F											1,132
790	Nervousness and debility	MF										1	2,686
791	Headache	M F										-	-
792	Uraemia	M										· -	57
793	Observation, without need for further medical care	M F	-	-	-	-	Ξ.	-	-	_	-	-	44 - -
794	Senility without mention of psychosis	M F	2,777 5,068	2,540 4,908	2,236 4,659	2,222 4,652	2,095 4,283	1,938 3,878	1,499 3,224	1,320 3,032	1,320 2,934	1,079 2,597	1,007
795	Sudden death (cause unknown)	M F										2	1
796	Other ill-defined and unknown causes of morbidity and mortality	M F	45 25	45 36	53 30	50 33	44 29	50 36	58 46	56 30	57 4 0	53 54	65 · 42
E800- E999	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)	M F	13,343 9,113	13,456 9,379	13,503 9,619	13,654 9,660	13,812 10,085	14,074 10,549	14,244 10,316	13,983 10,271	14,049 10,363	13,255 10,148	12,641 10,102
E800- E807	Railway accidents	M F	290 45	242	212 28	245 29	202	208	183 25	161	117 18	171	114 14
E800	involving collision with rolling stock	M F										12	4
E801	involving collision with other object	M F										-	3
E802	involving derailment without antecedent collision	M F										22	1 -
E803	involving explosion, fire, burning	M F										-	1
E804	Fall in, on, or from train	MF										13	15
E805	Hit by rolling stock	M F										108	81
E806	Other specified	M										6	10
E807	of unspecified nature	M										10	1 5
												1	-

				TUDLI	1 (Mu	mbers)	- 601161	inuea					
ICD No	. Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
E810- E819	Motor vehicle traffic accidents	M	3,946 1,389	4,319 1,593	4,644 1,864	4,640 1,862	4,422 1,764	4,491 1,743	5,115 2,015	5,182 2,186	5,181 2,129	4,877 2,221	4,228 2,022
E810	involving collision with train	M	17	10	8	22	8	15	9 5	7 4	6	5	19
E811	involving collision with street car	M F	-	-	-	-		-	-	-	1	2	11
E812	involving collision with another motor vehicle	M F	1,378	1,584 330	1,691 374	1,651 453	1,617	1,692 382	1,945	2,003 591	2,027	1,882	1,642
E813	involving collision with other vehicle	M F	439 51	514 83	470 82	472 68	404 66	423 54	423 61	411	582 384	339	571 301
E814	involving collision with pedestrian	M	1,357	1,339	1,527 1,180	1,548 1,132	1,452 1,079	1,446	1,632 1,215	1.710	1,742	1,662	1,515
E815	Other accident involving collision	M F				_,	_,0,0	*,104	1,213	1,280	1,253	1,287	1,125
E816	Non-collision accident due to loss of control	M											319
E817	Non-collision accident while boarding or alighting	M	9	15 12	9 20	6 7	8 9	7 13	8 7	9 8	7	6	105
E818	Other non-collision accident	M F	174 38	197	197	199	171 34	158	180	157	136	17	16 75
E819	of unspecified nature	M F	32 18	46 14	53 18	56 12	43	58 23	62 23	76	66	78	22 49
E820- E823	Motor vehicle non-traffic accidents	M F	60	59	66	72	63	58	66	62	63	38 59	24 87
E820	involving collision with moving object	M	26	27	24	33	24	21	24	24	29	25	12 42
E821	involving collision with stationary object	M	7 -	6	9	8	6	8	8	6	6	5	10
E822	while boarding or alighting	M	1	-	1 2	2	1	- 2	-	-	4	1	1
E823	of other and unspecified nature	M F	26	26	32	29	32	29	34	32	24	28	31
E825- E827	Other road vehicle accidents	M	145 67	107	109	94	95 40	71	67 42	59	61	51	56
E825	Street car accident	M	1	1	- 1	1	1 1	1 1	-	24	28	28	27
E826	Pedal cycle accident	M F	137 50	92	103	85 34	87 32	61	64	50	54	42	- 50
E827	Other non-motor road vehicle accident	M F	7 16	14	6 7	8 12	7 7	9	3 10	16	21	20	21 6
E830- E838	Water transport accidents	M	122	135	154	156	155	152	139	124	160	129	6 117
E830	Accident to watercraft causing submersion	MF	48	44	59	59	49	52	51	53	18 59	55	8 4 6
E831	Accident to watercraft causing other injury	MF	-	-	-	-	-	~	5	8	6	7	1
E832	Other accidental submersion or drowning in water transport	M F	45 1	44	52 1	67 4	56	57	46	48 2	61	43	40 4
E833	Fall on stairs or ladders in water transport	M	4	7	6	5	5	5	6	3	6	4	-
E834	Other fall from one level to another in water transport	MF	7	11	11	9	8 -	9 -	12	6	9	6	3
E835	Other and unspecified fall in water transport	M	3 -	3 -	2	4	2	5	2	2	2	4	1
E836	Machinery accident in water transport	M F	2	3 -	2	1	2	3	1	1	1	1	6
E837	Explosion, fire, burning, in water transport	M F	5	10	10	4 2	13	9	10	4	10	7	2
E838	Other and unspecified water transport accident	M	8	13	12	7 -	20	12	11	7	12	9	18
E840- E845	Air and space transport accidents	MF	170 27	75 3	51	35	68	34	61	88	61	81	94
	Accident to powered aircraft at take-off or landing	M F					12		5	2	1	30	40 41 38

				TABLI	E 7 (Nu	mbers)	- cont	i nued					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
E841	Accident to powered aircraft, other and unspecified	M F										69 28	45 1
E842	Accident to unpowered aircraft	M										7	5
E843	Fall in, on, or from aircraft	MF										-	-
E844		MF										5	3
E845		MF										1 -	_
E850- E859	Accidental poisoning by drugs and medicaments	M										154	170
E850	antibiotics and other anit-infectives	MF										253	229
E851	hormones and synthetic substitutes	M										1	2
E852	primarily systemic and haematologic agents	M										3 2	1
E853	analgesics and antipyretics	M	7 13	13	14 17	17	11	18	18	14	13	13	21
E854	other sedatives and hypnotics	M	38	42 71	48 92	16 60 82	15 75	93	14	10 97	12	14	12 110
E855		MF	4 3	6 3	3 3	2 2	115	137 7 4	164 7 7	154 P 7	183 10 8	199 14 12	172 18 24
E856	other central nervous system depressants and stimulants	M F	2	2	- 1	1	1 2	2 3	2 4	2 3	3 3	3 5	3
E857	cardiovascular drugs	M										-	-
E858	gastro-intestinal drugs	M				j						2	1
E859	other and unspecified drugs and medicaments	M										11	14
E860- E869	Accidental poisoning by other solid and liquid substances	M F										16 25 12	18 32 11
E860	alcohol	MF										12	24
E861	cleansing and polishing agents	M F										4	8 - -
E862	disinfectants	M										1	1
E863	paints and varnishes	M F										-	-
E864	petroleum products and other solvents	M F										3 2	2
E865	pesticides, fertilizers or plant foods	M F										1	2
E866	heavy metals and their fumes	M										3 3	3
E867	corrosives and caustics not elsewhere classified	M										2	-
E868	noxious foodstuffs and poisonous plants	M										-	-
E869	other and unspecified solid and liquid substances	M F							:			3	2 -
E870- E877	Accidental poisoning by gases and wapours	M F										254 315	219 303
E870	gas distributed by pipe-line	M										204	154 268
E871	liquefied petroleum gas distributed in mobile containers	15	M 272 F 412	278 441	304 440	277 451	356 546	388 617	292 443	274 386	263 381	3 1	6
E872	other utility gas	M F										1	1
		L											

				INDUI	2 / (140	mbers)	- 00/00	truea					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	Accidental poisoning by gases and vapours												
E873	motor vehicle exhaust gas	M F										8	12
E874	carbon monoxide from incomplete combustion of domestic fuels	MF	24 25	23 19	22 25	22 25	33	30 40	26 23	23 25	27 32	21	38 27
E875	other carbon monoxide	M F	6	6 1	5 2	5 1	9 2	7 3	7 1	6 2	7 2	5 2	3 5
E876	other gases and vapours	M F										8	5
E877	unspecified gases and vapours	M F						}				4	-
E880- E887	Accidental falls	M F	1,938 3,408	2,033 3,471	1,849 3,499	1,830 3,429	1,953 3,438	2,016 3,560	1,822 3,387	1,818 3,396	1,832 3,518		1,788 3,715
E880	Fall on or from stairs or steps	M F	367 530	380 518	362 503	338 467	340 486	339 460	320 440		341 438	307	311 430
E881	Fall on or from ladders or scaffolding	M	104	111	95 10	100	94 14	102	89	83	93	97	104
E882	Fall from or out of building or other structure	MF										170	128 30
E883	Fall into hole or other opening in surface	M										42	67
E884	Other fall from one level to another	M										172	189 262
E885	Fall on same level from slipping, tripping or stumbling	M F											138 418
E886	Fall on same level from collision, pushing or shoving by or with other person	M F										5 4	9
E887	Other and unspecified fall	MF											842
E890- E899	Accidents caused by fires and flames	M F										288 393	2,558 337
E890	conflagration in private dwelling	MF										353	454 121
E891	conflagration in other building or structure	M F											110 22 32
E892	conflagration not in building or structure	MF											1
E893	ignition of clothing	M F											53
E894	ignition of highly inflammable material	M											166
E895	controlled fire in	M											7 43 66
E896	controlled fire in other building or structure	MF											-
E897	controlled fire not in building or structure	MF											3
E898	other specified fires or flames	MF											72
E899	unspecified fire	M F											62 15
E900- E909	Accidents due to natural and environmental factors	M										94 77	11 109 92
E900	Excessive heat	M F	-	3 2	3	2	-	2	3 2	1	<u>-</u> 1	-	2 2
E901	Excessive cold	M	3 4	1 5	4 4	2 3	11 8	27	4 9	9 23	13 17	11 15	18 18
E902	High and low air pressure	M	-	-		-	2	2		2	2	- 15	-
E903	Effects of travel and motion	M					_					- 1	-
E904	Hunger, thirst, exposure and neglect	M	37 52	46 35	46 21	47 33	61 42	107 93	47 39	66 69	56 51	69	68
E905	Bites and stings of venomous animals and insects	M F	4 5	3 1	3 1	3 4	5	5 3	1 1	3 2	2 2	51 1 5	60 1 -

				TABLE	7 (Nu	mbers)	- conti	nuea					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
E906	Other accidents caused by animals	M F	12 6	12 6	12 2	14	17 2	11 2	13 8	6	9	7 4	15 6
E907	Lightning	M F	9 2	6 1	6 3	4 3	4 1	2	2	1 -	1 -	6	3 3
E908	Cataclysm	M F	- 1 .	2 -	1 -	-	4 4	2	1	1	1 -	-	2 3
E909	Accident due to other natural and environmental factors	M										1	-
E910- E929	Other accidents	M F										1,756 628	1,570 557
E910	Accidental drowning and submersion	M F	450 113	465 110	440 101	443 101	385 96	346	418 96	366 80	414 101	407 86	355 97
E911	Inhalation and ingestion of food causing obstruction or suffocation	M F	227 142	212 157	222 183	269 181	276 211	253 221	303 241	336 235	314 236	290 214	275 217
E912	Inhalation and ingestion of other object causing obstruction or suffocation	M F	30 5	17 17	24 9	9 13	19 6	20 14	13 11	20	14 9	20 4	12 1)
E913	Accidental mechanical suffocation	M F	165 91	157 70	157 66	157 68	182 90	205 78	186 82	162 93	171 71	1#1 140	215 83
E914	Foreign body accidentally entering eye and adnexa	M F	_		-	-	<u>-</u>	-	-	-	-	-	1 -
E915	Foreign body accidentally entering other orifice	M F	14 5	9	10 9	6 8	10 4	10 6	11 9	9	7 7	12 10	9 1)
E916	Struck accidentally by falling object	M F											148 18
E917	Striking against or struck accidentally by objects	MF											68 23
E918	Caught accidentally in or between objects	M F											14C 5
E919	Over-exertion and strenuous movements	M F											1 2
E920	Accident caused by cutting or piercing instruments	M F	19 4	12 4	12 4	17 5	10	11 2	9 4	9	13 3	17 9	10 4
E921	Accident caused by explosion of pressure vessel	M F	4 -	6	4 -	9 -	8	9 2	7	5 -	2	7 1	10
E922	Accident caused by firearm missiles	M F	53 1	49 5	39 5	50 5	51 2	45 7	35 5	37 1	32 4	36 7	29 5
E923	Accident caused by explosive material	M F	23	24	19	27	29	27	27	27	25	26	38 8
E924	Accident caused by hot substance, corrosive liquid, and steam	M F	62 45	43 46	39 30	54 27	38 37	42 37	36 28	35 29	32 36	3.9 26	33 28
E925	Accident caused by electric current	M F	100 20	90 27	95 19	109 21	91 18	109 30	110 16	103 20	101 24	101	103 17
E926	Accident caused by radiation	M F	-	-	-	-	-	-	-	-	-	-	-
E927	Vehicle accidents not elsewhere classifiable	M F	38	30	27	31	29	32	22	26	34	3.4	21
E928	Machinery accidents not elsewhere classifiable	M F											59 1
E929	Other and unspecified accidents	M F											43 23
E930~ E936	Surgical and medical complications and misadventures	M F	13 12	10 10	9 7	19 10	17 15	7 18	16 19	27 36	31 25	26 35	34 34
E930	in operative therapeutic procedures	M F										2 3	5 3
E931	in other and unspecified therapeutic procedures	M F										19 25	23 18
E932	in diagnostic procedures	M F										2	1
E933	in prophylaxis with bacterial vaccines	M F										2	-
E934	in prophylaxis with other vaccines	M F										1	1 5

TABLE 7 (Numbers) - continued

				11101	222 8 (21	umbers,	- 6016	condo					
ICD No.	. Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	Surgical and medical complications and misadventures												
E935	in other prophylactic procedures	M										1 3	- 6
E936	in other non-therapeutic procedures	M										- 3	- 1
E940- E949	Late effects of accidental injury	M										57 11	99 42
E940	motor vehicle accident	MF	8 2	9 2	14		16		11 2	13	20		36 14
E941	other transport accident	MF										3	6
E942	accidental poisoning	M										1 1	_
E943	accidental fall	MF										13	20
E944	accident caused by fire	M F										-	22
E945	accident due to natural and environmental factors	MF										-	-
E946	other accidents	M										28	32 3
E947	surgical operation	M F										-	2
E948	irradiation	M										-	1
E949	other surgical and medical procedures	M										-	2
E950- E959	Suicide and self-inflicted injury	M F	3,125 2,101	3,068 2,067	3,012 2,031	2,980 2,151	3,215 2,299	3,261 2,378	3,130 2,362	2,899 2,192	2,783 2,145	2,708 1,961	2,695 1,889
E950	poisoning by solid or liquid substances	M F	397 471	400 488	389 543	459 660	618	785 1,026	819 1,086	792 1,104	727 1,095	757	776 1,150
E951	poisoning by gases in domestic use	M F	1,440 1,181	1,408 1,169	1,416 1,072	1,316 1,055	1,392	1,365	1,189	992 716	930 669	824 530	635 353
E952	poisoning by other gases	M F	57 4	4 9 3	80	93	91	98	107	119	131	127	178 29
E953	by hanging, strangulation and suffocation	M F	479 128	434 120	413 124	452 132	460 145	440 106	454 117	390 121	424 122	426	460
E954	by submersion (drowning)	M	246 205	244 197	251 182	227 177	220 172	191 151	181 149	172	150 152	105	124
E955	by firearms and explosives	M	183	208	165 8	170 11	183	149	150	182	168	130	130 175
E956	by cutting and piercing instruments	M	123	112 17	101	91 24	67 14	60	62	58	70	65	8 95
E957	by jumping from high place	M	65 35	71	58 40	67 33	57 32	49	46	53	17 57	16 69	17 64
E958	by other and unspecified means	M	135	142	138	105 53	127	123	122	35 141	30 126	36 115	43 145
E959	Late effect of self-inflicted injury	M		-	1 _	_	50	39	35	42	54	54	35 -
E960- E969	Homicide and injury purposely inflicted by other persons	M F	108 102	103	123 108	1 150 105	1 123 138	128 127	128 136	147 129	178 152	1 168 157	- 178 166
E960	Fight, brawl, rape	M										6	17
	Assault by corrosive or caustic substance, except poisoning	F M F										-	2
	Assault by poisoning	M	12	10	12	13	17	19	15	14	13	10	9
	Assault by hanging and strangulation	F M F	14	24	10	10	14	11	14	8	13	15 9	16 23
E964	Assault by submersion (drowning)	MF	4 3	4 4	4 3	5	4.4	4	4	4	5	37 5	50
E965	Assault by firearms and explosives	M	5	8	10	14	14	13	10	13	21	27	5 19
E966	Assault by cutting and piercing instruments	MF	20	18 21	25	29	20	30	36	45	47	21	19 42
E967	Assault by pushing from high place	M	7.6	21	19	25	20	22	26	26	32	24	28
		-											

TABLE 7 (Numbers) - continued

				TABLE	7 (Nu	mbers)	- cont	ınuea	,				
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
E968	Assault by other and unspecified means	M F										65 55	63 46
E969	Late effect of injury purposely inflicted by other person	M F										2 -	1 -
E970- E978	Legal intervention	M F	4 -	6	3 -	7 -	3 -	2 -	2 -	tun for		3 2	-
E970	Injury due to legal intervention by firearms	M F										2	-
E971	Injury due to legal intervention by explosives	M F										_	-
E972	Injury due to legal intervention by gas	M F										-	-
E973	Injury due to legal intervention by blunt object	M F										-	-
E974	Injury due to legal intervention by cutting and piercing instruments	M F										1 -	-
E975	Injury due to legal intervention by other specified means	M										-	-
E976	Injury due to legal intervention by unspecified means	M F										-	-
E977	Late effect of injuries due to legal intervention	M F										-	
E978	Legal execution	M F	4 -	6	3 -	7 -	3 -	2	2	-	-	-	-
E980- E989	Injury undetermined whether accidentally or purposely inflicted	M F	The second particular second p									645 466	707 487
E980	Poisoning by solid or liquid substances	M F	73 91	84 95	93 125	106 117	129 155	160 175	149 207	169 192	190 225	195 251	201 250
E981	Poisoning by gases in domestic use	M	90 77	91 82	99 82	90 84	1 1 103	127 117	96 83	90 72	87 72	73 56	56 40
E982	Poisoning by other gases	M F	7	7	6 2	7	9 2	10	11 1	9	7 2	10	18 6
E983	Hanging, strangulation and suffocation	M F	16 4	15 4	18 5	14 5	16 6	16 6	19 5	18 8	22 6	22	29 15
E984	Submersion (drowning)	M	246 105	255 103	240 94	241 94	210 90	187 83	229 90	199 75	226 94	223 80	233 96
E985	Injury by firearms and explosives	M F	10 1	11 2	9 2	11 2	11	8 2	8	9	10	21	16 1
E986	Injury by cutting and piercing instruments	M F	7 4	5 4	6 5	7 5	4 4	5 5	6 5	6 5	6 5	8 7	7 1
E987	Falling from high place	M F	23 13	24 16	22 13	21 12	23 14	21 12	21 11	22 11	23 13	22	25 15
E988	Injury by other and unspecified means	M F	73 43	69 42	65 40	63 42	61 35	64 42	65 40	64	62 39	70 46	122 63
E989	Late effect of injury	M F										1 -	-
E990- E999	Injury resulting from operations of war	M F	-	-	-	-	5 -	-	3 -	2 -	1 -	22	7 -
E990	by fires and conflagrations	M F										-	-
E991	by bullets and fragments	M F										2 -	_
E992	by explosion of marine weapons	M F										-	-
E993	by other explosion	M F										-	-
E994	by destruction of aircraft	M F										-	-
E995	by other and unspecified forms of conventional warfare	MF										-	-
E996	by nuclear weapons	M F										-	-

				TABL	E 7 (Nu	umbers)	- cont	inued					
ICD No	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	Injury resulting from operations of war												
E997	by other forms of unconventional warfare	M											
E998	occurring after cessation of hostilities	M											1
E999	Late effect	M		78	57	51	43	59	25	38	15	20	
N800- N999	NXVII. ACCIDENTS, POISONINGS AND VIOLENCE (NATURE OF INJURY)	M F	13,343 9,113	13,456 9,379	13,503 9,619	13,654 9,660	13,812 10,085	14,074 10,549	14,244 10,316	13,983 10,271	14,049	13,255	
N800- N809	Fracture of skull, spine, and trunk	M F	4,065 1,401	4,088	4,205 1,691	4,122 1,640	3,923 1,558	3,920 1,562	4,170 1,663	4,191	4,229		
N800	Fracture of vault of skull	M F	73 17	A5 20	80 25	69 21	75 22	54	56	1,745	1,757	41	1,668
N801	Fracture of base of skull	M F	557 158	544 178	571 198	535 172	467 164	463	19 491	9 445	16 437	377	15 341
N802	Fracture of face bones	MF	37	22	32 16	34	31	154 23	153	159 31	159 32	15	162
N803	Other and unqualified skull fractures	M	1,781 519	1,781 569	1,842	1,801	1,691	1,636	1,822	1,850	1,840		1,543
N804	Multiple fractures involving skull or face with other bones	M F	762 249	801 243	792 288	810 302	567 804 285	782 276	633 882 301	916 352	981 370	656 853 355	579 727 334
N805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	M F	242	237 103	235 121	222 127	240 120	278 115	276 138	259 141	273 145	262 135	228 142
N806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	M F	92 28	93 28	92 41	72 39	79 34	88 35	80	90 47	74 30	73 32	85 29
N807	Fracture of rib(s), sternum and larynx	M F	154	180 78	176 80	185 89	192	223	182	159	177	143	147
N808	Fracture of pelvis	MF	137	119	127 127	131	121	115	121	135	109	94	80 90
N809	Multiple and ill-defined fractures of trunk	MF	230	226 156	258 186	263	223	128 258	229	123 247	134 264	158 187	130
N810- N819	Fracture of upper limb	M	95 124	69	78 136	83	63	184	165 55	191	180	184	184
N810	clavicle	M	6 4	8	3 10	128	135 3	132	102	110	100	115	121
N811	scapula	M	1	15	10	4	5	2	7	5	3	4	9
N812	humerus	M	45 71	40 70	34	40	33	29	22	18	33	26	1 27
N813	radius and ulna	M	8	4	52	71	75	72	50	52	58	72	71
N814	carpal bone(s)	M	1 9	13	15	15	11	16	13	14	12	10	12
N815	metacarpal bone(s)	M		15	20	13	11	19	6	9	8	6	3 7
N816	one or more phalanges of hand	M											**
N817	Multiple fractures of hand bones	MF											-
N818	Other, multiple, and ill-defined fractures	MF	6	2	7	5	3	1	4	3	3	-	-
N819	Multiple fractures both upper limbs, and upper	M	28	9	22	31	11	21	5	7	3	2 7	10
	sternum		14	15	29	21	20	14	19	22	19	23	20 11
N820- N829	Fracture of lower limb	M F	1,071 2,701	1,088 2,698	1,064 2,757	1,068 2,694	1,102 2,712	1,104 2,770	1,070	1,055 2,801	973	934	1,034
	neck of femur	M	438 1,277	1,280	431 1,358	488	459 1,320	475 1,479	421	429	2,839 415	398	3,070 452
N821	other and unspecified parts of femur	M F	427 1,186	443 1,166	407 1,157	368 1,118	425 1,130	426 1,056	412	391 1,187	1,473 339 1,103	320	341
											2,100	1,060	1,114

				TABLE	7 (Num	bers) ·	- conti	nued					
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	Fracture of lower limb												
N822	patella	M F	7 5	· 5	5 2	1 7	6 12	8 9	4 13	, 10	11 12	6 14	2 8
N823	tibia and fibula	M F	61 78	51 95	67 77	59 79	54 99	45 76	65 91	58 97	53 92	60 67	53 78
N824	ankle ,	M F	8 26	8 17	11 28	16 26	6 15	. 10 23	8 32	8 20	11 22	9 32	14 32
N825	one or more tarsal and metatarsal bones	M F	1 2	2	1 2	1	1	4 1	2 1	1 3	- 1	- 1	6 2
N826	one or more phalanges of foot	M F	-	2 2	1 -	1 -		1 -	-	-	45A 614	-	-
N827	Other, multiple, and ill-defined	M F	24 17	25 18	24 16	21 15	28 19	32 19	34 22	28 29	34 26	25 33	29 28
N828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M F	85 106	. 83 97	91 106	94 100	109 106	. 98	81 79	87 97	83 103	96 90	120 127
N829	unspecified bones	M F	20	21 11	26 11	19 9	14 10	19 9	43 14	43 27	27 7	20 19	17 13
N830- N839	Dislocation without fracture	M F	50 27	46 22	39 21	49 21	47 21	38 22	32 28	40 23	29 20	30 21	30 18
N830	jaw	M	In .									-	-
N831	shoulder	M F										4	2 9
N832	elbow	M	Ε										
N833	wrist	M	r-									, J	- -
N834	finger	M E	C .										
N835	hip	M										1 .1s	20
N836	knee	M	<u>.</u>									1 15	. 1
N837	ankle	M F											-
N838	foot	M										-,-	
N839	Other, multiple, and ill-defined	M F										24 16	27 7
N840- N848	Sprains and strains of joints and adjacent muscles	M F	6 4	6	3 4	3	7 5	12 4	3	2 1	2 2	8 3	. 2
N840	shoulder and upper arm	M	2									_ 	· - = = = = = = = = = = = = = = = = = =
N841	elbow and forearm	M	G									. =	
. N842	wrist and hand	M	2										
11843	hip and thigh	M	C									3 (
N844	knee and leg	M										2	3 . -
N845	ankle and foot	M F										2 2	- 1
N846	sacro-iliac region	M	C C									- -	
N847	other and unspecified parts of back	M F		,								-	-
N848	Other and ill-defined	M F										1	1
N850- N854	Intracranial injury (excluding those with skull fracture)	M F	957 400	1,067 495	1,016 486	1,056 536	1,072 526	1,003 534	994 513	950 494	1,026 453	870 486	875 44 8
N850	Concussion	M F	30 29	54 29	56 36	53 33	71 40	44 28	45 26	37 28	40 18	39 33	38 18
N851	Cerebral laceration and contusion	M F	318 110	1 355 157	370 146	365 153	372 159	338 158	370 176	340 149	362 135	313 151	304 148

TABLE 7 (Numbers) - continued

### Cause of metch					TABLE	7 (Nu	mbers)	- conti	nued					
### PATECONS NAME 10 120	ICD No	. Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
Accordance Interpretation Accordance	N852	extradural haemorrhage, following injury (without mention of cerebral												153 132
Older and unspecified P	N853	intracranial haemorrhage following injury (without mention of cerebral	M F											
NAME	N854	other and unspecified												
Amend Transmit Department Parameter Paramete		Internal injury of chest, abdomen and pelvis												
Nest Nest and lung	N860												135	
Second S	N861	heart and lung			243	218	236	223	245	283	261	294		
## 1865 140 14	N862	other and unspecified intrathoracic organs		311	301	346	337	352	435	498	527	556		73
1866 11ver	N863			46	31	36	46	41	29	47		1		142
Need	N864	liver		79	101	107	118	94	118			1	20	8
Need	N865	spleen		23	36	27	30	36	35			41	36	44
Nest	N866	kidney	M	16	16	19	22			1		24	28	12
N868 other and unspecified M 73 95 105 114 122 125 135 150 118 145 104 104 104 104 104 104 104 104 104 104 104 104 104 104 104 104 105 104	N867	pelvic organs	M	13	9	10				3	4	2	2	1
N860 Unspecified or Involving intrathoracic and intrathoracic and intrathoracic and intrathoracic and intrathoracic and intrathoracic and intra-abdodinal organs F	N868	other and unspecified intra-abdominal organs	M	73	95	105	114			3	6	5	12	6
N870- Laceration and open wound F of head, neck and trunk F 62 45 57 46 57 46 35 43 41 146 131 130 174 48 34 1870 Open wound of eye and orbit	N869	unspecified or involving intrathoracic and	M	22	38	28	31	28						37 798
N870 Open wound of eye and orbit F N871 Enucleation of eye M F N872 Open wound of ear M F N873 Other and unspecified M At At At At At At At		Laceration and open wound of head, neck and trunk	M							145	146	131	139	
N872 Enucleation of eye	N870	Open wound of eye and orbit	M		40	31	46	35	43	41	47	49		
N872 Open wound of ear M F	N871	Enucleation of eye	M										5	-
N873 Other and unspecified M 153 129 122 116 105 85 84 82 85 68 109 10	N872	Open wound of ear	M											=
N874 Open wound of neck M	N873	Other and unspecified laceration of head	M										-	-
N875 Open wound of chest M	N874		M						85	84	82	85	6	4
N876 Open wound of back M F N877 Open wound of buttock M F N878 Open wound of genital Organs (external), includating traumatic amputation N879 Other, multiple and Unspecified open wounds Of head, neck and trunk N880 Laceration and open N887 Wound of upper limb N887 Wound of upper limb F N888 Open wound of shoulder A N880 Open wound of elbow, A N880	N875					31			20	24	24	30	25	15
N877 Open wound of buttock M F N878 Open wound of genital organs (external), including traumatic amputation N879 Other, multiple and unspecified open wounds of head, neck and trunk N880- N887 Wound of upper limb N880 Open wound of shoulder and unspecified open wound of upper limb N880 Open wound of shoulder and unspecified open wound of upper limb N880 Open wound of shoulder and upper arm N881 Open wound of elbow, forearm and wrist N881 Open wound of elbow, forearm and wrist N881 Open wound of elbow, forearm and wrist	N876			6	4	10	6	5					4	8
N878 Open wound of genital organs (external), including traumatic amputation N879 Other, multiple and unspecified open wounds of head, neck and trunk N880- Laceration and open wound of upper limb F 4 5 9 4 14 19 20 11 21 14 24 19 19 7 2 6 7 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N877	Open wound of buttock	M										1	1 -
N889- Other, multiple and managedified open wounds of head, neck and trunk N880- Laceration and open Mayound of upper limb F 4 5 9 4 3 1 7 2 6 7 3 1 1 7 2 6 7 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N878	organs (external), includ-	M										2	-
N880-N887 Laceration and open wound of upper limb M 25 31 21 24 14 19 20 11 21 14 24 N880 Open wound of shoulder and upper arm M F 4 5 9 4 3 1 7 2 6 7 3 N881 Open wound of elbow, forearm and wrist M F 7 16	N879	Other, multiple and unspecified open wounds											20	
N880 Open wound of shoulder M and upper arm F Open wound of elbow, forearm and wrist F 7 16	N880- N887	Laceration and open		25		21	24	14	19	20	11	21		
N881 Open wound of elbow, M forearm and wrist F	N880	Open wound of shoulder	M	4	5	9	4	3		7	2		7	3
	N881	Open wound of elbow.	M										7	16

TABLE 7 (Numbers) - continued

					TABL	E / (NU	imbers)	- cont	ınued					
ICD No.	Cause of death		1958		1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
N882	Open wound of hand, except finger(s) alone	M											1	1
N883	Open wound of finger(s)	M F		1									-	1
N884	Multiple and unspecified open wound of upper limb	M F											1	1
N885	Traumatic amputation of thumb (complete) (partial)	M F											1 -	-
и886		M F												
N887	Traumatic amputation of arm and hand (complete) (partial)	M											2	2
N890- N897	Laceration and open wound of lower limb	M	2	8	26 7	9 12	31 18	26 10	23	11 12	27	18	17	22
N890	Open wound of hip and thigh	M							11	14	9	16	20	16 5
N891	Open wound of knee, leg (except thigh), and ankle	M F											3	9
N892	Open wound of foot, except toe(s) alone	MF											15	13
N893	Open wound of toe(s)	M	7									,	1	1
N894	Multiple and unspecified open wound of lower limb	M F											2	1
N895	Traumatic amputation of toe(s) (complete) (partial)	M F											1	-
N896	Traumatic amputation of foot (complete) (partial)	M F											-	_
N897	Traumatic amputation of leg(s) (complete) (partial)	M						•					1 4 2	4 2
N900- N907	Laceration and open wound of multiple location	M F											115	21
N900	both upper limbs	M							,				41	16
N901	both lower limbs	M											. 1	1
И902	upper with lower limb(s)	M										38	1 / 'e' .	3
N903	both hands	M										,	-	<u>~</u>
N904	head with limb(s)	M										4	· · · · · ·	* *
N905	trunk with limb(s)	M		İ										~ @
N906	face with limb(s)	M											. 2.	1 = =
N907	other and unspecified location	MF			ļ						i		112	3 14
N910- N918	Superficial injury	M	8 9		9	11 2	6	5 7	7 5	6	8	6	37 3	12 7
N910	face, neck, scalp	M				-		4	3	6	4	5	2	9
N911	trunk	M											.1	.3
N912	shoulder and upper arm	М										, J		, i
N913	elbow, forearm and wrist	M												11
N914	hand(s), except finger(s) alone	M											+	1
N915	finger(s)	M											ma CP	1 =
N916	hip, thigh, leg and ankle	M										1		2
		1		1.8		T - 17				į,			1	1

TABLE 7 (Numbers) - continued

CD No.	Cause of death	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	Superficial injury											
N917	foot and toe(s)	M F									-	-
N918	other, multiple and unspecified sites	M F									2	3
1920- N929	Contusion and crushing with intact skin surface	M 38	34 40	31 58	12 40	33 34	38 36	28 34	13 32	23 32	10 27	18 37
N920	face, scalp and neck except eye(s)	M									1	4 5
N921	eye and orbit	M									2	1
11922	trunk	M									1	5
N923	shoulder and upper arm	M									1	_
N924	elbow, forearm and wrist	F M									-	-
N925	hand(s), except finger(s)	F M							1		-	-
11926	finger(s)	F M									-	-
N927	hip, thigh, leg and ankle	F M									- 4	7
N928	foot and toe(s)	F M									16	1)
		F									-	-
11329	other, multiple and unspecified sites	M F									4	14
930- N939	Effects of foreign body entering through orifice	M 278 F 156	246 186	265 201	292	320 226	294	343 265	384 265	353 254	329 224	310 240
1.931	Foreign body in eye and adnexa	M F									-	1 ~
N931	Foreign body in ear	M F									-	-
23342	Foreign body in nose	M F									-	- 1
11933	Foreign body in pharynx and larynx	M 252 F 142	228 171	242	273	301 209	277 223	324 245	367 250	340 243	315 214	292
N934	Foreign body in bronchus and lung	M 9 4	9	16	7 4	6 5	7 6	7 2	6	2 2	3	5 7
N935	Foreign body in mouth, oesophagus, and stomach	M									2 1	3 7
N936		M									5	7
N937	Foreign body in anus	М									5	-
N938	Foreign body in digestive	F M F									1	2
N939	Foreign body in	м -	1	1	-	-	-	-	7	_	2	-
940-	genito-urinary tract Burn	F 278	269	227	271	278	285	262	239	247	248	290
N949 N940	confined to eye	F 437	444	402	359	485	522	422	419	404	289	362
N941	confined to face, head	F M 13	16	6	a	11	9	7	7	6	3	-
N942	and neck confined to trunk	F 12	15	10,	12	16	16	16	14	12	6	6
N943	confined to upper limb,	F 24	39	30	21	33	25	16	16	14 16	16 14	11 22
	except wrist and hand	M 8 5	6	10	5	9	6.7	3 4	3	5 6	4	1 3
N944	confined to wrist(s) and hand(s)	M F										_ 1
N945	confined to lower limb(s)	M 18 21	12 26	16 13	14	17 23	27	20	40 11	17 13	12	14 10

TABLE 7 (Numbers) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	Burn								100				
N946	involving face, head and neck with limb(s)	M F	27 19	13 10	10 16	15 13	13 14	17 21	10	13 16	7 14	12	11
N947	involving trunk with limb(s)	M F	53 114	45 120	45 104	55 77	58 129	52 119	41 94	32 102	45 92	40 57	40 70
N948	involving face, head and neck with trunk and limb(s)	M	54 112	76 102	57 89	80 99	78 119	88 154	106 161	77 131	74 116	92 93	157 149
N949	involving other and unspecified parts	M F	81 129	85 131	65 131	72 114	77 148	77 150	65 108	81 126	78 135	69 100	52 85
N950- N959	Injury to nerves and spinal cord	M	45 12	52 17	49 17	45 12	46 10	48 17	40	37 15	46 11	48	45 13
N950	optic nerve(s)	M F										-	-
N951	other cranial nerve(s)	MF										-	-
N952	nerve(s) in upper arm	M										-	-
N953	nerve(s) in forearm	M F										-	-
N954	nerve(s) in wrist and hand	M F										1 -	-
N955	nerve(s) in thigh	M F		11								-	-
N956	nerve(s) in lower leg	MF										-	-
N957	nerve(s) in ankle and foot	M F										-	_
N958	Spinal cord lesion without evidence of spinal bone injury	M F										47 25	45 13
N959	Other nerve injury including nerve injury in several parts	M F										-	-
N960- N979	Adverse effect of medicinal agents	M F										1,072 1,575	1,116 1,623
N960	antibiotics	M										2 3	2
N961	other anti-infectives	.M F										-	<u>-</u> 5
N962	hormones and synthetic substitutes	M F										3 7	13 7
N963	primarily systemic agents	M F										1 1	1 1
N964	agents primarily affecting blood constituents	M F										1 2	2
N965	analgesics and antipyretics	MF										12)	107
. Naee	anticonvulsants	M										1	2
N967	other sedatives and hypnotics	M F										7 6	721 1,159
N968	other central nervous system depressants	M										18	12
N969	local anaesthetics	MF										1	1
N970	psychotherapeutics	MF										5A 69	63 89
N971	other central nervous system stimulants	M F										1 2	1
N972	agents primarily affecting the autonomic nervous system	M F										3 5	4
N973	agents primarily affecting cardiovascular system	MF										2 2	1 4
N974	drugs primarily affecting gastro-intestinal system	M										-	1
	diuretics												

TABLE 7 (Numbers) - continued

	,				, , (1100	mbers)	- 00/00	orowow					
IM No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	Adverse effect of medicinal agents												
N976	agents acting directly upon musculoskeletal system	M										1 -	1 3
N977	other and unspecified drugs	MF										27	33 45
N978	two or more medicinal agents in specified combinations	M										20	38 52
N979	Alcohol in combination with specified medicinal agents	MF										106 79	112 88
N980- N989	Toxic effect of substances chiefly non-medicinal as to source	M F										1,505 1,106	1,371 951
N980	alcohol	M	7 41	5 3	15 1	11 1.	7 7	20	15	17	26	14	26 3
N981	petroleum products	M F	1	2 2	1	2	2	2	-	1	2 2	2	2
И982	industrial solvents	MF	2	4 2	-	3	2	5	4 2	5	8	5	
N983	corrosive aromatics, acids and caustic alkalis	MF	43 27	50 35	29 31	37 18	34 29	31 25	33	31 23	21 15	22 15	17 11
N984	lead and its compounds (including fumes)	M F	5	1 1	3	1 2	- 1	2 2	3	- 2	2	1 3	2 2
N985	other metals chiefly non-medicinal as to source	MF									_	3	3 .1
N986	carbon monoxide	M F	1,959 1,758	1,957 1,790	2,028	1,928	2,116 1,841	2,150 1,883	1,859 1,553	1,658 1,292	1,606 1,276	1,389	1,266
N987	other gases, fumes or vapours	M F				,,,,,	2,222	2,000	1,000	1,202	1,210	30	906
N988	noxious foodstuffs	M										. 1	. -
N989	other substances chiefly non-medicinal as to source	M					,					38	37
N990- N999	Other adverse effects	M F										1,938	1,851
Иээо	Effects of radiation	M	7.									837	797
N991	Effects of reduced temperature	MF										11	20
и992	Effects of heat	M				1					5	14	20 2
N993	Effects of air pressure	M								ļ		-	· £
N994	Effects of other external causes	M										1,767	1,750
N995	Certain early complications of trauma	M										698	695
N996	Injury, other and unspecified	M										146	7 57
N997	Complications peculiar to certain surgical procedures	M F										107	58 2 -
иээв	Other complications of surgical procedures	M										2	2
иэээ	Other complications of medical care	M										10	6 5 9

Note 1. Rates are based on total deaths and home populations.

2. The notes for Table 7 also apply to this table, see also explanatory notes 1 and 5 on pages vi and viii.

3. The symbols M, F and P in the second column indicate 'Males', 'Females' and all 'Persons' respectively.

4. Rates for years 1958-66 are based on estimated numbers of deaths.

ICD No.	Cause of death /		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	Estimated mid-year population (in thousands)	M F P	21,744 23,365 45,109	21,885 23,501 45,386	22,097 23,678 45,775	22,344 23,853 46,196	22,631 24,051 46,682	22,789 24,197 46,986	22,982 24,362 47,344	23,146 24,542 47,688	23,295 24,690 47,985	23,465 24,836 48,301	23,630 24,963 48,593
	ALL CAUSES	F	12,447 10,965 11,679	12,332 10,969 11,626	12,181 10,858 11,497	12,567 11,360 11,944	12,600 11,329 11,945	12,831 11,591 12,192	11,956 10,671 11,295	12,198 10,882 11,520	12,390 11,138 11,746	11,812 10,684 11,232	12,409 11,358 11,869
001-136	I. INFECTIVE AND PARASITIC DISEASES	M F P										108 72	110 64
000-009	Intestinal infectious diseases	M F										89	17 14
009	Diarrhoeal diseases	M F P											15 13 10 12
010-019	Tuberculosis	M F P	144 54 97	126 44 83	111 39 74	105 39 71	99 33 65	94 32 62	79 26 52	69 26 47	71 27 48	61 25 42	63 24 43
011	Pulmonary tuberculosis	M F P	,										42 14 27
070-079	Other viral diseases	M F P											
070	Infectious hepatitis	M F P	5 6 5	566	6 7 7	6 7 6	5 7 6	5 5 5	4 5 4	4 6 5	4 6 5	3 5 4	5 5 5
090-099	Syphilis and other venereal diseases	M F P											4 3 4
140-239	II, NEOPLASMS	M F P	2,350 1,948 2,142	2,383 1,952 2,160	2,408 1,966 2,180	2,410 1,962 2,183	2,435 1,969 2,195	2,443 1,973 2,201	2,470 2,010 2,233	2,504 2,013 2,251	2,534 2,028 2,273	2,574 2,064 2,312	2,610 2,094 2,345
140-149	Malignant neoplasm of buccal cavity and pharynx	M F P											43 25 34
141	tongue .	M F P	16 6 11	16 6 11	14 6 10	12 6 9	13 5 9	12 5 8	13 6 9	11 7 9	10 6 8	9 5 7	10 5 7
146	oropharynx	M F P	9 2 5	8 2 5	7 2 5	6 2 4	7 2 5	5 2 4	7 2 4	6 2 4	7 2 5	6 2 4	6 2
148	hypopharynx	M F P											7 8 8
150-159	Malignant neoplasm of digestive organs and peritoneum	M F P											837 756 795
150	oesophagus	M F P	60 4 3 51	63 41 51	59 43 50	61 44 52	61 44 52	61 44 52	57 49 54	62 47 54	64 49 56	66 50 58	71 49 60
151	stomach	M F P											306 221 262
152	small intestine, including duodenum	M F P	5 5 5	5 4 5	5 6 5	6 4 5	5 4 5	4 5 4	5 4 5	5 5 5	5 5 5	5 5 5	5 4 5
153		M F P											172 236 205
154		M F P	143 107 124	139 110 124	136 103 119	130 101 115	130 101 115	128 104 116	128 106 117	126 102 114	126 105 115	130 106 118	132 111 121
155	specified as primary	M F P	11 7 9	12 7 9	11 7 9	11 7 9	11 7 9	12 7 9	11 7 9	11 6 9	12 7 9	12 6 9	13 8 10
156	gallbladder and bile ducts	M F P	16 32 24	16 30 24	15 31 23	16 30 23	16 32 24	16 30 23	16 30 23	16 28 22	17 30 24	18 29 23	18 28 23
157		M F P	91 75 82	95 79 86	94 79 86	93 80 86	93 84 88	98 82 90	102 82 92	101 88 94	106 90 97	105 91 98	111 91 101

TABLE 8 (Rates) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1366	1,467	1968
	Malignant neoplasm of digestive organs and peritoneum												
159	peritoneum and retroperitoneal tissue	M F P											7
160~163	Malignant neoplasm of respiratory system	M F P											1,046 209 616
160	nose, nasal cavities, middle ear and accessory sinuses	M F P	6 4 5	6 4 5	5 5 5	4 4 4	5 5 5	5 4 4	6 4 5	5 4 5	5 5 5	5 4 5	6 4 5
161	larynx	M F P											23 S 13
162,163	trachea, bronchus, lung, pleura, mediastinum and unspecified respiratory organs	M F P											1, .18
162	trachea, bronchus and lung	M F P	782 118 438	829 122 463	852 131 479	869 139 492	894 144 508	909 151 518	933 159 534	958 168 552	969 177 561	1, K 185 384	1, 12 196 5.6
170-174	Malignant neoplasm of bone, connective tissue, skin and breast	M F P	43 417 237	42 403 229	42 415 235	44 422 239	42 423 238	38 421 236	38 439 244	43 429 242	42 429 241	43 445 250	42 443 248
170	bone	M F P	16 12 14	15 11 13	15 10 13	15 11 13	14 11 12	12 1) 11	11 1) 11	15 11 12	12 8 17	18 1., 11	14
171	connective and other soft tissue	M F P	5 5 5	5 4 4	5 4 4	6 4 5	6 6	5 5 5	5 5	5 5 5	5 5 5	6 5 6	5 5
172	Malignant melanoma of skin	M F P	6 9 8	8 10 9	5 10 9	7 10 9	8 11 9	8 10 9	9 12 10	9 12 10	1 \ 11 \ 10	15 12 11	12 11
173	Other malignant neoplasm of skin	M F P	13 9 11	12 9 10	12 9 10	12 8 10	11 8 3	10 8 9	10 8 9	11 9 1)	11 7 9	10	1 s
174	breast	M F P	3 382 199	3 370 191	3 382 199	3 389 202	3 388 202	3 389 202	3 404 210	3 394 204	4 397 276	4 412 214	3 4 3 210
180-189	Malignant neoplasm of genito-urinary organs	M F P									2,00	4- 4- 2	330 385 358
180	cervix uteri	F	115	108	109	104	104	101	105	100	100	99	500
181,182	Chorionepithelioma and other malignant neoplasm of uterus	F											
182.0	corpus uteri	F											5,
183	ovary, fallopian tube and broad ligament	F	123	125	125	128	127	126	129	131	134	133	137
183.0	ovary	F	122	124	124	127	126	125	129	130	133	132	136
184	other and unspecified female genital organs	F	22	23	23	21	22	21	21	22	23	22	22
184.0	vagina	F	6	7	6	5	6	6	6	5	5	e	
104.1	vulva	F	16	16	16	15	15	15	15	16	17	16	17
185	prostate	M	166	164	165	164	169	166	162	172	168	166	167
186	testis	M	9	9	10	8	9	10	10	10	10	9	11
188	bladder	MF	92 36	92 40	96 39	96 38	103 39	99	103 40	102 42	107	137	110
100	4.	P	63	65	67	66	70	67	71	71	73	42 73	44 70
189	other and unspecified urinary organs	M F P										41 24 32	79 24 31
190-199	Malignant neoplasm of other and unspecified sites	M F P											123 120 121
191	brain	M F P	43 29 36	42 30 36	43 29 36	44 31 37	44 28 36	43 30 36	44 29 36	45 26 36	42 29 35	43 29 36	30 24 33
193	thyroid gland	M F P	4 10 7	5 12 8	5 12 8	12 P	5 11 8	4 12 9	4 12 8	4 12 8	5 12	11 8	5 11

TABLE 8 (Rates) - continued

TOD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
ICD No. 200-209	Neoplasms of lymphatic and haematopoietic tissue	M F P	129 98 113	132 105 118	141 107 123	137 109 123	137 111 124	143 111 127	147 115 131	144 121 132	150 120 134	152 122 137	160 126 142
200	Lymphosarcoma and reticulum-cell sarcoma	M F P	22 17 20	24 17 20	25 18 21	24 20 22	25 18 22	27 19 23	29 19 24	28 21 25	28 22 25	31 23 27	32 22 27
200.0	Reticulum-cell sarcoma	M	9 7	9 7	10 7 9	9 9 9	10 8	12 9 10	11 9 10	10 9	10 10 10	12 9 10	13 9 11
200-1	Lymphosarcoma	P M F	13 10	15 10	15 10	15 11 13	16 10 13	15 10 13	18 10 14	17 12 15	17 13 15	19 14 16	18 13 16
201	Hodgkin's disease	P M F	12 21 13	12 24 14	13 23 15	24 13	24 14 19	23 12 17	21 14 18	23 13 18	24 12 18	24 14 19	23 15 19
202	Other neoplasms of lymphoid tissue	P M F	7 5	19 5 5	19 7 5	18	6 5	7 5	7 7 7	7 6 7	8 7 8	7 8 8	8 5 7
203	Multiple myeloma	P M F	6 14 12	13 13	15 15	15 15	15 15	16 15	17 17 17	18 18 18	18 20 19	19 19 19	21 20 20
204	Lymphatic leukaemia	P M F	13	13	15	15	15	16	17	10	13	26 17 21	28 20 24
204.0	acute	P M F										10 8 9	11 8
204-1	chronic	P M F										14 9	15 11 10
205	Myeloid leukaemia	P M F										27 25 26	30 27 28
205-0	acute	P M F										16 14	17 14
205.1	chronic	P M F										9 10	16 11 11
206	Monocytic leukaemia	P M F										9 4 4	5 5
207	Other and unspecified leukaemia	P M F										9 8	9 7
207.0	leukaemia, acute	P M F										9 6 5	7 5
210-228	Benign neoplasms	P M F										5	10 17
225	brain and other parts of nervous system	P M F	6	5 8	6 8	5 7	5 7	5 6	5 7	4 6	5 6 5	4 6	14 4 5
. 230-239	Neoplasm of unspecified nature	P M F	6	11 9	12 10	13	12 9	16 12	17 13	17	16 12	16 12	17 13
240-279	III. ENDOCRINE, NUTRITIONAL AND	P			11	11	11	14	15		14	86 156	98 163
240~246	METABOLIC DISEASES Diseases of thyroid gland	F P										122 4 24	132 3 23
242	Thyrotoxicosis with or without goitre	F P	2		2	2	3 12	1 11	2 8		1 9	14 2 9	13
244	Myxoedema	F P M	7	13 8		12 7	7	6	5		5	6 2 13	5
250-258		F P										7	13 7 78 122
250	Diabetes mellitus	F P M F											73 116
		F											95

TABLE 8 (Rates) - continued

					(,	0010001						
ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
260-269	Avitaminoses and other nutritional deficiency	M F P										3 4 3	3 4 4
270-279	Other metabolic diseases	M F P										10 12	14
280-289	IV, DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	M F P										11	28 50
280	Iron deficiency anaemias	M F P	4 9 6	5 10 7	4 10 7	4 11 7	4 9 7	4 11 8	9 6	4 10 7	4 11 7	4 10 7	39 3 7 5
281	Other deficiency anaemias	M F P	11 24 18	10 24 18	11 22 17	10 23 16	9 21 15	9 20 15	8 18 13	7 20 14	8 19 13	6 16 11	7 17 12
281.0	Pernicious anaemia	M F P	10 22 16	9 22 16	9 19 14	8 20 14	8 19 14	8 17 13	7 16 11	6 17 11	6 15 11	5 13 9	5 13 9
284	Aplastic anaemia	M F P										6 7 6	6 7 6
290-315	V. MENTAL DISORDERS	M F P										18 28 23	17 33 26
290-299	Psychoses	M F P										14 26 20	14 30 22
290	Senile and pre-senile dementia	M F P	8 17 13	9 19 14	11 19 1 5	11 21 16	12 21 17	11 21 17	13 20 16	14 23 19	13 25 20	12 23 18	12 28 20
320-389	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	M F P										128 126 127	131 129 130
320-324	Inflammatory diseases of central nervous system	M F P	16 11 13	15 10 12	16 11 13	15 11 13	17 11 14	16 13 15	17 13 15	16 13 14	15 12 13	16 11 13	15 10 12
320	Meningitis	M F P	10 6 8	9 6 7	10 7 8	10 7 8	11 8 9	10 7 9	11 8 10	10 8 9	9 7 8	10 7 8	9 6 8
330-333	Hereditary and familial diseases of nervous system	M F P	6 4 5	6 4 5	6 4 5	7 4 6	7 4 6	7 5 5	7 5 6	7 5 6	8 4 6	8 5 7	8 4 6
330	Hereditary neuromuscular disorders	M F P	5 2 3	4 2 3	4 2 3	5 2 4	5 3 4	5 2 3	5 3 4	5 3 4	6 2 4	6 2 4	6 2 4
340-349	Other diseases of central nervous system	M F P	94 102 98	96 105 101	94 103 99	96 110 103	94 104 99	95 103 99	92 105 99	95 100 97	95 106 100	99 106 102	103 110 107
340	Multiple sclerosis	M F P	15 23 19	15 23 19	16 22 19	15 23 19	13 21 17	15 20 17	14 21 18	14 19 17	14 21 17	13 17 15	14 19 17
342	Paralysis agitans	M F P	31 37 34	33 40 36	31 39 35	31 41 36	30 38 35	30 38 34	29 38 33	29 36 33	28 38 33	29 36 33	32 38 35
345	Epilepsy	M F P	17 15 16	16 12 14	15 13 14	17 14 15	17 14 15	17 14 15	15 11 13	15 12 14	16 11 14	16 11 13	15 12 13
348	Motor neurone disease	M F P	13 9 11	14 10 12	14 9 11	13 9 11	15 9 11	12 9 11	15 10 12	16 10 13	14 10 12	14 10 12	13 11 12
390~458	VII. DISEASES OF THE CIRCULATORY SYSTEM	M F P											6,017 6,098 6,058
393-398	Chronic rheumatic heart disease	M F P	160 235 198	150 222 187	153 224 189	154 233 195	152 227 191	142 215 180	126 188 158	123 192 159	120 185 153	119 180 150	111 176 144
394	Diseases of mitral valve	M F P										43 96 70	36 87 62
395	Diseases of aortic valve	M F P										46 32 39	43 33 38
396	Diseases of mitral and aortic valves	M F P										12 17 15	13 19 16

TABLE 8 (Rates) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
400-404	Hypertensive disease	M F P											202 253 228
400	Malignant hypertension	M F P	37 20 28	37 19 28	37 17 26	29 15 22	26 13 19	26 12 19	24 11 17	23 9 16	22 10 15	20 8 14	21 8 14
401	Essential benign hypertension	M F P	44 48 47	40 44 42	38 43 41	37 43 40	32 38 35	30 36 33	25 28 26	25 28 26	22 26 24	22 24 23	25 28 26
402	Hypertensive heart disease	M F P	277 357 318	248 331 292	245 327 287	234 329 283	214 301 259	205 294 251	170 243 208	171 237 205	158 227 193	151 206 180	144 201 173
403	Hypertensive renal disease	M F P	19 19 19	18 19 18	16 15 16	15 16 15	17 16 16	17 16 17	14 16 15	13 15 14	12 12 12	13 12 13	10 12 11
410-414	Ischaemic heart disease	M F P											3,374 2,357 2,852
410	Acute myocardial infarction	M F P										2,406 1,392 1,884	2,516 1,479 1,983
411	Other acute and sub-acute forms of ischaemic heart disease	M F P										44 27 36	46 31 38
412	Chronic ischaemic heart disease	M F P	*										808 843 826
420-429	Other forms of heart disease	M F P											534 802 671
421	Acute and sub-acute endocarditis	M F P	9 6 7	9 5 7	8 6 7	9 5 7	8 5 7	9 5 7	8 5 6	7 4 5	7 4 6	7 4 5	6 5 6
424	Chronic disease of endocardium	M F P										25 33 29	29 34 32
425	Cardiomyopathy	M F P											8 5 7
426	Pulmonary heart disease	M F P											40 18 29
427	Symptomatic heart disease	M F P	178 219 199	170 220 196	182 232 208	192 257 226	189 256 223	194 261 228	176 238 208	181 256 220	198 266 233	184 264 225	208 289 250
427.0	congestive heart failure	M F P	102 117 109	101 121 111	111 134 123	122 153 138	120 158 140	124 163 144	115 152 134	121 170 146	134 179 157	126 181 154	147 204 176
427.1	left ventricular failure	M F P	16 15 17	16 15 15	17 17 17	20 20 20	19 20 19	20 22 21	19 20 19	19 21 20	22 24 23	21 24 23	26 28 27
427.2	heart block	M F P	6 4 5	6 5 5	7 5 6	6 5 5	6 5 5	6 5 6	6 5 6	. 7 5 6	7 5 6	7 5 6	6 6
427.9	other disorders of heart rhythm	M F P	54 84 70	47 79 64	46 76 61	45 78 62	44 73 59	43 71 58	36 61 49	34 60 47	35 58 47	30 54 42	28 52 40
430-438	Cerebrovascular disease	M F P											1,342 1,949 1,654
430	Subarachnoid haemorrhage	M F P	55 87 71	56 82 69	59 90 75	59 88 74	61 95 78	61 96 79	62 97 80	63 96 80	62 95 79	63 103 83	64 104 84
431	Cerebral haemorrhage	M F P	373 519 448	357 487 424	360 498 431	348 481 417	347 486 418	350 497 426	337 466 403	340 465 404	343 480 413	352 487 422	346 481 416
432	Occlusion of pre-cerebral arteries	M F P											12 9 11
433	Cerebral thrombosis	M F P	679 894 790	669 897 787	659 897 782	654 904 783	650 900 779	659 922 794	564 788 685	612 862 741	597 840 722	544 798 675	554 818 690
434	Cerebral embolism	M F P	7 7 7	7 7 7	7 7 7	7 8 7	7 7 7	7 8 7	6 7 6	6 7 7	6 7 7	6 7 6	6 9 7
				-	-	A				-			

TABLE 8 (Rates) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1969
436	Acute but ill-defined cerebrovascular disease	M F											182 257
437	Generalized ischaemic cerebrovascular	P M F										151 226	159 246
440-448	Diseases of arteries, arterioles	P	325	313	321	328	335	351	315	330	343	190 331	356
440	and capillaries	F P	341	345 330	362 342	382 356	385 361	399 376	369 343	385 358	404 374	393 363	418 388
440	Arteriosclerosis	M F P	202 243 223	190 249 221	192 256 225	197 274 237	193 270 232	199 279 241	171 263 213	178 261 221	186 277 233	168 260 215	181 283 234
441	Aortic aneurym (non-syphilitic)	M F P	72 50 61	71 46 58	76 52 64	76 51 63	88 59 73	94 61 77	93 60 76	98 65 81	101 65 83	103 68 85	111 66 88
442	Other aneurym	M F	4 1 3	4 2 3	3 2 3	4 1 3	4 2 3	4 2 3	5 2 3	4 2 3	4 2 3	5 3 4	3 3
443	Other peripheral vascular disease	M F P	3 1 2	3 1 2	3 2 2	3 2 2	4 2 3	4 2 3	3 2 2	3 2 3	4 2 3	5 4 4	5 3 4
444	Arterial embolism and thrombosis	M F	20 23	19 24	21 26	22 27	20 27	22 28	20 27	20 27	21 29	22	26 33
445	Gangrene	P M F	21	22	23	24	23	25	23	23	25	26 21 23	30 21 24
446	Polyarteritis nodosa and allied conditions	P M F										22 5 4	23 5 4
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	P M F P										96 137 117	98 143 121
450	Pulmonary embolism and infarction	M F P	22 28 25	28 30 29	31 34 32	34 38	34 39 37	37 44	37 46	39 45	41 50	46 54	45 54
451	Phlebitis and thrombophlebitis	M F	6 11	7 12	7 12	36 7 13	6 12	8 11	6 11	42 5 11	46 5 8	50 5 8	46
452,453	Portal vein thrombosis, other venous embolism and thrombosis	P M F P	9	9	10	10	9	10	8	8	7	7 41 66 53	43 71 58
454	Varicose veins of lower extremities	M F P	2 7 5	3 7 5	3 7 5	3 7 5	3 6 4	3 7 5	1 5 3	2 7 5	2 7 4	2 6 4	2 6 4
460-519	VIII. DISEASES OF THE RESPIRATORY SYSTEM	M F P	3		3	3	*	3	J		**	17	2,008
460-466	Acute respiratory infections (except influenza)	M F	79 75	79 74	63 56	73 71	76 73	84 80	57 56	57 48	62 58	53 48	61 60
466	Acute bronchitis and bronchiolitis	M F	77 76 72	76 76 71	59 60 53	72 70 68	74 73 71	82 81 77	56 55 53	53 55 46	60 59 56	50 50 45	61 59 56
470-474	Influenza	Р м F	74 55 50	74 177 167	56 25 23	155 150	72 66 74	79 63 73	54 21 22 22	50 17 17	57 70 82	47 16 20	57 79 112
470	unqualified	P M F	53 11 13	31 39 35	24 5 6	31 38	70 13 18	12 17	22 4 6	17 3 4	76 13 19	18 4 5	96 12 18
471	with pneumonia	P M F	12 35 29	35 117 104	5 15 13	34 96 90	16 41 44	15 39 45	5 14 13	3 12 10	16 44 51	9 12	15 52 77
472	with other respiratory manifestations	P	32 10	110	14 5	93 28	43 12	42 11	13	11	48	11	65 14 16
480-486	Pneumonia	F P	9	23 26	3 4	22 25	11	10 11	3 3	3 2 2	11 12	3 3 3	15 768
480	Viral pneumonia	F P											917 844
	Paramonta Paramonta	M F P											9 7 8
481	Pneumococcal pneumonia	M F P											73 60 66

TABLE 8 (Rates) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
490-493	Bronchitis, emphysema and asthma	M F P											1,013 353 674
490	Bronchitis, unqualified '	M F P											32 33 33
491	Chronic bronchitis	M F P											906 276 582
492	Emphysema	M F P										45 12 28	49 12 30
493	Asthma 1	M F P										30 38 34	27 32 30
514	Pulmonary congestion and hypostasis	M F P	9 15 12	8 16 12	10 17 14	9 20 15	10 20 15	12 19 15	10 18 14	12 22 17	12 22 17	12 22 17	9 19 14
515	Pneumoconiosis due to silica and silicates	M F P	33 0 16	29 0 14	29 1 14	31 / 1 15	29 1 15	29 0 14	28 U	26 0 13	26 0 13	23 0 12	23
518	Bronchiectasis	M F P											24 15 19
520-577	IX. DISEASES OF THE DIGESTIVE SYSTEM	M F P											288 283 285
530-537	Diseases of oesophagus, stomach and duodenum	M F											125 71 97
530	Diseases of oesophagus	M F P	3 3 3	2 3 3	3 3 3	3 3 3	4 3 4	4 4 4	4 4 4	4 4 4	5 3 4	5 4 4	6 5 5
531	Ulcer of stomach .	M F P										42 33 37	44 32 38
531.0	with perforation	M F P										12 6 9	11 7 9
531.9	without mention of perforation	M F P										31 26 28	23 25 29
532	Ulcer of duodenum	M F P										53 21 36	61 22 41
532.0	with perforation	M F P										20 8 14	23 10 17
532.9	without mention of perforation	M F P										33 12 22	37 12 24
533	Peptic ulcer, site unspecified	M F P											9 7 8
540-543	Appendicitis	M F P	21 14 17	19 11 15	16 11 14	16 12 14	15 10 13	13 10 11	12 9 10	12 9 10	10 8 9	9 8	9 7 8
540	Acute appendicitis	M F P	18 11 14	17 9 13	13 9 11	13 10 11	13 9 11	11 9 10	10 7 8	9 8	8 7 7	8 6 7	7 6 6
550-553	Hernia of abdominal cavity	M F P	31 32 29	31 35 33	30 32 31	32 34 33	31 35 33	29 32 30	28 32 30	28 30 29	26 30 28	23 30 27	24 32 28
560-569	Other diseases of intestine and peritoneum	M F P											63 89 76
560	Intestinal obstruction without mention of hernia	M F P											20 23 22
561	Gastro-enteritis and colitis, except ulcerative, of non-infectious origin	M F P											3 6 4
562	Diverticula of intestine	M	17 29 23	16 29	17 30 24	16 31	16 29 23	15 31 23	15 30 23	15 30 23	15 33 24	15 33 24	16 32 24

TABLE 8 (Rates) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
563	Chronic enteritis and ulcerative colitis	M F P	10 11 11	9 11 1 0	10 12 11	10 12 11	10 11 10	9 12 11	9 12 11	9 12 10	9 13 11	9 13 11	10 12 11
563.1	ulcerative colitis	M F P	8 9	8 9	8 10 9	10 9	7 9 8	7 10 8	7 10 8	7 9 8	7 10 8	7 9 8	6 9 8
570-577	Diseases of liver, gallbladder and pancreas	M F P	67 81 74	64 84 75	67 85 77	69 84 77	66 81 74	66 82 74	66 83 75	68 82 75	68 82 75	63 80 71	66 82 74
571	Cirrhosis of liver	M F P	30 24 27	29 26 27	31 26 28	33 27 30	31 26 28	31 26 28	29 27 28	32 27 29	32 26 29	29 27 28	32 29 30
574	Cholelithiasis	M F P	12 22 18	12 23 18	10 22 16	9 21 15	10 19 15	10 18 14	9 19 14	10 18 14	10 18 14	8 16 12	8 15 12
575	Cholecystitis and cholangitis, without mention of calculi	M F P	8 16 12	8 15 12	7 16 12	8 15 11	6 14 10	7 13 10	7 13 10	6 12 9	6 12 9	6 11 9	6 11 9
576	Other diseases of gallbladder and biliary ducts	M F P	1 2 2	1 3 2	2 4 3	2 4 3	2 4 3	3 4 3	3 4 4	3 4 4	3 5 4	3 4 4	· 5
577	Diseases of pancreas	M F P	11 12 11	10 13 12	11 13 12	12 12 12	12 14 13	12 15 13	13 14 13	12 15 14	13 15 14	12 13 12	11 14 13
577.0	Acute pancreatitis	M F P	9 10 10	9 11 10	10 11 11	10 10 10	10 12 11	10 13 12	11 13 12	10 13 12	12 13 12	10 11 11	9 13 11
580-629	X. DISEASES OF GENITO-URINARY SYSTEM	M F P	322 154 235	310 153 229	304 155 227	288 158 221	273 158 214	256 162 207	241 160 199	226 156 190	220 153 186	205 150 176	198 144 170
580~584	Nephritis and nephrosis	M F P											57 45 51
580	Acute nephrosis	M F P											5 3 4
582	Chronic nephritis	M F P	80 69 73	70 62 66	71 59 65	66 56 61	59 55 57	56 48 52	49 43 46	47 40 44	44 36 40	40 35 37	46 38 42
590~599	Other diseases of urinary system	M F P											72 93 83
590	Infections of kidney	M F P											44 67 56
592	Calculus of kidney and ureter	M F P	5 6 6	6 ' 6 6	6 6	6 5 6	6 5 6	6 6	4 5 5	5 5 5	4 4	3 5 4	4 5 4
600-607	Diseases of male genital organs	M	168	164	151	141	131	111	104	91	88	80	69
600	Hyperplasia of prostate	M	164	160	147	137	128	109	102	88	86	77	67
620-629	Diseases of uterus and other female genital organs	F	8	6	6	6	5	6	5	5	5	4	4
630-678*	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F										0.20	0.24
680-709	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	M F P										5 8 7	5 9 7
710-738	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	M F P										26 61 44	28 67 48
710-718	Arthritis and rheumatism, except rheumatic fever	M F P	17 43 30	16 44 30	18 45 32	16 44 31	16 44 30	16 42 30	15 42 29	15 41 28	15 40 28	15 41 28	17 44 31
712	Rheumatoid arthritis and allied conditions	M F P	10 32 21	10 32 21	11 33 23	11 32 22	10 33 22	10 31 20	10 30 20	9 29 19	9 29 19	9 29 19	11 30 21
713	Osteo-arthritis and allied conditions	M F P	4 10 7	5 10 7	5 9 7	3 11 7	5 9 7	4 10 7	4 10 7	4 9 7	4 9 7	4 10 7	5 11 8
720-729	Osteomyelitis and other diseases of bone and joint	M F P										6 11 9	6 11 9
			L				1						

^{*} Rates per 1,000 total (live and still) births.

TABLE 8 (Rates) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
730-738	Other diseases of musculoskeletal system	M F P										4 8 6	5 11 8
734	Diffuse diseases of connective tissue	M F P	2 5 4	2 5 4	2 5 4	2 6 4	2 6 4	3 6 4	2 6 4	3 6 5	3 7 5	3 6 4	2 8 5
740-759	XIV. CONGENITAL ANOMALIES	M F P	121 100 110	116 104 110	124 104 114	121 107 114	128 109 118	124 103 114	121 100 110	114 95 104	110 87 98	106 88 97	107 89 98
740	Anencephalus	M F P	3 4 4	2 5 3	3 4 4	3 5 4	3 5 4	3 4 4	4 5 4	3 5 4	3 4 3	4 5 4	3 4 4
741	Spina bifida !	M F P	14 17 16	12 16 14	12 15 14	11 15 13	10 14 12	12 18 15	10 17 13	11 14 13	10 14 12	9 13 11	11 13 12
741.0	with hydrocephalus	M F	9 11 10	8 10 9	8 10 9	7 10 8	6 9	8 11 10	6 11 8	7 9 8	6 9 8	6 8 7	7 10 8
746	Congenital anomalies of heart	M F P					*					43 31 37	42 33 37
753	Congenital anomalies of urinary system	M F P	12 8 10	11 9 10	14 8 11	12 9 10	14 8 11	13 8 10	13 7 10	12 9 11	12 8 10	11 8 9	11 6 9
753 - 1	cystic kidney disease	M F P										6 6 6	6 5 5
759	Congenital syndromes affecting multiple systems	M F P										6 5 5	7 5 6
760-779*	XV. CERTAIN CAUSES OF PERINATAL MORBIDITY AND MORTALITY	M F P										9.61 7.34 8.51	9.82 7.04 8.47
772*	Birth injury without mention of cause	M F P										1.41 0.88 1.15	1.44 0.91 1.18
775*	Haemolytic disease of newborn without mention of kernicterus	M F P										0.32	0.31 0.27 0.29
777*	Immaturity, unqualified	M F P										2.45 1.93 2.20	2.41 1.93 2.18
780-796	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	M F P										54 112 84	54 116 86
780-789	Symptoms referable to systems or organs	M F P										4 4	6 9 7
782	Symptoms referable to cardiovascular and lymphatic system	M F P		1								2 3 3	4 7 5
790-796	Senility and ill-defined diseases	M F P											48 108 79
794	Senility without mention of psychosis	M F P	128 217 174	116 209 164	101 197 151	99 195 149	93 178 137	85 160 124	65 132 100	57 124 91	57 119 89	46 105 76	43 194 74
E800- E999	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)	M F P	614 390 498	615 399 503	611 406 505	611 405 505	610 419 512	618 436 524	620 423 519	604 413 509	603 420 509	565 409 485	535 405 468
E800- E807	Railway accidents	M F P	13 2 7	11 1 6	10 1 5	11 1 6	9 1 5	9 1 5	8 1 4	7 1 4	5 1 3	7 2 5	5 1 3
E810- E819	Motor vehicle traffic accident	M F P	181 59 118	197 68 130	210 79 142	208 78 141	195 73 133	197 72 133	223 83 151	224 89 155	222 86 152	208 89 147	179 81 129
E812	involving collision with another motor vehicle	M F P	63 11 36	72 14 42	77 16 45	74 19 46	71 17 43	74 16 44	85 20 51	87 24 54	87 24 54	80 24 51	69 23 46
E814	involving collision with pedestrian	M F P	62 39 50	61 42 51	69 50 59	69 47 58	64 45 54	63 46 54	71 50 60	74 52 63	75 51 62	71 52 61	64 45 54
E816	Non-collision accident due to loss of control	M F P		91									13 4
			1		I			1	1				

^{*} Rates per 1,000 live births.

TABLE 8 (Rates) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
		м	6	6	7	7	7	7					
E830- E838	Water transport accidents	F	3	3	3	7	3	0	6 0 3	5 0 3	7 1 4	5 0 3	5 0 3
E850- E859	Accidental poisoning by drugs and medicaments	M F P										7 10 8	7 9 8
E870- E877	Accidental poisoning by gases and vapours	M F P										11 13 12	9 12 11
E870	gas distributed by pipe-line	M F P										9 11 10	7 11 9
E880- E887	Accidental falls	M F P	89 146 119	93 148 121	84 148 117	82 144 114	86 143 115	88 147 119	79 139 110	79 138 109	79 142 111	72 140 107	76 149 113
E880	Fall on or from stairs or steps	M F P	17 23 2 0	17 22 20	16 21 19	15 20 17	15 20 18	15 19 17	14 18 16	14 17 16	15 18 16	13 17 15	13 17 15
E881	Fall on or from ladders or scaffolding	M F P	5 0 2	5 0 3	4 0 2	1 2	4 1 2	4 0 2	4 0 2	4 0 2	4 0 2	4 0 2	4 0 2
E882	Fall from or out of building or other structure	M F										7 1 4	5 1 3
E885	Fall on same level from slipping, tripping or stumbling	M F P											6 17 11
E890- E899	Accidents caused by fires and flames	M F P										12 16 14	. 14 18 16
E890	conflagration in private dwelling	M F P										_	5 4 5
E893	ignition of clothing	M F											2 7 5
E900- E909	Accidents due to natural and environmental factors	M F P										4 3 4	5 4 4
E910- E929	Other accidents	M F P										75 25 49	66 22 44
E910	Accidental drowning and submersion	M F P	21 5 12	21 5 13	20 4 12	20 4 12	17 4 10	15 4 9	18 4 11	16 3 9	18 4 11	17 3 10	15 4 9
E911	Inhalation and ingestion of food causing obstruction or suffocation	M F P	10 6 8	10 [,] 7	10 8 9	12 8 10	12 9 10	11 9 10	13 10 11	15 10 12	13 10 11	12 9 10	12 9 10
E913	Accidental mechanical suffocation	M F P	8 4 6	7 3 5	7 3 5	7 3 5	8 4 6	9 3 6	8 3 6	7 4 5	7 3 5	8 6 7	9 3 6
E916	Struck accidentally by falling object	M P	1.										6 7 3
E918	Caught accidentally in or between objects	M F P											6 0 3
E925	Accident caused by electric current	MFP	5 1 3	4 1 3	4 1 2	5 1 3	1 2	5 1 3	5 1 3	4 1 3	4 1 3	4 7 2	4 1 2
E950- E959	Suicide and self-inflicted injury	M F	144 90 116	140 88 113	136 86 110	133 90 111	142 96 118	143 98 120	136 97 116	125 89 107	119 87 103	115 79 97	114 76
E950	poisoning by solid or liquid substances	M F P	18 20 19	18 21 20	18 23 20	21 28 24	27 34 31	34 42 39	36 45 40	34 45 40	31 44 38	32 43 38	94 33 46 40
E951	poisoning by gases in domestic use	M F	66 51 58	64 50 57	64 45 54	59 44 51	62 44 53	60 41 50	52 37	43 29 36	40 27	35 21	27 14
E952	poisoning by other gases	M F	3 0	2	4 0	4 0	4 0	4 0	5 0	5 0	33 6 0	28 5 0	8
E953	by hanging, strangulation and suffocation	M F P	22 5	20 5	19	20 6	20	19	20	17 5	18 5	18	19 5
		P	13	12	12	13	13	12	12	11	11	11	12

TABLE 8 (Rates) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	Suicide and self-inflicted injury												
E954	by submersion (drowning)	M F P	11 9 10	11 8 10	11 8 9	10 7 9	10 7 8	8 6 7	8 6 7	7 6 7	6 6	6 5 6	7 5 6
E955	by firearms and explosives	M F P	8 0 4	10 0 5	7 0 4	8 0 4	8 0 4	7 0 3	7 0 3	8 0 4	7 0 4	7 1 4	7 0 4
E960- E969	Homicide and injury purposely inflicted by other persons	M F P	5 4 5	5 6 5	6 5 5	7 4 6	5 6 6	6 5 5	6 6	6 5 6	8 6 7	7 6 7	8 7 7
E980- E989	Injury undetermined whether accidentally or purposely inflicted	M F P										27 19 23	30 20 25
E980	Poisoning by solid or liquid substances	M F P	3 4 4	4 4 4	4 5 5	5 5 5	6 6	7 7 7	6 8 8	7 8 8	8 9	8 10 9	9 10 9
E984	Submersion (drowning)	M F P	11 4 8	12 4 8	11 4 7	11 4 7	9 4 6	8 3 6	10 4 7	9 3 6	10 4 7	10 3 6	10 4 7
N800- N999	NXVII. ACCIDENTS, POISONINGS AND VIOLENCE (NATURE OF INJURY)	M F P	614 390 498	615 399 503	611 406 505	611 405 505	610 419 512	618 436 524	620 423 519	604 419 509	603 420 509	565 409 485	535 405 468
N800- N809	Fracture of skull, spine and trunk	M F P	187 60 121	187 64 123	190 71 129	184 69 125	173 65 117	172 65 117	181 68 123	181 71 124	182 71 125	160 72 115	145 67 105
N801	Fracture of base of skull	M F P	26 7 16	25 8 16	26 8 17	24 7 15	21 7 14	20 6 13	21 6 14	19 6 13	19 6 12	16 6 11	14 6 10
N804	Multiple fractures involving skull or face with other bones	M F P	35 11 22	37 10 23	36 12 24	36 13 24	36 12 23	34 11 23	38 12 25	40 14 27	42 15 28	36 14 25	31 13 22
N805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	M F P	11 5 8	11 4 7	11 5 8	10 5 8	11 5 8	12 5 8	12 6 9	11 6 8	12 6 9	11 5 8	10 6 8
N807	Fracture of rib(s), sternum and larynx	M F P	7 3 5	8 3 6	8 3 6	8 4 6	8 3 6	10 4 7	8 4 6	7 4 5	8 3 5	6 4 5	6 3 5
И808	Fracture of pelvis	M F P	6 5 5	5 5 5	6 5 6	6 5 5	5 6 6	5 5 5	5 5 5	6 5 5	5 5 5	5 6 6	4 5 5
N809	Multiple and ill-defined fractures of trunk	M F P	11 5 8	10 7 8	12 8 10	12 7 9	10 6 8	11 8 9	10 7 8	11 8 9	11 7 9	8 7 8	8 7 8
N810- N819	Fracture of upper limb	M F P	4 5 5	3 6 5	4 6 5	4 5 5	3 6 4	3 5 4	2 4 3	2 4 3	3 4 3	2 5 4	3 5 4
N820- N829	Fracture of lower limb	M F P	49 116 84	50 115 83	48 116 48	48 113 81	49 113 82	48 114 82	47 112 80	46 114 81	42 115 79	40 113 77	123 E4
И850	neck of femur	M F P	20 55 38	20 54 38	20 57 39	22 56 40	20 55 38	21 61 42	18 58 39	19 54 37	18 60 39	17 60 39	19 67 44
N821	other and unspecified parts of femur	M F P	20 51 36	20 50 35	18 49 34	16 47 32	19 47 33	19 44 32	18 44 31	17 48 33	15 45 30	14 43 29	14 45 30
N828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M F P	4 5 4	4 4	4 4	4 4 4	5 4 5	4 4 4	4 3 3	4 4 4	4 4 4	4.4	5 5 5
N850- N854	Intracranial injury (excluding those with skull fracture)	M F P	44 17 30	49 21 34	46 21 33	47 22 34	47 22 34	44 22 33	43 21 32	41 20 30	44 18 31	37 20 28	37 18 27
N851	Cerebral laceration and contusion	M F P	15 5 9	16 7 11	17 6 11	16 6 11	16 7 11	15 7 11	16 7 12	15 6 10	16 5 10	13 6 10	13 6 9
N860- N869	Internal injury of chest, abdomen . and pelvis	M F P										92 29 60	83 27 54
N860	Traumatic pneumothorax and haemothorax	M F P	4 1 2	1 1 2	3 1 2	2 1 2	3 1 2	4 1 2	4 1 2	1 1 3	4 1 3	6 1 4	4 1 3
N861	heart and lung	M F P	9 2 5	11 2 7	10 2 6	11 2 6	10 2 6	11 2 6	12 2 7	11 3 7	13 3 8	11 3 7	10 3 6
				I		1				L			

TABLE 8 (Rates) - continued

ICD No.	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	Internal injury of chest, abdomen and pelvic	3											
N862	other and unspecified intrathoracic organs	M F P	14 2 8	14 3 8	16 3 9	15 4 9	16 4 10	19 4 11	22 5 13	23 5 14	24 5 14	25 6 15	22
N864	liver	M F P	4 1 2	5 1 3	5 1 3	5 2 3	4 1 3	5 1 3	5 2 3	5 2 3	5 2 3	5 1 3	
N870- N879	Laceration and open wound of head, neck and trunk	M F P	11 3 7	9 2 5	9 2 5	7 2 4	8 1 4	7 2 4	6 2 4	6 2 4	6 2 4	6 2 4	
N874	Open wound of neck	M F P	7 2 4	6 1 3	6 1 3	5 1 3	5 1 3	4 1 2	4 1 2	4 1 2	1 2	1 2	
N930- N939	Effects of foreign body entering through orifice	M F P	13 7 10	11 8 10	12 8 10	13 8 11	14 9 12	13 10 11	15 11 13	17 11 14	15 10 13	14 9 11	1 1 1
N933	Foreign body in pharynx and larynx	M F P	12 6 8	10 7 9	11 8 9	12 8 10	13 9 11	12 9 11	14 10 12	16 10 13	15 10 12	13 9 11	1
N940- N949	Burn	M F P	13 19 16	12 19 16	10 17 14	12 15 14	12 20 16	13 22 17	11 17 14	10 17 14	11 16 14	11 8 9	1 1 1
N948	involving face, head and neck with trunk and limb(s)	M F P	2 5 4	3 4 4	3 4 3	4 4 4	3 5 4	4 6 5	5 7 6	3 5 4	3 5 4	4 4 4	
N960- N979	Adverse effect of medicinal agents	M F P										46 63 55	4 6 5
N965	analgesics and antipyretics	M F P										5 5 5	
N979	Alcohol in combination with specified medicinal agents	M F P										5 3 4	
N980- N989	Toxic effect of substances chiefly non-medicinal as to source	M F P										64 44 54	5 3 4
N986	carbon monoxide	M F P	90 75 82	89 76 83	92 71 81	86 71 78	94 77 85	94 78 86	81 64 72	72 53 62	69 52 60	59 42 51	5 3 4
N990- N999	Other adverse effects	M F										83 34 57	7 3 5

TABLE 9. Standardised Mortality Ratios (base year 1968), for certain causes of death, by sex, 1958 to 1968

England and Wales

- Note 1. The SMR shows the number of deaths registered in each of the years to which the table refers as a percentage of the numbers which would have been expected in those years had the sex/age mortality of a standard period (1968) been experienced in those years. For years 1967 and 1968 causes of death are classified according to the eighth (1965) revision of the International Classification of Diseases; the deaths by cause for earlier years have been adjusted to obtain comparability with the new classification. See explanatory notes 5 and 7 on pages viii and ix.
 - 2. Cells have been left blank where comparable figures are not available.
 - 3. Footnotes to Table 7 for individual causes also apply to this table.

'A' List	roothotes to Table / for Individual causes a		PP=3		June								
Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
	ALL CAUSES	M F P	102 106 104	101 105 103	99 102 101	103 106 104	104 105 104	106 107 106	98 97 98	100 98 99	101 100 100	95 95 95	100 100 100
A 5	Enteritis and other diarrhoeal diseases	M											100
A6	Tuberculosis of respiratory system	M F											100
A7	Tuberculosis of meninges and central nervous system	M F											100
А9	Tuberculosis of bones and joints	M											100
A10	Other tuberculosis, including late effects	M F											100 100
A19	Meningococcal infection	M F	145 215	190 180	115 145	123 183	160 138	157 155	94	102 135	104 117	70 102	100
A21	Other bacterial diseases	MF										79 78	100
A27	Viral encephalitis	M F										82	100
A28	Infectious hepatitis	M F	102	110 118	127 135	111 137	102	95 97	73 88	76 112	74 109	65 101	100
A29	Other viral diseases	M F						0,		alle alle Eu	200	74 96	100
A36	Syphilis of central nervous system	M F	275 412	320 412	262	233	174 232	216 265	116 210	140 236	122 221	117 135	100
A37	Other syphilis	M F							320	200		200	100
A44	All other infective and parasitic diseases	M F										90	100
A45	Malignant neoplasm of buccal cavity and pharynx	M											100
. A46	Malignant neoplasm of oesophagus	M F											100
A47	Malignant neoplasm of stomach	M											100
A48	Malignant neoplasm of intestine, except rectum	M F											100
A49	Malignant neoplasm of rectum and rectosigmoid junction	M	110	107 105	105	100 95	101	100	99	97 94	97 96	99 96	100
A 50	Malignant neoplasm of larynx	M F											100 100
A51	Malignant neoplasm of trachea, bronchus and lung	M	80 62	84 63	86 68	88 72	91 75	93 78	95 82	97 86	97 90	99 96	100 100
A52	Malignant neoplasm of bone	M F	118 139	109 122	110 115	114 117	104 115	90 105	83 110	108	92 88	98 103	100
A53	Malignant neoplasm of skin	M F	96 94	100 95	100 95	100	96 93	95 91	94	103 106	105	100 97	100 100
A54	Malignant neoplasm of breast	M F	98 96	83 92	84 95	106 96	103	91 97	108	102	125 98	113	100
A55	Malignant neoplasm of cervix uteri	F	118	110	111	106	106	104	108	102	103	101	100
A56	Other malignant neoplasm of uterus	F											100

TABLE 9 (S.M.R's) - continued

IAI Tion				10-0	1077	1000	4000	4000		1000	1000	1005	1000
'A' List Number	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
A57	Malignant neoplasm of prostate	M	100	99	100	100	104	103	100	105	102	100	100
A58	Malignant neoplasm of other and unspecified sites	M F											100
A59	Leukaemia	M F										93 94	100 100
A60	Other neoplasms of lymphatic and haematopoietic tissue	M F										97 101	100 100
A61	Benign neoplasms and neoplasms of unspecified nature	M F											100 100
A63	Thyrotoxicosis with or without goitre	M	191 150	260 156	187 161	195 147	294 142	142 134	176 103	179 107	120 106	188 108	100 100
A64	Diabetes mellitus	M F											100 100
A65	Avitaminoses and other nutritional deficiency	M F										84 94	100 100
A66	Other endocrine and metabolic diseases	M F										82 96	100 100
A67	Anaemias	M F											100 100
A68	Other diseases of blood and blood-forming organs	M F	104 105	105 102	104 90	113 111	113 111	95 98	112 88	117 95	118 93	104 91	100 100
A69	Psychoses	M F										10€ 86	100 100
A70	Neuroses, personality disorders and other non-psychotic mental disorders	M F										102 78	100 100
A71	Mental retardation	M F										79 128	100 100
A72	Meningitis	M F	114 100	103 93	115 108	113 109	123 122	109 118	122 129	112 118	96 115	108 104	100 100
A73	Multiple sclerosis	M F	105 114	109 116	110 112	106 115	96 108	105 103	102	99 98	98 106	94 90	100 100
A74	Epilepsy	M F	109 127	104 103	98 114	114 117	108 118	109 118	95 96	99 106	103 96	103 92	100 100
A78	Otitis media and mastoiditis	M F	154 102	206	138 104	133 118	169 90	126 139	130 128	121 107	112	102 86	100
A79	Other diseases of nervous system and sense organs	M F										97 101	100
A81	Chronic rheumatic heart disease	M F	145 139	136 130	138 131	140 136	139 132	130 125	115 109	112 111	109 106	108 103	100 100
A82	Hypertensive heart disease	M F											100 100
A83	Ischaemic heart disease	M F											100 100
A84	Other forms of heart disease	M F											100 100
A85	Cerebrovascular disease	M F											100 100
A86	Diseases of arteries, arterioles and capillaries	M F	91 92	88 92	90 95	93 99	96 99	101 102	90 93	94 95	96 99	93 95	100 100
A87	Venous thrombosis and embolism	M F										100 96	100 100
A88	Other diseases of circulatory system	M F										85 91	100 100
A89	Acute respiratory infections	M F	134 140	134 137	105 102	122 127	126 131	139 141	94 97	93 83	101	86 80	100 100
		F										91	

TABLE 9 (S.M.R's) - continued

'A' List				T						1		T	
Number	Cause of death		1958	1959	1360	1961	1962	1963	1964	1965	1966	1967	1968
A 90	Influenza	M F	70 50	225 166	32 22	199 145	86 71	82 69	28	22	90 75	21	100
A91	Viral pneumonia	M											100
A92	Other pneumonia	М											100
A93	Bronchitis, emphyema and asthma	F M											100
A95	Empyema and abscess of lung	F M	136	118	123	124	123	122	115	125	104	95	100
A96	Other diseases of respiratory system	F	154	138	163	141	112	178	105	132	132	130	100
A98	Peptic ulcer	F											100
		F											100
A99	Gastritis and duodenitis	M F	162 132	147 114	140 109	175 94	156 81	141 122	135 83	142	94 93	1 55	100 100
A100	Appendicitis	M F	238 204	220 166	185 164	180 170	171 152	146 149	133 129	134	112 121	106 107	100 100
A101	Intestinal obstruction and hernia	M F										201	100
A102	Cirrhosis of liver	M F	95 87	91 94	99	106 98	99 92	99 93	92	100 96	100 93	92 96	100
A103	Cholelithiasis and cholecystitis	M F	149	143 158	125 154	121 145	122	119 122	118 123	114	108 112	101 104	100
A104	Other diseases of digestive system	M		200	204	140	101	144	140	114	114	104	100
A105	Acute nephritis	M											100
A106	Other nephritis and nephrosis	M	168	149	150	138	128	121	105	104	98	89	100
A107	Infections of kidney	F	186	166	158	148	146	129	116	107	96	94	100
A108	Calculus of urinary system	F	165	177	176	174	166	158	115	130	105	96	100
A111	Other diseases of genito-urinary system	F M	139	134	133	123	124	132	121	106	77	111	100
A112	Toxaemias of pregnancy and the puerperium	F										4.74	100
A113	Haemorrhage of pregnancy and childbirth	F	228	195	223	198	192	1 50	93	119	131	131 63	100
. A115	Other and unspecified abortion	F										74	100
A116	Sepsis of childbirth and the puerperium	F	165	168	140	122	159	99	122	99	88	62	100
A117	Other complications of pregnancy, childbirth and the puerperium	F										86	100
A119	Infections of skin and subcutaneous tissue	M F	213 133	197 120	170 117	189 119	129	121	165 103	137	100 98	101	100
A120	Other diseases of skin and subcutaneous tissue	M F										101	100
A121	Arthritis and spondylitis	M	95 108	95 107	103 109	93 106	94 106	94 102	89	85 95	85 93	86 94	100
A122	Non-articular rheumatism and rheumatism unspecified	M F	135 61	100 65	85 72	148 79	98 59	105 51	118	131	137 76	141 71	100
A 1 23	Osteomyelitis and periostitis	M F	297	235 183	244 155	209	200	154 148	176 89	126 104	185	142	100
A124	Ankylosis and acquired musculoskeletal deformities	M F										82 94	100

TARLE 9 (S.M.R's) - continued

'A' List	Cause of death		1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
Number 1.125	Other diseases of musculoskeletal system and connective tissue	M F										96 88	100
A127	Congenital anomalies of heart	M F	114 102	110	113 114	115 117	123 118	126 116	116 109	111 104	107 100	102 92	100 100
A128	Other congenital anomalies of circulatory system	M F	113 108	110 113	112 120	115 124	121 125	124 124	114 116	109 112	106 107	101 100	100 100
A130	All other congenital anomalies	M F										97 105	100 100
A137	Symptoms and other ill-defined conditions	M F									·	71 64	100 100
AE138	Motor vehicle accidents	M F	104 77	113 87	119 101	118 99	110 93	110	124 104	125 111	124 107	115 111	100 100
AE139	Other transport accidents	M F										114 146	100 100
AE140	Accidental poisoning	M F										103 108	100 100
AE141	Accidental falls	M F	117 111	122 111	109	108 105	115 103	118 106	106 98	104 96	105 98	95 95	100 100
AE142	Accidents caused by fires	M F										86 87	100 100
AE143	Accidental drowning and submersion	M F	142 131	145 126	136 114	135 112	115 105	103 98	123 103	106 84	119 106	116 89	100 100
AE144	Accident caused by firearm missiles	M F	206	189 108	148 107	187 106	187 42	164 147	126 104	132 21	113 82	125 142	100 100
AE145	Accidents mainly of industrial type	M F											100 100
AE146	All other accidents	M F		¢									100
AE147	Suicide and self-inflicted injury	M F	124 118	121 115	118 112	116 118	124 125	125 129	119 128	109	105 114	101 104	100 100
AE148	Homicide and injury purposely inflicted by other persons; legal intervention	M F	69 68	67 93	76 70	94 67	74 87	76 79	75 84	84 79	101 92	. 96 . 96	100
AE149	Injury undetermined whether accidentally or purposely inflicted	M F										92 96	100 100

TABLE 10. Death rates from certain causes: rates per 100,000 population by age group and infant deaths per 1,000 live births, by sex, 1965 to 1968

England and Wales

Note 1. The ICD codes shown against the cause headings are Eighth Revision categories; approximately comparable Seventh Revision numbers are shown alongside in brackets.

2. See Explanatory Notes 1 and 5 on pages

Z. See Expl	anatory Not		Males					Females		
Age	Seven	th Revision	ICD	Eighth Rev	ision ICD	Seven	th Revision	ICD	Eighth Rev	vision ICD
	1965	1966	1967	1967	1968	1965	1966	1967	1967	1968
					All c	auses				
A11 ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	1,220 87 45 103 180 1,411 5,327 13,692 21.48	1,239 92 43 106 176 1,404 5,395 14,137 21.40	1,181 83 43 97 166 1,343 5,150 13,164 20.27	1,181 83 43 97 166 1,343 5,150 13,164 20 · 27	1,241 87 42 91 164 1,372 5,370 14,385 20.67	1,088 76 30 42 126 730 2,835 10,030 16.39	1,114 75 27 43 121 730 2,856 10,337 16.46	1,068 70 28 42 116 708 2,713 9,686 16:31	1,068 70 28 42 116 708 2,713 9,686 16.31	1,136 73 29 39 115 729 2,816 10,486 15.77
					ses ICD Nos					
All ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	1,159 62 27 36 133 1,345 5,223 13,406 20.57	1,179 65 24 37 129 1,340 5,297 13,846 20.53	1,125 58 23 34 122 1,281 5,059 12,905 19.49	1,125 58 23 34 122 1,281 5,059 12,905 19.49	1,187 61 24 35 123 1,314 5,279 14,116 19.86	1,046 60 22 27 108 695 2,758 9,743 15.66	1,072 57 20 28 105 696 2,780 10,045 15.80	1,028 55 20 25 100 675 2,641 9,410 15.68	1,028 55 20 25 100 675 2,641 9,410 15.68	1,095 55 21 24 99 697 2,748 10,200 15·10
			Tuk	erculosis,	all forms I	CD Nos: 010	0-019 (001-0	19)		
All ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	7.1 0.36 0.06 0.29 2.1 12 35 39 0.00	7.2 0.35 0.08 0.37 1.9 13 33 41 0.01	6·1 0·52 0·22 1·9 9·9 31 33 0·01	6.2 0.52 	6·3 0·52 0·08 0·22 1·6 11 29 39 0·00	2.6 0.44 0.09 0.29 1.7 3.7 6.7 9.4 0.01	2.7 0.56 0.12 0.20 1.7 4.2 6.7 9.6 0.00	2.5 0.55 0.06 0.17 1.3 3.6 5.8 11	2.5 0.55 0.06 0.17 1.4 3.6 5.8 11	2·4 0·18 - 0·14 1·5 3·4 6·3 9·5
			A11	. malignant	neoplasms I	CD Nos: 140	-209 (140-2	05)		
All ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	248 10 8.5 9.9 37 394 1,255 1,893 0.08	251 11 7.0 10 35 391 1,266 1,977 0.05	254 9.9 6.7 9.9 33 388 1,292 1,984 0.08	255 9.5 6.8 9.9 33 389 1,295 1,987 0.08	258 10 6.6 9.8 35 389 1,308 2,029 0.06	199 8.6 5.7 7.1 46 276 616 1,056 0.05	201 8.6 5.1 6.4 44 277 621 1,070 0.06	203 7·9 5·8 6·4 44 280 624 1,063 0·07	204 7.9 5.8 6.4 44 280 627 1,066 0.08	206 9.7 .5.5 6.7 42 285 634 1,077 0.04
			Ма	lignant neo	plasm of st	omach ICD N	os: 151 (151)		
All ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	32 - 0.06 2.9 50 171 271	32 - 0.03 3.1 48 173 278	32 - 0.03 0.17 2.5 47 168 275	32 	31 - 0.08 3.2 45 164 253	23 - 0.06 2.1 19.8 78.8	23 - 0.12 1.6 20 78 178	22 - 0·11 1·7 19 75 170	22 - 0.11 1.7 19 75 169	22 - - 0.06 1.8 18 73 173
							CD Nos: 153			
All ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	28 - 0.03 0.20 3.2 36 142 313	29 - 0·28 3·3 37 146 320	29 - 0·22 3·3 37 142 323	29 - 0.22 3.3 37 143 323	30 - 0·11 3·5 38 147 340	33 - 0·18 4·0 33 111 235	32 - 0·12 3·2 33 103 237	33 - 0.09 3.9 34 105 243	34 - 0.03 0.09 3.9 34 105 243	35 0.03 0.09 3.9 34 109 253

			1112011	20 (1640)	, ,					
			Males					Females		
Age	Seven	th Revision	ICD	Eighth Rev	ision ICD	Seven	th Revision	ICD	Eighth Rev	lsion ICD
	1965	1966	1967	1967	1968	1965	1966	1967	1967	1968
			Ma	lignant neo	plasm of par	ncreas ICD N	Nos: 157 (15	7)		
All ages	10	11	10	10	11	8 · 8	9.0	9.1	9.1	9.1
1-4 5-14	-	-	0.03	0.03	-	-	-	- 0.06		0.06
15-24 25-44	0·03 1·3	0·03 0·88	1.1	1-1	1.2	0.53	0.85	0.06	0.06	0.81
45-64 65-74	16 52	17 50	16 52	16 52	17 56	9·2 31	9•3 32	9·8 33	9·8 33	10 31
75 and over Infant mortality	86	97	. 87	87	95	61	60	58	58	59 -
		Mal	ignant neop	lasm of tra	chea, broncl	hus and lun	g ICD Nos:	162 (162, 1	.63)	
All ages	96 0•06	97 0•06	100	100	101	17	18	19	19	20 0•06
1-4 5-14	0.03	0.03	-	-	0.03	0-18	0·03 0· 1 4	0.06	0.06	0·03 0· 1 4
15-24 25-44	0·32 9·1	0·34 9·1	0·42 7·9	0.42 7.9	0•25 8•0	0·18 3·1	3.5	3.1	3.1	2.9
45-64 65-74	187 533	185 527	183 564	183 563	181 565	30 59	30 64	33 66	33 66	33 72
75 and over Infant mortality	435	475	505	505	530	59 -	63	65	65	68
			Ma	alignant neo	plasm of bro	east ICD No	s: 174 (17 0)		
All ages	0.35	0 • 43	0.38	0.36	0.32	39	40	41	41	41
1-4 5-14		•	-	-	-	- 10	0.07	0.11	0.14	0·03 0·17
15-24 25-44	0.03	0.13	0.03	0.03	0.07	0• <i>12</i> 13	0·03 13	0.14	14	12
45-64 65-74	0·46 2·0	0.84 1.8	0·69 1·5	0.67	0·52 1·6	70 104	71 103	72 108	72 108	74 109
75 and over Infant mortality	3.3	2.4	3.3	3.1	-2+3	161	163	167	167	158
			Malign	ant neoplas	m of uterus	ICD Nos: 1	80-182 (171	-174)		
All ages			1	1		16	16	15	16 0.12	16 0•12
1-4 5-14						-	0.03	0.12	- 1	-
15-24 25-44						0• 15 6•8	0·14 5·7	0·11 5·2	0.11	0 ·17 4·8
45-64						29 44	27 48	27 45	28 45	29 4 3
65-74 75 and over Infant mortality						55	58	54	54	57
Tilletio mor occiro		Malignan	t neoplasm	of ovary, f	allopian tu	be and broa	d ligament	ICD Nos: 18	33 (175)	
All ages			1	1	1	13	13	13	13	14
1-4 5-14						0.06	0.12	0.18	0.18	0.09
15-24 25-44						0 • 68 3 • 9	0·40 3·8	0.31	0.29	0•3 1 3•7
45-64 65-74						27 38	26 41	26	26 39	26 41
75 and over Infant mortality						34	38	37	37	40
The state of			Ma:	Lignant neop	lasm of pro	state ICD N	os: 185 (17	77)		
All ages	17	17	17	17	17	1		1		
1-4 5-14	0.03	-	0.03	0.03	0.06					
15-24 25-44	0.11	0.11	0.05	0.05	0.06					
45-64	8.9	8.0	7.6	7.7	8.0					
65-74 75 and over	84 319	79 322	82 305	82 306	81 304					
Infant mortality	-	-	-	-	-					

			Males					Females		
Age	Sever	nth Revision	ICD	Eighth Re	vision ICD	Seve	nth Revision	n ICD	Eighth Re	vision ICD
	1965	1966	1967	1967	1968	1965	1966	1967	1967	1968
			Ma	lignant ne	oplasm of bl	ladder ICD	Nos: 188 (1	81)		
All ages	10 0 • 06	11	11 0.06	11 0·06	11 0.06	4.3	4.2	4.2	4.2	4.4
5-14 15-24 25-44	74	0.03	0.03	0.03	-	-	-	0.18	0.18	0.06
45-64 65-74	0 · 74 13 56	0 · 49 13 61	12 60	0·43 12 60	0 · 53 13 58	0·26 3·6	0·15 3·5	0·22 3·3	0·22 3·1	0·14 3·6
75 and over Infant mortality	108	115	120	121	126	14 37	15 32 0.00	14 35	14 35	35
			Acute 1e	ukaemia ICI	Nos: 204 · 0	·), 205·0, 20		(204.3)	•	
All ages 1-4	3⋅1 3⋅8	3·3 3·5	3·3 3·8	3.4 3.8	3.9	2.9	2 · 8 3 · 8	2.9 2.9	2.9	3.1
5-14 15-24	2.7	2.4	2·6 1·5	2·6 1·5	3.0	2.3	2.0	2.2	2·9 2·1 1·2	3·9 2·2 1·4
25-44 45-64 65-74	1.7 3.1 8.5	1.6	1.5	1.6 4.0	1.8	1·4 2·9	1·6 2·8	1.4	1.6	1.4
75 and over Infant mortality	11 0.02	8·8 15 0·01	8 · 7 17 0 · 02	9•0 16 0•02	11 16 0.02	6 · 4 8 · 6 0 · 01	5·5 9·4	5·6 10	5·8 9·7	6 · 5 9 · 2
		, , ,	,		aemia ICD N		(Rem. 204)	0.02	0.02	0.01
All ages	3·2 0·54	3·4 0·47	3.3	3·2 0·47	3 • 2	2.8	2.5	2.6	2.5	2.7
5-14 15-24	0 •60 0 • 35	0·54 0·45	0.39	0.39	0.58 0.30 0.11	0·31 0·36 0·35	0·43 0·21 0·14	0.06 0.15 0.23	0.06	0·37 0·34
25-44 45-64	0 · 95 4 · 4	0 · 96 3 · 9	0·85 4·3	0·67 4·2	0·71 4·3	0·71 3·0	0·87 2·7	0.90	0·17 0·69 2·8	0.23 0.59 3.1
65-74 75 and over Infant mortality	14 25 0•01	16 30	16 24 0•00	16 25	15 27	8 · 7 17	7.1	7·3 16	7·1 16	7·6 17
			, 0.00	Diabete	s mellitus	ICD Nos: 25	0.00	-	1 -	0.01
All ages	6·3 0·18	6·5 0·12	6.4	6 • 4	7.3	11	11	11	11	12
5-14 15-24	0·14 0·37	0.17	0·12 0·25 0·42	0·12 0·31 0·39	0.06 0.27 0.28	0.06 0.33 0.26	0·25 0·2 1 0·09	0·12 0·23	0.18	0·31 0·43
25-44 45-64	1·5 6·6	1·5 7·0	1.5 6.6	1·5 6·7	1.5	0 · 89 7 · 3	1.1	0·40 0·88 7·3	0.43 0.90 7.3	0·34 1·1 7·9
65-74 75 and over Infant mortality	29 76 0•0 1	31 74	31 73	30 74	34 91	44 89	43 90	4 2 8 4	42 85	44 87
Interio mor carrey	0.07	0.00 All	0.00 diseases of	0.00	o.00	0.00	390_458 (33)	0.00	0.00	.0•00
All ages	596	596	575	578	602	597	600	580	108 <i>)</i> 582	610
1-4 5-14 15-24	1·3 1·1 4·9	1.3	1.7 0.94	1·5 0·89	0·82 1·1	1.4	1.1	0·92 0·93	0·92 1·1	1·2 1·1
25-44 45-64	59 676	5•1 57 662	4 • 4 56 646	4·5 56 649	4·1 55 666	3·5 27 280	4·1 26 272	3 · 8 24 266	3·6 24 267	3·1 25
65-74 75 and over	2,725 7,881	2,718 7,948	2,612 7,455	2,626 7,487	2,702 7,949	1,605 6,522	1,575 6,571	1,505 6,231	1,511 6,253	271 1,543 6,564
Infant mortality	0.08	0.12						0.07	0.10	0.11
All ages	24	22	21 i	21	disease ICD 20	Nos: 400–40	04 (440-447) 29) 26	25	25
1-4 5-14 15-24	-	0.06	_	_	_	0·06 0·03		- 0•03	0.03	0.03
25-44 45-64	0•26 2•5 28	0•37 2•4 26	0•31 2•4 24	0•34 2•5 25	0• 1 9 2•7 25	0·12 1·3	0·20 1·3	0·11 0·95	0.14	0·14 1·5
65-74 75 and over	115 303	108 272	98 250	98 249	92 237	14 94 309	14 86 295	12 74 265	12 74 258	13 73 250
Infant mortality	0.00	***	-	-	0.00	-	0.00	-	230	0.00

			Males					Females		
Age	Seven	th Revision	ICD	Eighth Rev	ision ICD	Seven	th Revision	ICD	Eighth Revi	lsion ICD
	1965	1966	1967	1967	1968	1965	1966	1967	1967	1968
			Iscl	naemic heart	disease IC	D Nos: 410-	414 (420, 4	.22)		
All ages	354	352	343	319	337	273	273	263	219	236
1-4 5-14	0.12	0·06 0·17	0·12 0·11	- 70	0•06 0•03 0•39	0•19 0•09 0•38	0•12 0•12 0•38	0·25 0·12 0·40	0.03	- 0•23
15-24 25-44	0 · 81 38 467	1.0 36 458	0 • 73 36 450	0•36 35 444	35 460	6·2 118	5 · 6 117	5·5 114	5.1	6·1 113
45-64 65-74 75 and over	1,626 4,126	1,628	1,584 3,859	1,529 3,244	1,600 3,536	762 3,011	745 3,011	722 2,824	673 2,165	702 2,359
Infant mortality	0.00	0.00	0.01	0.00	0.00	0 · 02	0.00	0.01	- 1	0.00
	107	126	Ce:	rebrovascula 130	r disease I 134	190	191	187	I 187	195
All ages 1-4 5-14	137 0·30 0·55	136 0·18 0·71	0·87 0·36	0·64 0·33	0·29 0·43	0·44 0·57	0.25	0·37 0·50	0.43	0• 1 8 0• 4 3
15-24 25-44	1.5	1.4	1.5	1.6	1.1	1.1	1·3 7·4	1.6 8.1	1.6	1.4
45-64 65-74	107 645	103 629	100 595	99 593	101 597	85 497	83 493 2,122	83 472 2,038	83 471 2,033	83 474 2,143
75 and over Infant mortality	2,200	2,248	2,115	2,114	2,208	2,109	0.04	0.01	0.04	0.02
			Puli	monary embol						5.4
All ages	4.0	4.2	4.6 0.06	4.6 0.06	4.5	4.6	5·1 - 0·03	5.4	5 • 4	5 · 4 - -
5-14 15-24 25-44	0·03 0·37	0·11 0·41	0.03 0.08 0.49	0.03 0.08 0.48	0.08	0·03 0·48	0.26	0·11 0·68	0.11	0·03 0·66
45-64 65-74	4·9 19	5.1	5 · 4 22	5.3	5 · 4 22	3·3 17	3·9 17	4·1 17	4·1 17	3·9 16
75 and over Infant mortality	47 -	48	55	54	51	37 -	40	44	44	46 -
			Diseases	of the resp	iratory sys	tem ICD Nos	: 460-519 ((470-527)		
A11 ages	173 19	191 17	165 17	169 17	201 17	109 19	130	110 15	114 16	149 17
5-14 15-24	3.1	3·4 4·6	3.1	4.9	4·4 5·3	3·1 2·1 7·4	3·0 3·1 7·5	2 · 8 2 · 5 5 · 8	3 · 8 4 · 2 8 · 8	3 · 8 3 · 4 8 · 5
25-44 45-64 65-74	9.5 158 826	9.5 168 901	7 · 8 138 770	10 143 780	10 157 904	46 240	54 286	42 226	48 235	59 301
75 and over Infant mortality	2,327	2,640	2,295	2,303	2,950	1,177	1,423	1,202	1,208	1,642 2·83
				Influe	za ICD Nos:	470-474 (4	180-483)			
All ages	1.7	7.0	1.6	1.6	7·9 0·35	1.7	8.2	2.0 0.06		11 0•25
5-14 15-24	0.06	0.37	0.06	0.06	0.11	0.06	0.27	0.09	0.09	0•11 0•26 0•48
25-44 45-64	0.63	0.78	0·30 1·4 6·2	0·30 1·4 6·2	0.66 4.2 30	0.26 0.86 3.4	0 · 84 3 · 5 17	0.07 0.72 3.7	0.08 0.74 3.8	3·3 19
65-74 75 and over Infant mortality	5·9 27 0·01	28 113 0•03	24	24	148	18	93	24	24	140 0·03
aniano mor ocaroj		1 00)			eumonia ICD		36 (490-493,	763)		
All ages	63	71 11	63 12	62 10	77	69	79	72 11	71 9.4	92 9•7
1-4 5-14 15-24	1.8	2.2	2.3	2.1	2.4	2.1	1.8	2.0	2.0	2·1 1·1
25-44 45-64	4·0 33	3·6 38	3 · 3 29	3·4 29	3·6 37	3.4	3.1	2.8	2·8 18	3·3 24 159
65-74 75 and over	214	236	208	208 1,121 2.59	255 1,454 2.51	129 802 2·40	148 939 2·26	122 854 2·43	122 851 2·10	1,105
Infant mortality	3.08	3 • 13	2.97	2.29	2.21	2.40	2.20	2-40		

			Males					Females		
Age	Seven	th Revision	ICD	Eighth Rev	ision ICD	Seven	th Revision	ICD	Eighth Rev	ision ICD
	1965	1966	1967	1967	1968	1965	1966	1967	1967	1968
				Bronchitis	ICD Nos: 46	6, 490, 491	(500-502)			
A11 ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	94 4·3 0·63 0·75 3·1 106 533 1,047 0·49	99 3·3 0·65 0·65 3·4 106 564 1,127 0·52	87 2.7 0.47 0.45 2.7 91 485 1,005	88 4.0 0.61 0.50 2.8 91 487 1,007 0.90	100 4.5 0.54 0.50 2.7 96 540 1,204 1.06	32 2 · 8 0 · 39 0 · 32 2 · 2 20 92 296 0 · 31	35 2·8 0·51 0·49 1·9 22 105 327 0·35	29 3.0 0.44 0.63 1.7 18 87 263 0.39	30 4·2 0·44 0·63 1·7 19 87 264 0·71	37 5·1 0·37 0·37 1·5 22 100 332 0·78
411					thma ICD No					
All ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	3.9 1.1 1.5 2.2 3.0 6.0 11 9.8 0.01	3.9 0.59 1.5 2.3 3.0 5.6 12	3·3 0·47 1·7 1·7 2·4 5·2 8·5 9·2 0·00	3.0 0.47 1.7 1.6 2.2 4.6 7.4 7.7	2.7 0.70 1.0 1.3 1.7 3.9 8.7 11	4.8 1.0 2.3 3.8 7.8 9.4 9.2 0.00	4.6 0.37 1.3 2.7 3.3 6.9 9.3 11	3.9 0.61 1.1 1.7 3.0 5.8 9.0 8.8	3.8 0.67 1.1 1.6 2.9 5.6 8.7	3.2 0.61 0.60 1.3 2.1 4.9 8.3 7.6
				Peptic ul	cer ICD Nos	: 531-533 (540, 541)			
All ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	11 0.06 0.06 1.4 12 53 136 0.00	11 - 0·17 1·3 13 54 134 0·00	10 0.06 0.06 0.11 1.5 11 50 123 0.00	10 0.06 0.06 0.11 1.5 11 50 124 0.01	11 - 0·25 1·2 12 61 131 0·01	5.9 -0.06 -0.36 3.7 15 60 0.00	6.0 0.06 0.44 3.6 16	5.9 0.06 0.06 0.09 0.61 3.6 16	5.9 0.06 0.06 0.09 0.63 3.6 16 56 0.01	6·1 0·12 - 0·48 3·5 16 62 0·00
				Appendici	tis ICD Nos	540-543 (5	550-553)			
All ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	1.2 0.78 0.49 0.32 0.35 1.5 4.1 9.4 0.01	1.0 0.70 0.45 0.40 0.29 1.2 3.6 7.2 0.00	0.96 0.64 0.31 0.34 0.23 1.1 3.5 8.1 0.01	0.94 0.64 0.31 0.34 0.21 1.0 3.4 7.9 0.01	0.89 0.82 0.32 0.33 0.20 1.0 3.0 7.4 0.00	0.95 0.44 0.42 0.18 0.25 0.67 3.1 5.9	0.87 0.43 0.30 0.74 0.28 0.84 2.2 5.1	0.77 0.31 0.20 0.09 0.20 0.51 1.9 5.8 0.01	0.75 0.31 0.20 0.09 0.19 0.48 1.9 5.7	0·71 0·25 0·20 0·14 0·17 0·69 2·1 4·0 0·00
			Nep	hritis and	nephrosis IC	CD Nos: 580-	584 (590-59	94)		
All ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	6.7 0.42 0.55 2.6 3.4 9.6 22 50 0.02	6·4 0·35 0·42 1·6 3·4 8·9 22 49 0·02	6·1 0·17 0·47 2·0 2·7 8·8 20 49 0·02	5.0 0.17 0.47 1.8 2.5 7.3 16 37 0.01	5.7 0.47 0.46 1.5 2.5 8.5 18 46 0.02	5.4 0.25 0.85 1.1 1.7 5.6 14 35	5·1 0·19 0·30 1·1 1·8 5·7 13 31 0·01	5.0 0.31 0.47 0.91 1.8 5.0 13 32 0.01	4.2 0.31 0.41 0.80 1.7 4.3 11	4.5 0.25 0.20 0.77 1.7 4.7 13
			A11	violent car	uses ICD Nos	: E800-E999	(E800-E999)		
All ages 1-4 5-14 15-24 25-44 45-64 65-74 75 and over Infant mortality	60 25 19 67 47 66 104 286 0+90	60 27 19 69 47 64 98 291 0 • 87	57 28 20 64 44 62 91 259 6•78	57 25 20 64 44 62 91 259 0.78	53 26 18 56 41 58 90 209 0 • 81	42 17 7 · 8 15 17 35 77 287 0 · 73	42 19 7 · 6 15 16 35 76 292 0 · 65	41 16 8·9 17 16 33 72 276 G·63	41 16 6·9 17 16 33 72 276 0·63	40 18 6.0 15 15 32 66 286 5.67

TABLE 10 (Rates) - continued

				(3,3,3,3,3,3,3,3,3,3,3,3,3,3,3,3,3,3,3,						
			Males					Females		
(Lee)	344-	- 2- 1:11		Bigni (Per	LELET III	Seven	th Revision	700	Eighth Rev	ision ICO
	1971	1900	1947	1967	1986	1905	1986	1927	1967	1985
			Moto	r vehicle to	raffic acci	ients ICD N	os: E810-E8	19 E810-E8	325	
All ages	23 6-2 9-7 9-7	9-7 9-5 9-5	21 11 9-0	21 11 9.0	18 8·5 9·3	9-0 5-9 4-7	8.7 5-9 4.6	8 · 9 5 · 2 4 · 2 9 · 0 8 · 0 19 19 0 · 02	8.9 5.1 4.0 9.5 4.1 6.0 15 34 0.02	8-1 5-8 4-8 8-7 3-2 7-2 17 28
		Accidents in	the home	and resident 6.0 and .7 -	ial institu	tions ICD ! certain fig	ios: E850-0 cures from t	and ·7 - E	929.0 AMD .7	7
All ages	12 9-4 1-5 2-8 4-0 0-76	12 11 1*6 3*2 4*1 146 146 0*71	11 6.3 1.7 3.2 3.3 123 0.61	Not available	10 11 1.9 2.4 3.0 18.2 121 0.63	19 5 · 4 1 · 4 2 · 6 202 0 · 51	19 9-8 1-0 1-0 2-6 7-7 10 205 C-52	18 7 · 5 1 · 2 1 · 4 3 · 4 7 · 5	avelledi-	17 6-1 1-3 2-5 2-5 24 186
	ī=;	ury occurra	ng in the h	come and res	idential in d ICD Nos: 1	stitutions E980-0 and	undetermine •7 - E989•0	d whether a	accidentally	or
All ages		res include previous gr		Not available	0 - 96 0 - 17 0 - 05 0 - 50 0 - 37 1 - 8 1 - 7 1 - 7		res include previous gr		Not anailacie	0.95 0.08 1.03 1.23 1.61 1.61 1.61 1.61 1.61
		St	icide and	self-inflict	ed injury I	CD Nos: E95	0-E959 (E96			
All ages	13 0 · 99	12 0-06 6-3 20 80 80 80 80 80 80 80 80 80 80 80 80 80	0.08 6.2 1 20	12 0-08 5-2 19	0.05 5.5 19	9-0 - 2-5 16	8-8 0-03 3-0 15	8-0 - - - - - - - - - - - - - - - - - -	7.9	7-6 0-06 3-5 8-7 18

TABLES 11 and 12. Temporarily suspended

TABLE 13. Home population, live births, stillbirths, deaths, infant mortality and perinatal mortality, 1968

England and Wales, standard regions, sub-divisions of standard regions, Wales, conurbations, urban and rural aggregates, hospital regions, counties, Greater London, City of London, London and county boroughs, urban and rural districts

The perinatal mortality rate is the number of deaths under one week plus stillbirths per 1,000 total live and still births. For explanation of symbols *, +, used in this table see explanatory note 11 on page Note 1.

		diii38	21 2	11,848		962	196	234 13 13 83	1,290	492	118 94 88 203 205	214	1,947	727	1123 1233 1245 1245 1289 1289	29 88 145	3 877	\$ 482	179	101 101
		Deaths T we	20	8,682		552	132	261 167 284 83	935	383	58 74 70 28 136	159	1,424	562	0440 0470 0470 0470 0470 0470	4 8 C C C C C C C C C C C C C C C C C C	566	316	134	108
		sdiasd ew A	19	10,125		675	158	312 207 25 25 53 78	1,081	453	78 78 79 34 151	176	1,661	312	1115 168 449 23	23 72 98	658	363	155	130
W 2. S.		Rate per 1,0	18	18		20	20	221	20	23	120 110 110 110 110	227	21	23	00000	2020	17	18	118	911
Deaths under		JaqunN	17	14,982		1,057	260	495 344 234 47	1,654	710	121 121 118 118 242 232	243	2,486	981	167 236 999 668 39	72 33 118 154	989	548	321	200
	eden	Ratio of local death salusted death taroitan of	16	1.00		1:11	1-17	1110000	1.07	1.11	1.07 0.98 0.98 0.95	1.10	1.13	1.15	400.11	11.00.1 000.1 040.0	1.00	1.05	1.07	000
		Comparability factor	15	1.00		1.11	1-14	1.15200.91	1.05	1.01	1,12	1.27	1.07	1.16	1.01	0.77	1.05	1.10	1.14	0.98
	ú	ted etat burd 1,000 home nottaluqoq	14	11.9		11.9	12.2	112111	12.1	13.1	110.31	10.3	12.6	12.0	201111111111111111111111111111111111111	120.00	11.3	11.4	11.5	S-111 S-111
Deaths		Total	13	576,754		39,856	10,240	19,567 10,179 1,964 3,572 4,574	58,132	22,666	5,240 5,253 5,253 1,944 9,034	8,062	85,268	30,755	6,380 7,686 31,464 20,347 1,468	4,952	37,699	20,135	11,656	7,866
		ſz ₄	12	283,541		18,833	4,838	9,136 4,687 947 1,825 2,238	28,399	11,505	2,632 1,542 2,647 954 4,211	3,600	42,073	15,246	3,123 3,690 15,599 10,021	2,510 973 1,903 3,543	18,176	9,586	5,934	23,863
		M	11	293,213		21,023	5,402	10,431 5,492 1,017 1,747 2,336	29,733	11,161	2,708 1,711 2,586 990 4,823	4,462	43,195	15,509	3,257 3,996 15,865 10,326	2,442 946 1,956 3,650	19,523	10,549	4,545	2,367
	9389	sool to ottan indicated the standard batter of anottan	10	1.00		0.94	0.88	01000	1.04	1.08	100000000000000000000000000000000000000	1.03	1.06	1.09	111101	000000000000000000000000000000000000000	1.04	1.03	1.04	1.007
		Comparability forcor	0	1.00		66.0	0.98	0.98 0.97 1.09 1.03	1.01	1.03	000000000000000000000000000000000000000	1.04	1.03	1.04	1.000	1.16	1.00	66.0	0.0	1.02
		Crude rate per 1,000 home population	00	16.9		16.1	15.2	17.77	17.4	17.7	17.0	18.2	17.4	17.7	17.71	18.01	17.6	17.5	16.9	18.5
hs		Total	7	819,272		53,857	12,834	25,749 16,082 1,961 4,338 5,727	83,521	30,552	8,057 5,864 6,326 2,424 12,995	14,283	117,240	43,084	12,052 44,282 31,283	3,778 1,688 5,725	58,509	31,054	12,798	12,713
ive birt	timate	Ē4	9	33,991		1,919	547	926 602 47 165 179	3,628	1,548	243 290 259 78 507	519	5,330	2,408	281 286 2,433 1,374	204 70 211 376	2,342	1,324	418	232
	Illegit	M	20	35,815		2,102	580	991 717 142 203	3,730	1,636	335 282 221 75 508	571	5,598	2,505	310 340 2,547 1,449 88	209 76 211 368	2,471	1,398	919	517 245 311
	mate	E4	4	364,151		24,430	5,729	11,590 7,338 887 2,004 2,611	37,076	13,300	3,670 2,638 2,813 1,084 5,774	6,475	51,518	18,463	4,098 5,600 19,034 13,718	1,579 752 2,623 3,399	26,117	13,734	5,708	5,709
	Legiti	1	Ю	385,315		25,406	5,978	12,242 7,425 978 2,027 2,734	39,087	14,068	3,709 2,654 3,033 1,187 6,206	6,718	54,794	19,708	4,281 5,826 20,268 14,742 827	1,786 790 2,680 3,594	27,579	14,598	6,193	6,020 3,113 3,848
	Estimated home population	30th June 1968 (but see Emplonatory Note 'Changes in	a	48,593,000		3,341,620	842,630	1,640,160 1908,250 142,300 283,760 367,150	4,802,840	1,730,290	472,560 311,630 407,730 148,950 755,430	784,890	6,754,890	2,440,520	517,740 628,930 2,508,330 1,803,880 104,560	283,610 120,850 317,060 469,930	3,322,470	1,772,030	756,480	704,440 401,190 444,810
		Area	+1	ENGLAND AND WALES	Standard regions, sub-regions, and conurbations:	North	Tyneside Conurbation	Industrial North East, North Industrial North East, South Rural North East, North Rural North East, South Cumberland and Westmorland	Yorkshire and Humberside	West Yorkshire Conurbation	North Humberside South Humberside Mid Yorkshire South Lindsey South Yorkshire	Yorkshire Coalfield West Yorkshire	North West	South East Lancashire Conurbation Merseyside Conurbation	South Cheshire (High Peak) South Lancashire Manchester Merseyside Furness	Fylde Lancaster Mid Lancashire North East Lancashire	East Midlands	Nottingham/Derbyshire	and High Derbyshire Nottingham/Derby	Leicester Eastern Lowlands Northampton

26 28 28 22 25

+-4	a	, N	4	ıo	9	7	8	6	10	11	12	13	14	15 1	6 17	118	10	20	21	20
West Midlands	5,084,470	44,192	41,637	3,747	3,434	93,010	18.3 0.	. 97	.05 28.	506	5.730 54	250	10.7	-	1		-	0		
Central (North) Central (South)	1,125,330 571,040 554,290		9,515 5,293 4,222	677 336 341	644 349 295	21,078 11,758 9,320	1.00	95 11 10 10 10 10 10 10 10 10 10 10 10 10	797	934	9 6017	580,580	20.00	000	-	353 17 203 17	233	200	1,346 298 173	2 000 2 54 6
Conurbation Coventry Belt Rural West North Staffordshire	2,425,020 688,520 334,310 511,290	21,354 6,067 2,511 4,018	19,822 5,987 2,452 3,861	2,014 583 208 265	1,884 460 169 277	15,074 13,097 5,340 8,421		4400	90000	,820 ,567 ,066	()	1000		1001				149 149 149	189	2226
East Anglia	1,637,340	12,702	11,823	928	947	430	-	0	66		711	,403	0	92 0				226	339	21
South East North East North West South West	382,590 584,570 311,000 359,180	3,012 4,358 2,441 2,891	2,832 4,095 2,244 2,652	228 345 203 182	233 359 195 160	6,305 9,157 5,083 5,885	16.5	.008 100.000 100.0000	000 000 000 000 000 000 000 000 000 00	2,372 3,894 1,821 1,836	2,301 3,768 1,627 1,784	7,662 3,448 3,620		0000				60 64 4	1119	222 2 447
South East	17,229,500	132,788	125,490	13,305 12	,754 2	84,337	0	0 86.	66 96	10	817 2	300	9	0	4			2.910	3.725	23
Greater London Council Area	7,763,820	57,851	54,931	7,416	7,195 1	27,393	0	93 0	90 45	4.	114	90,283 1		01 0.	2 (2		7	45	,73	255
Outer Metropolitan Area West North East South East South West	5,178,720 977,530 1,131,490 917,300 760,700 613,080	42,978 8,533 9,523 7,628 6,852 4,218 6,222	40,436 8,711 7,954 6,841 4,068 5,923	2,8882 7088 7088 7088 7088 7088 7088 7088	2,712 5,883 6,32 8,32 8,32 8,32 8,32 8,32 8,33 8,33 8	89,008 117,646 115,75 115,75 118,289 12,949	114877787 64879999	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	0100100 00000 00000 00000 0000 0000 00	2584 255 2684 255 2686 2	25,732 4,765 105 105 105 105 105 105 105 105 105 10	(0.10.10.10.00.00.00.00.00.00.00.00.00.00	00000000000000000000000000000000000000	000000000000000000000000000000000000000	.87 1,362 .87 255 .89 225 .88 221 .80 225 .81 129	ननननननन			2	100000 10000
Unter South East Essex Kent Solar Solar Beds/Bucks Berks/Oxon	4,286,960 378,640 608,380 930,350 1,601,120 259,020	21, 4, 6, 6, 7, 4, 4, 6, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7,	30,123 3,042 4,171 5,031 11,539 2,208 4,132	£ 200, £ 1 4224 4225 £ 2525 £	2,847 221 393 591 1,166 326	67,967,967,966,966,966,966,966,966,966,9	20000000000000000000000000000000000000	90008	28, 1.16 2,2,0 1.01 1.01 1.01 1.03 2,2,3	25.25.25.25.25.26.26.25.26.26.26.26.26.26.26.26.26.26.26.26.26.		641 171 171 171 171 170 170 170 170 170 17	000000-	0000000	7		750 1102 306 306 252	6600 1100 6600 1100 6600 1100 7100 1100	86 44 868 46 868 46 868 46 868 46 868 46 868 46 868 46 868 46 868 46 868 468 868 46 868 46 868 46 868 46 868 46 868 46 868 46 868 46 868 468 868 46 868 46 868 46 868 46 868 46 868 46 868 46 868 46 868 468 868 46 868 46 868 46 868 46 868 46 868 46 868 46 868 46 868 468 868 46 868 46	0000000 004000
South West	3,699,870		25,988	2,286	101,3	191	And		23				2 2	0			619	514	816	23
Central Southern Western	711,630 804,810 459,820	5,389 5,539 3,199	5,088	378 555 255	368 460 243	11,223	14.6	.09 1.	.98 .96 .3,	4 N W	,551 ,735 11 ,497 6		000	000	H H G		130	800	138	222
Northern North Gloucestershire Bristol - Severnside North Wiltshire	1,723,610 465,620 904,640 353,350	13,659 3,753 6,959 2,947	12,768 3,520 6,415 2,833	1,098 1 313 580 205	,030 296 545 189	8,555 7,882 4,499 10,174	16.6 16.9 17.5 17.5	000000000000000000000000000000000000000	99 99, 03, 04, 13,	00004	,685 ,643 ,363 ,679 3	,636 ,757 ,757	0000	98 0 0 9 9 9 9 9 9 5 0 0 9 5 9 5 1 1 0 0 9 9 4	# 010 #		308 165 755	200 500 500 500 500 500 500 500 500 500	407 999 210	22 23 22 24 25 25 25 25 25 25 25 25 25 25 25 25 25
	2,720,000	20,981	20,072	1,618	,536 4	~	\dashv	.05 1.	.01 18,	16	1.7		÷	-			809	200	240	0 0
Industrial South Wales Central and Eastern Valleys West South Wales Coastal Belt	1,840,680 646,130 463,060 731,490	14,446 5,197 3,302 5,947	13,756 4,888 3,138 5,730	1,106 1 534 223 549	,036 318 216 502	50,344 10,737 6,879 12,728	0047	003 003 004 000 004 000 000 000 000 000	.00 .01 .02 .03 .03	14	22		4400			1227	436 173 160	151 151 184 137		00000
North East Wales	219,930	1,948	1,815	144	123	4,030 1	18.3 1.	02 1.	10 1,	1,334 1,	1,171 2	505 11	4	1.05			50	. K	_	2 0
North West Wales North Cost Remainder	343,770 110,460 233,310	2,394 670	2,342	221 80 141	207	5,164 1	00.0	.19 1.	06 2,1	860 1,697 1,697 1,697	8) (4 (5)	,197 15 ,880 17	000	78 63 0.99 86 1.03			9 13 13 13 13	133		2 4 4 0
Central Wales South West Wales	84,230	1,638	542	40	109	3,471 1	14.2 1.1	44	99	588 650 1,4	585 1	44	00	011			444	10		222
<pre>urban/kural aggregates:</pre>		1																		
Areas outside conurbations:		=	9	5,314 14	,695	82,291 17	.1	97 0	98 98,	879 96,6	611 195,	490 11	.8 1.0	06 1.05	5,719	20	3,846	3,335 4	,211	26
areas with populations	6,519,060	50,627	,335	,745	H	,215	.9	-	40,	39,	012 79,	858 12	.2	03 1.06	2,128	19	1,385	1,170 1	,677	25
rban areas with populations	4,700,000	07,065	0	609,		018	.6 1	0	28,	430 28,6	652 57,	082 12	000	98 0.99	1,433	18	926	808 1	,118	24
*Bural districts	10,456,040	84,565		10	4	76,330 16	6.0	03 1.0	.03 65,5	,557 64,4	,412 129,	969 12	0 4.	94 0-98	2,960	17	2,048 1	1,742 2	542	24
	10,505,650	H5,196	78,658	4,914 4	,650 171	1,418 16	.6 1	03 1.0	.01 59,501	54	,854 114,	14,355 11	.10	98 0.91	2,742	16	1,890	1,627 2	3000	23
																	-	-	-	-

		safraq Jilstrom	22	225.6	4450	2224	288	24		24	2449444 24444 7	228073	19	24	18	10000
	trths	qttias	21	07.5 248.5 448.5 8.8	993 761 713 651	214 214 277 217	1,346	195	45	80	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	24 01 7 111 411	119	40	79	1 1 0 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		Deaths	50	523 597 839 237	577 576 530 569	321 310 419 524	1,021	96	4 1	55	6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 C O O E	16	18	79	211 111 33
		ew A Deaths	13	637 709 951 283	877 671 597 638	376 377 507 609	1,224	107	46	61	8 4 7 8 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1	26 7 7 8 8	114	25	88	2 H 2 H W W W
0 5 5		Hate per 1,	18	20 20 117	118	17 15 16 20	221	17		16	1000000 T 1	15	15	17	14	13
Deaths under		Илтрег	17	997 1,414 434 4314	1,291 970 893 898	546 537 751 867	1,770	4- 17	68	87	6 04004+	38 9 9 11 11	164	40	124	2
	97.67	sool lo oltan dasab dasutba ar Lanoitan ot	16	11.00 00.00 40.00	0.94 0.97 0.93	0.90	1.12	000		0.85	0.00 0.0920 0.0910 0.09744 0.007444	0.93 0.69 0.69 0.68	0.85	0.91	0.83	0.98 0.09 0.09 0.09 0.09
		Comparability retor	15	1.01 1.09 0.92	1.00 1.00 4.00 1.00 1.00 1.00 1.00 1.00	1.04 1.04 1.03	1.15	1010		1.04	490.10 11.00 40.00 11.00 11.00 11.00 11.00 11.00	1.04 1.04 0.97 0.78 1.42	1.06	0.97	1.09	0.00 0.00 4.00 4.00 6.00 1.10 1.10 1.10 1.10 1.10 1.10 1
		Crude rate per 1,000 home population	14	112.7	12.21	12.3 13.0 12.8	10.7	0	- 6	9.7	4	10.0 10.6 11.6 10.6	9.5	11.2	9.1	10.0 0.0 12.4 4.0
Deaths		Total	13	36,522 40,709 52,259	45,291 36,722 45,220 41,185	24,283 19,053 40,151 34,892	54,236 60,148 25,819	0 7 0 7 0 7 0 7 0 7 0 7 0 7 0 7 0 7 0 7	4	2,759	1,387 857 678 102 220 110 141	1,372 340 416 354 262	5,819	1,428	4,391	1,548 155 437 272
		Çiz _e	12	17,099 20,485 24,810 9,892	22,579 17,960 22,899 21,570	12,072 9,275 20,188 16,565	25,730 29,782 12,635	200	712	1,312	645 344 3444 106 500	637 173 175 186 103	2,956	703	2,253	830 84 234 127
		×	11	19,423 20,224 27,449 10,372	22,712 18,762 22,321 19,615	12,211 9,778 19,963	28,506 30,366 13,184	00+		1,447	712 336 334 114 60	735 167 168 159	2,863	725	2,138	718 17 203 145 03 130
	State	Athrid betsulba ar Lanoitan ot	10	0000 000 000 000 000 000	00000	1.02	1.05	0	4 (1)	1.08	10011111111111111111111111111111111111	1.052 1.022 0.88	1.03	1.12	1.01	1.05
		Comparability factor Ratio of loca	o	0000 0000		1.05	1.06	9		0.94	00.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	0.000.00 0.000.00 0.000.00	0.95	1.01	0.93	0.00 0.00 0.00 0.00 0.00 0.00 0.00
		Crude rate per 1,000 home population	8	16.2 17.0 17.6 16.2	16.7 15.9 15.9	118.3	17.1	7.00	2.0		200 118.3 118.3 118.3 118.3 118.3 118.3 118.3	119.0	18.4 (18 . 7	18.3	18.81 15.1
S		Total	7	50,178 54,761 81,377 27,719	72,049 55,438 54,352 52,722	32,262 34,804 48,337 44,207	93,010 78,368 39,688	0	9 4	5,540	2,970 1,535 168 674 244 361	2,570 631 630 668 668	11,259	2,380	8,879	2,650 319 785 413
ve births	imate	F4	9	1,772 2,468 3,279 988	3,482 2,166 2,352 2,812	1,187 1,187 1,780 1,536	3,434 3,719 1,639	C	142	170	105 60 60 20 77	65 112 113 120 120 130	346	109	237	85 111 111
I	Illegiti	E	LO.	1,964 2,538 3,432 995	3,636 2,189 2,528 2,927	1,447	3,747 3,910 1,728	4 4 4	154	190	1 2 2 4 4 5 6 7 7 7 7 7 7 7 7 7 7 7	0 4 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6	367	123	244	71 120 120 120
	mate	E	4	22,740 24,264 36,340 12,405	31,386 24,860 24,098 22,984	14,333 15,572 21,584 20,072	41,637 34,324 17,552	0	1,485	2,511	1,349 594 303 114 171	1,162 276 289 317 280	5,039	1,051	3,988	1,219 145 379 180 209
	Legiti	Z	ю	23,702 25,491 38,326 13,331	33,545 26,223 25,374 23,999	15,105 16,819 23,043 20,981	44,192 36,415 18,769	7	1,642	2,669	138 47 58 74 76 328 1119 176	1,285 327 315 318 325	5,507	1,097	4,410	1,275 154 365 202 219
	Estimated home population	30th June 1968 (but see Explanatory Note 'Changes in	C)	3,092,200 3,216,550 4,620,760 1,713,840		1,980,980 1,900,620 3,092,150 2,720,000	5,084,470	7	155,390	283,800	146,870 4,970 68,230 68,230 29,370 11,650 118,660 5,120	136,930 31,990 35,840 33,500 35,600	612,180	127,330	484,850	147,160 17,290 44,980 21,960 30,180
		Area B	Ę	Hospital regions: Newcastle Leeds Sheffled Fact Apollan	North West Metropolitan North Bast Metropolitan South Bast Metropolitan South West Metropolitan	Wessex Oxford South Western Welsh	Birmingham Manchester Liverpool	SNGLAND	SEDFORDSHIRE	Administrative county	Municipal boroughs and urban districts* Ampthill *Bedford M.B. Biggleswade Durstable M.B. Kempston Leighton Linslade Sandy	Rural districts* Ampthill *Bedford Biggleswade Luton	BERKSHIRE	Reading C.B.	Administrative county	Municipal boroughs and urban districts Abingdon M.B. Maidenhead M.B. Newbury M.B.

22	23	120 27 20 20 20 20 20 20 20 20 20 20 20 20 20	121 200 200 200 200 200 200 200 200 200	21	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 2 2 2 2 0 0 2 2 2 2 0	18	119 77 722 123	223	19	211 W W W W W W W W W W W W W W W W W W	6 000000000000000000000000000000000000	2	20000000000000000000000000000000000000
21	014	30400HH	14 0 0 0 0 0	130	100000	N400H			1010	00				116 42 42 23 23 23 23 23
20	लाफ	85 C 0 8 5 4 1	S	85	10 40 10	94001	ದ್ಗ	% 8 12 14 4	מומוס	29	च छ। नलन न	អ្ ស្លាស លេខ ស្រាស		80 50 40 50
19	ਜਾਲ	4004441	01-400	66	22 w w w {	∞+4001	155	4 10040	ଅଷ । ମ	37	6 0114840	8 7 10180	346	102 37 13 39
18	778	447 200 00 00 00 00 00 00 00 00 00 00 00 00	100 100 118	14	102011	20001	1500	SOWNO	1 287	14	EW477700	11 22 25 25 25 25 25 25 25 25 25 25 25 25	19	22 22 25 25 25 25 25
17	440	88 10 20 20 20 20 20	. 1140.0	140	88 17 17 17 18 19 19	1 12 14 00	25	55 H 00 H 00	45 12	61	01 H 80 1- H 10 41 H 01	8 ⊟ + ∞ + ∞ ω	501	163 64 15 57
16	0.69	0.77 0.81 0.81 0.83 0.70	0.69 0.81 1.01 0.78 0.88	0.88	0.000	00000	0.97	0.84 0.84 0.98 0.77	0.84	0.88	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000 0000000000000000000000000000000	1.05	1.00 1.12 1.01 1.04 1.04
15	0.90	4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.90 0.89 1.30 1.31	1.15	11111 000 000 000 000 000 000 000 000 0	1.21	1.43	1.06 1.06 1.25	0.84	0.95	0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 30 80 00 00 00 00 00 00 00 00 00 00 00 00	.07	411000
14	17:2 9:5 12:1	# r 40 0 0 0 0	100000	9.1	00 00 00 00	400000000000000000000000000000000000000	12.6	00.011 4.4.00°8	11.9	11.0	11 00.001 00.001 00.001 00.001	100.00	11.7	123.00 123.00 123.00 123.00
13	103 75 229	2,843 286 286 1169 134 124	212 255 191 211	5,155	2,492 316 94 165 45	191 355 109 99	743	2,663 602 403 90 629	182 104 138	3,313	1,748 990 152 161 103 269	1,565 1,48 1,48 2,60 2,60 1,47 1,47	17,624	5,589 1,711 1,831 1,284
12	66 46 126	1,423 1225 1231 1311 1999 666 665	116 128 85 134 301	2,484	1,183 162 62 71 18	222 234 522 52	334	1,301 293 190 47 310	77 53 83 248	1,627	86 496 21 86 86 74 149	282 282 682 109 109 109 109	8,784	2,741 822 365 896 618
11	27 29 103	1,420 161 149 196 197 688	96 127 106 77 280	2,671	1,309 154 32 94 27	289 289 57 449	409	1,362 309 213 43 319	105 51 55 267	1,686	864 494 322 94 120	280 181 181 181 83	8,840	2,848 889 398 935 626
10	1.17	1.00 1.00 1.00 1.16	1.09 1.43 1.14 0.83	1.02	1.05 1.05 1.05 1.15	1.07	0.99	0.98 0.94 1.05 0.76	1.53	0.87	0.00 7.00 0.00	0.97 0.97 0.98 0.97 1.02	1.04	4,0000000000000000000000000000000000000
თ	1.001	000000000000000000000000000000000000000	0.00 0.00 0.00 0.00 0.00 0.00 0.00	96-0	0.93 0.93 1.07	0.10 4.00 4.00 4.00 5.00 5.00	194	903 200	00.1.0	66	00000000000000000000000000000000000000	00000 00000 00000 00000 00000 00000 0000	-02	000000
80	21.2 18.1 21.5	118.00 118.00 118.00 118.00 108.00	19.50	17.9	19.50 18.50 18.54	2002	17.8 0	16.5 116.4 117.3 117.9 113.9	15.4 17.7 18.3 19.1	14.9	133.00 146.02 156.02 156.02 157.02 157.02 157.02 157.02	16.05 17.05 115.05 116.05 116.04 116.04	17.3 1	17.5 17.7 17.7 118.1 118.1
7	127 142 407	6,229 565 775 297 1,041 189	440 558 416 1,411	10,145	5,456 762 154 618 89	1, 44 4, 46 1, 164 113 113	1,636	4,689 1,049 630 137 1,005	236 176 175 1,281	4,506	2,141 1,318 1,318 1,318 1,318 1,318 1,318 1,318 1,318	2 2 2 4 4 4 5 6 7 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8	25,949	7,759 2,498 1,075 2,547
9	1000	152 111 20 14 29 29	110	334	204 28 28 15	S 5 4 5 4	75	130 28 19 6 36	4440	142	6 0 0 0 4 0 4 0 0 0 4 0	4 4 8 8 4 8 8 4 8 8	902	382 122 119 85
rs .	140	# # # # # # # # # # # # # # # # # # #	4111 80 80 80 80 80 80 80 80 80 80 80 80 80	320	187 42 42 72 71	- 20 S S S S S S S S S S S S S S S S S S	27	133 29 24 26 26	33347	163	6 0 0 0 4 0 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0	200 200 80 110 110 110	277	412 124 56 132 100
4	59	2,769 2455 3422 1222 4653 1114	186 232 205 121 654	4,586	2,421 329 67 67 841	201 18 518 105 39	732	2,165 458 276 555 494	124 81 86 591	2,000	000 0000 0000 0000 0000 0000 0000	1,076 400 108 176 21 268 103	11,682	3,416 1,134 476 1,110
ю	65 73 197	3,135 292 397 150 150 154	222 296 1186 699	4,905	2,644 381 321 44	221 22 248 99 68	756	2,261 534 311 70 449	103 84 82 628	2,199	1,026 629 34 51 105 90	1,173 470 107 172 27 295 102	12,385	3,549 1,118 487 1,186
α	6,000 7,860 18,890	337,690 37,090 37,680 18,730 60,180 16,330	23,210 23,520 20,700 17,530	568,110	284,090 35,990 11,840 26,440 4,890	20,400 5,420 56,980 10,750 5,710	92,070	284,020 63,880 36,520 72,080	15,300 9,930 9,540 66,960	301,470	158,400 100,470 5,520 10,060 13,800 11,000	143,070 51,580 14,920 22,500 4,550 36,280 13,240	1,502,120	445,750 142,480 60,620 140,660
П	Wallingford M.B. Wantage Wokingham M.B.	Rural districts Abingdon Eradfield Cookham Easthampstead Faringdon Hungerford	Newbury Wallingford Wantage Windsor Wokingham	BUCKINGHAMSHIRE	Municipal boroughs and urban districts Alesbury M.B. Beaconsfield Bletchley Buckingham M.B.	Chesham Eton High Wycombe M.B. Mailow Newport Pagnell	Slough M.B. Wolverton	Rural districts Amersham Aylesbury Buckingham Eton	Newport Pagnell Wing Winslow Wyoombe	CAMBRIDGESHIRE AND ISLE OF ELY	Municipal boroughs and urban districts cambridge M.B. Chatteris Ely March Whittlesey Wisbech M.B.	Rural districts Chesterton Ely Newmarket North Witchford South Cambridgeshire	CHESHIRE	County boroughs Birkenhead Chester Stockport Wallasey

	sittal	diiiaa:	21 22	04 256 25	204 25 204 204 25 204 25 204 25 204 25 204 25 204 200 200 200 200 200 200 200 200 200	125 6 20 8 36 8 36 8 36	₩ ₩	11 12 44 44 44 44 44 44 44 44 44 44 44 44 44	00104	10 68 77 17 17 17 17 40 40	-	50 00 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
3		ediaed Deaths	20	204	H								
		Deaths 4 we	19	244	191	11001	0114211	44460	111 0 1 5 5 4	4040	401	SC 744114	0111
2 5 5		Rate per 1,	18	19	120	25,000	22,000,000,000,000,000,000,000,000,000,	2422	22200	22222	26	10 28	252
Deaths under 1 year		Илтрег	17	338	266 2 2 8 8	11926	22 13 25 14 14	45000	LL CA 4.4	122125	១ភូមិ	200 000 14	111111111111111111111111111111111111111
	etan	Ratio of local address to the second	16	1.03	1.05 0.94 1.02 1.08	0.00 1.235 0.98 0.98	1.20	0.95	0.91 1.00 1.00 1.00	1.25	1.23	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	1.02
		Comparability . rotosi	15	1.08	1.10 0.81 1.05 1.04	0.98 1.28 0.95	1.17 1.08 1.73 0.90	0.84 0.55 0.55 1.16	0.200	0.01.00.00.00.00.00.00.00.00.00.00.00.00	1.28		1.11
	٥	Crude rate per 1,000 home population	14	11.4	4.00 4.00 4.00 120 120	15.00	14.7	133.4	4 0 0 4 0 1 5 0 4 0 5	15.3 10.3 10.3 15.2	9.0	14.3 14.3 14.0 10.3 10.3	100.1
Deaths		Total	13	12,035	9,294 64 74 480 674	72 72 302 508 508 231	637 418 172 358	254 2016 1000 1000 401	596 217 833 159	293 365 118 331	273 183 291	2,741 157 157 485 270 270 275	375 421 185 165
		[Eq	12	6,043	4,690 30 34 225 375	27 44 155 268 113	296 117 190 90 175	219 304 120 45 52	312 117 48 86 86	132 170 272 47	140 87 136	1,353 69 260 138 34 143	245 82 82 6
		×	重正	5,992	4,604 34 40 255 299	35 28 147 240 118	341 124 228 82 183	212 212 70 60 52	282 1001 144 157 158	161 295 71 155	133 96 155	1,388 88 225 132 132 132	210 255 103 103
	ette	sool to ottan thated betsulba to national rai	10	1.04	1.03 0.80 0.94 1.03	1.03	100000000000000000000000000000000000000	01001	1.728 1.138 1.469	1.007	1.17	101100 001100 440000	1.00 1.00 1.00 41.00 82
		Comparability factor	o,	1.02	000000	1.00	1.00	0.0100	10000	10001	0.83	1.100	111100
		Crude rate per 1,000 home population	0	17.2	17.00	110 110 10 10 10 10 10 10 10 10 10 10 10	16.6 12.8 17.0 17.2	12.7	80.400 80.400	11862	15.4	16.3 115.3 113.6	011 011 010 010 010 010 010 010 010 010
62		Floot all	7	18,190	14,269 52 175 652 954	100 53 547 967 354	867 271 1,195 607	409 676 1158 208	828 398 175 335 335	259 562 933 231 396	444 497 437	3,921 360 506 291 53 371	225 718 328 228
re births	mate	Şiz _e	9	523	428 1 + 28 2 + 48 2 + 48	01000	1138 103 103	5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40404	1907	14	90 to 00 to	00001
Live	Illegitimat	E	LO	565	465 1 28 35 35	F4400	744 444 711	0 E 1 4 H	K24 4 72 72	27 29 29	11 00 00	100 100 120 120 120 120	0 9 4 9 1
	mate	DE ₄	4	8,266	6, 454 222 288 289 4443	42 237 457 164	364 127 520 92 290	195 293 87 86 103	375 198 72 76	122 246 415 103	197 227 186	1,812 161 282 138 32 179	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Legitin	M	ю	8,836	6,922 288 281 311 448	49 28 277 478	418 123 588 94 296	193 317 66 82 100	379 174 78 92 165	121 279 472 115	215 253 231	1,914 167 304 136 181	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
10 0 4 4 4 4 4 4 4	population	30th June 1968 (but see Emplanatory Note (Changes boundaries!)	CV	1,056,370	818,550 4,150 10,290 41,030 56,230	6,120 4,710 28,090 56,040 19,210	52,220 17,120 54,930 16,330 35,360	32,320 38,870 11,400 10,030 9,150	41,610 24,060 7,980 11,180 16,370	19,090 30,890 55,370 11,670 21,710	28,750	237,820 21,410 33,890 17,400 5,910 26,780	32,600 41,660 41,750 16,930 1,490
		Area	₹ T	CHESHIRE - continued Administrative county	Municipal boroughs and urban districts Alderley Edge Alsager Altricham M.B. Bebington M.B.	Bollington Bowdon Bredbury and Romiley Cheadle and Galley Congleton M.B.	Crewe M.B. Dukinfield M.B. Ellesmere Port M.B. Hale	Hoylake Hyde M.B. Knutsford Longdendale Lymm	Macclesfield M.B. Marple Middlewich Nantwich Neston	Northwich Runcorn Sale M.B. Sandbach Stanybridge M.B.	Wilmslow Winsford Wirral	Rural districts Bucklow Chester Congleton Disley Macolesfield	Nantwich Northwich Runcorn Tarvin Tintwistle

0 21	53 94	25 - 5 - 5 - 4 2 4 14 - 7	11101	14144	H 20	\$ = 0 = N 0	H I I I Ø Ø Ø	52 68	16 24	36 44	11 1 2 2 1 1 1 1 2 2 1 1 1 1 1 1 1 1 1		24 23 6 6 9 10 10 10 10 10 10 10 10 10 10 10 10 10		50 218	34 65	16 153	52 8 - 1 - 2 8 - 4 - 4
19 20	09	1 1 M M I	।ਜਜਨ।	ाच । सच	40	8 40404	H 1 1 0 0 0		21		8 4 1 4 8				-	38 3	138 11	5 4 1 1 4
18	17	27 1 13	10001	37	23.7	222 4 4 4 8 0 0 0	00000 00000 00000	19	20	19	123 - 97	170	21 - 10 - 24 - 339	000	7	7		10 1 1 1
17	86	30	14401	เทษคพ		#U401-0		90	24 2	66 1	4.4.4.4.9		2 4 4 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5	6000	256 17	59 1	197 17	95 15
16	0.98	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	1.13 0.89 0.63 0.78 0.91	440040	0.93	0.98 6.88 0.78 1.00	1.000 1.000 1.000 1.000 1.100	1.11	1.13	1.10	1.000	1.13	1.06 0.96 1.08	1.22	1.06	1.06	1.06	1.00 1.100 0.81 0.81
15	0.79	00000 44.4.0.00 88.8.8.8.8.8.8.8.8.8.8.8.8.8.8.8.8	0.48 0.61 0.65 1.13	0.80	1.25	0.98 0.95 0.94 0.98	0.83 0.83 0.83 0.83 0.83	1.07	1.10	1.06	1.100 0.81 1.13	1.16	1.22 1.22 1.22	1.04	-07	•08	-00	11.00.00.00.00.00.00.00.00.00.00.00.00.0
14	14.8	26.30 13.43 13.43	288 1222 1423 1940 1960	16.9 15.8 19.0 20.5 11.9	8.9	13.6 123.2 123.2	27 4 4 4 1 1 2 2 4 4 1 1 2 2 2 3 1 2	12.3	12.2	12.4	122.0 110.6 120.6 14.0	12.6	113.01	11.4	11.8	11.7	11.8	11000 11000 11000 11000
13	5,334	2040 2040 2040 2040 2040 2040 2040 2040	131 107 50 175 49	320 466 169 71 102	170	2,184 119 256 70 180 304	20 20 20 20 20 20 20 20 20 20 20 20 20 2	3,656	867	2,789	1,155 80 74 152 166	312	1,634 31 405 248 349	171	10,466	2,323	8,143	4,689 235 112 68 251 251
12	2,652	1,604 130 130 422 287 140 66	000000	166 229 95 42 41	23	1,048 65 114 34 81	102 11 200 22 123 135	1,787	415	1,372	55 36 88 88	159	795 193 118 118	1632	4,951	1,125	3,826	2,225 106 47 37 124
11	2,682	1,546 74 53 295 132 67	72 22 8 19 19	154 757 747 29	31	1,136 142 142 36 99	112 122 122 153 154 154	1,869	452	1,417	578 4 4 1 3 8 7 3 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	153	839 13 212 130 193	68	5,515	1,198	4,317	2,464 129 65 31
10	96-0	0.00 0.088 0.088 1.05	0.91	000000000000000000000000000000000000000	1.25	0.0000000000000000000000000000000000000	0.0000000000000000000000000000000000000	0.93	1.00	16.0	00000	0.93	0.10 1.00 1.00 1.00 1.00 1.00 1.00 1.00	1.03	66.0	1.02	86.0	0.11.00 0.57 0.57
o	1.13	0.15 0.15 0.15 0.15 0.15	1.239	1.13	1.36	44.0.1	1.255	1.01	96.0	1.02	0.00 1.00 1.00 1.00 1.00	0.93	1.05	1.03	10-1	76-0	700-1	000000000000000000000000000000000000000
8	14.4	118.1 118.1 118.0 118.0 118.0 21.3	14.5 14.5 14.0 16.0 16.0	12.7 14.0 11.6 10.7 18.6	15.5	13.00 15.00 16.00	1100.00	15.6	17.2	15.1	118.00 118.00 118.00	17.5	4481 4481 1080	12.4	16.6	17.7	16.3	16.0 14.0 14.0
7	5,170	2,987 137 137 639 209	000 000 000 000 000 000 000 000 000 00	241 412 103 37	94	2,183 91 285 110 117 391	193 33 51 381 286 215	4,622	1,224	3,398	1,437 106 55 174 168	463	1,961 29 408 291 519	187	14,765	3,504	11,261	6,299 364 90 37 229
9	179	101 8 17 17 23	a lada	440	SUN	2 0000001	4001	146	45	101	4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	23	20000000000000000000000000000000000000	യവയ	209	160	349	193 122 22 4
ro.	217	117 4 4 51 7 5	H480H	K 9 C 1 4	40	100 188 22 22 21	11 17 11 11 11 11 11 11 11 11 11 11 11 1	153	54	66	40 m	91	412001	400	588	174	414	40004
4	2,294	1,380 57 27 303 100 98	30 23 89 40	1108 185 455 200 86	41	91 410 119 777 762	88 42 100 104 88	2,112	548	1,564	86 9 4 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	209	886 10 194 129 238	98	6,656	1,561	5,095	2,857 171 34 172
м	2,480	1,389 68 35 288 99 100	33 27 24 38	106 195 45 16 64	104	1,091 39 143 55 55 86 189	92 194 143 109	2,211	277	1,634	669 56 22 81 81	242	965 17 201 142 243	90 107 165	7,012	1,609	5,403	3,005 169 49 16
0	359,680	198,780 7,570 7,570 38,090 17,370 9,620	4,670 4,840 4,060 5,340 5,080	18,960 29,430 8,890 3,470 8,550	6,060	160,900 6,950 23,180 7,070 13,630 24,100	14,920 1,970 4,710 28,890 17,800	296,810	71,110	225,700	91,140 6,370 4,510 11,200	26,960	134,560 2,060 30,920 21,140 32,050	15,050 11,420 21,920	888,920	198,030	690,890	385,320 22,600 5,710 4,150
₩.		Municipal boroughs and urban districts* (a) (b) (c) Bodmin M.B. Bude-Stratton Camborne-Redruth Falmouth M.B. Helston M.B.	Launceston M.B. Liskeard M.B. Looe Newquay Penryn M.B.	Penzance M.B. (a)+65. Austell with Fowey M.B. 5t. Ives M.B. 5t. Just Saltash M.B.	Torpoint Truro M.B.	Rural districts* Camelford Kerrier Launceston Liskeard (b)*St. Austell	St. Germans Soilly, Isles of Stratton Trunc (o)*Wadebridge and Padstow West Penwith		Carlisle C.B.	Administrative county	Municipal boroughs and urban districts Cockermouth Keswick Maryport Penrith	Whitehaven M.B. Workington M.B.	Alaton with Garrigill Border Cookermouth Ennerdale	Millom Penrith Wigton	DERBYSHIRE	*Derby C.B.	Administrative county*	Municipal boroughs and urban districts Alfrecon Ashbourne Bakewell Belper

(a) Fowey M.B. and St. Austell U.D. abolished 1st April 1968; events included in figures for St. Austell with Fowey M.B. from 1st January 1968.
(b) Lostwithiel M.B. abolished 1st April 1968; events included in figures for St. Austell R.D. from 1st January 1968.
(c) Padstow U.D. abolished ist April 1968; events included in figures for Wadebridge and Padstow R.D. from 1st January 1968.

	eal .	Perina	22		22 22 22 22 22 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	75 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	044011 EXX EXX EXX EXX EXX EXX EXX E	73 2 34 3 27 2 35 2 35 2 35 2 35 2 35 2 35 2 35 2 35	13 22 5 25 14 37 18 26	170 20	103 23 21 19 67 25 15 20	67 17	31 18	11 11 15 27 27
	 ∋ĸ	athaed f wee	20 21		ললচলক	0001-4	101010	6 4 4 6 5 5 0	117 27 101	91 1	24 28 38 9	37	10 14 11 1	1114
	экв	Deathsed 4 wee	19		こさなまま	1000FH	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	144555	H ro et ch	114	64 42 13	20	4 10111	।।चच
	8	Rate per 1,0	18		F7547	200700	1271	250 250 350 350 350 350 350 350 350 350 350 3	12007	14	113	13	110011	1100
Deaths under		Митрет	17		20 th	L4100	10010	102 201 202 201 111	100 H 80 H	177	100 14 71 15	11	6 INHII	1 1 (41)0
	etan	Ratio of local tage of local tages of lancitan of	16		1.16 1.02 1.04 1.04 1.04	1.00 4.00 1.00 4.00 1.00 1.00	11.11 11.11 0.00 0.00 0.00 0.00	1.12	1.03	06.0	0.92 1.00 0.88	0.88	0.83 0.77 1.04 1.05 0.92	0.90 0.87 0.99 0.74
		Comparability factor	15		1.03 1.03 1.03 1.53	0.90 1.17 1.21 1.10	1.06 1.06 1.09 1.00 1.16	1.01 1.01 1.01 1.23 0.94	1.28 1.14 0.98 1.05	94-0	0.86 0.86 1.01 0.61	69 • 0	0.68 0.68 0.76 0.73 0.48	0.94
	J	Crude rate per 1,000 home population	44		0444 0400 0000 0000	14.0 11.5 11.2 11.5	14.6 112.5 110.6 10.0 10.2	11.0 11.0 11.0 11.0 12.7	11.8 11.6 11.5	14.1	13.2 12.7 11.8 17.1	15.1	116 136 136 146 157 157 157 157 157 157 157 157 157 157	12.2
Deaths		Total	13		122 284 918 107	283 282 371 367 231	2222 22223 23233 550	3,454 143 276 317 489 231	711 234 410 643	12,404	5,810 1,185 2,911 1,714	6,594	6 1, 21 1, 21 1, 25 1, 2	61 132 406
		. (Iz _q	12		447 460 52 65	131 131 172 175 110	107 107 98 90 25	1,601 57 147 152 220 220	307 100 198 316	6,344	2,957 607 1,437 913	3,387	1,668 30 130 103 21 51	31 31 68 242
		×	11		455 458 55 75	152 151 199 122	1110 1111 141 140 140 140	1,853 86 129 165 269 127	404 134 212 327	090,9	2,853 578 1,474 801	3,207	1,456 116 129 129 23	30 48 48 49 49 164
	9387	sool lo oltafi dinti delsulta er lancitan ot	10		00000 00000 00000 00000	44440 446049 446049	1.00.00 1.00.00 1.24 44	00.00 00.00 00.00 1.00 1.00 1.00	0.98	86-0	0.93 0.93 0.90	1.00	1000 000 000 000 000 000 000 000 000 00	1.14
		Comparability	0			11.05	001	180001	40000	•14	.03	•23	20. 20. 20. 20. 20. 20. 20. 20. 20. 20.	455 35
		Crude rate per 1,000 home population	00		44 44 6 6 6 7 7 7 8 7 8 7 8 7 8 7 8 7 8 8 7 8	16.3 17.0 18.8 15.4 15.4	2.41 1.65.61 1.55.75 1.00 1.00	16.2 13.4 13.4 15.4 17.1 17.1	14.8 15.6 15.6 18.8	14.6	15.8 16.8 11.9	13.8 1	1000000 10000000 10000000	81 0.44 244 444 4444
hs		Total	7		1,088 1,088 1,45 3,39	366 397 603 619 310	157 261 300 315 74 108	4,962 172 252 252 421 791	1,094 309 561 1,050	12,842	6,802 1,468 4,141 1,193	6,040	2,568 51 269 177 35	92 65 110 286
Live births	timate	ſ τ ι	9		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1201	L00004	156 6 335 122	30 33	512	299 71 155 73	213	101 14 14 14	H 4 4 Cl
ä	Illegit	Σ	ω		, 00 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2242	**************************************	170 4 10 8 8 31	22822	572	347 61 213 73	225	401	01 4 E
	mate	ſъ	4		68 162 467 67 151	170 181 289 285 131	120 120 123 133 33 61	2,238 73 113 179 364 137	489 145 265 473	5,684	3,003 653 1,855 495	2,681	1,148 20 109 78 15	145 125 125 125
	Legiti	×	ю		1227 1239 176 176	168 199 272 283 156	121 121 154 163 44	2,398 121 121 361 154	517 144 262 525	6,074	3,153 683 1,918 552	2,921	1,215 135 135 14 14	48 30 136 136
74 26 4 4 4	home population as at	30th June 1968 (but see Exploratory Note 'Oranges' boundaries')	a		11,840 20,100 70,850 9,780 15,250	20,270 24,390 35,440 32,870 20,160	8,780 17,850 18,540 20,050 5,300 5,090	305,570 11,800 18,760 27,390 44,240 18,230	73,940 19,830 35,400 55,980	876,790	439,530 93,010 246,290 100,230	437,260	189,190 3,410 16,820 11,030 2,510 3,970	4,980 7,160 7,790 23,200
		Атев	1	DERBYSHIRE - continued	Municipal boroughs and urban districts - continued Bolsover Buxton M.B. Obsererield M.B. Clay Cross Dronfield	Glossop M.B. Heanor Ilkeston M.B. Long Eaton Matlock	New Mills Ripley Staveley Swaveley Swallmoote Whaley Bridge Wirksworth	Rural districts* Asbourne Bakewell Bakewell Bakewell Backwell Chapel en le Frith	Chesterfield Olowne *Repton *South East Derbyshire	DEVON	County boroughs* Exeter Plymouth A)*Torbay	Administrative county*	Municipal boroughs and urban distracts* (d) Ashburton Barnstaple M.B. Bideford M.B. Buckfastleigh Budleigh Salterton	Crediton Dartmouth M.B. Dawlish Exmouth

52	22 22 27 27	Ø1111	122.00	11 1 4 4 4 4	25255	248017	23	2 7 7 7 7 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	21002	, in in	225	00040	26	00000000000000000000000000000000000000
21	ष्यचना	F1111	1110110	8 1 40 10	이ㅋ작이ㅋ	MINJUD	70						374 2	172 15 15 35 35 35 65 65
20	लनगाग	ווווט	10041	3 10404	1 40 40	색되었다!!	51	80450 14 60450 15	TITLE	1 #	6 000401	4000	245	94 111 110 110 110 110 110
19	लाला ११	शास्त्र	10101401	8 1 01 H 01 01	ਜ/ਜ ਲ ਜ ਲ	മപരവിച	56	38 88 181 181	स्यास	는 런 던	F 20 0 1 4 1	4000	296	121 122 123 123 128 128
18	02011	01541	18247	47277	30270	400010	13	12222	21112	027	212 200 200 7	0000-	20	100000000000000000000000000000000000000
17	स्थन।:	01441	10040	4 นกษยด	014040	0HF01H	78	4 6 이 디 작 1 작	१७ । । स	H UH			463	255 288 299 31
16	0.64 1.06 0.90 0.71	0.84 0.87 0.62 0.62	0.61 0.76 0.74 0.87	00.091	00000	0.988 0.982 0.96 0.96			000000000000000000000000000000000000000		0.881 0.885 0.885 0.883	0.76	1.14	# # # # # # # # # # # # # # # # # # #
15	0.53	0.53	0.45 0.50 0.78 0.55	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.03 0.00 0.00 0.00 0.00 0.00 0.00	000000000000000000000000000000000000000	0.83		\$ 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		80 0 1 1 7 1 1 0 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	99 16	16	484311
14	20 0.02 0.03 1.03 1.44 1.44	13.5	22.52	14.0 13.0 10.4 10.4 12.0	12.29	8.44111 8.44111 8.00 8.4111		∞ № 4 4 0 0	20000	13.4	1128 128 148 148 148 148 148 148 148 148 148 14	9.1 0.	11.7 1	113.90
13	154 421 442	323 137 71 64	252 214 192 122	3,470 210 370 69 103	171 171 145 179	510 158 336 292 85 219	4,552	2,879 64 126 219 219 653 1,289	106 61 83 136 76		1,673 1117 1114 1355 322	166 224 413	16,762	7,256 1,177 1,176 1,059 1,359 2,485
12	440HH 2040C	167 68 40 30 20	122 122 120 120 70	1,719 94 183 34 53	27 86 202 65 87	272 47 1 128 128 128	2,277	1,457 32 78 78 78 110 54 655	52 22 38 38 44	272	820 61 56 66 169	22 88 111 194	7,689	3,402 ;77 562 489 624 1,150
11	22 22 9	156 69 31 34 12	130 104 104 104	1,751 116 1187 35 50 50	4488 4488 4488 4488 4488 4488 4488 448	238 84 157 164 37	2,275	1,422 32 48 109 51 51	4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	291	0 10 10 10 10 10 10 10 10 10 10 10 10 10	41 113 219	9,073	3,854 600 614 570 735 1,335
10	1.15	0.95 1.01 1.15 0.78	0.0100000000000000000000000000000000000	000000000000000000000000000000000000000	1.17	400.00	1.01	1.001	100.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	0.88	00.11.00.00.00.00.00.00.00.00.00.00.00.0	1.02	0.95	000000000000000000000000000000000000000
6	010011	114.14.0	400000000000000000000000000000000000000	1120	.17 .22 .18 .28	2000	.14	441.00041	000044 00040	.18	4882811	10021	86.	96 02 02 03 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
σ.	122.9 110.9 110.9 12.9	4-121	87274	4-11-11-11-11-11-11-11-11-11-11-11-11-11	99975	441 441 5.441 1.46.0 1.	15.0 1	123.6 123.6 123.6 123.6 123.6 123.6 123.6	2001100	13.9	4411 4411 60 0 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11300	16.4 0	0.000
7	49 133 115 36 22	269 89 448 744 244	32 87 150 251 73	3,472 176 429 87 146 121	128 128 393 200 200	4 1 2 3 4 4 5 3 4 4 5 5 4 4 5 6 5 4 4 5 6 5 6 5 6 5 6 6 5 6 6 6 6	5,141	3,154 86 81 189 1,559	846 876 876 886 886	587	1,900 120 120 130 124 146	110 140 362 568	23,540	10,235 1,396 1,598 1,759 1,662 3,820
9	अन्छ।न	00114	Nanan	120000000000000000000000000000000000000	4-10/4-0	77 43 E E	199	148 94 187	10 CN 24 44	35	10 000000	4000	785	44 047 052 052 146
ſ	нюфнн	04841	2 r 0 0 4	121	~ w o u u	# 0 H 0 0 0 0	211	152 6 9 9	4 2 4 2 4 2 3	34	100 TO	0011 41	876	467 788 75 911 741
4	25 24 24 20 10 10	138 46 17 34 84	11 34 77 116 34	1,533 82 185 39 69 61	49 40 40 40 40 00	11 127 127 127 127 127 127 127	2,302	1,384 33 41 80 10 688	117 12 35 36 46	259	918 918 91 91 115 67	49 70 161 267	10,615	4,536 591 712 802 716 1,715
Ю	23 23 23 20 10 10	112 34 29 39 11	17 38 57 118 32	1,706 221 41 41 54	201 201 76 99	212 471 452 453 86	2,429	1,470 455 34 91 144	111 01 01 01 01 01 01 01 01 01 01 01 01	259	959 66 85 85 47 119 69	55 66 181 271	11,264	4,792 649 736 801 794
2	3,010 8,800 1,700 1,700	18,700 7,580 3,830 5,500	11,3940 11,3990 12,220 14,540 5,630	248,070 14,800 28,460 5,140 9,870	7,410 12,020 28,830 11,300	30,310 11,310 23,190 20,870 7,320 14,290	343,240	208,570 3,650 6,510 13,630 3,290 99,350	12,540 3,410 8,020 7,890	42,130 4,410	134,670 13,670 13,260 8,250 18,100	6,890 10,370 24,150 34,940	1,434,890	611,070 84,830 100,560 98,760 107,210 219,710
er!	Great Torrington M.B. Honiton M.B. Ilfracombe Kingsbridge Lynton	Newton Abbot Northam Okehampton M.B. Ottery St. Marry Salcombe	Seaton Sidmouth "Teigmouth Tiverton M.B. Totnes M.B.	Rural districts* Axminister Barnstaple Bideford Crediton Holsworthy	Honiton Kingsbridge *Newton Abbot Okenampton Plympton St. Mary	St. Thomas South Molton Tavistock Tiverton Torrigton	DORSET	Municipal boroughs and urban districts Blandford Forum M.B. Bridport M.B. Dorobester M.B. Lyme Regis M.B.	Portland Shafteebury M.B. Sherborne Swanage Wareham M.B.	Weymouth and Melcombe Regis M.B. Wimborne Minster	Rural districts Beaminster Blandford Bridgort Dorchester Shaftesbury	Sherborne Stuminster Wareham and Purbeck Wimborne and Cranborne	DURHAM *	County boroughs County boroughs Gateshead Hartlepool South Shields

(d) Brixham U.D., Paignton U.D. and Torquay M.B. abolished 1st April 1968; events included in figures for Torbay C.B. from 1st January 1968.

	rate	Perinata Villadrom	22	26	72 05 48 86 86 87	322	28 28 31 31 33	227 228 331 43	20	25 25 25 28 28	23 23 20 20 20 20 20 20 20 20 20 20 20 20 20	21	26	21	180000
	suı	aidilis	21	202	125	യവവയര	98001	L 72 4 CG	410	77 10 10 20 20 20 20	N N 4 0	283	35	248	185 27 27 36
		T week	20	148	106 20 11 44	0 H # H O	10 m m m m	ศ ผพด :	41	สื้องคงก็	11-011	197	23	174	118 19 17
		Deaths u	64	175	22 22 22 24 84	4514451	ропоо	0 m m O 1	4 CO	8 0 N N N 4	1101	228	28	200	13.8 2.2 8 8 8
ល្អអ	0	Hate per 1,00	18	20		22 23	4-10 EU	2007	25	2000 UL	2220	12	16	15	14 W O W
Deaths under 1 year		Number	17	266		12 6 41	#	សលលស 1	12	9 H 00 N	4664	331	36	295	2 8 8 4 8 11 11 11 11 11 11 11 11 11 11 11 11 1
		Lacol lo ottan an ntabb betautba etar Lanoitan ot	16	1.13	# 4 4 4 0 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6	440.1 044.0 044.0	40000	24.004 44.004	1.09	1.009	1.05	0.89	96.0	0.87	00000
		Comparability rotors	15	1.17	1011111000 1011111000	1.020	11111	1.23	1.37	1.122	0.69	26.0	0.75	1.01	1.50 1.50 0.79 0.79
		Crude rate per 1,000 home population	14	11.5	10.58 10.58 11.11	13.9 11.6 11.5 9.1	12.28	123.9	9.5	11.3 10.7 7.6 11.2	16.0	10.9	15.3	10.2	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Deaths		Total	13	9,506	6,191 4 294 348 248 241 208	287 4432 371 2888 355	234 202 378 357	200 200 200 400 400 400 400 400 400 400	202	2,000 2,000	24041 10001 10001	14,090	2,542	11,548	8,063 816 846 701
		(X ₄	12	4,287	2,800 37 191 145 124 94	144 176 161 163	115 92 181 162	140 99 115 234 15	112	1,407 98 229 103 192 406	117 240 46 56	7,019	1,322	5,697	3,99 3,99 3,44 1,44 4,00 4,00 4,00
		×	11	5,219	3,391 27 234 203 1117	144 256 210 125 202	119 119 1195 112	159 193 304 304	125	1,828 109 262 136 240 556	124 251 73	7,071	1,220	5,851	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
		Hatto to lossi adjusted batth rate to nattonal rate	10	0.95	0.110 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.000	0.983	1.13 0.80 0.89 0.99	1.03	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.85 0.97 0.84	1.01	0-92	1.03	1.00 0.95 1.11 1.28 0.82
		Comparability factor	0	66.0	000000 000000 000000000000000000000000	0003	00.00.00.00.00.00.00.00.00.00.00.00.00.	11.003	0.95	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	1.03	66.0	• 18	26.0	0.0000
		Crude rate per 1,000 home population	ω	16.2	110000	122.01	116.1	14.0 13.4 15.8 15.8 15.8	18.3	13.4.1	16.59	17.3	13.2 1	17.9	200.4 200.4 200.4 200.9 200.9 200.9
ន		Total	7	13,305	8 4,1 00000000000000000000000000000000000	332 328 328 328 584	274 278 563 531 229	272 255 247 659 859	388	4, 869 830 830 830 6930 1,469 464	22699	22,434	2,188	20,246	2,680 8733 8738 860 860 860
e births	nate	[Iz ₄	9	345	22 111 14 14 111 111	148	133	120	12	11.0 16 15 15 39	10 to 4	651	109	542	410 119 118
Live	Illegitimat	Σ	Ŋ	409	20 80 11 12 13 13 14 14 14 14 14 14 14 14 14 14 14 14 14	10 24 16 21	12 10 14 11	0 t t t 0 0 t t t t 0	111	221 221 220 244 235 245 255	1887	949	107	569	43.4 115 125 24
	timate	Ex.	4	6,079	3,850 2850 2860 284 170	153 249 1443 282	163 127 258 252 107	121 121 221 281 281	182	2,229 109 376 243 534 671	251 112 50	10,281	949	9,332	6,688 1,136 229 372 372
	Legitin	×	8	6,472	4,079 252 287 280 180	163 279 131 153 268	186 131 282 252 111	184 106 110 342 21	188	2,393 106 418 261 335 719	118 291 102 43	10,826	1,023	9,803	7,148 1,183 244 244 446
Estimated	home	30th June 1968 (but see Explanatory Note 'Ohanges' boundartes!)	2	823,820	531,570 5,560 34,740 32,170 22,940	20,650 37,320 23,390 25,090 39,010	24,730 17,110 31,960 29,360 14,910	25,030 13,790 18,400 44,380 2,840	21,170	292,250 17,410 46,060 31,510 38,690 86,390	15,020 35,090 13,980 8,100	1,295,940	166,070	1,129,870	823,970 119,470 45,540 22,950 57,650
		Area	₹	DURHAM - continued Administrative county*	Municipal boroughs and urban districts* (e) Barmard Castle Bishop Auckland Blaydon Boldon Brandon and Byshottles	Chester-le-Street Consett Crook and Willington Durham M.B.	Hebburn Hetton Houghton-le-Spring Jarrow M.B.	Seaham Shildon Spennymoor Stanley Tow Law	Washington Whickham	Rural districts* Barnard Castle Chester-le-Street Darlington Easington	Lanchester Sedgeffeld *Stockton Weardale	ESSEX	Southend-on-Sea C.B.	Administrative county	Municipal boroughs and urban districts Basildon Benfleet Braintree and Booking

55	84747	C C C T T T T T T T T T T T T T T T T T	14 × 5 × 5 × 5 × 5 × 5 × 5 × 5 × 5 × 5 ×	85550	12 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5000 F 4	21	233	20	200 200 200 200 200 200 200 200 200 200	00 - 00	120414	0200-	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
21	w . ~ ~ ∞	# E W W			800000									
20	11202	WO411	해 ^다 의 작 의	कुथ । सम स	€ C C C C C C C C C C C C C C C C C C C	00000 H 10	151	88000	00	2 2000040	해 작 다	80 0 F1 F1 O CC	' ਜੀਜਜ ਼ 0	W + 5 & 3
19	1 1 3 1 5	43411	<u>u</u> an40	04144	8 2 r c 4 r w	0	186	7.5	97	0 0 H 2 4 2	ਜਵਜ	6 044400	सन्स । ०	01.500
18	10000	2000	2007	40.120	4-2-45	27022	16	17	15	30 30 10 10 10 10	0010	444000	22222	2012 2
17	1 4 6 5 6 6	± € 4 € 1	0 0 1 2 4 4	0001014	9 x H 4 D W	10 40	281	141	140	0.40%	60 c0 ←	9 0 ≈ 4 0 € 0	୬ ବର୍ଷ ପ୍ରଧ	មារភ័យ១
16	0.90	000000	11.02	0.0000	0.82 0.77 0.42 0.42 0.88	000000000000000000000000000000000000000		0000			0.00	00.00 00.00 00.00 00.00 00.00 00.00	0.097	0.88 0.78 1.02 1.24
15	0.70	0.000		4440004	186			96.			0.30	25.00.00.00.00.00.00.00.00.00.00.00.00.00	37 33 37 37 37 37 37 37 37 37 37 37 37 3	40.700
14	16.2	23.4.00	4,000 0,000 0,000 0,000	13.4.01	111-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2		0	12.3		M 2 - D 0 0	1000	0000044	10.00 13.00 10.00 10.00 10.00	11.22
13	97.0 20.0 97.4 87.0 0.0 0.0 0.0	282 200 100 855 83	358 171 162 103	972 100 127 26	3,485 241 6741 240 240 240 236	0.000 000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.	12,133	6,377	5,756	0 HOHOM	222	3,708 135 281 281 261 428	149	335 7.62 173 2.66
12	47 20 212 212 259	24 4 24 264 27 4 264	178 80 80 124 77	408 888 888 1088 1088	1,756 127 567 117 163	4.99.99	2,990	3,188	2,802	1,029 61 481 860 111	S C C C C C C C C C C C C C C C C C C C	1,773 172 6.5 126 126 127	1084 1000 1000 1000 1000	169 169 169 188 188
11	00 444 666 447	286. 4 66. 120. 4 66.	180 31 106 106	40 40 40 40 40 40 40 40 40 40 40 40 40 4	1,722,00	201 201 201 301 301 301	6,143	3,189	2,954	1,019 4.67 4.87 68 145 109	126	1,935 182 76 125 136 236	88 1112 600 800 800	8 4 7 0 7 4 9 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
10	1.29	100001	0.85 1.10 1.26 0.93 0.91	36.70	10.00001	444.7.0 \$144.7.0 \$144.00	1.00	0.98	1.02	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.30	1.03 1.03 1.02 1.02 1.02	00.00	111100000000000000000000000000000000000
6	25.00	250 100 100 100 100 100 100 100 100 100 1	400.000	888300 888300	00.00.00.00.00.00.00.00.00.00.00.00.00.	46394	8.	20.	66.	000000 0000000000000000000000000000000	810.00	832533	40400	010000000000000000000000000000000000000
σ	4.0000	120.21	2008 2008 3.008 2.008 2.008	000000000000000000000000000000000000000	116.00.00	48111	16.91	16.3 1	17.4 0.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13.3	100.001	40444 607300	213 213 213 217 217 210 210 210 210 210 210 210 210 210 210
7	104 5.6 1,094 643	1,4866 1,946 1107 1105	46.00 44.00 644.00 64.00 64.00 64.00	2,094 2,094 2,41 9,8	5,566 376 1,179 376 736 316	593 402 817 360 411	18,083	8,455 6,721 1,724	9,628	6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3333	6,547 696 255 255 248 662	1, 2,300	500 500 500 500 500 500 500 500 500 500
9	00000	0000-4	80000	10 164	132 6 26 14 14	HH1 18	707	440 346 94	267	111	102	156 18 10 28 28	70000	0 10 % C 20 10
S	11498	N 8 2 4 4	138	20000	2000 × 30	44480011	734	444	290	23 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	140	151 7 10 11 18	L0110	0.6200
4	26.2 20.2 21.2 310	と の の の の の の の の の の の の の	638 113 213 213 66	926 124 1006 360	2,644 178 505 173 246 140	292 182 270 163	8,056	3,666	4,390	1. 34. 34. 34. 34. 34. 34. 34. 34. 34. 34	158	3,043 3,043 126 174 158 298	768 1046 458	2000 2000 2000 2000 2000 2000
Ю	0 3 0 4 0 0 0 0 6 0 4 0 4	000 000 000 000	77 1116 220 220 250	1,031	2,655 1847 1266 1466 159	269 195 409 204	8,586	3,905	4,681	1,484 5,77 3,00 9,00 1,00 1,00 1,00 1,00 1,00 1,00 1	151	3,197 3,30 128 178 165 318	97 167 50 50	24.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6
2	5,990 4,450 23,270 56,390	32, 130 72, 630 11, 880 11, 880 6,920	74,110 14,760 12,640 25,610 9,930	123,230 123,140 123,740 4,300	305,900 24,770 22,920 22,4490 17,930 17,930	27,920 26,930 26,930 10,740 27,570	1,071,430	518,270 427,780 90,490	553,160	183,200 4,346 76,086 12,986 29,170 23,570	3,900 18,960 8,610	369,960 41,476 16,650 20,450 21,130	14,440 9,680 71,080 7,790 81,600	30,290 7,060 39,880 20,810 17,670
T.	Brightlingsea Bumham-or-Grouch Ganwey 7.5 and Chelmaford M.B.	Clacton Colombeter M.B. Epinion Frinton and Waiton Halstead	Harlow Harwoon M. B. Kadoon M. B. Payleigh Saffron Walden M. B.	Thurrock Waltham Holy Cross West Mences Wilseam Wilseam	Rural districts Hestharee Predmore Disserved Disserved Halstead	bexgen and Winstree Majore Majore Series of Series Majore Series Walden.	GLOUCESTERSHIRE	County boroughs Mristol Gloucester	Administrative county	Municipal boroughs and urban district district district district district Cree-benear W.E. Cleareseter Kingswood Mangotsfield	Nailsworth Stroud Tewkessbury M.B.	Rural districts Clines version Clines conject Fass. Jean Glossester	Lydney Newent Cotawold North Leach North Leach Softwary	Strond Tethorheary Marmings Messi hear

(e) Billingram B.D. and Stockton-on-Tees M.B. abolished 1st April 1966: events included in Figures For Teemside C.B. (Yorks, N.R.) from 1st January 1866.

		Area		GREATER LONDON	City of London	London Boroughs: Barking Barring Barnet Barnet Brent Brent	Camden Croydon Baling Enfield Greenwich	Hackney Hammersmith Haringey Harrow Havering	*Hillingdon *Hounslow Islington Kensington and Chelsea Kingston upon Thames	Lambeth Lewisham Merton Newham Redbridge	Richmond upon Thames Southwark Sutton Tower Hamlets Waltham Forest	Wandsworth Westminster, City of	HAMPSHIRE	County boroughs Bournemouth Portsmouth Southampton	Administrative county	Municipal boroughs and urban districts Aldershot M.B. Alton Andover M.B. Basingstoke M.B.
Nat.	home population as at	Sorn June 1968 (but see Explanatory Note 'Ohanges 'n	a	7,763,820	4,210	169,520 316,240 215,470 284,460 304,230	231,680 329,210 298,720 267,830 229,700	243,180 197,590 245,270 208,220 252,290	236,990 205,990 241,890 210,720 144,480	329,250 281,140 184,220 255,130 246,090	177,130 293,120 165,430 192,250 236,900	321,720	1,536,260	580,300 151,460 218,790 210,050	955,960	587,800 37,820 10,460 23,510 40,910
	Legiti	Σ	ю	57,851	7	1,098 2,004 1,654 2,532 2,080	1,419 2,592 2,485 1,886 1,565	2,036 1,511 2,313 1,546 2,034	1,696 1,1573 1,152 999	2,666 2,231 1,263 1,263 1,669	1,170 2,169 1,122 1,304 1,935	2,432	12,287	3,879 759 1,502 1,618		5,359 363 111 288 510
	Imate	Ít4	4	54,931	15	1,050 1,967 1,638 2,339 1,949	1,235 2,444 2,408 1,819 1,507	2,027 1,432 2,113 1,392 1,834	1,617 1,482 2,041 1,176	2,706 2,121 1,110 2,154 1,599	1,051 2,074 1,014 1,212 1,788	2,352	11,638	3,645 702 1,410 1,533	7,993	4,995 330 107 237 452
Lī	Illegit	Σ	w	7,416	1	163 163 428 187	304 265 249 128 167	419 295 350 106	125 135 365 305	657 1119 250 130	107 337 76 182 160	426	1,163	556 132 233 191	607	88 80 9 8 8 84 9 4 4 4
Live births	timate	ͱ4	9	7,195	-	159 159 1421 143	265 282 255 133	4431 344 117 99	122 145 345 276 82	556 330 118 254 1354	100 330 88 177 170	426	1,101	567 128 219 220	534	32 19 16 33
hs		Total	7	127,393	23	2,307 4,293 3,470 5,720 4,359	3,223 5,583 5,397 3,966	4,913 3,550 5,120 3,161 4,070	3,560 3,335 4,903 2,925 2,111	6,585 5,029 2,610 4,861	2,428 4,910 2,300 2,875 4,053	5,636	26,189	8,647 1,721 3,364 3,562	17,542	11,060 736 225 565 1,026
		Crude rate per pond 000 to pond 000 to pond on	80	16.4	5.5	11021 12004 11004 1004	200.141	2002	15.00	0.02	15.001	17.5 0	17.0	11.4.0 11.4.1 115.4	18.4	24.0 25.1 25.1 25.1 25.1
	[F	Comparability stores 1 2001 10 ottas	g	0.93 0	0.82 0	00.000.000.000.000.000.000.000.0000.0000	0.72 0.97 1.04 0.10 0.40	0.986	0.96	0.988 0.96 0.988 0.988 0.038	1.01	0.96 0	1.03 1	1.23 1.23 0.99	1.00 1	0.92
		first fand frame of the first fr	10 1	0.90 45	0.27	0.84	1.03	1.09 0.92 1.14 0.92 0.92	0.85 0.93 1.00.96 0.49 1.00.49	1.04	0.92 0.92 1.07 1.07	0.99 2	1.04 8	0.93 1.00 1.00	1.09 5,	1.00 1.00 1.00 1.00 1.10
			11	5,169 4	53	027 2225 4494 817	,261 ,837 ,780 ,594	440, 45,40, 45,40, 65,00,	,147 ,238 ,413 ,022	, 016 , 786 , 044 , 498	,137 ,704 967 ,346	,446	,974	2885 241 201 201	680,	166 151 176 176
Д		ĺτι	12	5,114	11	830 2,004 1,037 1,892	1,242 2,323 1,802 1,630	1,505 1,153 1,511 1,115 1,027	1,013 1,124 1,350 1,212 899	1,881 1,648 1,398 1,472	1,151 1,740 1,075 1,036 1,560	2,466	8,823	3,865 1,490 1,365 1,010	4,958	2,829 142 73 118 133
Deaths		Total	13	90,283	40	1,857 3,732 2,262 2,914 3,709	2,503 3,5882 2,224 2,560	2,957 2,405 2,967 2,174 2,256	2,160 2,362 2,763 2,234 1,690	3,434 22,038 2,895 2,896 2,869	2,288 3,444 2,042 2,382 3,089	4,571	17,797	7,750 2,731 2,808 2,211	10,047	5,823 308 124 251 309
		Crude rate pe 1,000 home population	14 1	11.6 1	9.5	222580	12.0001	112:22	9.1 11.5 11.4 11.6 11.7 0	112:28	12.9	14.2	11.6	13.4 10.5 10.5	10.5 0	00000 0000 0000 0000 0000
	Įŧ	Comparability factor Racto of local	15 1	.01	0 86.0	9175	1111	1100 H	.23 .06 .07 .92 .92	95	0.000	.05	0 16.0	0.61	0 86.0	
De T		nabeb betsutbar to Lanottan ot redmuM	16 17	0.98 2,	.78	9 6 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0.00 4.00 1.00 1.00 1.00 1.00 1.00 1.00	000	400000	000000000000000000000000000000000000000	0000000	98	.89	981	-86	8000880 8000410
Deaths under 1 year	000	Aste per 1, 11ve birth	18	,365 19	1 43	41 18 70 16 52 15 134 23	65 20 97 17 104 19 60 15 59 17	114 23 68 19 114 22 39 12 81 20	55 15 60 18 114 23 54 18 35 16	128 19 94 19 38 15 114 23 45 13	38 16 88 18 34 15 69 24 74 18	110 20 49 15	437 17	150 17 26 15 74 22 50 14	287 16	182 16 13 18 2 9 9 16 12 12 12
J	se ks s muges	Death	19	1,636	1	26 51 35 97 50	4 0 7 0 8 5 3 8 8 4 1 4	888 511 280 280 51	25 24 25 24 25 40 20 41	89 64 27 79 30	22 61 27 51 54	79	296	10 24 22 28 28	192	120
J	sek s nuge:	Death:	20	1,451	-	0.4 & 0 & 4 4 & 0 & 8	36 44 35 40 40	76 50 71 74 83	30 39 66 37	76 61 25 68 24	20 51 26 39 41	70	250	24.08 3.08 2.6	162	107
	sugaro	HTT7S	21	1,738	1	64 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	44 C 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	89 88 88 88 89 80 80	20 30 30 30 30	4883228 483288 48388	38 47 52 45	68	329	110 17 46 47	219	138 7 2 8 8 15
6		Perina mortali	22	25	43	441202	24242	0000 000 44	2022	4224	42000 42000 541000	22	22	25 25 25 20	21	23, 17, 22, 23, 23, 23, 23, 23, 23, 23, 23, 23

22	22222	20 22 00	25 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	201111 2017000	23	67 67 67 67 67 67 67 67 67 67 67 67 67 6	237 126	0240	23	287 4 W V	41212	322525	277	200
21	000004	010000	∞ 11 ∝ № 4 ∞	11 4 4 6	37	20 1 4 H	21 SI I I S SI 44	OL I	187	136 10 10 3	01 H 4 10 00	のともとい	o 1 ℃ H 44	15
20	98664	4000110	ര ഗവരയ വ	₩ ₩ ₩ ₩	15	6 0144	נוטוו 00		144	10 6	H K O H W	M D ← N I	K 11 10 10 14	18
19	12106	112	2220000	v d 4 r c a a	16	P Ø 1 H H	© 1 ↔ 00 1 1	ਜਜਜ	161	1188 22 33 99	H 4 H 0 0	топп н	のよりこ々	64
18		1107 104700		002000	14	22 102	208911	450	16	137751	4-048	22221	W-4V4	127
17	00000 0000	200 300 100 100	105 111 122 8 8 51	212	31	101	18	0 m 4	234	176 22 44 13	H 4 8 C) 4	V 11 420 1	00004	25
16	0.08 0.08 0.09 0.09 0.09	00000 80000 44000 80000 80000	00000	000000	0.92	1.00	0.981 0.959 0.959 0.959	0.82	06.0	010 000 000 000 000 000 000 000 000 000	00000 400000 4000000000000000000000000	000000	0.99 0.64 0.89 0.72	0.92
15	0.63 1.20 1.17 1.55	12.10 48.00 18.00 18.00 18.00 18.00	0.086 0.95 0.95 0.448 0.63 1.05	1.13	0.94	1.08 1.25 0.56 0.78	0.67 0.67 1.02 0.77 0.88	0.92	1.13		11.10	11.00	11.05	1.80
14	10.00	88894 487084	101 100 100 100 100 100 100 100 100 100	80.11 80.01 80.01 80.01	11.7	11.00.01.00.01.00.01.00.01.00.00.00.00.0	122.00	11.0	0.00	0000000 1000000	00 L 0 K 0 K W W W W	11.56	12.30	7.1
13	495 451 685 306 171	637 8886 1334 4130 415	4 310 138 138 782 782 725	4400 4440 4400 4000 4000 4000	1,662	688 674 675 676 677	200 400 400 600 600 600 600 600 600 600 6	106 144 80	8,476	5,702 73 158 195 203 293	65 210 488 187 375	182 286 270 261 84	589 342 319 74 173	883
12	266 204 299 127 88	2644 2644 2640 2447 2347	2,129 159 64 211 207 186	308 308 208 1007 107	813	350 241 244 246	463 67 119 225	53	4,184	2,751 35 77 82 97 125	243 243 204 204	146 123 137 137	280 18 156 380 80	420
11	229 247 386 179 83	307 4446 2911 65 53	2,095 151 74 176 211	144 2464 235 3131	849	23.33 23.33 23.53 35.53 35.53	511 56 126 31 52	5.00 5.10 5.10	4,292	2,951 38 113 106 168	28 108 245 100 171	0 4 4 4 4 6 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6	308 408 808 808 808	166
10	1.37	11.05	1.37 1.37 1.98 1.48	1.10	96.0	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	1.20	06.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0000 0000 0000 0000 0000 0000 0000 0000 0000	10004	0.0000000000000000000000000000000000000	1.08
o	0.008	0.00 1.092 1.092 1.092 1.092	1.00.1	0.988	1.03	0.91	4480000	1.18	0.94	0.00 11.00 0.00 0.00 0.00 0.00	000000000000000000000000000000000000000	00.00	01000	0.98
80	12.00.17.00.19.00.19.00	0011111 40.0011 40.0011	118.8 118.8 119.2 14.9 24.7	040011000000000000000000000000000000000	15.7	2.61 2.01 2.41 1.44 1.44	447 457 457 457 457 457 457 457 457 457	125	16.2	# 0.4.001 # 0.4.001	118.000	1.020.01	20000	18.6
7	390 1,319 989 411	1,546 1,996 421 133 157	6,4 538 405 405 3333 869	1,106 472 472 410 391	2,236	1,118 904 904 98 98	1,1106 106 127 266 58 168	146 141 106	14,477	20,707 246 352 352 391	70 1,146 351 495	4 4 2 2 3 3 3 9 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	797 1,220 172 290	1,429
ဖ	2002	45 13 13 19	211 21 3 14 33	201 201 301	83	00 d 00 l 4 d	30	999	443	8 11 12 13 14 14 14	24 C/ 20 C/	100 100 100 100 100 100 100 100 100 100	40500	19
S	422421	55 17 19 19 19	224 233 110 110 110	288 201 201 201 201 201 201 201 201 201 201	94	43 1 9 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	∞ ⋈ ⋈ め ↔ ⊕	r00	208	37. 11. 11. 11. 11. 11. 11. 11. 11. 11. 1	2010	0 110 111	₩ 4 40400	11
~#	171 317 611 461 208	706 894 189 65 77 170	2,998 250 182 146 173 397	252 515 195 207 185 496	1,034	104 1104 11144	52 40 71 71 70 80 80 80	663 48	6,472	4,810 46 107 155 169 370	122 128 128 128 128 128	197 158 194 59	352 47 556 86 146	621
ю	182 399 629 486 187	739 936 202 63 75	3,049 244 199 170 175	269 233 161 182 468	1,025	8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	527 48 133 70 70	73 67 49	7,054	2, 2,00 111 1198 1198 394	39 168 178 234	212 234 154 190 69	387 595 79 136	505
	31,140 44,150 77,330 41,120 21,280	75,680 33,130 8,610 8,610	368,160 28,060 221,060 21,760 34,980 35,130	27,320 67,610 30,280 30,420 25,390 55,610	141,990	62,540 47,140 1,910 6,970 6,520	79,450 8,610 7,820 20,030 4,330 11,740	9,680	892,470	625,560 6,750 15,040 21,120 24,750 43,780	7,950 22,580 65,300 19,080 26,920	21,200 28,950 25,170 30,360 7,320	52,560 5,970 60,370 8,470 14,040	76,730
a	18.44.7.44.0.1.1.0.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	1033 333 300 300	888 8119 824 835 835 835 835 835 835 835 835 835 835	27 80 80 80 80 80 80 80 80 80 80	141	274	20 8 C C 2 4 L L	011	892	62 62 62 64 64 64 64 64	20007	3000	0.00 8 4 4	41
÷	Christehurch M.B. Eastleigh M.B. Fareham Farehorough	Gosport M.B. Havant and Waterloo Lymington M.B. Romsey M.B. Winchester M.B.	Rural districts Auton Andover Basingstoke Droxford Hartley Wintney	Kingsolere and Whitchurch New Forest Petersfield Ringwood and Fordingbridge Romsey and Stockbridge Winchester	HEREFORDSHIRE	Municipal boroughs and urban districts "(f) (g) Hereford M.B. Kington Leominster M.B. Ross-on-Wye	Rural districts* (f)†Erongard Dore and Bredwardine Hereford Kington (g)†Ledbury	Leominster and Wigmore Ross and Whitchurch Weobley	HERTFORDSHIRE	Municipal boroughs and urban districts Baldook Baldook Barkhamsted Bishop's Stortford Bushey Cheshunt	Chorleywood Harpendon Hemel Hempstead M.B. Hertford M.B.	Hoddesdon Letchworth Potters Bar Rickmansworth Royston	St. Albans M.B. Sawbridgeworth Stevenage Tring Ware	Watford M.B. Welwyn Garden City

(f) Bromyard U.D. abolished 1st April 1968; events included in figures for Bromyard R.D. from 1st January 1968. (g) Ledbury U.D. abolished 1st April 1968; events included in figures for Ledbury R.D. from 1st January 1968.

		Perina	22		55 6 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1222227	52 23	31 23	0 0 0 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 12	21 5 5 32 4 5 74 5 74 33	1 2 3 2 3 2 3 2 3 2 3 3 3 3 3 3 3 3 3 3	41 23	5 26	336 23	21 4 9 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 2 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
	sugaj	SCITIPS	21			Ħ	Ŋ	n	←		8		34		33	22	H H (1)
é		Deaths 1 wee	20		∞ ⊣ ⋈ ⋈ ⋈ ⋈	ちちめるすよ	32	19	ਅਜਜਜ	CI ←I	E 1 41 € C1	011	216	00	208	142 00 132 142 142	4-10-4-4
		Deaths 4 wee	19		4 □ □ □ □ ♥ □ □	NN0010H	38	24	4054	ରା ରା	4 1 400	011	251	6	242	165 100 100 140	41400
N to to	000	Rate per 1,0	18		2277000	0700040	16	16	UWV 4	100	252741		16	24	16	1100000	40 11 21 21 21 21 21 21 21 21 21 21 21 21
Deaths under		Number	17		00 00 00 00 00 00 00 00 00 00 00 00 00	481401	56	34	4001	410	N 00 00 00	011	387	12	375	267 111 23 15 15	2000 44 2000 44
	9187	Ratio of local additional death selections of the selections of th	16		000000000000000000000000000000000000000	000000 88888 4086	0.94	0.97	0.78 1.00 0.98 0.83	1.31	00040 888000 80000	0.87	0.91	0.84	0.92	000000	10000 00000 00000 00000
		Comparability rotors	15		00.000000000000000000000000000000000000	1.02	1.16	1.08	0.92 1.31 1.02	1 .41	2.22 2.22 1.76 1.34	1.21	0.85	0.79	0.86	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.62 0.74 0.74 1.10
		Crude rate per 1,000 home	14		10.8 8.8 10.6 10.7 10.2	000000 140000	9.6	10.7	001	14.2	€ 49 € 70 € 70 € 60 € 70 € 60 € 60 € 60 € 60 € 60 € 60 € 60 € 6	980	12.7	12.7	12.7	# 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1111000
Deaths		Total	13		2,774 58 105 364 388 150	105 253 587 137 157 77	1,853	1,273	153 120 755 51	78	580 34 111 104 92	152 74	17,387	416	16,971	12,040 379 393 503 612 373	479 228 687 933 553
		(že _i	12		1,433 29 42 42 206 187	49 126 317 69 305 31	806	636	84 62 366 24	59	272 13 48 42 48	76	8,648	225	8,423	6,093 178 208 234 347 188	243 108 371 445 248
		Σ	11		1,3 2,4 2,0 1,0 1,0 1,0 1,0 1,0 1,0 1,0 1,0 1,0 1	245 245 46	945	637	69 589 27	37	308 21 21 62 62 44	76 33	8,739	191	8,548	5,947 201 185 275 265 185	236 120 316 305 305
	ete.	i divid betsutba	10		0.11.00 1.14.00 77.00.98	1.11 0.091 0.75 0.83	1.04	26.0	1.00	1.39	1.000 1.000	1.27	1.10	96.0	1.10	00.000 00.000 00.000 00.000	01111
		Comparability factor Ratio of local	0		000000000000000000000000000000000000000	000000000000000000000000000000000000000	96 • 1	06.6	0.95	99.0	.00 .55 .34 .97	-05 -05	-07	.00	07	900000	01
		Crude rate per to population	80		4.00.00.00.00.00.00.00.00.00.00.00.00.00	7.74 11.44 11.05 10.05 10.05 10.05 10.05 10.05 10.05 10.05 10.05 10.05 10.05 1	18.3 0	18 • 2	21.7 18.0 17.0 13.2	18.90	18.15 19.55 19.51 19.51	17.2 20.4 1	17.3	15.2	17.4	110.11 100.11 110.11 117.55 114.7	2.81 2.81 2.044 11110
St		Total	7		3,770 103 181 4410 641 231	204 241 617 708 711	3,541	2,165	330 238 1,132	145 246	1,376 150 291 220 176	303 184 52	23,720	498	23,222	15,481 671 206 1,263 400	494 261 703 1,630
re births	mate	压	9		130 3 9 15 127	4 7 7 2 2 2 2	135	93	12 7 64	40	4 00000	のより	825	22	803	600 200 118 120 111	271 122 123 249 253
Live	Illegitimat	×.	2		130	0 4 10 N H N	120	82	111 114 124 12	മാവ	\$ 00000	041	892	21	871	661 40 40 601 600	4 667113
	ate	Ē	4		1,662 52 62 1183 277 97	166 278 103 314 50	1,614	974	145 112 502 35	115	640 72 142 93	141 85 21	10,712	214	10,498	6,912 302 302 572 369 203	209 1111 279 714 538
	Legitin	Z	ю		1,848 42 105 194 116	1114 301 301 336 53	1,672	1,016	161 108 522 37	71	. 656 71 132 108	145 94 29	11,291	241	11,050	7,308 325 325 605 401 164	237 127 321 801 517
4	home population	Soth June 1968 Exploratory Note Changes in	Q		266,910 6,600 10,740 34,450 44,810	11,530 24,240 43,570 13,070 55,410 7,810	193,100	119,030	15,220 13,230 66,460 5,620	5,500	74,070 7,220 16,590 11,270 9,720	17,640	1,369,080	32,790	1,336,290	904,140 34,880 20,450 54,660 46,510	35,970 144,370 44,040 884,370 55,160
	- 14	Area a	+	HERTFORDSHIRE - continued	Rural districts Berkhansted Braughing Fraughing Hatflied Hamlied	Hertford Hichin St. Albans Ware *Watford Welwgn	HUNTINGDON AND PETERBOROUGH	Municipal boroughs and urban districts*	Huntingdon and Godmanchester M.B. Old Rletton Peterborough M.B. Ramsey	St. Ives M.B. *St. Neots	Rural districts* Barnack Hunthingdon Norman Cross Peterborough	St. Ives *St. Nets Thorney	KENT	Canterbury C.B.	Administrative county	Municipal boroughs and urban districts * (h) Ashford Broadstairs and St. Peter's Chatham M.B. Dariford M.B. Deal M.B.	Dover M.B. Paverslam M.B. Polkestone M.B. Gillingham M.B. Gravesend M.B.

22	220022	25 36 36 26 26	277727	32 44 22 22 22 22 22 22 22 22 22 22 22 22	23 23 25 25 17	200000	35 25 27 27 27 27 25	22	29	31 226 229 33	234 238 30 30	8000000 8000000	26 29 29	28	223 0 88 233 0 88
21	27. 28	110	040F0	00/20	1100	000406	10000	64	1,561	853 15 30 24 46	39 30 24 219 173	282 283 443	13 21 29	708	010
20	80400	0 0 m 0 m	មារពេយ	HH04	99 บพ๛พพ	410100	47041	r0 ←1	,123	650 14 24 26 44	11 12 152 153	32 13 33 33 39	17 23 16	473	398
19	80 H C G 60	07 n n n 0	F119H	4404	F wwww	91010	Hawwa	₩ ~	,300 1	745 16 26 28 50	16 13 173 173	35 26 30 37 44	21 26 18	555	466 15 10
18	20000	20 100	270-15	2775	4822227	87.74-	20 N N N N	10	22 1	44500 44500	222880	865565 865565	25 26 19	19	02 28 20 1 20 1 20 1 20 1
17	44655	28 4 19 13 13	11 201	100	108 8 6 144 6	138227	100	90	1,962	1,147 26 42 38 38	222 222 263 283	84448 000 000	28 31 29	815	20 20 111
16	1.06 0.13 0.94 0.99	0.000	00.000.000.0000.00000000000000000000000	1.14	000000000000000000000000000000000000000	1.05 0.80 0.84 1.06	0.00	0.480	1.16	1.523 1.233 1.233	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11.12	1.14	1.12	1
15	0.53 0.50 1.37 0.97 0.61	1.07 1.24 0.95 0.75 1.05	0.80 0.80 0.98 0.98	1.21	0.89 0.58 0.92 1.07 0.75	0.95	0.89 1.05 1.02 0.87	0.87	1-07	1.00 0.88 0.79 1.05	1.16	1.005	1.18	1.08	1.00 0.4.0 0.94.0 1.26
14	23.7 17.4 9.0 111.5	14.8 8.9 14.7 15.6 10.5	17. 10.5 13.5 14.5	11.2 17.8 10.2 16.3	11. 12.3. 13.0. 10.0.	120.00	10.02	10.2	12.9	113 13 13 13 13 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	15.7	14.9 13.1 12.8 13.7	13.3	12.3	16.22
13	580 201 43 768 952	224 420 611 587	764 48 2227 396 139	105 102 295 378	4,931 378 203 622 192 122	458 245 725 725 765 765	288 4884 1984 1098	297	66,662	36,848 883 1,618 2,749 2,125	755 1,205 905 7,962 7,646	1,629	1,614	29,814	25,228 75 597 45 263
12	308 118 18 385 469	14 104 204 293 278	455 127 200 200	45 49 150 205	2,330 143 102 291 291 88 53	233 1233 239 239 239	42 42 42 44 44 84	124	32,801	18,222 421 798 1,373	362 637 461 3,745	818 687 564 956	915 461 528	14,579	12,342 29 294 24 133
11	272 83 25 383 483	40 120 216 318 309	309 21 100 196 65	60 53 145 173	2,601 235 101 331 104 69	225 120 114 165 300	34 187 116 114	173	33,861	18,626 462 820 1,376 1,091	393 568 444 4,091 3,901	811 666 609 719 966	699 496 514	15,235	12,886 46 303 21 130
10	0.90 1.01 1.10 0.98	1.26 1.08 1.30 0.97	1.06 0.98 0.73 1.41 0.76	1.13	1.110	1.06 0.92 1.24 1.37	1.090	1.12	1.06	1.06 1.06 1.21 1.12	1.00	1.05	1.02	1.05	11.00
თ	11.4.1 1.0.1 1.0.2 1.0.2 1.0.3	0.010	000000000000000000000000000000000000000	0.97 1.37 0.98 1.43	1.05 1.05 1.47 1.47	1.13 1.29 1.10 1.08	1007	1-03	1.03	111100	00.000000000000000000000000000000000000	000	020	1.03	.00 .00 .00 .00 .00
σ,	10 11 11 12 13 13 13 13	118.9 113.0 113.6	16.3 14.0 10.9 20.7	111.5	17.0 114.7 115.2 115.2	112.0 112.0 119.0 221.5	1.6.1 2.02 4.0.7 1.6.8	18.4	17.4	17.0 17.0 18.4 12.6	118.0	17.7 18.0 19.0 19.0	14.3	17.3	17.4 16.9 16.7 18.2 18.2 0
7	265 137 105 1,222 1,522	69 4491 544 543	714 64 198 618 111	185 66 589 334	7,741 439 2,124 1,124 176	386 134 375 582 1,175	109 618 868 396 135	538	90,06	47,998 1,081 1,848 1,859 2,711	1,440 1,213 1,291 11,848 10,736	1,930 1,861 1,662 1,942 2,730	1,141	42,060	35,104 105 616 84 590
80	18 20 50 40	14 16 33 37	4 - 014	100	203 8 23 6	220133	9 N N N N	11	4,377	2,972 69 97 127 134	67 69 653 916	140 113 500 220	598	1,405	1,258
ro	54 50 50 50 50 50 50 50 50 50 50 50 50 50	4044	80 41 C R	11100	210 16 21 21 23	12 11 12 13 12 13	16 20 15 15	10	4,568	3,115 59 83 137	77 71 658 954	139 122 124 61 228	72 67 39	1,453	1,292 1,292 1,292
4	105 59 45 567 255	22 238 231 235 456	297 34 93 285 52	85 31 271 148	3,586 208 118 118 511 106	172 31 181 279 569	289 400 169 169	241	39,259	20,233 453 820 778 1,138	628 497 55,044 4,323	804 776 721 909 1,097	480 516 693	19,026	15,778 55 275 37 277
ю	129 74 553 268	28 230 273 234 502	350 300 500 500 500	84 32 287 160	3,742 207 108 569 106	193 61 172 275 551	288 4222 196 63	276	41,854	21,678 500 848 817 1,274	673 576 607 5,493 4,543	847 850 718 922 1,185	535 562 728	20,176	16,776 45 286 45 297
α	24,450 11,580 4,800 66,650 49,210	25,650 28,630 28,630 39,220 55,760	43,930 4,580 18,190 29,910 9,790	9,400 5,740 28,840 23,120	432,150 25,800 16,490 63,450 11,970	24,210 11,210 13,740 27,080 52,620	42,3710 42,680 22,890 8,040	29,190	5,180,090	2,751,610 63,720 100,370 147,850 153,700	79,800 76,880 65,960 688,010 602,790	103,100 103,600 86,350 102,470 139,830	79,940	2,428,480	2,020,070 6,210 36,810 4,610 25,070
7	Herne Bay Hythe M.B. Lydd M.B. Maidstone M.B. Margate M.B.	New Romney M.B. Northfleet (h) Queenborough-in-Sheppey M.B. Ransgate M.B. Rochester M.B.	Royal Tunbridge Wells M.B. Sandwich M.B. Sevenoaks Sittingbourne and Milton Southborough	Swanscombe Tenterden M.B. Tonbridge Whitstable	Rural districts * (h) Bridge-Blean Cranbrook Dartford Dover East Ashford	Eastry Elham Hollingbourn Maidstone *Malling	Romney Marsh Sevencaks *Strood Swale Tentorden	Tonbridge West Ashford	LANCASHIRE	County boroughs *	*Bootle Burnley Burnley Liverpool Manchester	Oldham Preston Rochdale St. Helens Salford	Southport Warrington Wigan	Administrative county *	Municipal boroughs and urban distracts * (1) Abrancts * (1) Accellington M.B. Adlington Ashton-in-Makerfield

(h) Queenborough M.B., Sheerness U.D. and Sheppey R.D. abolished 1st April 1968; events included in figures for Queenborough-in-Sheppey M.B. from 1st January 1968.

e	sal rate	Perinat (11121aom	22		3470	V27 25 25 25 25 25 25 25 25 25 25 25 25 25	4 2 2 4 0 5 5 6 7 6 8	27 27 27 27 27 27 27	22 22 22 22 22 22 22 22 22 22 22 22 22	242 242 268	200 200 300 300 300 300 300	34 145 145 158	35 25
	rths	rattias	21		U 1004	41048	ИФФНЮ	NUNPN	100000	1997	14000	2000	N Q CH
		Deaths	20		4 1 7 0	HH001	01-01-1	00464	411	ღ ი ← ღ	440140	L 4 L 10 10	46
	экз	Deaths	19		M 1 60	44001	01011	NOVOV	133	40440	14010	L4004	27
		Rate per 1,0	18		12 27	1 20 1 37 4	30700	47.07.0	227	222	2720	450000	2000
Deaths under	000	Yadmuhar 1	17		23 10 10 10 10 10 10 10 10 10 10 10 10 10	40401	n n o ← n	888194	101 100 100 100 100 100 100 100 100 100	1000000	44404	L4C88	01g
	93.8	Ratio of local adjusted death r to national rat	16		1.22	1.22	001111	11.022	1477 1471 1471 100	11.0001	044400	4444 84448 84448	11. 14. 14. 14. 14. 14. 14. 14. 14.
		Comparability factor	15		11004.00	1.09	1.02	0.93 1.11 0.97 1.07	0.00.00	0.86 0.99 0.59	400001 10000000000000000000000000000000	1.25 1.03 1.27 1.34	1.17
		population	14		113.6	13.2 11.5 12.1	12.0	15.6	14.01	10.41	24444	0.40 0.40 0.40 0.40 0.40 0.40 0.40 0.40	1200
Deaths		o o c c c c c c c	13		659 354 354	216 85 117 35 88	409 410 75 107	2916 2933 1967 1356	4 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	44 44 17 19 19 19 19 19 19 19 19 19 19 19 19 19	163 163 144 183 183 183 183 183 183 183 183 183 183	274 232 583 214 2114	351
		Ç2 ₄	12		315 37 197 66	0 4 8 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6	214 214 214 36 59	116 143 80 418 61	189 202 128 128 129	227 196 197 143	37 103 174 179	124 126 126 104	159 39
		2			344 46 157 72	125 43 138 46	22 20 20 20 20 20 20 20 20 20 20 20 20 2	100 150 87 378	232 198 154 315	203 221 102 153 133	33 113 69 184	150 106 322 110	78 192 50
	938	Iscal To ottan Thirid betsulbs Tanottan ot	10		11.11 1.11 0.00 0.00 0.00	00.11 00.11 00.11 00.11	1.18 0.94 1.14 0.90	11.1.1.0 20.00 44.00 20.	111011000000000000000000000000000000000	100.00 00.00 100.00 100.00	00.000000000000000000000000000000000000	11011 440000 440000 440000	1.26
		Comparability	0		10.00 10.00 40.00 10.00	1.25	1.05	1.00.1	11.00.11 00.11 00.00 00.00	1.05	2.36 1.09 0.95 0.95 0.94	0.95 0.91 1.03 1.14	1.06
		Crude rate per 1,000 home population	00		17.9 20.0 17.5 15.9	17.5 18.4 22.4.8 16.6	19.1 16.0 16.0 18.4 14.2	115.6	16.2 17.7 14.3 21.4	15.6 221.4 15.2 18.7	6.1 17.71 4.81 4.84 2.71	22.1 16.2 17.6 20.0	18.9
δ.		Total	7		863 149 188	281 86 251 102 121	80 510 516 107	215 297 308 923 215	467 672 424 576 484	416 452 440 295 501	200 200 200 200 200 200 200 200 200 200	494 268 1,219 301	1,216
re births	mate	<u>[±,</u>	9		17077	1001	2812	25 20 4 4	22 128 138 111	23 7 10 10	2411	88 110 110	66
Live	Illegitir	Σ	S		ю 4 ю 0 ю п	244410	1111	045 048 010 010	24 13 13 13 13 13	0 C 0 4 C	22 H 4 G	088977	ω t-1υ
	mate	Ēt.	4		369 68 170 92	1255 119 119 56 45	2221 2248 248 411	110 120 138 412 8412	202 312 185 234 225	182 191 218 151 210	96 120 105 234	236 106 517 137 178	99 575 25
	Legitin	Σ	м		410 76 172 84	129 130 60 60 60	000 0000 0000 0000 0000	91 127 147 445	219 321 208 273 235	201 213 207 134 266	91 104 120 250	243 146 198 183	117 528 47
	Estimated home population	Saks at 1968 (but see Exploratory Note (Changes in Changes in Changaries!)	a		48,280 7,440 20,700 11,830	16,330 4,680 10,140 4,750 7,270	4,180 31,790 31,100 5,810 6,330	12,940 18,750 15,460 58,980 10,990	28,740 38,010 25,380 40,220 22,660	26,650 28,770 20,600 19,360 26,820	3,280 11,030 14,260 12,740 30,400	22,400 16,540 69,240 16,950	11,680
		Area	₹-1	LANCASHIRE - continued	Municipal boroughs and urban districts - continued Asthon-under-Lyne M.B. Aspull Atheriton Audenshaw	Bacup M.B. Barrowford Billinge-and-Winstanley Brackrod Brierfield	Carnforth Chadderton Chorley M.B. Church Claybon-le-Moors	Clitheroe M.B. Colne M.B. Crompton Crosby M.B. Dalton-In-Furness	Darwen M.B. Denton Droylsden Eccles M.B. Rallsworth	Farnworth M.B. Fleetwood M.B. Flymby Flymby Golborne	Grange Great Harwood Haslingden M.B. Haydook M.B.	Hindley Hownich Huyton-with-Roby Ince-in-Makerfield Irlam	Kearsley Kirkby Kirkham

22	35 35 35 35	29 29 33 31	22 23 25 17	22 25 25	1 8 5 6 4	4 4 5 5 6 4 5 5 6 4 5 6 5 6 6 6 6 6 6 6	33.20	127	7442 7272 00	29 27	22 23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	4 £ 0 £ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	16 227 28 40
21	41000	800000	N1-104	@@10104	18491	402110	40000	14740	01100	23	102	1884t	100
20	01022	H4140	8 W W D U W	ω ι ω ↔ N	1 4 4 10 円	ИВННО	15841	11010	0 N 4 4 N	9 1 1 3	2 000010	1 + 0, 10, 10	5011
19	01 100 6	47100	ひてころも	01040	10474	884H0	13841	11646	04894	11 11 12 13	80 ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩	нчкко	223
18	27.51.25	400004	W	01210	18481	20010	2022	1100-	734 22 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2 2 4 2	4500	17 26 27 20	40000 m	4877
17	12221	201113	r00r0	10000	19921	4 10 11 4 12	1 1 4 1 0 1 1 0 0 1 1 1 1 1 1 1 1 1 1 1	1 1 1 7 4 8	7.4 0 0 0 0	15 17	118 6 6 14 7	H (1440)	200 300 300
16	1.00 1.00 1.00 1.00 1.00	1.20	1.005	24 44 60.00	1.23	1.122	1.22 4.00 7.00 7.00 7.00 7.00 7.00 7.00	1.15	0.0000000000000000000000000000000000000	1.119	######################################	400000	1,122
15	0.73 0.74 1.15 1.34	1.00 0.38 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	1.10	1.07 1.23 1.08 0.98	0.59 1.21 1.05 1.05	0.897	0.000	0.95 1.32 1.22 1.24	1.15	1.45	1.06 0.93 0.93	1.04 0.76 0.76 0.83	1.38
14	16.71 12.8 12.8 9.0	11000 1000 1000 1000 1000	11.7 17.4 14.0 115.7	111.00001111	23.7 12.1 13.7	114.6	12.1	448000	222 224 24 24 24 24 24 24 24 24 24 24 24	17.3	######################################	110.0	100 100 100 100 100 100 100 100 100 100
13	791 64 594 204	145 70 7111 539	114 711 133 492 265	301 132 194 141	161 532 388 51	221 345 194 194	132 673 436 124	29 163 249 163 458	226 1111 2449 91	562 522 532	4,586 257 245 379 108 296	203 271 107 217 628	461 674 622 118
12	419 231 94 102	988 988 988 988 988 988 988	352 352 57 245 132	139 70 76 71 89	25 2 2 2 2 4 2 4 2 4 4 2 4 4 4 4 4 4 4 4	1113 173 44 90 79	822 222 207 210 73	17 69 120 83 237	106 64 125 116 50	245 23 261	2,237 108 123 154 53 168	101 134 51 109 323	213 325 321 54
11	372 333 1110 141	76 32 29 312 270	58 359 76 133	162 62 118 70 89	44 88 237 194 27	108 172 38 104 103	351 222 222 51	129 129 80 221	120 47 124 128 41	317 29 271	2,349 149 122 225 55 128	102 137 56 108 305	248 348 301 64
04	0.97 1.13 1.06 1.06	22.23 0.75 0.75	1.68 0.94 1.31 1.07	1.27 0.90 1.04 0.11 0.86	0.92 0.92 1.30	400041	1.00 1.00 1.24 1.424	01110	1.32 1.09 1.31 1.31	1.19	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	1.10 0.92 0.98 0.96	1.21
D	11.010.100.000.000.000.000.000.000.000.	70. 41. 60. 70. 70.	000 00 00 00 00 00 00 00 00 00 00 00 00	000.000	952	112	200000000000000000000000000000000000000	260000000000000000000000000000000000000	000000000000000000000000000000000000000	223	400. 400. 400. 800.	.16 .08 .17	0.88
8	400 7.81 14.00 14.00	124.0 140.0 140.0 140.0	122.6	10.41 10.41 10.41 10.41 10.41	16.41	2008 411 5008 5008 5008 5008	118.00	123.3 120.3 117.8 16.7 16.7	24.41 14.41 14.52 10.02 10.02 10.01	220.00	17.00 14.00 11.00 11.00 11.00 11.00	0.03.001	20.00
7	705 71 851 448 457	213 236 1111 380 830	221 1314 1844 404	507 189 204 181 236	24 218 426 580 138	275 306 103 378 444	205 1,040 391 133	26 356 395 190	628 87 247 367	1,075	6,956 287 234 660 1114 358	271 228 161 219 786	1,045
9	34 14 113 113	370289	23 4 10 10	40004	118	44050	0 0 0 0 U	14000	111	44 1 2 1 2 1 2 1	14 6 1 17 4 8 1 1 1 1 1 1 1 1 1 1	100 200 200 200 200 200 200 200 200 200	200
ro.	42 100 44	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 K C C C B	0.000-10	1877 1877 1871	79887	000000	444 64	15 10 12 12	4 0 C	161 7 8 13 13	177100	27 72 41 8
4	316 35 403 212 199	102 109 55 150 363	108 202 866 218	237 103 101 77 99	11 98 192 237 60	133 133 46 165 207	107 438 307 1777	169 172 172 333	272 40 1110 151	468 31 407	3,246 108 108 3355 499 148	133 112 80 90 373	511 514 540 128
М	321 33 412 233	90 116 49 191 391	102 254 89 219	247 78 92 88 130	12 104 205 294 75	134 143 52 192 215	4 3 3 5 1 4 4 9 9 6 4 4 5 5 6 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	13 205 90 359	330 41 120 190 76	522 31 382	3,400 149 110 296 60 191	125 102 78 112 380	501 549 613 134
2	48,090 26,080 22,720 24,720	10,950 6,920 6,020 37,110 57,860	9,730 40,850 9,530 22,430	25,680 12,010 13,930 10,160	3,380 13,320 33,310 7,020	14,730 21,870 5,610 18,440 21,870	10,920 59,480 40,750 25,920 6,920	2,010 19,430 19,430 10,690 43,330	25,280 5,000 17,430 20,180 7,630	53,660	408,410 19,260 16,160 34,100 9,330 18,150	16,990 17,270 10,460 15,880 50,280	44,830 66,710 76,060 12,930
ŧ	Lancaster M.B. Les M.B. Leyland Litherland	Littleborough Little Lever Longridge Lytham St. Anne's M.B. Middleton M.B.	Milnrow Morecambe and Heysham M.B. Mossley M.B. Nelson M.B. Nelson M.B. Newton-le-Willows	* Ornekirk Orbell Oswaldwistle Padiham Poulton-le-Fylde	Pressall Pressot Pressydth M.B. Radoliffe M.B. Rainford	Ramsbottom Rawtenstall M.B. Alshton Royton (1) * Skelmersdale and Holland	Standish-with-Langtree Stretford M.B. Swinton and Pendlebury M.B. Thornton Cleveleys Tottington	Trawden Turton Tyldesley Ulverston Urmston	Walton-le-Dale Wardle Westhoughton Whitefield Whitworth	Widnes M.B. Withhell Worsley	Rural districts* Blackburn Burnley Chorley Clitheroe Fylde	Garstang Lanusster Lunesdale North Lonsdale	*Werrington *West Lancashire Whiston *Wigan

(1) Skelmersdale U.D. and Up Holland U.D. abolished 1st April 1988; events included in figures for Skelmersdale and Holland U.D. from 1st January 1968.

	τ	TITILIDITS BIBRITAN BIRLETINON	1 22	195 23	93 28	102 19	39 2 25 105 178 105 178	119 119 125 13	63 21 66 20 11 13 15 15 33	4812		11 28	22 9 32 33 4 30	59 25	20 24	39 25	2 1 2 2 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
		1 week	21	111	10 10	28	02 C1 F C	ৰ । ৰ এ ও	ପ୍ରେପ ମ ପ ଏ	こまこま	16	a o n	F =0.4	39	10	29	5 1 800
	rabn	Degths u	20	133	63	20	11 4 7 7	41400	39 11 12 14 15 14	01 4 01 01	18	10	00 ↔ Ø 10	39	10	29	21 8888
-	rabn	live births u	8 13	10	20	12	10104N	01000	113 120 145 24	00000	12	250	27.73	- 4-1	C/I	15	177
Deaths under 1 year	0	Number Rate per 1,00	17 1	203 1	102	101	411 10 10 10	W I W W W	60 1 122 1 24 1 24 1	0 0 0 0 n	•	402		56 1	15 1	41 1	# 1000 # 01
		er diseb besutba estar Lamoitam of	16	0.95	1.02	0.92	0.95 1.11 0.97 1.02 0.98	0.081 0.999 0.77	0.14 0.03 0.80 0.80 0.80	0000 80000 8040	0.97	1.06 0.95	0.97 0.97 0.81	0.92	1.04	0.85	0.0000 4.00000
		Comparability rotosi Asctor Iocal	15	1.02	16.0	1.06	111111 0001 0001 0000 0000 0000 0000 0	0.76 0.82 1.15 1.41	11.00	1.13	66.0	0.91	1.11	0.94	1.00	0 + 89	00000 00000 00000
		Crude rate per 1,000 home population	14	11.1	12.5	10.3	0.000000000000000000000000000000000000	112.7	011 0.01 0.00 0.00 0.00 0.00	9.3	11.6	13.00 16.00	10.2 9.8 11.8 8.7	11.7	12.4	11.4	2122.00 2022.00 122.00 122.00
Deaths		Total	13	8,154	.3,499	4,655	2,150 99 2,82 4,68 4,56	167 210 149 179	2,505 157 631 90 667 105	136 390 126 203	1,215	569 269	646 225 254 167	2,695	936	1,759	767 73 357 170
; H		f± ₄	12	4,003	1,736	2,267	1,065 48 123 2337 233	101 95 66 47 83	1,202 69 308 325 515	68 185 67 84	573	267 138 129	306 114 125 67	1,364	462	902	# # # # # # # # # # # # # # # # # # #
		Z	11	4,151	1,763	2,388	1,085 51 251 231 231	00111 00111 00111 00111	1,303 88 323 342 542	205 59 119	642	302 171 131	340 111 129 100	1,331	474	857	6 6 6 6 6 6 6 7 6 6 7 6 7 7 8 9 9 9 9 9 9 9 9 9 9
		Laboi lo ottaf at ntito betsutba etar Lanottan ot	10	1.07	1.13	1.04	0.00 0.88 0.081 1.096 1.044	11.00 21.00 20.00 20.00 20.00	1.23	1.19	0.87	1.03 1.03	0.79 0.77 0.81 0.79	1.02	1.00	1.02	10000000000000000000000000000000000000
		Comparability rotosi	o	1.00	1.04	96.0	0.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	00000	0.00 0.997 0.988 0.888	1001.1004	1.00	1.001	1.02	1.01	1.03	1.00	1.00
		Crude rate per 1,000 home population	ω	18.1	18.3	18.0	117.08 115.09 117.09	20. 1.4. 1.4. 1.0. 1.0. 1.0. 1.0. 1.0. 1.	14.3 17.5 17.5 18.1 18.1	15.9	14.7	16.8 16.4 17.4	11 12 12 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	17.0	16.4	17.3	118.00 118.00 118.00
S C		Total	7	13,278	5,143	8,135	3,610 116 41 450 791 678	265 354 246 136 533	4,525 1,178 1,490 206	248 570 169 320	1,545	694 410 284	851 300 290 261	3,911	1,243	2,668	909 81 482 117 229
e births	mate	[±1	vo	480	300	180	80 H H H B B B B B B B B B B B B B B B B	H W D W G W	9 0 0 0 4 0 4	16	61	23.00 0.03.00	200 110 117	142	71	7.1	770000
Live	Illegiti	Z	w	530	333	197	800 H D 80	0 N 4 4 V	e 10 40 0	412 6	51	33 11	19	161	79	82	8 0 0 0 4 0 4
	mate	jž:	4	5,986	2,206	3,780	1,656 60 18 18 374 312	121 161 107 225	2,124 92 558 558 703 96	115 265 75 153	714	309 180 129	405 141 139 125	1,764	553	1,211	411 2220 1000
	Legitin	×	м	6,282	2,304	3,978	1,768 53 22 22 213 380 311	135 171 130 67 286	2,210 100 572 76 733 100	122 268 85 154	719	321 186 135	398 146 134 118	1,844	540	1,304	438 322 232 56 118
R T T T T T T T T T T T T T T T T T T T	home	as at as at 1968 1968 (but see Explanatory Note 10anges boundartes!)	N	732,790	280,340	452,450	208,430 7,930 3,210 28,250 44,530	13,180 18,250 17,450 8,210	244,020 13,670 67,210 10,820 66,950 11,390	14,650 29,840 10,730	104,940	41,330 25,050 16,280	63,610 22,960 21,460 19,190	229,560	75,720	153,840	53,790 5,790 26,180 8,020 13,800
		Area	н	LEICESTERSHIRE	Leicester C.B.	Administrative county	Municipal boroughs and urban districts Ashby de la Zouch Ashby Woulds Coalville Hinckley Loughborough M.B.	Market Harborough Melton Mowbray Oadby Shepshed Wigston	Rural districts Ashby de la Zouch Barrow upon Soar Billesdon Blaby Castle Donington	Lutterworth Narket Bosworth Warket Harborough Melton and Belvoir	LINCOLNSHIRE (PARTS OF HOLLAND)	Municipal borough and urban district Boston M.B. Spalding	Rural districts Boston East Elloe Spalding	LINCOLNSHIRE (PARTS OF KESTEVEN)	Lincoln C.B.	Administrative county	Municipal boroughs and urban districts Bourne Grantham M.B. Sleaford Stamford M.B.

22	24 20 31 25 25	28	26	28	327 37 37 37	504	330	23 45 10 10 10	24888	21	25 25 24	19	331	2000	111	119 222 14 173 25
21	8 H W W W W W W W W W W W W W W W W W W	132	24	108	10 10 14 10 0	нин	1 8 R L	30 1 4 9 1 1 C	410104	120	33 9 52	78	# 1 1 0 1 1 1 E	41440	10.1	0 0 0 0 0 0 0 0 0
20	2 4000	102	23	42	36 1460 100	#11	1811	4 100 1 1	ପ୍ୟବଦ	92	13.92	54	# 101H1	0H1H0	1 44	8 6 4 1 4 3
19	1 4000	112	23	68	4 시 리 전 전 전	401	· τί\/ · ·	4 1000 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	U 400	96	27	69	स म । छल्ला	∞0114W	1 (1)	∞ o ⊣ ≀ N N
18	111110	20	20	19	222022	24	36101	F05500	2 2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	16	18 27 17	15	119	222 225	151	400000
17	64 44 72 12	163	36	127	89 선생 생 60	सचास	1717	88 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100 to 10	148	46 15	102	6 1 10 4 4 1	40140	\$ C/I	6 C C C C C C C C C C C C C C C C C C C
16	0.86 0.86 0.73 0.80	86.0	66.0	26.0	1.05 0.99 1.05 1.05	1.18	1.16 1.06 0.75	0.08 0.95 0.77	1.07 0.86 0.94 0.87	0.94	1.00	0.93	0.00 1.11 1.00 1.00 1.00 1.00	00000 40000 10000 44000	0.82	000000000000000000000000000000000000000
15	0.98 1.11 0.83 1.04	1.03	1.08	1.01	1.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.98	1.48 0.74 0.42	1.00	1.13	0.86	0.89 0.78 0.94	0.86	0.49 0.49 0.87 0.87 0.82	0.95	0.86	00.00 00
14	9.00 10.01	11.3	10.9	11.4	2000 2000 4004 4004 2004 2004 2004	9.0	11.9	10.01 12.1 12.1 9.0 8.6	11.3	13.0	13.5 14.9	12.8	2112 213 30 30 30 30 30 30 30 30 30	0.44 0.01 0.00 0.00 0.00	11.8	7.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00
13	992 208 208 454 146 184	5,197	1,052	4,145	2,164 45 86 94 391 262	36 204 102	29 651 217 47	1,981 174 156 399 240 116	166 206 325 199	7,850	2,292 764 1,528	5,558	1,204 104 67 67 58 115	356 100 100 443	29	4,354 6117 295 205 205 205 205
12	487 100 233 63 91	2,496	522	1,974	1,030 25 41 43 173 130	20 108 54	297 100 28	944 70 70 200 1118 54	78 101 141 101	3,831	1,110 378 732	2,721	60 00 00 00 00 00 00 00 00 00 00 00 00 0	000 000 000 000 000 000	10	2,115 330 172 128 113 131
11	505 108 221 83	2,701	530	2,171	1,134 20 45 51 218 152	96 98 84	18 354 117	1,037 104 75 199 122 62	105 184 98	4,019	1,182 386 796	2,837	8044004 804004	142 143 143 143 143	136	2,23,239 1,233 1,233 1,64,33
10	11.00 1.00 1.00 1.00 1.00 1.00	1.10	1.10	1.09	110041 00000000000000000000000000000000	0.000	0.885 0.86 0.986	1000 1000 1000 1000 1000 1000 1000 100	1.08 1.13 1.13	86.0	0 0 0 0 0 0 0 0 0 0 0 0 0	66.0	1.00 0.72 0.97 1.07 1.07	1.07	1.30	0.098 1.116 1.115 0.76 0.89
6	90. 0.03 0.03	• 03	.02	• 03	021	1.09	1.20	# 11000 000000 8 400000	1.05	90 • 1	1.06	1.07	1.09 1.09 1.09 1.09 1.09	00000	1.14	1.24 1.24 1.02 1.02
80	17.6 16.6 17.9 17.9 16.8	18.0	18 -2 1	17.9	111111 10000 10000 10000	118 128 128 128 128 138 138 138 138 138 138 138 138 138 13	128.9	11.8 11.4 12.0 12.0 12.0 14.0 14.0 14.0	14.5 15.0 19.1	15.6	13.9	15.7	110.0 17.0 10.0 10.0 10.0	23 - 1 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	9-8	4.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00
7	1,759 375 789 286 309	8,288	1,762	6,526	3,097 444 102 102 78 654 348	61 211 69	29 1,320 153 28	3,429 214 250 882 639	213 321 288 429	9,398	2,591 713 1,878	6,807	1,530 58 65 65 141 38	551 91 55 255 254	135	5,277 667 299 212 384 195
9	48 9 10 10 0	368	111	257	25 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	NΦN	711	102 8 8 13 13 24	11801	367	145 41 101	225	6 40000	ことまらら	4	162 133 100 100 100 95
ro.	80 117 127 127 127 127	357	101	256	56 6 6 6 7 1 1 1 1 1 1 1 1 1 1	101	110	100 26 21 21 6	\(\tau \) \(\tau	374	168 64 104	206	% 4440100	W 44000	14	441 18 10 10 44 44
4	800 183 340 125 152	3,722	764	2,958	1,375 2,25 4,55 1,598 1,598	25 25 45	15 588 59 10	1,583 1111 423 300 300	91 126 126 199	4,150	1,106 295 811	3,044	660 21 27 27 60 60	227 37 19 28 124	1170	2,384 310 154 888 169
м	866 172 172 139 145	3,841	786	3,055	1,411 16 16 285 172	30 100 29	13 590 76 16	1,644 102 125 408 294 101	105 156 141 212	4,507	1,175 313 862	3,332	25 35 35 17 17	270 455 311 114	12	2,587 326 127 104 196
a	100,050 22,570 43,130 15,980 18,370	460,580	96,630	363,950	174,500 2,370 6,610 5,120 34,740 17,620	3,990 11,440 5,520	2,430 69,760 12,690 2,210	189,450 14,9600 12,900 42,690 26,770 13,550	14,710 19,630 22,170 22,430	602,810	169,920 51,290 118,630	432,890	0.4 w 8 4	30,110 5,720 5,060 10,870	2,450	341,810 42,130 18,340 17,550 26,080 18,610
F	Rural districts East Kesteven North Kesteven South Kesteven West Kesteven	LINCOLNSHIRE (PARTS OF LINDSEY)	*Grimsby C.B.	Administrative county*	Municipal boroughs and urban districts Alford- Barton-upon-Humber Brigg Clettores M.B. Gallsborough	Hornoastle Louth M.B. Mablethorpe and Sutton	Market Rasen Sounthorpe M.B. Skegnes Woodhall Spa	Rural districts* Caistorruch Gainsboruch Glanford Brigg *Grinsby Hornoaste	Isle of Axholme Spilsby Welton	NORFOLK	County boroughs * Great Yarmouth *Norwich	Administrative county*	Municipal boroughs and urban districts Oromer Diss Downham Market East Dereham Hunstanton	King's Lynn M.B. North Walsham Sheringham Swaffham Thetford M.B.	Wells-next-the-Sea Wymondham	Rural districts * Blofield and Flegg Depwade Docking Downham

		Area	н	ORFOLK - continued Fural districts - continued Freeboe and Henstead Loddon Marshland Mitford and Launditch	*St. Faith's and Aylsham Smallburgh Swaffham Walsingham	ORTHAMPTONSHIRE	Northampton C.B.	Administrative county	Municipal boroughs and urban districts * Erackley M.B. Burton Latimer Corby Daventry M.B. Desborough	Higham Ferrers M.B. Irthingborough Kettering M.B. Oundle	Rothwell Rushden *Wellingborough	Rural districts* Brackley Brixworth Davenity Kettering Northampton	Oundle and Thrapston Towcester *Wellingborough	ORTHUMBERLAND	County boroughs Newcastle upon Tyne Tynemouth	Administrative county
	population	30th June 1968 (but see Exploratory Note (Changes in	a	32,820 13,600 113,430 113,770	54,840 18,230 10,040 19,060 20,960	444,810	123,690	321,120	186,400 4,480 5,270 48,150 8,500 4,710	4,390 39,731 3,660 5,190	4,710 17,850 34,450	134,720 13,680 17,100 18,430 12,180 21,480	18,280 17,850 15,720	822,360	317,670 244,880 72,790	504,690
	Legiti	M	ю	272 102 144 125 125	505 112 85 140	3,848	979	2,869	1, 73, 82, 86, 86, 86, 86, 86, 86, 86, 86, 86, 86	38 320 21 61	35 179 325	1,130 127 126 157 68	120 206 137	5,638	2,196 1,684 512	3,442
	mate	fz ₄	4	247 201 200 200 200 100 100	429 103 96 137	3,633	906	2,727	1,676 33 57 4,886 1002	24 289 289 631	29 152 314	1,051 119 118 127 169	124 163 138	5,392	2,078 1,547 531	3,314
Live	Illegitimate	Σ	Ŋ	4000-	18 00 172 112	311	92	219	24 2 0 20 20 20 20 20 20 20 20 20 20 20 20 2	H (V 4) H H	10 4 CA	00 00 00 00	e, ± ro	489	262 208 54	227
re births	mate	Ēī.	ω	# H H W W W W W W W W W W W W W W W W W	101 111 111 121	319	105	214	146 24 45 45 45 45 45	W W O H W	136	6 4 0 0 0 0 0	168	455	267 210 57	188
SI		Total	7	545 229 190 297 747	983 188 300 307	8,111	2,082	6,029	3,710 69 126 1,054 202 86	76 107 673 444 128	70 358 717	2,319 259 250 310 171 376	259 288 288	11,974	4,803 3,649 1,154	7,171
		Crude rate per 1,000 home population Comparability	60	100 44 65 65 65 65 65 65 65 65 65 65 65 65 65	17.9 0. 12.8 1. 18.7 1. 15.7 1.	18.2 1	16.8 1.	18.8 1	10000000000000000000000000000000000000	20.2 16.9 12.0 12.0 12.0	20.8	118.00 114.00 11	14. 2.22. 1.0.00.	14.6 1	15.0 14.9 15.9 0	14.2 1
	I	factor Ratio of loca Addusted birth	9 10	003	01 01 01 01 01 00 01 00 00 00 00 00 00 0	.05 1.1	.02 1.0	•06 1•1	.00 .00 .00 .01 .01 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03	.30 .10 .10 .30 .92 .172	1.24 1.09 1.08 1.28 1.05 1.29	######################################	1.09 0.92 1.09 1.43 1.10 1.19	8.0	808	00.
	90	ea Lanoitan ot	11	216 98 110 86 79 01 139 89	05 290 887 120 116 147 94 147	13 2,604	01 785	1,819	1,020 17,	23 23 29 29 29 29 29 29	28 130 198 198	14 799 356 76 000 106 223 118 94 63 09	114 15 101 102	86 5,484	89 2,170 88 1,683 92 487	84 3,314
		[Sc ₄	12	212 58 72 72 73 74 75 75 75 75 75 75 75 75 75 75 75 75 75	328 1111 411 7 116 109	4 2,474	5 798	9 1,676	967 221 225 9 255 9 318 9 788	22 7 22 452 85 85 85	8 32 0 103 8 209	709 6 50 50 6 113 8 104 8 144	4 91 1 74 2 80	4 5,027	0 1,932 3 1,532 7 400	3,09
Deaths		Total	13	428 158 177 177 254	618 231 263 242	5,078	1,583	3,495	1,987 388 38 549 1118 118	646 631 721 721 721	233	1,508 1,508 1,208 1,208 1,116 1,166	205	10,511	4,102 5,215 887	6,409
	J	Crude rate pe 1,000 home population	14	2400 0400	11.3 12.7 12.7 13.8 11.5	11.4	12.8	10.9	10.22	110.5	12.7	120000000000000000000000000000000000000	11.00	12.8	12.0	9 12.7
		Comparability rotosi Ratio of loca	15	00.01	0.99 0.93 0.95 0.95	96.0	0.87	66-0	1.04 0.97 1.17 2.48 0.65	1.12 1.03 0.87 0.59	0.87	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	1.01	1.06	1.10	1.03
4	Pater	diseb beizulbs ar lancitan ot	16	00.78 0.95 0.95	4689	0.92	0.94	0.91	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.98	0.93 0.84	00.00 00	0.95	1 - 14	1.21	1.10
Deaths under		TadmuM L Tate per 1,	17 18	0001-4	04000	149 1	33 16	116 19	20 20 20 20 20 20 20 20 20 20 20 20 20 2	10011	19 2	# ON UN O	400	227 1	109 23 76 21 33 29	118 1
J	rəpun :	Jive birth	19		04000	101 8.	24	77 6	4 1 H W W H	22411	26	2000000 00000414	222	19 14:	3 58 9 21 21	83
J		Deaths Twe	50	Narada	W 1 W W H	81	23	58	33 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	14011	12 24	Ø1084114	কা কা গ	1 116	30 4 88 7 30 30 18 18 18	3 68
	sulli	QTTI15	21	44010	MU 1WO	101	25	16	81 144 10 10 10 10 10 10 10 10 10 10 10 10 10	41718	1231	8 04410	000	160	61 449 12	66
6	tal y rat	Perina mortalit	22	WWW. 2	27.72	22	23	22	24 8 8 8 4 C	2012 12	23	200 173	38	23	22 22 26	23

22	23 27 27 22 22	24 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	22 10 30 31 31	21 17 17 34 34	111 238	25	28	24	25 5 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	25 25 25 25	827 4 6	2222222
21	88 24 1 1 1 H	64.00	00000	6 1 1 4 1	ומטוו	281	95	186	123 8 23 14 7	17 C C C C C C C C C C C C C C C C C C C	21 421	00 00 00 00 00 00 00 00 00
20	চ ৰ । গে চল ৰা	01001	40107	<u>부</u> 었는 1 4 亿	1 400 1	173	70	103	6 64 10 4 H (1	@ 9 0 N P	1-10 M H	# 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
19	64	LUND-H	WL 11-01-	1000 H 1000	14601	201	81	120	F 404HU	e ⊬ £ € €	K 404	6 44 644 644 644 644 644 644 644 644 644
18	17 17 14 14 17 26	120 NZ -	24222	4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	74784	100	21	16	20000	270000	200	10007000
17	9 9 400000	1180000	10000	0011100	01 H 44 01 H	315	123	192	721 441 8	12 12 14 14	1046	65 22 22 22 22 24
16		10.97	72.11 72.11 72.11 72.11 7.00 0.00	1.11 1.13 1.13 1.13 1.11	1.00 4.00 4.00 1.00 1.00 1.00	1.05	1.11	1.03	1.00.1 1.00.1 1.00.1 1.00.1	1.09	1.23 0.94 0.96	0.98 1.00 0.79 1.00 1.03
15	1.05 1.05 1.16 1.28 0.79	1.27 0.72 0.88 0.4.0	25. 45. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	0.83 0.81 1.12 0.73 0.96	0000 4000 4000 4000 4000	1.12	1.05	1.17	1.24 4.1.1 4.24 1.28 1.29 1.29	1.13	1.20	200000 000000 000000 000000 00000
14	10.4 10.4 12.0 12.0 11.1 17.1	11.4 16.0 14.7 9.7 15.3	122.55	13.00 17.00	44 44 44 44 44 44 44 44 44 44 44 44 44	11.2	12.6	10.5	10.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11.0 10.7 11.9 7.9	12.5 13.6 11.2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
13	4,766 820 833 833 1933	400 440 1440 474 222	120 337 134 357 544 578	1,643 163 89 56 522 522 90	312 192 46 74	10,776	3,846	6,930	4,787 2996 6114 2238 1238	288 239 664 189 311	498 107 383 400	2,143 6555 352 207 165 203
12	2,311 36 159 146 105	192 238 855 224 109	175 175 63 157 238 303	78 76 76 76 78 78 78 78 78	441 881 1100 1100 1100 1004	5,162	1,898	3,264	2,225 136 277 206 1122	135 109 301 96 157	226 45 196	1,039 3055 1886 1886 90 2855 80
11	2,455 446 34 177 189	210 202 62 250 113	162 162 71 200 306 27,5	80 80 84 91 51 80 40 80 84 80 40 80 84	181 101 24 32	5,614	1,948	3,666	2,562 160 3337 2229 126	153 130 363 93 154	272 62 187 228	1,104 3550 166 1144 75 275
10	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.84 0.88 0.64 0.76	0.97 0.97 1.14 0.93	0.01 0.82 0.52 0.52	0.88 0.88 0.89 0.47 0.94	1.06	1.12	1.03	1.02 0.93 1.02	1.00 1.00 1.00 1.00 1.00	0.98 1.20 1.07	1000 1100 1100 1100 1100 1100
o o	0 1 1 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.98 0.97 0.987 0.99	100.00 0.00 0.00 0.00 0.00 0.00 0.00	44 12 1	110091	86.0	66.0	16.0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.02	1.02 1.00 0.97 0.98	000000 0000000 47000000
8	#11 #2000 #400 #500 #500 #500 #500 #500 #500 #	24.44. 24.521 24.521	123.8 123.9 115.9 115.8 125.8	104000 104000	011 0.841 0.081 0.081	18.3	19.2	17.9	7.71 7.71 7.71 6.01 6.01 7.71	17.3 19.9 17.3 17.9 17.9	000 000 000 000 000 000 000 000 000 00	20000000000000000000000000000000000000
7	5,725 97 444 4537 229	515 363 141 606	137 583 138 527 747	1,446 185 185 58 80 374 58	281 243 243 70	17,631	5,859	11,772	7,733 4883 1,098 841 298 203	471 446 966 477 442	659 429 655	4,039 1,147 7355 416 309 999 433
9	153 3 13 4	01 01 10 10 10 10 10 10 10 10 10 10 10 1	222 20 20 20 20 20 20 20 20 20 20 20 20	8 10 00 00 0 1	N F O H N	865	478	387	20 20 20 20 20 20 20 20 20 20 20 20 20 2	116 223 223	22 22 32	103 30 115 177 128 138
rv	196 11222 166 166	100 00 00 00 00 00 00 00 00 00 00 00 00	0 C 4 C 8 8 .	ପ ୍ତମ୍ପର୍ଷ	12244	870	484	386	270 100 88 88 1	21 22 30 130	20 14 26 27	116 31 16 16 172 172 100
4	2,655 422 36 214 216 106	228 163 64 278 81	245 73 245 336 285	66 60 60 60 60 60 60 60 60 60 60 60 60 6	26 120 107 33	7,692	2,385	5,307	3,47 2225 500 3887 1440 59	233 185 214 198 198	282 117 172 282	1,832 528 3224 1189 1231 2011
ю	2,721 51 51 56 209 192 1111	253 182 71 295 93	286 284 2455 2002 2002 2002	727 884 30 30 30 30	44 123 123 43 45	8,204	2,512	5,692	3,704 231 5336 3395 1027	208 222 445 231	333 129 210 314	1,988 558 558 380 1994 1664 209
α	385,440 7,890 4,990 26,080 30,250	35,410 27,520 10,000 48,650 14,510	9,960 34,100 10,730 28,470 47,250 38,350	119,250 12,360 5,100 5,020 36,350 6,550	20,900 17,400 3,810 5,200	964,450	305,050	659,400	437,380 31,120 62,960 42,220 18,870	26,260 22,440 55,850 23,870 24,640	40,740 13,120 28,260 35,580	222,020 68,770 38,110 23,860 16,050 54,670 20,560
F	Municipal boroughs and urban districts Almwick Amble Ashington Bedlingtonshire Berwick-upon-Tweed M.B.	Blyth M.B. Gosforth Hexham Longbenton Morpeth M.B.	Newbiggin-by-the-Sea Newbine Prudhoe Seaton Valley Wallsend M.B.	Rural districts Almwiok Belford Belfingham Castle Ward Olendale	Haltwhistle Hexham Norpeth Norbam and Islandshires Rothbury	NOTTINGHAMSHIRE	Nottingham C.B.	Administrative county	Municipal boroughs and urban districts Arnold Encoton and Stapleford Carlvion East Reford M.B.	Huckmall Kirkby in Ashfield Mansfield M.B. Nansfield Wodhouse Newark M.B.	Sutton in Ashfield Warson West Bridgford Worksop M.B.	Rural districts Bastord Blugham East Reford Newark Southwell

-	[83	Perinat mortality	22	61 19	17 21	51 19	15 17 16 27 17 27 27 27 27 27 27 27 27 27 27 27 27 27	1 14	36 36 10 10 17 17 17 17 17 18 20 6 20 6 24 8 20 8 20 8 20 8 20 8 20 8 20 8 20 8 20	4 18	1	4 2 2 2 2 2 4 4 7 1 7 1 4 4 1 7 1 4 4 1 1 1 1 1 1 1	92 25	32 32 17 17 17 18 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	111 4 4 5 5 5 4 4 5 5 5 5 5 5 5 5 5 5 5	12 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
			21	59	16	13	1 1 3 3 3 0	0.1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	10	1	10 ↔ ↔ 10	53	50 50 44 44 50	047981	0 N H 4
		Deaths T wee	20			,			W.			10			**	
,		Deaths	19	7.1	18	53	123 33 11	01	4 H UND4400	45.3		10	64	04 H	86 1 7 9 4 3	L 10 10 4
hs er		Rate per 1,0	18	15	13	16	EMPW00	13	77 20 2 1 1 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1	6 12	1	30 37	18	171 200 100 100 100 100 100 100 100 100 10	81744 8778 8778 8778 8778	23 20 8 20 1 8 8 20 1 8 8 1 8 8 1
Deaths under		улшрег	17	100	21	79	6	4 1	60 113 6 6 111 111	9	1	94010	102	98 9 1 0 0 2	66 8 9 7 9 8 8	1490
	eter	Retio of local states of sector is the sector of the secto	16	0.86	0.85	0.85	0011000 8800897 8800897	0.92	0000 0000 0000 0000 0000 0000 0000	0.88	0.59	0.09	1.00	100.00 0.00 44.00 44.00 44.00	000001 0000000 0000000000000000000000	0000 0000 00000
		Comparability rotosl	15	1.07	0.94	1.12	1.05 1.14 1.62 0.83 0.78 1.09	1.29	1.005 1.005 1.005 1.50 1.50	1.05	0.64	1.21 1.18 1.47 0.94	1.02	1.08 1.08	1.001	0.03 1.44 1.31
	J	Crude rate per 1,000 home population	14	9.6	10.8	0.6	10.0	8.5	0000000 10000000	10.0	11.0	9.8 9.3 11.3	11.7	1150 1170 1170 1170 1170 1170 1170	4110011 4110011 50011	123 9 - 20 50 50 50
Deaths	,	Total	13	3,499	1,190	2,309	705 246 71 55 152 48	92	1,604 200 475 170 276 232 232	297	71	226 34 118 74	3,824	1,392 278 71 157 194	2,432 2866 302 133 140 194	418 375 121 263
		₿Ľ4	12	1,711	601	1,110	668 888 888 888 888	48	777 91 247 81 143 1103	137	35	102 122 52 38	1,824	699 140 333 71 77	1,125 122 126 126 58 169 100	217 177 53 103
		×	11	1,788	589	1,199	25 424 466 29 48 48 55	44	822 228 228 1133 1129 1139	160	36	124 22 36 36	2,000	693 138 38 86 314 117	1,307 164 176 75 171 94	201 198 68 160
	eter	to national rate	10	1.01	0.79	1.10	# # # # # # # # # # # # # # # # # # #	1.06	111111111111111111111111111111111111111	1.07	1.17	1.03	1.05	10.00 11.00	1.03 1.18 1.01 1.01	1.17
		Comparability factor Ratio of local	თ	96.0	0.94	26.0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.00	0.00 11.00 10.00 0.00 0.00 0.00 0.00 0.	1.07	66.0	1.000	1.03	1.00 0.97 0.96 0.96 1.12 1.12	4.000 11.00	11.00.00.00.00.00.00.00.00.00.00.00.00.0
	3	Crude rate per 1,000 home population	æ	17.7	14.2	19.2	2022.4	19.6	118.0 118.0 118.0 118.1 128.1 128.5 14.0	16.9	20.0	16.0 12.2 17.9 14.6	17.3	118.2 17.0 17.7 17.9	######################################	15.22
hs		Total	7	6,473	1,560	4,913	1,460 604 236 76 169	212	3,453 1,037 1,037 296 4887 6532 654	501	129	372 4 8 228 96	5,673	2,084 3775 3336 301	3,589 395 595 147 328 308	478 499 297 542
Live births	imate	Eq.	9	256	106	150	4 CO CO 4 CT	4 :	109 155 46 61 122 144 16	14	7	6 404	170	7 10 33 8	0 011 4 07 1 000	177
ä	Illegiti	×	Ŋ	261	88	173	9 4 4 0 0 4 4 10	លរ	100 100 100 100 100 100 100 100 100 100	13	9	p= 1 41 kO	201	88 1 7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11. 11. 10. 10. 10. 80.	24 C C C C C C C C C C C C C C C C C C C
	mate	fic.	4	2,912	678	2,234	669 262 1111 35 835 46	102	1,565 1565 1565 129 2011 203 289	249	63	186 21 112 53	2,594	968 1822 152 155 4437	1,626 176 292 70 164	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Legiti	Σ	ю	3,044	688	2,356	686 279 1110 35 78 61	101	1,670 166 474 1449 2255 2299	225	53	172 26 107 39	2,708	955 164 163 140 140	1,753 198 268 65 151	246 232 159 271
+ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	population	30th June 1968 (but see Explanatory Note (Changes in	Q	365,540	110,050	255,490	70,480 27,330 9,360 4,500 10,600 5,560	10,830	185,010 185,660 51,790 18,420 29,940 34,100	29,680	6,460	23,220 3,940 12,720 6,560	327,530	114,290 22,080 6,160 15,450 15,450 16,840	213,240 25,840 31,090 9,990 23,700 16,850	31,360 30,820 15,910 27,680
		Area	₹-1	OXFORDSHIRE	Oxford C.B.	Administrative county	Municipal boroughs and urban districts * *Bambury M.B. Bloester Chipping Norton M.B. Henley-on-Thames M.B.	*Witney Woodstock M.B.	*Rural districts * *Banbury Bullingdon Chipping Norton Henley Ploughley *Witney	RUTLAND	Oakham U.D.	Rural districts Ketton Catham Uppingham	SHROPSHIRE	Municipal boroughs and urban districts Dawley Newport Owkergates Shreesgates Wellington	Rural districts Accham Bridgnorth Clum and Bishop's Castle Ludlow Market Drayton	North Shropshire Ogwestry Shifnal Wellington

22	24	27	23	156253	V8010	22 14 22 22 22	20000	4 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	20000	2000000	27	3222729	24	41000000
21	141	15	126	9 0 ⊕ 4 ₩ ₩ 1	041NG	70110	101101	09	40001	NO HN BO	531	341 13 70 70 58 58 100 100	190	105 21 17 25 25
20	96	15	83	36 ∾ ⊢ ⊘ ⊢ ∪	H 9 H H I	H(1) 1 H(0)	11488	₽ ⊕ ⊟ ₩ ₩ ₩	44010	011474	409	20 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	144	6 8 4 5 7 4
13	115	16	66	9 ⊕ ⊕ ₹ ₹ 1	нонон	101110	1 1 H W W	20 ► ← 10 € 10	44000	ијчрач	475	303 7 50 67 50 34 94	172	21 21 4 4 8 8
18	16	19	16	4010101	40000	17 22	10000	11 0 4 0 V V	20400	010440	19	20 118 118 118 24 24	18	20 20 20 20 20
17	160	21	139	63 10 10 10 10 10 10 10 10 10 10 10 10 10	H W H B H	MU 1 NW	।নলতপ	76 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	H (1) 10 H (1)	414808	665	# 100 100 100 100 100 100 100 100 100 10	251	156 30 30 22 111 6
16	0.93	96.0	0.91	0.00 0.00 0.00 0.00 1.38	1.00 1.00 1.12 0.83 0.87	1.06	1.26	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00	000000000000000000000000000000000000000	1.07	# # # # # # # # # # # # # # # # # # #	86.0	1.00 1.00 1.00 1.10 0.04 0.05
15	0.83	0.80	0.83	0.03 0.03 0.05 0.05 0.05 0.05	0.98 0.98 0.97 1.12 0.50	0.99 1.23 0.86 1.16 0.96	0.94 0.46 0.63 0.63	8.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.92 0.99 0.88 1.01	0.76 0.85 0.57 0.70 1.06	1.23	201111 201242 201442	1.19	1.69 1.41 1.41 1.52 0.81
14	13.3	14.3	13.1	11.9 11.9 11.9 1.0 1.0 1.0 1.0 1.0	112.7	111.5	15.9	122.9	11.3 19.6 12.7 10.8	411814 100.00 100.00 100.00	10.4	100.5	8.6	10.01
13	8,744	1,213	7,531	3,949 319 208 1255 254 81	178 76 40 170 160	166 87 83 71 468	443 121 137 822 340	3,582 478 203 275 163	46 117 183 332 116	271 110 206 239 271 271	19,172	12,241 601 1,883 3,191 1,940 1,816 2,810	6,931	4,241 628 176 550 191 295
12	4,453	662	3,791	2,076 164 107 66 149	0 4 H 0 0	71 38 45 35 236	20 59 75 460 176	1,715 206 85 128 82 82 82	21 88 128 62	196 116 105 129	8,955	5,724 8350 1,5335 1,2334 1,294	3,231	1,990, 273, 273, 267, 93,
11	4,291	551	3,740	1,873 155 101 101 105 39	77889	232 338 338 338	23 62 362 164	1,867 272 118 147 81 115	22 20 44 43	14 000 000 100 100 100 100 100 100 100 1	10,217	6,517 1,048 1,0858 1,0822 1,516	3,700	2 442, 442, 1110 2883 883 883 883 883 883 883 883 883 88
10	76.0	0.80	1.00	11.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	1.0592	1.08	1.05	0.98 0.986 1.01 0.951	0.89	0.999	1.05	1.03	1.07	1.009
6	80.	•04	60.	0.98 0.98 1.25 34	00.03	002	24.1.1.1.200.1	000000000000000000000000000000000000000	1.000.0	011100	0.94	0.000000000000000000000000000000000000	0.92	0.95 0.95 0.90 0.90
80	15.2	13.0	15.5	110.00 110.00 110.00 110.00 110.00	12.98	18.7 16.5 14.7	16.7 15.6 15.5 15.4 4.4	2451 2451 27.0844 20.00.4	1110000	244444 2.00.449	18.9	## # # # # # # # # # # # # # # # # # #	19.7	120011 1279010 1279000
7	9,967	1,101	8,866	4,369 1319 136 136	260 229 101	266 142 133 551	124 124 124 688 395	4,45 2544 473 178	43 162 216 591 177	119 119 119 119 119 104 104 104 104 104 104 104 104 104 104	34,689	20,678 3,6425 3,6480 5,04683 5,0775	14,011	1,819 1,028 1,028 3381 3081
9	326	49	277	000 000 000 000 000 000 000	001100	91818	1 4 N C C C	121 4400004	10770	0 0 0 0 0 0 0 0	1,073	722 69 78 166 103 213	351	228 444 122 123 101
20	341	57	284	159 71 74 74 1	8 4 T T T T T T T T T T T T T T T T T T	C 10 4 10 11	100000	122 133 133 133 133 133 133 133 133 133	40070	9nnr-4	1,097	751 163 103 103 227	346	200 800 800 800 800 800 800 800 800 800
4	4,440	485	3,955	122 221 66 66 86 84 84	504 504 504 504 504	112 57 46 59 245	21 52 55 292 191	2,024 245 124 218 130	20 107 257	172 500 1007 1007	15,599	2,218 2,038 1,574 1,398 2,200	6,381	60 60 60 60 60 60 60 60 60 60 60 60 60 6
10	4,860	510	4,350	2,123 251 78 60 103 33	126 38 27 125 40	141 80 41 66 258	21 63 327 176	2,227 272 113 233 82 150	21 78 305 88	186 40011 40011 83	16,920	9,987 1,987 11,676 2,116 2,116 2,447 2,442	6,933	4,129 902 157 157 196
2	657,830		ID	277,080 26,730 11,410 7,630 13,830 5,060	12,530 6,280 2,900 17,870	14,420 7,790 E,640 8,040	2,700 8,180 8,010 47,790	202, 88 80 18, 250 18,	4,080 12,150 14,380 10,720	25, 480 111,060 113,670 16,940 28,580	1,834,660	1,124,650 179,650 179,510 273,040 184,060 172,350	710,010	425,330 86,780 16,460 53,720 22,230 19,210
Ţ	SOMERSET	Œ.	Administrative county	Municipal boroughs and urban districts Bridgwater M.B. Brunnam-on-Sea Chard M.B. Clewden	Frome Glastonbury M.B. Ilminater Keynsham Minehead	Norton-Radstock Portished Shepton Mallet Street Taunton M.B.	Watchet Wellington Wells M.B. Weston-super-Mare M.B. Yeovil M.B.	Rural districts Axbridge Bathavon Bridgwater Clark	Dulverton Frome Langport Long Ashton Shepton Mallet	Taunton Wellington Welliton Willton Wincanton Yeovi	STAFFORDSHIRE	County boroughs Burton upon Trent Duddes Stooke-on-Trent Walsell West Brommich	Administrative county	Municipal boroughs and urban districts Addividge-Brownhills Biddulph Cannock Kidsgrove

TABLE 13 - continued

		Perinaq (Jiladaom	22	30000	18	233 330 330 33	22222	20	20	20	2 1 2 2 1 2 3	32 32 59 59	10	24 7 5 4 7 5 4 4 4 4 4 4 4 4 4 4 4 4 4 4	34
	sulai	SETTIPS	21	15 17 17	10	200 7 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	118472	89	27	41	214114	11514	41	5 000000	OH.
		Deaths 1 wee	20	25 to 27 co	ŊΗ	10 10 10 10 10 10 10 10 10 10 10 10 10 1	1 ಬಗಗು	23	15	37	ଟ । ଟଟ । ୪୨ ଷ	44811	←! ←!	9 H O H 4 1	40
		Deaths A we	19	0 m - m a	77	100 d	ומאטטו	29	16	43	H 1 HH 1 10	सस्या।	ਜਜ	8 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	мм
	000	Rate per 1,0	18	70000 000000	29	11. 22. 22. 20. 4	2,070	16	14	17	118	20011	00	277	13
Deaths under		Ичтрег	17	288 110 177	12	20 12 12 12 14 15 15 15 15 15 15 15 15 15 15 15 15 15	@ 10 10 10 10 10 10 10 10 10 10 10 10 10	97	29	68	33	HH011	₩.	8 100 100 100 100 100 100 100 100 100 10	49
	Pate	Ratio of local adjusted death to tail another of the following the follo	16	0.4.0 0.4.0 0.4.0 0.88	0.88	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.99 0.80 1.07 1.08	06.0	0.97	0.87	0.69 0.85 0.84 0.92	1000 440.00 840.00	1.05	000 000 000 000 000 000 000 000 000 00	1.00
		Comparability	15	1111 1.00 0.00 0.00 0.00 0.00	1.17	1.000 0.00 0.00 0.00 0.00 0.00 0.00 0.0	1.28	0.87	26.0	0.83	00.53 00.53 00.29	1.08 0.73 0.87 0.83	0.88	0.68 0.94 0.94 0.93	1.05
	J	Crude rate per	14	110 111.3 12.5 12.5	9.0	2 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10.6 10.6 9.7	12.3	11.9	12.5	4.51 4.01 6.04 6.04 6.04 6.04 6.04	12.1	14.2	######################################	11.3
Deaths		Total	13	22 866 128 616 135	324	2,690 318 483 137 564 564	304 166 217 183	4,683	1,447	3,236	1,587 49 95 77 56 56	626 626 621 83	119	1,649 267 405 271 187 234	225
		ſz ₄	12	1113 4 004 3 002 7 3 02	145	1,234 136 221 63 274 103	138 71 86 85	2,268	702	1,566	800 27 24 443 300 170	3038	51	766 130 204 126 82	202
		Σ	11	01 04 009 415 009	179	1,456 182 262 74 290 107	166 95 131 98	2,415	745	1,670	787 222 222 45 45 45	23 323 19	53	883 137 201 145 105 127	133
	eter	asod to oltafi divid betsulba ar lancitan ot	10	1,0,1,1 2,88,8 1,4,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1	1.30	11.10 1.39 1.42 4.23 4.23	0.01 1.00 1.00 1.00 1.00 1.00	1.03	1.03	1.03		10.00 0.00 40.11 71.00	1.23	40.00	1.33
		Comparability	o	000000	96.0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.98 0.98 1.27	•10	•01	•14	0000000 000000000000000000000000000000	.11 .01 .05 .17	.24	e 11.000.11.00.00.00.00.00.00.00.00.00.00.	.03
	a	Crude rate per 1,000 home population	Φ	24-1 115-1 118-0 118-0	23.4 0	200.1 118.9 15.8 15.0 15.0 15.0	15.8	15.9 1	17.3 1	15.3	16.91 10.71 119.40 110.61 110.61	16.0 116.0 116.9 14.7	15.1	447744 60.00000000000000000000000000000000000	14.9 1
hs		Total	7	1,547 1,207 1,527 198	842	5,730 1,162 738 214 1,329	612 429 305 525 155	6,061	2,106	3,955	1,818 34 104 76 28 327	88 83 83 83 83 84 84 84 84 84 84 84 84 84 84 84 84 84	126	2,137 2,455 4,009 2,43 3,42	297
Live births	imate	ſ£4	9	944 W	17	123 27 10 10 20 9	0 200 0	229	108	121	07	H 44 1 H	nи	51 17 6 8 8	40
Li	Illegitimat	Σ	Ŋ	4 K K K K K K K K K K K K K K K K K K K	13	6 48 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	277 110 110 110 110	219	115	104	2 1 2 2 1 6	14611	υ	4 011 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	40
	timate	ſz,	4	242 254 251 404 80	371	2,660 535 350 1099 119	279 198 140 251 71	2,724	922	1,802	821 16 53 27 16 135	25 376 13	69	981 222 189 103 163	146
	Legiti	2	ю	283 279 4488 112	441	2,804 566 359 92 675 127	309 202 143 256 75	2,889	961	1,928	869 166 446 111 161	24 6 393 16	53	1,059 125 236 207 126 166	143
HS.t.tmated	population as at	30th June 1968 (but see Explanatory Note (Changes th	a	22,680 76,750 18,350 53,590	35,970	284,680 41,710 39,070 13,540 20,060	38,840 22,370 20,390 23,960 11,610	380,530	121,700	258,830	113,250 3,180 7,990 3,910 1,630	2,930 5,110 49,850 1,720 2,160	8,360	145,580 19,040 37,760 25,040 16,260 20,700	19,930
		Area	Ħ	Municipal boroughs and urban districts - continued districts - continued Lichicald M.B. Newcastle-under-Lyme M.B. Rugelsyle Stafford M.B. Stone	Tamworth M.B. Uttoxeter	Rural districts Cannock Cheadle Liek Lichfield Newcastle-under-Lyme	Seisdon Stafford Stone Tutbury Uttoxeter	SUFFOLK, EAST	Ipswich C.B.	Administrative county	Municipal boroughs and urban districts Aldebugh M.B. Becales M.B. Bungay Eye M.B. Felixstowe	Halesworth Leiston-cum-Sizewell Lowestoft M.B. Saxmundham Southwold M.B.	Stowmarket Woodbridge	Rural districts Blyth Deben Gloping Harrismere Lothingland	Samford Wainford

2 3	159,430 1,435 1,333	59,590 569 511 24,460 218 196 4.700 126 128 128 128 126 12.090 117 6.500 63 62		9,960 79 77 21,870 194 159	990,800 6,981 6,655	792,240 5,539 5,250 42,100 250 250 250 244,630 264 360 25,010 250 30,620	72,300 374 444 63,120 413 349 50,060 198 195 42,260 170 117	55,520 327 329 13,550 80 76 58,930 240 251 55,270 391 426 56,190 475 426	39,800 334 305 51,880 353 366 77,220 601 554	198,560 1,442 1,405 119,010 144 138 33,886 251 224 44,630 825 289 65,590 259 279	730,240 4,384 4,097	301,990 1,777 1,638 164,60 1,026 931 68,200 462 408	428,250 2,607 2,459	224,870 1,380 1,258 35,300 113 100 17,420 193 173 24,3320 174 148 17,340 294 295	14,160 102 101 9,760 75 73 18,350 194 167 4,040 22 25 14,700 82 55
5	82 74	80 - 100 C C C C C C C C C C C C C C C C C C	47 41 - 3 10 11 13 4	5 6	454 455	381 16 15 15 11 24 24 21 10 14 19	25 25 25 10 27 27 20 10 11 10	37 10 10 19 12 14 10 14 10 10 10 10 10 10 10 10 10 10 10 10 10	18 19 28 21 43 30	73 93 17 17 19 16 19 16	517 462	255 249 152 156 33 38 70 55	262 213	152 139 19 6 8 7 14 9 8 111	44 44 8 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
7	2,924	1,148 1 449 1 87 1 270 2 212 1 130 1	1,776 1,771 1,771 1,54 1,00 4,10 1,00 1,00 1,00 1,00 1,00 1,0	167 1	14,545 1	11,532 459 1769 769 769 1769 1788	873 814 8414 8414 800 800	731 171 171 513 1760	676 768 1,228	3,013 2,013 4,994 6,997 5,73	9,460 1	2,265 0,00 0,00 0,00 0,00 0,00 0,00 0,00 0,	5,541	2,929 238 381 345 733	210 159 379 156
8	18.3 1.01	19.00 18.21.00 17.50 17.50 17.50 17.50 17.51	17.8 1.05 16.2 1.12 16.2 1.17 22.4 1.01 16.7 1.05	16.8 1.08	14.7 1.01	14.0 1.03 1.13 14.0 0.93 1.13 0.93 1	122.1 122.9 113.8 119.9 119.9 116.9 116.9	123.2 0 0.95 113.2 0 11.17 113.8 11.08 11.04	17.0 0.84 14.8 1.06 15.9 1.07	15.2 1.02 14.7 1.00 14.6 11.02 16.0 11.02 14.8 11.02	13.0 1.21	13.0 1.18 13.8 1.11 9.7 1.29 14.4 1.27	12.9 1.24	13.0 7.1 7.1 7.1 1.60 21.9 0.93 14.2 1.08 15.5 1.01 1.01	14.8 1.14 16.3 1.11 2007 0.98 14.6 1.18 10.6 1.82
10	1.09	1.007 1.108 1.10 0.999 1.13	1.07 1.07 1.34 40.1	1.07	0.88	0.00 0.00 0.00 0.00 0.00 0.00 0.00	00.831	47.00 47.00 47.00 47.00 53.00 53.00	0.93	000000 00000 00000 00000 00000 00000	0.93	0.91 0.91 0.74 1.08	0.95	0.0000 0.0000 0.0001 0.0000	00.11
11 12	858 8	60 40 00 00 00 00 00 00 00 00 00 00 00 00	472 555 70 102	51	5,091 5,7	4 2000 4 400 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2022 2022 2055 1127	200 200 200 200 200 200 200 200 200 200	182 229 375	959 1,0 230 271 200	5,707 6,7	2,446 3,1 1,221 1,9 603 622	3,261 3,6	1,760 2,1 332 80 129 134 665 8	76 132 132 107
13	846 1,704	415 801 177 331 31 64 42 92 80 163 85 151	431 903 50 105 71 141 72 182 72 174	56 89 19	717 10,808	669 8,801 297 519 199 375 200 424 133 287 180 333	606 1,096 399 701 214 419 1150 277 102 202	292 2092 2093 2093 2093 2094 240	196 378 333 562 455 830	2,007 77 166 236 238 468 341 612 225	717 12,42	,117 5,563 ,516 2,737 ,724 1,327 ,877 1,499	,600 6,861	135 3,895 3591 161 161 161 160 240 901 1,566	98 174 89 160 97 229 35 69 166 273
14	4 10.7	# # # # # # # # # # # # # # # # # # #	2 ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹ ₹	.07 10•7 .94 8•9	10.9	122.001	24 11 12 12 14 15 15 15 15 15 15 15 15 15 15 15 15 15	8 6 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 10.8	7 10.1 66 89.7 2 8.9 5 11.0	4 17.0	18.4 16.6 17 16.6 19.5 19.5	16.0	22 21.7.3 21.7.3 21.7.3 21.7.3 21.7.3 21.7.3	400000 20000 240000 240000
15	1.00	00.11.00 0.00 0.00 0.00 0.00 0.00 0.00	1.03 1.03 1.61 1.61	0.87	0.92	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.61 0.95 0.75 0.98 0.98	0.95 0.73 1.06 0.77 1.28	1.06 0.81 0.90	0.95 1.03 0.109 0.01 0.01 0.01 0.04 0.04	0.62 0	0.066 0.54 0.54	0.64 0.	0.62 0.48 0.48 0.68 0.74 0.54	0.93 0.75 1.02 0.83 0.44 0
16 17	06	00 00 00 00 00 00 00	2 2 2 2 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	.78	84	80 80 80 80 80 80 80 80 80 80 80 80 80 8		88.0 4.0 8.0 8.0 8.0 8.0 1	.85 .74	7001 701 701 701 701 701 701	.89	6 0 8 0 0 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0	98	08880	03 03 03 03 03
18	52 18	23 10 20 20 20 20 20 20 40 20 40 20 40 20 40 20 20 40 20 20 20 20 20 20 20 20 20 20 20 20 20	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2 12 8 21	29 16	10 4 4 10 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	# 9 9 4 K	4045	11 16 14 18 30 24	22 15 7 10 0 0 0 0	42 15	63 16 37 16 13 20 13 13	79 14	012841 445077	11 29
19 20	42	18 7 7 8 7 8 7	7 H 4 Ø Ø	75	161 1	130 7 7 122 22	80000	L 1 N W 4	10 10 10	## 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	95	42 23 12	53	00 00 00 00 00 00 00 00 00 00 00 00 00	наюні
21	37 41	17 22 22 39 99 44 44 51 11 12 11 11 11 11 11 11 11 11 11 11 11	20 1 1 1 1 1 1 1 1 1 1 1 2 2 2 2 3 3 2 2 2 3 2 3	1 4 7 2	39 169	10 133 6 5 3 11 113 2 4 4 4 3	स स	4 116 21	3 10 8 9 4 15	29 11 12 12 12 12 12 12 12 13 6	84 101	28 56 21 35 11 5 6 16	16 45	10 1 20 0 0 1 − 1	407-11 04-10
22	11 26	33 33 567 57 57 57 57 57 57 57 57 57 57 57 57 57	10 10 10 10 10 10 10 10 10 10 10 10 10 1	2 18	21	33 21 7 19 13 31 4 15	01 L R R 4 0 C C C C C C C C C C C C C C C C C C C	22 22 1 23 25 1 1 5 2 2 2	5 22 23	24 20 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	11 19	5 2 2 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	16	840014 012017	4000

		Perina Tilstrom	22		10 10 10 10 10 10 10	23	222222	252	233	23	25	25 25 18 18	23	24 24 24 24 24 24 24 24 24 24 24 24 24 2	15 13	20 30 30 25 25
	sylat	211138	21		00 00 en to 400 to	92	50 mm d4 L	M) 1, C) #	က္က ထ တ. က . ၁	F1 (5)	533	402 285 96 21	131	73 73 15:1	7 W W	80 C 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
J		Deaths 1 we	20		8 ⊑ाक्क्ष⊴्	26	9 1 10 M 10 1	u) 🗗 (†	0 0 0 0 0 ↔	1 12	449	835 8006 8006	120	20000000	232	As the time.
J		esths Deaths	10		S = 13, 0, 0, 0, 0	64	8 2 । क्लायन	တပ ၊ ပ	2 0 0 0 0 0	6 6	548	410 310 89 11	138	9ଟ୬୫୫୬ 8ଟେ ଟଟଟ	272	52 11 17 7
		Rate per 1,	18		25 V 25 V 45	14	4 10/40	25 A V L	422 22 22 22 22 22 22 22 22 22 22 22 22	10	21	2532	17	12 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	- 25	11. 16. 10. 10.
Deaths under 1 year		Митрет	17		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	91	10 4 4 5 1 C	101	40 8 11 7	1 7	803	6024 400 1411	181	108 111 224 244	212	20 13 6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	rate	sool lo oitaM deathed deathe ar Lanoitan ot	16		0.00 44 20 0.00 0.00 0.00 0.00 0.00 0.00	98.0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.00	00000	0.80	1.03	1.08 0.03 0.03	06.0	000100 000000 000000 000000	1.00	00000 800000 010000
		Comparability	15		0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.64	00.00 00	0.72 0.81 0.81	0.64 0.68 0.79 0.86 0.59	0.72	1.17	1.13 1.36	1.12	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	1.25	1000.11 2004.01 2000.00
	.,	t,000 home Crude rate pe	14		6.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	15.9	18.7 20.7 18.7 11.3	16.0 14.2 14.9 25.3	14.9 15.0 12.4 11.0	13.3	10.5	10.8 11.7 9.0 7.9	9.6	0.01 7.6 10.0 11.1 10.2	12.6	100.00
Deaths		Total	13		2,966 237 495 417 892 625	7,402	4, 560 629 3884 2985 295	290 255 171 2,106	2,842 390 739 309 320	145	22,076	16,456 12,574 3,025 857	5,620	3,44 415 1157 6637 500 500	238 712 195	2,206 206 344 2244 2244 2244
		Ç2 ₄	12		1,465 251 270 201 438 305	3,929	2,557 21 355 226 191 139	157 134 87 1,247	1,372 184 344 149 158	457	10,512	7,897 6,092 1,379 426	2,615	1,617 191 191 83 272 240 240 255	129 354 93	00 00 00 00 00 00 00 00 00 00 00
		Z	11		1,501 286 225 225 216 454 454	3,473	2,003 20 274 158 198	133 121 84 859	1,470 206 395 160	482	11,564	8,559 6,482 1,646 431	3,005	1,823 224 74 365 260 331	109 358 102	1,113 113 113 125 125
	eter	adjusted birth to to national ra	10		0.00 1.00 1.14 1.14	86.0	000000000000000000000000000000000000000	0.99	1.14 1.14 1.03 1.06 0.82	1.04	1.06	1.08 1.08 0.80	1.02	10000 00000 00000 00000 00000 00000	0.83	1.28
	1	Comparability factor Racto of local	o o		# 0000 m	.21	12.54 40.00 00.00	510. 40. 41. 62	22.0 84.0 44.0 10	1.22	26.0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.95	000000000000000000000000000000000000000	1.00	0.00 0.00 0.00 0.00 0.00 0.00
		T,000 home	æ		113 123 133 143 144 144 144 144 144 144 144 14	13.7 1	113. 2.01 14.01 11.00 11.00 11.00 11.00	113.1	115.05 127.05 127.05 127.05	14.4	18 • 5 (18.9	18.1	20000000000000000000000000000000000000	14.0	118.3 122.3 115.3
20		Crude rate per	7		2,612 333 453 841 841	6,394	3,628 31 417 2417 952 460	269 236 134 889	2,766 390 837 4887 238	158	38,935	28,383 20,329 6,431 1,623	10,552	6,305 823 1,223 1,149	1,396 1,265	4,247 354 811 1,197 394
e births	imate	fx ₄	9		4 411 802 11 11 11 11 11 11 11 11 11 11 11 11 11	232	138 19 11 11	118 108 42	2 8 8 8 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8	16	092,1	1,426 1,153 242 31	334	22 22 7 7 7 7 7 7 8	244	110 7 17 36 14
Live	llegiti	×	n		110 222 144 30 25 25	250	166 22 52 59 17	12 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	134 135 137 137 7	17.03	1,975	1,592 1,216 335 41	383	22 80 80 80 80 80 80 80 80 80 80 80 80 80	17 40 11	145 8 27 27 25 15
	ate	Et.	4		1,201 149 176 197 262 417	2,874	1,633 16 185 102 444 213	120 119 64 370	1,241 175 175 229 93	305	17,246	2,393 8,700 2,941 752	4,853	2,883 276 152 574 574 512	125 660 110	1,970 162 363 559 193
	Legitim	M	100		1,227 148 198 2229 274 378	3,038	1,691 15 124 124 219 219	118 99 57 423	1,347 194 409 233	518	17,954 1	12,972 1 9,260 2,913 799	4,982	2,960 396 1444 568 409 545	110 656 132	2,022 177 404 550 172
	home population	30th. June 1968 (but see Employatory Note (Changes in	2		203,380 32,260 29,240 37,110 52,960 51,810	465,660	274,990 2,990 31,220 20,710 63,310 26,080	18,140 17,950 11,510 83,080	190,670 26,050 59,570 28,160 19,310	10,940	2,101,260	1,518,730 1,074,940 335,410 108,380	582,530	346,660 40,170 20,780 63,980 64,970 57,190	18,840 82,040 18,690	235,870 19,880 36,310 70,360 25,740
		Area	₩-1	SUSSEX, EAST - continued	Rural districts Battlat Challey Cuckfield Hallsham Uckfield	SUSSEX, WEST	Municipal boroughs and urban districts Arundel M.B. Bognor Regis Chichester M.B. Crawley Horsham	Littlehampton Shoreham-by-Sea Southwick Worthing	Rural districts Chanctonbury Chichester Horsham Midhurst	Petworth Worthing	WARWICKSHIRE	County boroughs Birmingtam Coventry Solihuli	Administrative county	Municipal boroughs and urban districts Bedworth Kenliworth Nuneston M.B. Royal Leamington Spa M.B. Rugby M.B.	Stratford-upon-Avon M.B. Sutton Coldfield M.B. Warwick M.B.	Rural districts Alcester Atherstone Weriden Rugby

22	27.00	20	80000		28	25.55.50	27	24	22 84 72 75 75 75	2247	100	24 24 23 23	28	37 37 37 37 37 37 37 37 37 37 37 37 37 3	23	22	22 23 25	21
21	□ № 4 €	15	≻ ⊣Ω⊣1	യവയ	18	1 4 7 8 4 1	23	123	6 0 ← N N N ←	. सक्षा	SII	4,007	40	100	40	153	51 38 13	102
20	1 (0 (0 (0)	7	6 10 1 H	400	20	16 94 44 10 10	4	98	4 4 1 4 4	40000	Ol to to	40 10	CI H	11 12 17 17 17	40	105	49 32 17	56
19	1410	10	טומומ	13 (1) (1)	24	2 04001	Ŋ	107	10 00 14044	40000	nou H	100	014	# N H I 6	44	121	35 18	69
18	220	19	25 25 1 29	18	20	346	19	119	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2000 00 00 00 00 00 00 00 00 00 00 00 00	4200	17 27 4 16	W.4	77000	218	15	18 17 22	13
17	1172	21	11 6 6	10	27	20 10 0 0 0 1	N	161	8	201 440 01	000	74 171 18	លស	900000	0 ល	169	75 449 26	94
16	0.082	0.91	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.00	96.0	0.094 0.094 0.094 0.095	16.0	0.92	000000000000000000000000000000000000000	0.94 0.984 0.96 1.02	1.00	0.88 0.76 0.87 1.01	1.11	0.000.000	0.82	26.0	1.16	0.89
15	0.65 1.20 1.10 0.75	0.83	0.477 1.10 0.90 0.68 0.55	06.0 0.96 0.98	0.70	0.04 0.62 0.62	0.71	1.05	0.00 11.05 1.27 0.00 0.00 0.00 0.00 0.00	1.03 1.24 0.65 1.25 0.99	1.01	1.68	1.61	1.10 0.99 0.80 1.39	0.99	1.05	1.15	66.0
14	15.1	13.1	12.7 12.7 12.7 12.1 12.1	13.2 12.7 13.6	16.4	8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	16.2	10.4	110 100 4400004	10.0 15.3 12.3	14.3	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15.7	10.8	00	11.0	11.7 11.4 12.3	10.7
13	146 173 276 316	918	44000 44000 44000	475 195 280	1,658	1,343 312 344 344 217 129	315	5,090	2,716 78 85 227 159	98 98 554 890	175 70 45	2,374 161 179 300	197	426 86 114 143	223	7,502	2,805 1,930 875	4,697
12	75 62 118 183	451	2 . T 2 . E . A 2 . E . A 2 . E . A 4 . E . A	229 99 130	836	680 1444 202 156 1156	156	2,407	1,267 36 35 35 112 87	29 43 273 383 107	86 22 22	1,140 66 88 126	92	222 36 58 58 77	102	3,626	1,315 882 433	2,311
11	71 111 158 133	467	22 116 119 339	246 96 150	822	663 168 142 185 101	159	2,683	1,449 42 50 115 72 32	57 281 281 507 110	236	1,234 95 91 174	105	204 50 56 79 83	121	3,876	1,490 1,048 442	2,386
10	1.17	1.06	1.07 0.81 1.17 0.73 1.13	1.04	1.00	1.00 1.05 0.92 1.11 1.24	1.03	1.04	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.86 0.998 0.92 1.17	1.20	1.08 1.14 1.16 1.03	1.07	1110 0000 0000 0000 0000	1.15	1.00	1.02 1.04 0.96	86.0
6	1.12 1.05 1.04 0.93	1.14	1.12 1.08 1.04 1.36	1.10	1.29	21.11 20.11 00.11 00.11 00.11 00.11	1.31	1.01	000000000000000000000000000000000000000	1.31 0.97 1.00 0.93 1.05	1.02	1.03	1.10	0.85 1.03 1.10 1.04	1.03	1.00	1.00	66.0
80	17.7 18.4 17.3	15.7	116 122 122 124 136 136 136 136 136 136 136 136 136 136	15.2	13.1	113. 112.8 112.6 111.4 14.0	13.3	17.4	11.00 11.00 11.00 11.00 11.00 11.00	111.1 119.5 116.7 118.9	19.4	17.7 20.8 18.3	16.4	21.6 18.8 15.4 20.2	15.1	16.9	17.2 17.4 16.8	16.7
7	171 349 504 467	1,105	559 24 367 62 106	246 265 281	1,326	1,068 229 311 280 160 88	258	8,517	4,033 1322 174 297 174 174	67 187 600 1,631	237 106 55	4,484 620 259 505	393	889 208 162 150 516	341	11,477	4,140 2,941 1,199	7,337
9	177	33	# H N N N N N N N N N N N N N N N N N N	15	64	20 00 00 00 00 00 00 00 00 00 00 00 00 0	ω	256	143 00001	25 68 12	411	113 16 14	24	13	o 0	348	141 100 41	207
ro.	132	20	S 1 # 8	20 10 10	63	4 0 0 0 0 0 0	20	285	160	31 73 8	ω π 4	125 18 4 17	60	28 11 13 13	0.4	380	169 112 57	211
4	80 162 221 230	499	254 111 29 29 45	245 130 115	609	496 1113 1231 128 774	113	3,900	1,808 71 71 84 144 96	26 84 249 718	108 54 23	2,092 285 123 240	187	411 97 76 75 235	161	5,164	1,836 1,323 513	3,328
ю	82 172 253 212	523	257 13 169 26 49	266 120 146	290	473 102 1154 118 68	117	4,076	1,922 50 80 137 755 20	38 91 772 168	117 51 28	2,154 301 129 234	188	431 100 70 62 255	163	5,585	1,994 1,406 588	3,591
N	9,650 18,990 29,150 26,290	70,340	34,450 1,890 19,800 5,230	35,890 15,350 20,540	100,860	817. 17. 17. 17. 17. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18	19,410	490,250	237,460 7,490 9,500 18,870 9,410 2,680	6,040 9,590 36,320 97,840	12,230	252,790 29,770 14,170 32,520	23,980	41,160 11,090 10,540 11,480 25,530	22,650	679,030	240,190 168,970 71,220	438,840
H	Shipston on Stour Southam Stratford-on-Avon Warwick	WESTMORLAND	Municipal boroughs and urban districts Appleby M.B. Kendal M.B. Lakes Windermere	Rural districts North Westmorland South Westmorland	WIGHT, ISLE OF	Municipal boroughs and urban districts Cower Newport M.B. Ryde M.B. Sandown-Shanklin Ventnor	Isle of Wight R.D.	WILTSHIRE	Municipal boroughs and urban districts Bradford-on-Avon Calne M.B. Chippenham M.B. Devizes M.B. Malmesbury M.B.	Marlborough M.B. Melksham Salisbury M.B. Salisbury M.B. Trowbridge	Warminster Westbury Wilton M.B.	Rural districts Amesbury Bradford and Melksham Calne and Chippenham	Crickinde and Wootton Bassett Devizes	Highworth Malmesbury Marlborough and Ramsbury Mere and Tisbury Pewsey	Salisbury and Wilton Warminster and Westbury	WORCESTERSHIRE	County boroughs Warley Worcester	Administrative county

		Perinat	22	000000	22 44 20 30 44 40 40 40 40 40 40 40 40 40 40 40 40	452228	247	24	21	27	22 27 24 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	24	27,827,0	288 50
	នបុរុរ	TALLIS	21	90 90 90 90 90	11338	8 0 10 10 0 4	12	138	72	99	25 7 4 0 0 0 0	1 101 1	F801-60	4 100
		Deaths 1 wee	20	8 4 0 4 0 4 0 8	00000	F @ 07 1	NHN	78	39	39	6 + 10 10 H H	1400	9 N H H + N	aww
		Deaths 4 wee	19	4 00 NOON 4	110000	0000110	NHO	97	53	44	113 13 13 13 13 13 13 13 13 13 13 13 13	1400	1200110	ONN
.2 .2 01		Rate per 1,0	18	312 32 20 20 20 20 20 20 20 20 20 20 20 20 20	W0014	40,8017	732	18	19	17	12 4 4 4 7	£50 €80 80 80	£400 000 000 000 000	182
Deaths under 1 year		улшреъ	17	0 444441	11 10 10 10	8 4 4 4 1 2 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	SHW	164	101	63	8 0 4 4 0 C	4044	2 10 10 10 10 10 10 10 10 10 10 10 10 10	Иыы
		Isool lo ottaH Talusted death rat Tan Lanoitan ot	16	0.00 0.985 0.985 0.920	00.00 00.00 00.00 00.00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.90	1.06	1.14	16.0	000000000000000000000000000000000000000	0.96	000040	1.14
		Comparability	15	1.18 0.92 0.78 1.12	0.95 0.87 1.18 1.09	0.95 1.11 1.04 0.98 1.10 1.03	1.03	1.05	1.21	0.88	0.80 0.62 0.62 0.51 1.00	0.89	0.99 0.99 0.86 0.86 1.04	1.04
		Crude rate per 1,000 home	14	110 1111 1111 100 100 100 100 100	11.3 10.5 10.5 10.3	10.5 10.1 11.6 9.7	11.0	12.0	11.2	13.1	441122112 441122112 601126	10.7 15.8 12.1 16.3	112.2 122.2 122.2 122.0	10.5
Deaths		Total	13	6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	520 311 339 537 129	1,463 278 158 220 122 122	234 59	6,563	3,289	3,274	1,853 195 556 147 87 580	104 104 64	1,421 326 109 196 124 256	133
		□E4	12	1,615 27 222 67 120 239	278 179 166 263 54	696 135 76 95 56	127 21 138	3,260	1,628	1,632	989 97 307 85 45 292	40.40 40.50	643 168 41 98 114	58
		Σ	11	1,619 201 201 65 102 304	242 132 173 274 75	767 143 82 125 66	107 38 129	3,303	1,661	1,642	86 98 249 629 52 88 88	13 21 40 40	778 158 68 98 63 142	65 109
		Lasol To ottaR r dittd batsuths r tanottan ot	10	11. 00.00 00.00 00.00 00.00 00.00	1.12	0.094 0.94 0.094 0.71 0.88	1.05	86.0	1.02	0.93	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.80 0.93 0.87 0.99	000000 000000 000000000000000000000000	0.98
		Comparability factor	o	0.88 0.988 0.990 0.900 0.901	000.00	1.03 1.03 1.13 1.05 1.05	1.09	1.00	16.0	1.05	# 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	112	1.002	1.06
		Crude rate per 1,000 home population	00	116.5 16.5 16.5 16.5 16.5 16.5	19.0 118.3 118.9 23.4	15.21 15.21 16.9 14.11	15.5	16.5	17.8	15.0	12.0 11.0 11.0 11.0 12.0 13.0	113.9	16.1 14.8 14.8 14.8	14.4
su		Total	7	5,174 1,31 6,49 1,60 1,99 828	878 421 673 878 357	2,163 635 635 228 320 166 188	298 84 234	966'8	5,237	3,759	1,782 313 339 90 59 59 711	0 8 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1,977 563 103 274 153 382	182 107 213
Live births	Imate	[iz _i	9	# H 8 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	10939	6 0 0 0 0 0 0 1	1200	380	282	86	00 8 4 0 11	14110	44 H H H H H H H H H H H H H H H H H H	1000
Ę	Illegitimate	Σ	S	128 166 167 188	22 10 10 14 14	00 C C C C C C C C C C C C C C C C C C	1000	358	246	112	10 11 12 13 19	⊣Ю ←Ю	60 111 60 17	9 00 0
	timate	[Ec.	4	2,346 53 308 85 95	401 172 310 389 158	2982 2999 1074 150 855 855	124 435 93	4,074	2,330	1,744	80 1137 156 156 23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	1488 0088	281 48 126 72 159	81
	Legitin	Σ	ю	2,557 3,557 3,12 6,7 6,7 4,53	409 214 320 456 180	1,034 306 117 156 68 81	152 34 120	4,184	2,379	1,805	8 44 1 4 5 2 1 8 5 2 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	35 35 39	962 261 45 141 75	81 50 114
	Estimated home population	30th June 1968 (but see Explanatory Note (Changes in	a	299,370 6,350 39,000 9,670 13,150 51,180	23,180 23,080 37,080 15,970	139,470 37,220 15,680 18,890 12,640	21,200 5,380 15,130	545,350	294,510	250,840	127,050 17,300 26,420 6,930 5,140	2,530 6,580 5,280	123,790 30,730 8,930 15,270 10,370 23,790	12,610
		Area	- -1	WORCESTERSHIRE - continued Municipal boroughs and urban districts * Beddley M.B. Bronsgrove *Droitwich M.B. Evesham M.B. Halesowen M.B.	Kiddewminster M.B. Malvern Redditch Redditch Stourbridge M.B. Stourport-on-Severn	Rural districts* Bronsgrove Bronsgrove Brosham Kidderminster Marcley	Pershore Tembury Upton upon Severn	YORKSHIRE, EAST RIDING *	*Kingston upon Hull C.B.	Administrative county*	Municipal boroughs and urban districts Beverley M.B. Bridlington M.B. Priffield Priffield Haltemprice	Hedon M.B. Hornsea B. Norton Withernsea	Rural districts* *Beverley Bridlington *Derwent Driffleld *Holderness	Howden Norton Pocklington

22	24	26	22	127272	17	20 26 26	57 29	12 17 77	86 22 27 41 118	14992	133022	26	20000000000000000000000000000000000000	23 23 28 20 24 25 24 25 24 25 24 25 24 25 25 25 25 25 25 25 25 25 25 25 25 25	25	26 22 23 7
21	179	112	29	в р 4448	1	401	04	8 IHIH8	мінін	нччию	HI 010H	1,020	266 20 20 20 20 20 20	153 126 126 233	454	323
20	132	84	48	22	Ħ	₩ 1 60	o ∨1	20 I II I VI I	Q	H 1 1 00 1	10144	755	417 17 18 15 20 20	33 92 92 13 13	338	25 4 4 4 1
19	160	101	29	101170	N	10	10	E 10/100	00H5H	H 1 1 0 1	18148	872	493 103 103 222	106 22 104 111	379	28 89 4444 1
18	20	24	15	16 30 33	17	W 10	42	15	24450	01142	14027	20	22 22 22 22 22 22 23	25 20 20 13 20 17	18	220 220 320 7
17	256	176	80	& 4 1 1 1 4 0	2	HIT	11	4 1 1 1 1 1 1 4 1	U U H 4H	11 12 2	18040	1,327	750 24 160 25 30 47	166 31 31 160 18 28	577	436
16	1.04	1.18	0.91	0.00 0.00 0.00 0.00 0.00 0.00	1.07	1.00	1.14	0.104 0.71 0.71 0.79 0.79	1.03 1.07 0.98 0.98	1.06 0.82 0.83 0.83	1.00 0.81 0.89 0.89	1.09	1.19 1.19 1.09 1.09 1.09	0 0 4.0 1.00. 4.00. 4.00.	1.05	1.09 1.17 0.92 1.02 1.31
15	1.11	1.34	06.0	0001 1000 1000 1000 1000 1000 1000 100	1.22	1.24	1.14	1.00 1.00 1.00 1.00 1.00	1.15 0.79 0.80 1.01 0.89	0.97 0.83 0.79 1.76 0.62	1.03 1.23 1.01 1.56 0.83	1.06	1.22 0.96 0.96 0.96 0.96	0.93 1.116 1.166 0.888 0.99	1.08	1.05 1.31 0.77 1.04
14	11.2	10.5	12.0	2.11 2.11 2.11 2.12 1.21 4.31	10.4	9.6 11.7 19.5	11.9	10.00 17.9 11.8 10.6 4.01	10.7 16.1 12.5 11.6 7.6	13.0	12.8 9.7 9.6 8.1	12.2	12.4 11.6 12.7 14.3 11.1	12.54.01	11.6	10.0 10.0 14.2 11.7
13	8,009	4,065	3,944	1,988 1447 900 599 833	78.	161 97 828	168	1,959 57 83 24 106 356	55 77 64 13	124 60 25 142 128	216 216 140 20 148	46,372	25,749 876 4,026 740 935	1,714 6,194 902 6,669 1,342	20,623	15,532 198 418 161 148
12	3,879	1,869	2,010	1,051 82 38 38 38 39 29	41	45	80	959 28 45 9 198 198	328	72 30 111 56 59	000 000 000	22,643	12,653 386 2,021 375 413	3,122 3,122 3,145 504 660	066'6	7,692 83 226 73
11	4,130	2,196	1,934	66 665 665 665 665 665 665 665 665 665	37	84 52 365	988	1,000 29 38 15 15 158	29 38 11 31 6	32 30 14 86 69	26 126 74 111 68	23,729	13,096 490 2,005 365 522 522 656	3,072 3,072 3,524 6882	10,633	7,840 115 192 88 76
10	1.04	1.08	66.0	000000 000000 000000000000000000000000	0.81	1.05	1.17	11.12	0.84 0.83 0.93	1.17 1.05 1.34 1.15	0.89 1.04 0.80	1.04	1.09 1.09 1.09	1.05	1.05	1.06 0.91 0.98 0.98
00	00.1	96-0	1-05	1.06 0.87 1.07 1.09 1.13	68.0	0.90	1.08	1.01	1.36	1.21	1.001	1.01	200.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	000000000000000000000000000000000000000	1.01	2001111
σ	17.6	19.0	15.9	2 - 4 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	15.3	13.4	18.3	112.0 112.0 117.0 115.0 16.0 3	7.001	123.0 123.0 14.0 14.0	42774	17.4	119.00 119.00 119.00	118.7 116.8 116.7 115.1	17.6	114.0 116.0 116.0 14.0
7	12,616	7,389	5,227	2,178 2229 121 121 134 61	115	332 98 569	259	3,049 41 170 36 179 557	55 44 44 10	174 69 27 536 151	345 245 249 30 164	66,237	35,010 1,489 5,568 1,354 1,615	2,454 8,509 1,544 8,874 1,668	31,227	22,113 277 488 220 145
9	200	317	183	0 0 0 4 1 1	9	10	ດາດາ	20 1 0 1 0 4	NUNHI	44450	07717	2,880	1,898 54 362 55 79	133 516 75 383 42	982	732 10 10 4
n)	534	368	166	© © © N N N N H	13	10 3 3	111	8 000000	40400	60000 ★	нисни	3,015	1,932 65 356 50 96 1111	154 538 60 381 39	1,083	82 24 44 44 44 45 45 45 45 45 45 45 45 45 45
4	5,812	3,378	2,434	988 1002 259 259 361	40	163	119	1,446 17 13 89 89 271	222 338 818 818	249 68	173 116 116 79	29,280	15,124 2,328 2,478 569 713	1,050 3,635 684 3,918 714	14,156	9,980 127 234 96
ю	5,770	3,326	2,444	996 1113 555 266 666	56	149 42 244	124	1,448 22 78 78 20 82 265	22 22 23 20 30 30 30 30	80 36 12 267	28 160 115 17	31,062	16,056 715 2,522 4443 610 694	1,117 3,820 725 4,192 448	15,006	10,578 123 230 104 65
2	717,220	387,980	329,240	139,460 13,040 13,040 8,170 4,190 8,130 4,450	7,510	16,820 8,260 42,510	14,140	189,780 3,180 9,060 2,040 11,540 54,090	5,120 6,130 1,710	9,510 2,080 2,010 10,130 10,130	22,340 14,630 2,460 11,630	3,796,910	2,022,640 75,220 294,440 51,640 84,250 94,280	130,990 506,080 86,450 531,800 60,200	1,774,270	1,260,340 18,750 29,470 13,710
1	YORKSHIRE, NORTH RIDING	(1) Treesside C.B.	Administrative county*	Municipal boroughs and urban districts * (j) * @uisborough Loftus Maiton Northallerton Piokering	Richmond M.B.	*Saltburn and Marske-by-the- Sea Scalby Scarborough M.B.	Skelton and Brotton Whitby	Rural districts * Aysgarth Bedale Croft Easingwold *Flaxton *Flaxton	Helmsley Kirkbymoorside Leyburn Malton Masham	Northallerton Plokering Recth Richmond Starborough	Startforth *Stokesley Thirsk Wath Wath	YORKSHIRE, WEST RIDING	County boroughs* Barnsley Bradford Dewsbury Donwsbury Hallfax	Huddersfield Leeds Rothernam Sheffteld Watefield *York	Administrative county	Municipal boroughs and urban districts Adwick Le Street Afreborough Baildon Barnoldswick

(1) Middlesbrough C.B., Eston U.D., Redear M.B., and Thornaby-on-Tees M.B. abolished ist April 1968; events for these areas, Billingham U.D. and Stockton-on-Tees M.B. are included in figures for Teesside C.B. from ist January 1968.

	,		Perina mortalit	22		42500 8000 8000	05 05 05 24 27 27 27 27 27 27 27 27 27 27 27 27 27	248.84 2884 4	262238	25 1 20 1 25 1 20	186732	62 29 29	253	22 28 28 4 4 4 9
		sujuț	SEITIP	21		100000	N4140	00101	NO40H	こちちょこ	40454	наваны	₩ O 4 4 W	100
			sdised ew i	20		15 8 4 6 V	ପର୍ଜା ।	® 10 H H H	∞ +∞∞	00 W 4 1	i ∿ ← ⊕ 4	ואטוט	400000	01 4 to 10 to
			Deaths	19		1588867	ммні	ФМННН	0 T 0 0 T T	U W W W I	10054	10012	44000	00000
	1 5 5	000	Rate per 1,	18		20102	000001	2 t 4 t 0	80027	W 1 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	00448	1000100	09770	12022 12020
4000	under 1 year		Илтрег	17		25 13 14 12	94841	ω το Ω το Ω	8644464 4446	さ 50 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	0.00 4.01 R	വിതവി	004100	4120
		eter	Ratio of loca disab death an lanoitan of	16		H H H H H	1011011	1.35 1.31 1.42 1.42	1.128 1.08 1.05 0.97	101136	04040	0.007	41.11 441.11 90.00	11.00.11
			Comparability factor	15		1.08 1.02 1.02 1.25 1.25	1.24	1.038	0.99 1.46 1.00 0.81	0.085 0.93 1.12	1.05	1.51 1.09 1.13	1.16 1.17 1.23 0.99	1.01 1.18 1.09 1.28
		а	Crude rate pe 1,000 home population	14		12. 12. 12. 12. 12. 13.	13.3 10.5 11.0 9.6	11.5	15.00 0.00 12.21 14.3	18 14 10 11 12 13 13	10.110.110.110.110.110.110.110.110.110.	4.00 4.00 4.00 5.01	11.6 11.6 19.9 11.8	13.6
	Deaths		Total	13		521 213 319 403	281 186 101 64 147	306 110 43 52 78	283 147 183 232 890	159 126 215 210	188 195 321 837	144 1110 1441 2011	183 512 216 168 153	101 317 396 140 217
			(T.	12		261 159 198 198	129 95 442 31	137 62 20 26 36	138 66 80 113 516	88 109 106 54	96 94 168 415 208	084 084 085 085 085 085 085	251 251 98 75	145 192 192 67
			Σ	11		260 200 200 246	152 91 59 33 65	169 488 822 842 842 842	145 81 103 119 374	71 62 106 104	101 101 152 162 162 163	49 65 109	261 118 80 78	50 172 204 73 138
		Pater	soof To oldsA Adjusted bitth an Lancidsm ot	10		7.4. 7.0. 7.0. 7.0. 7.0. 7.0.	011110	44.00 0.00 0.00 0.00	101117777777777777777777777777777777777	1.008	000000000000000000000000000000000000000	111100	110011	1.09
			Comparability rotor	6		1.09 1.09 1.09	0.93	1.20	10011	40.0	1.02	1.03	1.03	1.000
		J	Crude rate pe 1,000 home population	8		23.7 118.5 16.2 16.5	16.0 17.1 20.4 22.5 16.2	18.3 18.9 16.0 17.5	15.5 20.8 26.2 17.6	15.0 17.0 16.8 18.1	17.7 18.6 14.3 16.2	16.0 16.0 16.6	120001	19.00
	hs		Total	7		0.440.00 0.000.00 46.600.00	337 303 188 161 247	489 196 43 77	284 317 543 526 937	133 166 256 318 164	218 2988 2083 272	172 294 320 103 275	298 8831 3000 387 212	136 548 1995 392
	Live births	egitimate	(fr.	9		36 31 22 27 27	10 10 10 10	990711	11 13	0.000.0	100 339 100	11000 H	72271	и и 4 a a
	Li	Illegit	Σ	Ŋ		444444 07484	227	C C 0 4 0 H	11 11 12 42	0 7 1 1 1 1 1 1 1	4 9 0 1 9 4 1 3 5 1 3 5 1	N 9 0 4 9 1	30 110 150 6	20 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		mate	ſz _i	4		44 222 422 426 210	142 135 74 75	204 82 17 38 37	124 137 252 158 427	60 85 99 134 76	140 132 130 130 128	151 153 153 153	145 357 151 179 85	266 270 90 160
		Legiti	Σ	ю		2004 2004 2004	170 134 98 79	244 102 20 32 32	130 158 272 148 430	56 69 135 163	164 135 121 121	86 137 144 45 126	140 419 137 186	2865 289 289 200 200 200
	Estimated	home population as at	30th June 1968 (but see Explanatory Note 'Changes in	O.		41,860 23,860 25,090 32,910	21,060 17,710 9,210 7,170 15,270	26,690 10,370 2,690 4,390 5,010	18,350 15,250 20,720 18,540 62,200	8,840 9,030 15,040 18,890 9,050	18,010 16,050 19,740 55,650	10,780 16,200 14,950 6,200 16,320	15,620 43,960 18,550 16,950	7,590 30,200 37,430 10,180
			Area	1	ORKSHIRE, WEST RIDING - continued	Municipal boroughs and urban districts - continued Balley M.B. Benley With Arksey Bingley With Arksey Bingley Bingley Brighouse M.B. Castleford M.B.	Colne Valley Confishrough Confworth Darfield	Dearne Denby Dale Denholme Dodworth Earby	Elland Featherstone Garforth Gaole M.B. Harrogate M.B.	Hebden Royd Heckmondwike Hemsworth Holmfirth Horbury	Horsforth Hoyland Nether TIXLey Kaighley M.B.	Knaresborough Knor: Ingkey Maltby Meltham Mexborough	Mirfield Mortely M.B. Normanion Ossent M.B.	Penistone Ponkefract M.B. Poukery M.B. Queensbury and Shelf Rawmarshry

1 72-42 5-142 5255 5855 5855 515252 57131 5 505 255195 5 5	
3	
2 serve to 1 green and green and a serve green a	5' 5
	1 =
3	
Dente tente qual stat este tar a conservation .	
3	
T 1 + 2 + 2 + + + + + + + + + + + + + + +	11-1 \$778 E E E
Timber their their their their their their their times	12867 1 888
2 1110 1011 Chick 255 45 51 1115 1116 1116 1	: = =- · · · · · · · · · · · · · · · · ·
	1 1 2 1 2 1 1 1 1

3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	: 70
<u> </u>	
*** * **** **** **** ****	in the second se
1711 - 1914 1983 RELA ENGLES BASIS BESSES BASIS BESSES BASIS B	
a 2 7 7 92 72 20711 2511 2517 2 2 7 7 7 2 2 2 2	
***** ****	
2 147 1 12 41 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	5.0 E 200 E 200 E
14. 14. 14. 14. 14. 14. 14. 14. 14. 14.	militaria de la constanta de l
The part of the pa	Commented to the commenter of the commen
* * * * * * * * * * * * * * * * * * *	4 4 4

•		henineq Garanom	22	20 1 1 1 2 2 2 4 2 2 2 4 2 2 2 2 2 2 2 2 2		29 28	24 1 1 1 2 2 2 1 2	1 8 2 2 4	1 39	111 30		20 375 1 20	1 200	16 34	
	sutati	SETTIPS	21				0.12							4	Ħ
ú		Deaths T we	50	N I WHH	1	18	100 100 100 100 100 100 100 100 100 100	1410	₩ 1	1 1 CH CH CO	9	010011	কালগা।	31	# Q H P H
ú		Deaths	19	M I W H W	1 ==	18	# 0 & 1 1 H H	1418	H 1	1100000	7	814411	n सका।	37	8 0484
hs	000	Rate per 1,0	18	2 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 00	16	W011VW	1084		37 37			WOW! 1	22	
Deaths under		Илтрег	17	B 10110	1 4	27	1138 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	101410	₩ 1	400011	50	m i ⇔ () i i	າ ເນ ບ ຸບ	20	1000 40
	9JM7	Ratio of local medjusted death to to national ra	16	1.04 0.00 0.00 0.00 0.00	1.14	1.05	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.07	1.12	1.1.1.1.1.1.2.0.0.0.0.0.0.0.0.0.0.0.0.0.	1.04	1000 1005 1007 1007 0007	1.03	1.20	1
		Comparability rotosi	15	00110 00004 04900	1.17	0.80	010000 7.0000 00400000	0.69	0.76	0.83 0.79 0.65	0.81	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.90 0.90 0.94 0.91	1.00	0.86 0.97 1.11 1.01
	J	Crude rate per 1,000 home population	14	113.7 13.7 13.9	11.6	15.6	15.0 15.0 15.0	18.4 17.7 16.4 15.0	17.5	16.9 16.9 16.9 16.8	15.3	186.1 180.1 180.1	14.6 13.3 14.3 19.7	14.3	16.1 13.0 14.2
Deaths		Total	13	531 322 113 83	76	1,878	1,120 143 75 111 119	000 000 000 000 000	67	758 307 278 90 83	824	308 200 158 79 400	515 123 147 147	2,361	1,036 84 77 240 58
		ſż,	12	252 3 5 5 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	34	946	88 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	177 35 34	39	358 1338 41 41 41	412	165 10 78 48 21 8	24 743 766 769 769 769 769	1,166	555 4 43 4 43 136 30
		Σ	11	27.0 44.0 60.0 39.0	427	932	53 20 4 7 8 8 8 8 8 8 8	20 117 18 26	28	400 140 147 49 35	412	44 000 000 000 000 000 000 000 000	268 67 72 84 45	1,195	4 84 1 1 1 1 1 1 1 1 1 1
	Pater	Ratio of local adjusted birth a st Lanoitan of	10	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.72	0.94	0.00 2.00 2.00 2.00 4.00 4.00 4.00	0.60	1.07	0.00 1.00 0.83 1.25	0.91	0.82 1.09 0.67 0.95 0.95	0.098 0.998 1.01	0.88	0.00 0.90 0.77 0.77
		Comparability rotos1	o	11.00 1.17 1.25 1.25	1.02	1.17	# 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3230	1.1.4	1.551	1.17	590000000000000000000000000000000000000	440000	1.09	######################################
	J	Crude rate per 1,000 home population	Φ	4411 4411 0.001 0.001	11.9	13.6	8111411 80000000000000000000000000000000	\$51 5.00 41 0.04 1	13.1	13.3 14.5 11.6 11.0 16.7	13.1	# 000 4 00 4 0 10 10 10 10 10 10 10 10 10 10 10 10 1	123.00	13.6	6 4 4 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
hs		Total	7	54.2 84.2 86.4 86.0	131	1,643	1,016 1900 117 1150 154	203 55 55 56	50	627 298 190 60 79	703	44 42000 740000 740000	456 116 152 131	2,237	839 76 115 160 45
Live births	imate	[īz _e	9	9 0 12 12 01 41	40	62	4 H Q W 1 Q ←I	1000	NN	100000	22	श्चान्ता	H000H	56	2 20040
L1	Illegitimat	Σ	S	<u>니</u> 이 1 4 10	an	81	150 112 177 177	11107	10 A	4 00000	20	0 4 9 0 1 4	10	26	8 4 0 € 1
	mate	ſz,	4	252 333 240 250 250	623	718	480 440 440 800	1000 1000 1000	20	268 123 80 28 28 37	321	110 144 831 122	211 54 73 63 63	1,098	406 420 446 760 250
	Legiti	Σ	ю	2000 000 000 000 000 000 000 000 000 00	39	782	465 35 35 47	86 21 30	22	317 159 92 28 38	340	122 100 100 141 3	218 514 117 117 118	1,027	387 31 31 17 19 18
Estimated	home population as at	30th June 1968 (but see Explanatory Note 'Onanges thandaries')	S	38,770 6,950 3,060 8,260 3,470	6,580	120,770	73,660 14,740 4,210 9,130 11,760	1,580 16,570 3,230 4,010	3,830	47,110 20,610 16,410 5,350 4,740	53,710	18,500 10,200 10,460 3,840 2,120 880	35,210 8,750 11,650 10,250 4,560	164,790	64,460 6,010 5,920 12,850 4,090
		Area	Ţ.	tECONSHIRE - continued tural districts Breckrock Builth Grifchowell Hay	Vaynor and Penderyn Ystradgynlais	ERNARVONSHIRE	districts Bangor M.B. Bethesda Bethesda Bethesda Caernaryon M.B. Conway M.B.	Criccieth Llandudno Llanfairfechan Penmaenmawr	Portmadoc Pwllheli M.B.	ural districts Gwyrfai Lleyn Mant Conway	RDIGANSHIRE	districts Aleracron Abervasuwth M.B. Cardigan M.B. Lampeter M.B. New Quay	ural districts Aberseron Aberseron Thereseron Trefiliside Tregaron	RMARTHENSHIRE	unicipal boroughs and urban districts Ammanford Burry Port Carmarthen M.B.

22	148	3 5 5 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	25	2 W 7 2 0 0 V	22	87 00 00 00 CO	24	2 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	22	2222	29	# P 0, 0,	30	23.5 24.1 24.1 24.1 24.1 24.1 24.1 24.1 24.1	1555 258 258 44
21	155	30	40	% 2000 10 − 1	133	12	40	10 10 -10 CH CH CH	10 ds	10 00 10 1 10	335	123 655 10 10	212	18 18 18 18 18 18 18 18 18 18 18 18 18 1	201.25
50	ा लक्ष	000000	35	ଫାଡାଡେଟ । ଓ ଳ	1 01	21 0 0 1 4 1	63	ର ଣ୍ଡର : ସ	संस	80 1- 40 0, 40	266	106 64 85	160	811 82 - 25 - 1	0 + + 1. N
19	।।लजा	2 2 2 2 2 3 3 4	39	9 85 85 중 중 중 63	116	8	37	ស្លាស់ខ្លួ	स्त स्त	91 H 61 H 60 U 81	305	124 74 14 36	181	134 15 15 15 15 15	2927.5
18	105	22044	20	428024	16.	0 5 4 5 5 x x	17	200077	00	40074 40074	21	85.48	21	m 20 0 2 1	5 5 7 5 5
17	1 103 6 1	18 0 0 4 5 S	58	∞ ∞ ∞ ∞ → 0,	111	8-20-01	51	0 4 0 4 0 4	#H CQ	# # # # # # # # # # # # # # # # # # #	436	182 100 24 54	254	185 10 10 10 10 10 10 10 10 10 10 10 10 10	70×40
16	21114 211144 311144	1.12 2.11 1.13 1.13 1.10 1.10	1.00	0.089 0.74 0.981 1.15	1.01	# 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	66.0	0.00 0.00 0.00 0.00 0.00 0.00	1.04	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	1.16	1.000.0	1.20	20.000.7 20.000.7	
15	1.12 0.90 0.88 0.87	1.21	0.88	000000 44.00000 11.0000	1.14	00.00.00.00.00.00.00.00.00.00.00.00.00.	0.93	101110 000000 000000000000000000000000	0.53	1.00 1.00 1.00 1.00 1.00 1.00 1.00	1.11	1.0%	1-14	1.00 0.00 1.00 1.00 1.00 1.00 1.00 1.00	55.
14	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	120.00 13.00 15.00 15.00	13.5	# 0 0 0 0 0 4 6 4 0 0 0 0 4	13.6	# # # # # # # # # # # # # # # # # # #	12.7	######################################	19.7	1100.7	12.4	2145 2145 2000	12.5	8000000 8000000	11221 1222 1322 1322 1322 1322 1322 132
13	4000 1000 1000 4	282 345 300 300 1282 1288	2,452	1,316 208 450 154 44	391	1,136 106 66 120 769	2,107	1,177 1000 1152 1009 1009	358	0 4 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	15,644	6,359 3,367 811 2,181	9,285	6,772 5,886 1,586 1,586 1,11	409 104 221 268 369
12	021 040 040 060 060	611 158 158 259 629	1,192	66 004 004 405 1405 1405	28	35 50 50 50 50 50 50 50 50 50 50 50 50 50	1,049	10 60 4 4 1 2 10 4 4 0 10 10 10 10	144	2127 2137 227 237	7,342	3,096 1,708 1,012	4,246	60000000000000000000000000000000000000	182 110 110 153 153
11	0 + + + 0 + 10 0 10 0	714 187 168 293 86	1,260	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	219	60 60 60 60 60 60 60 60 60	1,058	8 804 140000 140000	121	# 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8,302	3,263 1,659 1,169	5,039	89°68 4480 7480 7480 7480 7480 7480 7480 748	0 1110 001101 001104
10	0000 0000 0000 0000 0000 0000	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	1.05	10000000000000000000000000000000000000	1.02	101101 001100 000000000000000000000000	1.16	######################################	1.16	######################################	0.98	0.00 0.00 0.00 0.00 0.00	1.01	010011	010000000000000000000000000000000000000
o	11016	80 011 010 010 010 010	.10	10001100 000400	000	0111100	60.	#40000 #40000	.40	11000	• 02	000000000000000000000000000000000000000	.03	0 00000	00000
80	401 7000 11000 111111	2 40400 2 40400	16.2 1	# 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	13.5	1100000 1110000 1110000 11111111	18.0 1	1468334 1468334 1468334	14.00	8004 000 000 000 000 000 000 000 000 000	16.3 1	16.1 16.4 16.7 15.6	16.51	11111111111111111111111111111111111111	11000
7	4040 00000	1,398 417 417 303 576 102	2,941	1,456 181 306 140 499	53	1,485 78 127 87 130 1,063	2,985	# # # # # # # # # # # # # # # # # # #	178	1,472 795 398 64 215	20,544	8,319 4,700 946 2,673	12,225	8,215 679 678 1788 256	616 1885 444 2085 2085
9	COLHOH	8 119 119 119 119	119	7 00404	in in	4 4 4 4 4 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7	93	व कित्रा क्षक्त	17	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	730	374 238 33 103	356	ପ ପ୍ରେମଣ କ ପ୍ରେକ୍ଷ୍ୟର୍ଥ	40000
w	01101004	សម ម សមសល្	111	10 H	12	10 4 4 10 (1 10 O	119	8 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	27	0 00000	768	399 250 34 115	369	0 6 6 6 6 6 6 6 6 6 6 7 6 7 7 8 7 8 7 8 7	4001-0
4	1,11,20 0,000 0,000 0,000 0,000	692 202 156 288 46	1,312	63.22 1.3.56 1.0.08 1.0.08	300	088 080 07 086 089 498	1,375	600000 600000 600000	91	681 3655 184 120 1122	9,168	3,621 2,031 408 1,182	5,547	60 E E E E E E E E E E E E E E E E E E E	276 1188 204 204
ю	400044	64.0 0.00 0.00 0.00 0.00 0.00	1,399	696 138 171 271	328	703 844 117 103 103	1,398	706 102 130 130 74	128	69 80 80 80 80 80 80 80 80 80 80 80 80 80	9,878	3,925 2,181 471 1,273	5,953	3,98 2,98 3,98 1,68 1,68 1,68 1,68 1,68 1,68 1,68 1,6	00 00 00 00 00 00 00 00 00 00 00 00 00
2	0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	100,330 28,100 23,570 40,550	181,440	81,320 24,990 8,590 2,980 2,980	3,920	80,000,000,000,000,000,000,000,000,000,	166,160	86 60 10,00 44,00 60 60 60 60 60 60 60 60 60 60 60 60 6	13,430	7.01 22,730 22,680 4,680 10,730	1,258,320	515,400 287,460 58,700 171,240	742,920	62 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	20 00 00 00 00 00 00 00 00 00 00 00 00 0
							_						_		
eri.	Kidwelly M.B. Llanderlo Llandovey M.B. Llandovey M.B. Llanelli M.B. Newcastle Emlyn	Rural districts Carnarthen Llandello Llandelli Llandelli Newcastle Emlyn	DENBIGHSHIRE	Municipal borough and urban districts Abergele Colwyn Bay M.B. Denbig M.B. Llangellen Llanwet	Ruthin M.B. Wrexham M.B.	Rural districts Aled Celric Celric Hreethog Ruthin Wrexham	FLINTSHIRE	Municipal borough and urban districts Buckley Connah's Quay Filte M.B. Holywell	Prestatyn Rhyl	Rural districts - Hawarden - Holywell **Naslor St. Asaph	GLAMORGAN	County horoughs Cardiff Nerthyr Tydfill Swansea	Administrative county	Municipal boroughs and urban districts Aberdare Barry M.B. Barry M.B. Deligend Caesphilly Combridge M.B.	Oelligaer Olymcorrwg Liwchwr Maesteg Mountain Ash

.. The figures for this area include 3 deaths (2 males, 1 female) in a Polish General Hospital, which could not be transferred to the area of residence.

6		Perina Tilsinom	22	200004 20004	35	25 27 24 16	24	320	16	70421	120021	29	28	29	30 33 30 33 33 33 33 33 33 33 33 33 33 3	52 32
	sulai	qttias	21	@ \o \o \o \o	15	272	12	188	6	13111	∞ ⊣011	149	39	110	ల ಬ സ സ ത ഹ ಈ	41 KO KO
		T we	20	00000	12 26	4 400	9	044	9	चनिस्त्त ।	81441	06	22	89	6 0 4 8 8 8 9	H 1 Q
	екв	Deaths	19	7 8 k 0 t	13	7 2000	ω	150	7	1 H H H N O	वानना	110	27	83	17 2 2 2 4 2 1	7 1 2
	S	live birth	18	001-01- 01-400	30	L10400	16	250	16	2087-1	40421	20	22	19	07 × × × × × × × × × × × × × × × × × × ×	1.82
Deaths under	000	Number Rate per 1,	17	0 L 20 G 4	17	6 0 0 10 0	12	21 21 5	6	1	4 -10-1	159	46	113	0 00000000000000000000000000000000000	HHM
	Pater	sool lo oitsH disab batsulbs an Lamoitsm ot	16	+44+0 +64+0 +40++0	1.25	1.1.1 1.00.1 1.00.1	1.29	1000	1.03	1.00 0.75 0.072 0.083 0.083	0.00.0	1.13	1.08	1.15	#	1.35 0.78 0.91
		Comparability factor	15	1.00 0.00 400 400 0.00 0.00	1.36	1.10	1.38	1.01	0.87	0.00 0.689 0.077 0.00 0.03	0.87 0.89 0.94 0.95	1.12	1.14	1.12	# # # # # # # # # # # # # # # # # # #	1.03 0.56 0.63
		Crude rate per 1,000 home population	14	0.024.00 0.000 0.000 0.000 0.000	10.9	11.7	11.1	12.3	14.1	4.121 4.121 8.00 8.00 9.00 9.00	13.1 12.1 12.7 12.7	12.0	11.3	12.2	4000004	15.6
Deaths	-	Total	13	888 888 888 7 C 7 4 1	1,404	2,562 338 167 171	352	519 607 408	529	25 45 45 45 45 45 45 45 45 45 45 45 45 45	275 89 104 52 30	5,561	1,272	4,289	3, 530 206 12, 530 3, 24, 55 3, 49, 55	123 97 132
ū		Şiz ₄	12	180 103 177 217	233	1,207 160 75 82	157	246 296 191	261	120 110 111 110 110 110 110	132 46 45 26 15	2,512	618	1,894	1,562 92 92 145 154	800
		Z	11	0 t t t d t d t d t d t d t d t d t d t	324	1,355 178 92 89	195	273 311 217	268	125 155 200 15 455 300	14 43 50 50 15 15	3,049	654	2,395	1,968 1114 1114 178 178 195	61 47 72
	eate	sool lo oitaR thrid batsutba sulantitan ot	10	0.04 0.03 0.10 0.10	0.86	11.04 10.04 0.99	1.42	0.98	1.01	1.000.000	1.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	1.06		1.04	1.02	0.82
		Comparability rotors	0	1.004 1.003 1.008 1.008	0.99	1.02	1.03	1.04	1.17	11.22	1.23 1.35 1.25 1.05	1.02	1.00	1.02	0.00 0.00 0.00 0.00 0.00	1.16
		Crude rate per 1,000 home population	ω	12.0 115.0 115.1	14.7	18.7 19.1 16.1 16.0	23.3	15.9	14.6	15.0 15.0 14.0 14.0 17.2	13.0 14.0 111.6 14.2	17.6	18.8	17.2	112.35 12.05 12.05 18.5 18.5	12.0 21.2 16.1
SC		Total	7	386 3227 347 247 206	756	4,010 536 363 256	742	1,052	547	263 24 24 24 24 47	28 101 101 86 85 85 85	8,136	2,109	6,027	4 000 000 000 000 000 000 000 000 000 0	124 124 124
re births	mate	[St. ₄	٤٥	1 5 T T T T T T T T T T T T T T T T T T	23	101 10 9 9	19	20 27	21	00 110 1414	# 00 T L	262	96	166	8 8 8 8 8 8 9 8 9 8 9 8 9 8 9 9 9 9 9 9	₩ 4 0
Live	Illegitimat	×	S	44 11 14 44 44 44 44 44 44 44 44 44 44 4	28	4 55 7 4	12	14 29 10	20	10011101	0 to 00 th 00	290	87	203	163 7 7 8 8 6 6	ち CV な
	0	ſ£ _i	4	171 149 1684 150	354	1,823 245 168 124	340	288 480 178	269	## 044 ## 00 00 110	138 455 36 36 18	3,787	954	2,833	2, 316 136 136 156 1156 220	4.00 12.00 12.00 13.00 10.00 1
	Legitimat	×	10	196 159 181 107	351	1,992 268 174 124	371	330 516 209	237	411 10 10 10 10 10 10 10 10 10 10 10 10 1	123 46 239 288 10	3,797	972	2,825	2, 14, 14,00 1256 1256 225	85 55 55
7 (4 5 8 8 4 (5)	bstimated home population as at	30th June 1968 (but see Emploratory Note 'Charges Loundaries')	0	29,910 20,391 22,960 35,060	51,310	218,270 28,030 22,530 15,960	31,800	40,960 49,310 29,680	37,530	17,130 1,600 1,600 2,240 2,630 6,350 4,310	20,400 6,790 7,040 2,470 2,470	462,990	112,180	350,810	283,880 18,650 9,560 22,950 11,940 26,070	7,860 5,850 7,710
		Area		GLANORGAN - continued Municipal boroughs and urban districts - continued North M.B. Ogmore and Garw Penarth Portypridd Portypridd	Port Talbot M.B. Rhondda M.B.	Rural districts Cardiff Cowbridge Gower	Llantrisant and Llantwit Fardre	Neath Penybont Pontardawe	MERIONETHSHIRE	Urban districts Bala Barmouth Dolgellau Frestniog	Rural districts Deudraeth Dolgelau Edeyrnion Penllyn	MONMOUTHSHIRE	Newport C.B.	Administrative county	Municipal boroughs and urban districts Abercara Abergavemy M.B Abertillery Bedvas and Machen Bedvellty	Blaenavon Caerleon Chepstow

 779 25-7 0-86 1-29 137 80 217 7-21-68 1-02 10 13 7 6 4 13 7 154 17-2 1-17 154 1-12 1-17 1-15 1-17 154 1-17 1-15 1-17 1-17	2000 41 2000 20 20 20 20 20 20 20 20 20 20 20 20	16·0 0.97 427 332 759 113 108 15 14 12 9 17 16·3 1·0.2 0.97 427 332 759 113 103 15 14 12 9 17 16·3 1·0.2 0.98 95 58 187 0.55 0.83 4 76 3 3 4 17·0 1·1.3 1·1.4 1.08 87 19 10 1.35 1.24 5 76 4 2 5 16·6 0.77 89 68 1.57 9 1.16 4 4 4 4 4 5 6	281 563 13.2 0.89 0.99 9 15 6 6 10	6 0.87 0.99 4 15 2 2 4 15 10 0.81 1.05 1.00 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.	39 35 71 13.0 0.93 1.02	1.12 0.92 1.72 142 314 12.8 0.99 0.99 5 75 4 4 2 2 1.15 0.99 0.99 0.99 0.99 0.99 0.99 0.99 0.9	543 1.217 12.1 1.05 1.07 28 18	1.01 1.15 333 275 610 12.0 1.03 1.04 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	26 180 13.0 0.00 1.00 1.00 1.00 1.00 1.00 1.0	607 122 1:08 1:11 13 77 10 8 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1.15 1.01 135 128 263 14.4 0.89 1.000 4 45	1.12 1.02 55 100 100 100 100 100 100 100 100 100	4 1.17 1.00 80 74 154 1.01 2 12 1 3 1 1.01 1.01 1 2 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
115 199 170 170 170 170	12 12 12 10 10 4	440 111 139 44 85 86 87	25 32	р тып т	4 + 1	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	63 63	6 ₩ ₩ ₽ ₽ ₽ ₽ ₽ ₽ ₽ ₽ ₽ ₽ ₽ ₽ ₽ ₽ ₽ ₽ ₽		24 44 0 0 0	• •	න අ න	4041 10144
361 387 227 200 45 47 47 102 113 104 105	276 255 60 71 143 134 137 135 7 12	487 517 76 52 112 127 149 41 38 125 151	272 280	136 113 11 3 21 6 10 4 5	43 44	136 336 344 111 453 599 599	824 789	44.123.1123.1177.28.128.128.128.128.128.128.128.128.128.	130 139	352 4 45 178 203 76 65	137 111	4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.	94 100 100 100 100 100 100 100 100 100 10
36,729 26,726 6,130 11,710	37,210 8,720 16,220 19,070 2,180	66,930 10,070 15,610 17,930 6,150 17,170	42,800	18,360 1,120 2,350 1,780 990	5,470	24,440 5,120 8,770 2,630 7,920	100,360	50,780 10,330 110,330 110,640 11,040 2,040	13,870	49.580 23.680 23.660 7.7940	18,210	6,570 2,110 3,160 1,300	11,640
Cwmbran Ebbw Vale Momwouth M.B. Mymyddislwyn Nantyglo and Blaina	Pontypool Rywney Risca Tredegar Usk	Rural districts Abergavenny Chepstow Magor and St. Mellons Monmouth Pontypool	MONTGOMERYSHIRE	Municipal boroughs and urban districts Lianfyllin M.B. Lianfyllin M.B. Nachynlleth Mochynlleth Montgomery M.B.	Newtown and Llanllwchafarn Welshpool M.B.	Rural districts Porden Porden Llanfyllin Machynlieth Newtown and Llanfdloes	PEMBROKESHIRE	Municipal boroughs and urban districts Fishguard and Goodwick Haverfordwest M.B. Milford Haven Narberuh Neyland	Pembroke M.B. Tenby M.B.	Rural districts Geness Haverfordwest Narberth Pembroke	RADNORSHIRE	Urban districts Knighton Llandrindod Wells Prestelgne	Rural districts Colwyn Knighton New Radnor Painscastle

Included in this table are 1,091 cases (425 males and 666 females) in which the age of the deceased was not definitely states; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case.

Are lest				Mal	.es					Fema	ales		
Age last birthday	Persons	Total	Single	Married	Widowed	Divorced	Not stated	Total	Single	Married	Widowed	Divorced	Not stated
All ages	576,754	293,213	38,895	183,172	65,554	2,356	3,236	283,541	50,199	82,693	148,222	2,076	351
0-4 0 1 2 3 4	17,669 14,982 1,025 672 545 445	10,197 8,705 552 381 316 243	10,197 8,705 552 381 316 243	-	- - - -	-	-	7,472 6,277 473 291 229 202	7,472 6,277 473 291 229 202	- - - -	OUT OUT OUT OUT OUT	-	-
5+9 5 6 7 8 9	1,441 359 314 269 254 245	868 220 195 163 135 155	868 220 195 163 135 155	-	- - - -	-	- - - - -	573 139 119 106 119	573 139 119 106 119 90	- - - -	-	-	-
10-14 10 11 12 13 14	1,107 192 207 221 218 269	677 111 140 132 115 179	677 111 140 132 115 179	- - - - -	-	-	-	430 81 67 89 103	430 81 67 89 103 90	- - - -	-	-	-
15-19 15 16 17 18 19	2,168 294 412 475 496 491	1,544 190 288 353 364 349	1,476 190 274 338 347 327	18 - - 2 6 10	1 1	-	49 14 13 11	624 104 124 122 132 142	574 104 119 116 120 115	39 - 2 2 10 25	-	-	11 3 4 2 2
20-24 20 21 22 23 24	2,455 536 580 451 458 430	1,715 374 422 316 310 293	1,258 324 356 233 195 150	392 36 45 75 103 133	2 1 - 1 - 1 -	3 1 - - 2	60 13 20 8 11 8	740 162 158 135 148 137	392 121 102 62 55 52	338 38 55 72 90 83	2 2	4 - 1 - 2	4 1 - 1 1
25-29 25 26 27 28 29	2,138 425 409 403 432 469	1,345 262 269 248 268 298	622 139 145 119 108 111	657 112 109 119 139 178	8 1 3 2 2	17 2 2 1 9 3	41 8 10 7 10 6	793 163 140 155 164 171	187 46 32 36 36 37	581 112 103 111 125 130	5 1 1 1 1	16 3 3 5 2 3	4 1 1 2 -
30-34 30 31 32 33 34	2,629 448 504 543 524 610	1,552 260 306 328 293 365	453 86 97 101 79 90	1,031 166 193 214 206 252	10 1 3 1 2 3	22 3 4 2 3 10	36 4 9 10 3 10	1,077 188 198 215 231 245	190 48 36 27 33 46	844 134 151 183 188 188	12 2 4 - 4 2	30 4 6 5 6 9	1 1 -
35-39 35 36 37 38 39	4,184 627 713 836 971 1,037	2,444 350 436 485 569 604	526 85 87 99 111 144	1,810 248 332 362 426 442	11 1 3 2 3 2	51 7 7 11 18 8	46 9 7 11 11 8	1,740 277 277 351 402 433	238 52 33 44 54 55	1,423 211 235 292 328 357	29 7 5 4 5 8	49 7 4 11 15 12	1 1
40-44 40 41 42 43 44	7,806 1,176 1,302 1,599 1,796 1,933	4,652 679 763 961 1,092 1,157	872 142 150 184 186 210	3,563 508 577 725 861 892	60 7 6 13 14 20	90 10 17 24 19 20	67 12 13 15 12 15	3,154 497 539 638 704 776	451 75 78 101 96 101	2,530 398 433 503 568 628	94 11 18 16 23 26	74 12 10 17 16 19	5 1 - 1 1 2
45-49 45 46 47 48 49	13,842 2,165 2,551 3,036 3,327 2,763	8,272 1,245 1,542 1,831 1,983 1,671	1,219 204 226 280 259 250	6,599 967 1,238 1,470 1,606 1,318	149 16 27 17 44 45	197 37 38 41 44 37	108 21 13 23 30 21	5,570 920 1,009 1,205 1,344 1,092	617 99 96 130 158 134	4,496 764 842 983 1,072 835	315 37 54 59 77 88	138 19 16 32 37 34	1 1 1 1

TABLE 14 - continued

Age last				Mal	Les					Fema	ıles		
birthday	Persons	Total	Single	Married	Widowed	Divorced	Not stated	Total	Single	Married	Widowed	Divorced	Not stated
50-54 50 51 52 53 54	20,865 2,817 3,532 4,189 4,851 5,476	13,015 1,718 2,191 2,632 3,069 3,405	1,641 265 277 326 386 387	10,534 1,351 1,800 2,132 2,473 2,778	443 48 52 90 124 129	245 26 35 59 53 72	152 28 27 25 33 39	7,850 1,099 1,341 1,557 1,782 2,071	957 125 169 190 202 271	5,881 859 1,012 1,165 1,333 1,512	816 83 125 164 198 246	185 30 34 35 48 38	11 2 1 3 1 4
55-59 55 56 57 58 59	35,970 5,820 6,323 7,170 8,006 8,651	23,367 3,752 4,028 4,669 5,212 5,706	2,503 406 443 459 573 622	19,090 3,088 3,290 3,856 4,239 4,617	1,139 136 185 225 256 337	399 79 67 84 88 81	236 43 43 45 56 49	12,603 2,068 2,295 2,501 2,794 2,945	1,579 244 283 312 371 369	8,703 1,522 1,628 1,716 1,891 1,946	2,036 260 327 415 472 562	265 42 49 55 56 63	20 - 8 3 4 5
60-64 60 61 62 63 64	53,965 9,338 9,655 10,714 11,728 12,530	34,772 6,046 6,289 6,949 7,469 8,019	3,257 582 585 608 741 741	27,848 4,924 5,127 5,613 5,904 6,280	2,854 381 436 562 668 807	457 93 80 90 86 108	356 66 61 76 70 83	19,193 3,292 3,366 3,765 4,259 4,511	2,759 455 489 539 592 684	11,391 2,070 2,117 2,243 2,489 2,472	4,730 704 703 905 1,117 1,301	297 60 52 76 60 49	16 3 5 2 1 5
65-69 65 66 67 68 69	70,924 12,903 13,390 15,064 14,730 14,837	43,690 8,329 8,473 9,246 8,939 8,703	3,727 801 737 793 710 686	33,228 6,470 6,555 6,986 6,710 6,507	5,960 897 1,030 1,317 1,354 1,362	379 88 82 78 69 62	396 73 69 72 96 86	27,234 4,574 4,917 5,818 5,791 6,134	3,904 655 685 846 857 861	12,917 2,429 2,506 2,746 2,621 2,615	10,067 1,421 1,665 2,149 2,242 2,590	291 60 53 64 59 55	55 9 8 13 12
70-74 70 71 72 73 74	81,348 15,186 15,443 16,322 16,913 17,484	43,414 8,588 8,519 8,698 8,852 8,757	3,045 645 590 615 605 590	30,476 6,277 6,162 6,144 6,025 5,868	9,215 1,539 1,620 1,793 2,100 2,163	253 49 58 61 37 48	425 78 89 85 85	37,934 6,598 6,924 7,624 8,061 8,727	5,555 951 997 1,113 1,186 1,308	13,240 2,684 2,609 2,716 2,586 2,645	18,832 2,900 3,244 3,735 4,236 4,717	255 54 60 51 44 46	52 9 14 9 9
75-79 75 76 77 78 79	89,708 17,801 18,090 17,588 18,185 18,044	41,992 8,929 8,758 8,302 8,158 7,845	2,822 609 566 579 539 529	25,066 5,810 5,514 4,945 4,609 4,188	13,491 2,371 2,561 2,654 2,893 3,012	147 37 29 32 25 24	466 102 88 92 92 92	47,716 8,872 9,332 9,286 10,027 10,199	7,222 1,315 1,415 1,388 1,521 1,583	10,776 2,422 2,342 2,175 2,047 1,790	29,432 5,076 5,520 5,662 6,395 6,779	221 45 46 49 51 30	65 14 9 12 13 17
80-84 80 81 82 83 84	82,600 17,689 16,577 16,885 16,181 15,268	32,665 7,540 6,694 6,631 6,130 5,670	2,158 500 431 457 413 357	15,135 3,864 3,317 3,067 2,624 2,263	14,906 3,057 2,864 3,015 3,000 2,970	69 22 11 8 12 16	397 97 71 84 81 64	49,935 10,149 9,883 10,254 10,051 9,598	7,641 1,567 1,536 1,500 1,487 1,551	6,602 1,696 1,390 1,351 1,194 971	35,476 6,845 6,915 7,359 7,328 7,029	152 32 31 31 28 30	64 9 11 13 14 17
85-89 85 86 87 88 89	57,004 13,787 13,099 11,636 10,068 8,414	19,191 4,847 4,448 3,919 3,359 2,618	1,168 283 275 228 223 159	6,166 1,815 1,498 1,218 956 679	11,570 2,672 2,611 2,406 2,147 1,734	19 7 9 2 1	268 70 55 65 32 46	37,813 8,940 8,651 7,717 6,709 5,796	5,974 1,376 1,353 1,212 1,083	2,443 762 612 484 335 250	29,297 6,777 6,663 5,996 5,274 4,587	72 18 13 18 14 9	27 7 10 7 3
90-94 90 91 92 93 94	23,423 6,953 5,765 4,603 3,503 2,599	6,620 2,062 1,700 1,257 909 692	349 106 89 63 58 33	1,387 488 381 252 164 102	4,764 1,434 1,200 918 672 540	8 5 - 1 2	112 29 30 24 14 15	16,803 4,891 4,065 3,346 2,594 1,907	2,713 766 657 546 418 326	452 180 119 88 45 20	13,609 3,937 3,285 2,707 2,126 1,554	20 6 1 4 4 5	9 2 3 1 1 2
95-99 95 96 97 98 99	4,965 1,889 1,345 855 540 336	1,142 493 306 186 98 59	55 20 19 9 7	162 65 43 34 8 12	907 401 239 142 79 46	-	18 7 5 1 4 1	3,823 1,396 1,039 669 442 277	694 244 183 138 77 52	35 10 18 2 3 2	3,085 1,140 834 528 360 223	7 1 4 1	2 1 - 1 - 1 -
100 and over	543	7 9	2	10	64	-	3	464	77	2	385	-	-

TABLE 15. Deaths by age group, sex and marital condition, after proportional distribution of cases with unstated marital condition, 1968

England and Wales

Note. In this table the deaths of unstated marital condition in each age-group (which are shown separately in Table 14) have been distributed proportionately among those of stated condition in the age-group.

Age	Persons			Males					Females		
Age	rersons	Total	Single	Married	Widowed	Divorced	Total	Single	Married	Widowed	Divorced
All ages	576,754	293,213	39,283	185,199	66,347	2,384	283,541	50,261	82,811	148,392	2,077
0-4	17,669	10,197	10,197	-	-	-	7,472	7,472	~	-	-
5-9	1,441	868	868		-	-	573	573	-	-	-
10-14	1,107	677	677	-	-	-	430	430	-	-	-
15-19	2,168	1,544	1,524	19	1	-	624	584	40	-	-
20+24	2,455	1,715	1,304	406	2	3	740	394	340	2	4
25- 29	2,138	1,345	641	678	8	18	793	188	584	5	16
30~34	2,629	1,552	464	1,055	10	23	1,077	190	845	12	30
35-39	4,184	2,444	536	1,845	11	52	1,740	238	1,424	29	49
40-44	7,806	4,652	885	3,615	61	91	3,154	452	2,534	94	74
45-49	13,842	8,272	1,235	6,686	151	200	5,570	617	4,500	315	138
50-54	20,865	13,015	1,660	10,659	448	248	7,850	958	5,890	817	185
55- 59	35,970	23,367	2,529	19,284	1,151	403	12,603	1,582	8,717	2,039	265
60-64	53,965	34,772	3,290	28,136	2,884	462	19,193	2,761	11,401	4,734	297
65-69	70,924	43,690	3,761	33,532	6,015	382	27,234	3,912	12,943	10,087	292
70-74	81,348	43,414	3,075	30,777	9,306	256	37,934	5,563	13,258	18,858	255
75 - 79	89,708	41,992	2,854	25,347	13,642	149	47,716	7,232	10,791	29,472	221
80-84	82,600	32,665	2,185	15,321	15,089	70	49,935	7,651	6,610	35,522	152
85-89	57,004	19,191	1,185	6,253	11,734	19	37,813	5,978	2,445	29,318	72
90-94	23,423	6,620	355	1,411	4,846	8	16,803	2,715	452	13,616	20
95-99	4,965	1,142	56	165	921	-	3,823	694	35	3,087	7
100 and over	543	79	2	10	67	-	464	77	2	385	-

TABLE 16. Deaths by month of occurrence, sex and age group, 1968

England and Wales

					See no	tes at he	ad of Tab	le 22					
Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All ages	M	35,040	26,502	27,521	23,438	22,736	20,641	20,820	20,527	20,472	21,805	23,837	28,082
	F	36,588	25,555	27,306	22,452	21,664	19,583	19,498	19,491	19,148	20,950	22,554	26,678
Under 4 weeks	M	540	486	512	511	470	506	499	457	452	52 4	454	471
	F	350	372	401	320	356	351	337	368	356	318	299	351
4 weeks and under 1 year	M	328	247	305	230	220	172	158	152	170	219	249	308
	F	248	180	227	185	149	123	127	124	138	159	191	217
1-	M	70	56	69	40	45	31	36	28	24	44	4 6	59
	F	51	34	51	36	28	29	52	24	37	23	50	48
2-4	M	71	78	89'	83	75	65	69	81	71	83	81	71
	F	67	74	64	63	59	5 6	54	47	59	67	54	49
5-9	M	60	. 55	91	91	72	79	80	90	6 5	67	59	61
	F	50	46	53	35	42	47	55	45	5 6	45	44	47
10-14	M	56	57	53	61	47	54	73	71	46	47	54	48
	F	35	36	36	38	32	31	39	50	24	34	21	42
15-19	M	111	109	152	121	116	111	152	162	144	113	127	109
	F	51	55	55	46	51	53	46	53	48	47	46	59
20-24	M	148	140	138	131	138	150	141	159	158	156	125	127
	F	54	63	79	55	62	51	58	55	65	67	58	58
25-29	M	119	96	135	84	116	96	107	108	125	110	124	110
	F	71	71	70	55	62	70	64	53	71	65	77	65
30-34	M	135	141	140	117	127	124	118	113	121	125	145	154
	F	103	109	104	85	78	80	80	76	85	82	97	91
35 - 39	M	247	196	204	207	218	191	182	199	191	179	195	214
	F	183	146	174	128	156	127	137	135	118	147	129	163
40-44	M	422	381	427	363	403	364	365	370	369	349	386	425
	F	331	252	293	251	281	228	262	251	233	230	255	270
45-49	M	817	700	707	682	698	615	632	657	618	655	679	792
	F	533	467	491	472	430	446	454	450	414	415	455	508
50 - 54	M	1,272	1,104	1,209	1,081	1,074	980	997	990	976	1,043	1,064	1,168
	F	811	662	704	614	683	555	603	596	608	643	627	709
55÷59	M F	2,481 1,337	2,015 1,051	2,135 1,166	1,927 984	1,873 1,006	1,762 962	1,803 955	1,647 993	1,699 936	1,816 1,004	1,910	2,173 1,121
60-64	M	3,748	3,035	3,187	2,737	2,855	2,547	2,542	2,524	2,564	2,647	2,877	3,351
	F	2,104	1,699	1,773	1,520	1,541	1,342	1,401	1,392	1,419	1,499	1,570	1,820
65 - 69	M F	5,048 3,141	3,898 2,335	3,906 2,537	3,522 2,176	3,278 2,154	3,166 1,899	3,211 1,991	3,094 1,988	3,120 1,885	3,414 2,160	3,621 2,198	4,214 2,595
70-74	M	5,265	4,021	4,066	3,454	3,345	2,966	2,989	2,984	3,069	3,191	3,558	4,193
	F	4,665	3,401	3,541	3,060	2,916	2,665	2,603	2,630	2,546	2,878	3,126	3,651
· 75 - 79	M	5,417	3,912	4,016	3,363	3,173	2,853	2,795	2,811	2,828	2,984	3,393	4,181
	F	6,400	4,267	4,659	3,839	3,597	3,197	3,233	3,148	3,209	3,459	3,848	4,518
80-84	M	4,619	3,094	3,212	2,579	2,410	2,124	2,171	2,114	2,047	2,246	2,574	3,197
	F	7,117	4,645	4,967	3,881	3,710	3,334	3,262	3,281	3,215	3,541	3,871	4,692
85 and over	M	4,066	2,681	2,768	2,054	1,983	1,685	1,700	1,716	1,615	1,793	2,116	2,656
	F	8,886	5,590	5,861	4,609	4,271	3,937	3,685	3,732	3,626	4,067	4,537	5,604

TABLE 17. Deaths by cause, sex and age group, 1968

									Age	at death							
No.	Cause of death		A11	Da	ys		weeks			Mont	hs				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
	ALL CAUSES		3,213	3,054 2,130	2,057	401 319	236 173	174 140	1,159 804	947 747	416 330	261 193	8,705 6,277	552 473	381 291	316 229	243 202
000-136	I. INFECTIVE AND PARASITIC DISEASES		2,593 1,593	2 2	12 16	24 12	24 13	16 6	76 63	93 58	44 35	43 32	334 237	66 45	29 22	16 11	14
000-009	Intestinal infectious diseases	M F	392 343	-	2 1	14 10	19 10	10	52 42	68 43	34 26	30 16	229 153	30 25	7 6	5	6 3
000	Cholera	X	-	-	-	-	-	-		-	-	-	-	-	-	-	~
001	Typhoid fever	M	2 1	-	- 1	-	-	-	-	-	-	-	-	~	-	-	- 1
302	Paratyphoid fever	M GE CT	1	:	- I	-	-	- 1	-	-	-	-	-	-	-	-	-
003	Other Salmonella infections	M	12	-		1	-	-	-	1	-	1	3	-	-	-	-
004	Bacillary dysentery	M	7 5	-	- 1	- 1	_	-	-	1	-	1	2	1 2	-	-	-
205	Food poisoning (bacterial)	M	1	-	-1	_	-	-		-	-	-	-	-	-	-	-
006	Amoebiasis	M	2	**	-	-	-	- 1	-	-	-	- 1	_	_	-	-	-
007	Other protozoal intestinal diseases	M	1	-		_	-		-	-	-	-	-	-	-	-	-
008	Enteritis due to other	M	61	-	- 1	2	3	1	10	13	5	10 00 01	37	- -	-	1	1
009	specified organism Diarrhoeal disease	н	305	_	2	11	16	9	16	8 53	3 29	25	37 197	25	-	4	5
010-019	Tuberculosis		257	-	-	6	6	4	26	35 1	23	15	115	2	6 4	3 -	2 3
010	Silicotuberculosis	F M	95	_	-1	_	_		_	-	-		_	1 -	1 -	1	_
011	Pulmonary tuberculosis	P	984	_		_	_	- 1	_	_]	1	-	-	-	1
012	Other respiratory	M F	13	-		_	_	-	-	-	-	-	-	1	-	1 -	-
013	tuberculosis Tuberculosis of meninges	F	24	-		_	-	-!	-	_	-		-	-	- 4	-	- 2
014	and central nervous system Tuberculosis of	H	20			-	-	-	-	-	-		-	-	1	-	-
	intestines, peritoneum and mesenteric glands	F	13	-	-1		-	-	-	-	-	- 1	-	-	-	-	-
015	Tuberculosis of bones and joints	M	16	-	-1	-	-		-	-	-	-	-	-	-	-	-
016	Tuberculosis of genito- urinary system	M F	29 21	-	1	-	-	-	-	-	-	-	Ī	-	-	-	-
017	Tuberculosis of other organs	M F	8	-		1	Ī	-	-	-	-		-	-	-	-	-
018	Disseminated tuberculosis	M F	22	-	-	-	-	-	-	1	-	- ,	1 -	-	-	-	-
019	Late effects of tuberculosis	M P	298 117	-	-	-	-	1	-	-	-	= 1	-	-	-	-	-
020-027	Zoonotic bacterial diseases	MF	7	-	1	_	-	-	-	-	-	-	-	1	-	-	~
020	Plague	M F	-	-	-	-	-	:	-	-	-	F	-	-	-	-	-
021	Tularaemia	MF	-	-	-	-	-	-	-	-	-	-	_	-	-	-	
022	Anthrax	M F	1	:	-	-	-	-	-	-	-	-	-	-	-	-	-
023	Brucellosis	M	2	-	-		-	-	-	-	-	-		-	-	-	
024	Glanders	M	-	:	-	-		-1/		-	-	-	-	-	-	-	-
025	Melioidosis	M	-	-	-	-	-	- 1	-	-		-	-	-	-	-	-
026	Rat-bite fever	M	-		-	_	-	-		-	-	-	-	_	-	-	-

									Age a	t death								
ICD No.				,					Υe	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-60	70-74	75-79	80-84	95 and over
ALL CAUSES	10,197 7,472	868 573	677 430	1,544 624	1,715 740	1,345 793	1,552 1,077	2,444	4,652 3,154	8,272 5,570	13,015 7,850	23,367 12,603	34,772 19,193	43,690 27,234	43,414 37,934	41,992 47,716	32,665 49,935	27,032 58,903
000-136	4 59 323	36 25	20 12	20 15	26 20	15 24	29 25	39 43	73 63	123 73	137 78	252 125	355 134	337 156	278 142	206 131	112 113	76 91
000-009	277 190	9	3	4	4 2	4 -	1	3 -	1 3	3 4	2 5	12 14	13 12	14 20	10 16	16 20	4 23	12 25
000	-	-	-	-	-	-	_	_	-	_	-	-	-	-	-	_	~	-
001	- 1	-	-	-	en en	1	-	60 Ser	-	-		1	_	-			-	-
002	-	-	-	-	-	-	-	1 -	-	-	-	-	-	-	- -	-	-	-
003	3 =		-	-	-	1 -	1	Ī	_	_	_	1 2	- 1	1 2	2	6 1	2	-
004	3 2	1	-		_	1 -	-			1	-	_	-	-	-	-	1	1 -
005	-	-	-	-	1		-	· ~	-	-	-	-	-	-	-	-	-	-
006	-	-	-	-	-	-	-	-	-	2 -	-	-	_	-		-	-	-
007	-	-	-	-	-	-	-	-	-	-	-	1 -	-		-	-	-	-
800	43	4	2	1	1	_	-	-	Ξ	1	_	2 4	2	5 5	1 3	2	2 4	2
009	228 143	4 5	1 -	4 -	3	1 -	1 -	2 -	1 3	1 2	2 5	7 8	11 10	8 13	. 9	10	16	11 23
010-019	11 3	1 -	2 -	3 2	5 3	6 11	17 11	20 25	53 40	89 42	97 44	176 53	281 69	251 74	212 72	154 68	81 47	41 27
010	-	~	-	-	_	-	-	7		1 -	4 -	19	17	20	11 2	14	6	3 1
011	2 2	-	1 -	1	1	5	11 6	15 17	36 25	61 27	68 27	99	186 35	152 43	159 44	106	59 27	27 12
012	-	-	-	-	-	=	-	1	1	1 -	1 1	2 2	3 2	2	3 1	2	. 3	2
013	7	1	-	1 1	1	1 3	1	1	1 - 2	2	1 2	2	2 4	2	1 1	1	1	
014	1 -	-	1 -	_	-	1 -	3	1	-	1 -	1	1	2	1	-	2	4	1
018	-	_	-	-	-	1 -	1	- 1	(j. 2	1 -	6m 9m	2	.02	1 5	.a1 2	3	1 1	1
016	-	_		-	-	1 2	- 2	2	5 2	2 2	4	7 1	2	5 -	1	1 2	1	-
017	-	-	-	-	***	=	-	1	1 -	1 1	1	1	1	2	1 -	1	1 2	2
018	1 -	-	-	=	1	1	1 -	1 -	1 -	-	2 -	2 3	2 3	5 3	2 3	3 4	1 2	3
019	-	-	**	2	-	-	1	3	6 10	19 12	16 11	43 9	63 14	63 16	33 18	31	11 7	10 5
020-027	1 -	1 -	-	-	-	-	-		1 -	-	=	_	3 -	ī	-	1 -	-	-
020	-		-	-	-	-	-	-	-	-	_	-	-	-	~	-	-	-
021	-	-	-	-	-	-	ele.	-	=	-	-	=	-	-	-	-	_	-
022	-	-	-	-	-	-	-	=	-	-	-	-	1 -	-	-	-	-	100
023	-	1 -	-	-	-	-	-	-	-	-	-	-		-	-	-	2	-
024	-	-	-	-	-	-	=	-	-	-	_	=	-	-	-	-	=	-
625	-	-	-	=	-	-	-	=	-	-	-	-	Ξ,	-	-	-	-	-
026	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 17 (Numbers) - continued

		-			ADLE	T) (N	umber	s) -	conti	nued							
700									Age	at death	n						
No.	Cause of death		A11	Da	ys		Weeks			Mont	hs				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
027	Other zoonotic bacterial diseases	MF	4 1	-	-	-	-	-	-	-	-	-	-	1 -	-	-	-
030-039	Other bacterial diseases	M F	182 162	2 2	7 14		4 3	4	16 14	15 9	4	7	64 53	14	8	3	1 1
030	Leprosy	MF	1	-		-	-	-	-	-	-	-	-	-	-	-	_
031	Other diseases due to mycobacteria	M F	3	-	-	-	-	-	-	-	-	-	-	-	-	~	-
032	Diphtheria	M F	1 -	-	-	-	-	-	_	-	-	-	-	-	1		-
033	Whooping cough	M	9	-	-	-	-	-	5 2	4	-	-	9	-	-	-	_
034	Streptococcal sore throat and scarlet fever	M F	1 4	-	-	-		-	-	-	-	-	-	- 1	-	-	-
035	Erysipelas	MF	1 3	-	-	-	-	-	_	-	-	-	-	-	-	-	-
036	Meningococcal infection	M	64 43	1	1 -	2 -	1 1	1 -	3 6	8 3	3 3	5 2	25 16	12	7 5	2	1
037	Tetanus	M	10	-	-	-	_	-	-	-	-	-	-	~	-	-	_
038	Septicaemia	M	83 90	1	6 14	3 2	3 2	3	8 5	1 2	1 1	1	27	2		1	-
039	Other bacterial diseases	M	9	_	-	_	-	-	- 1	2	-	1	29	1	1 -	1 -	_
040-046		M	17 13	-	1 -	1 -	1 -	-	- 2	-	-	1 - -	2 3 2	1 - -	-		1 -
040		M F	-	-	-	-	-	-	-	Ī	Ī	-	Ī	-	-	1	-
041		M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
042	Acute non-paralytic poliomyelitis	M F	~	_	_	_	-	-	-	-	-	-	-	-	-	-	_
043	Acute poliomyelitis, unspecified	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
044	Late effects of acute poliomyelitis	MF	11 4	_	-	-	-	-	- -	_	~	-	-	-	-	=	-
045	Aseptic meningitis due to enterovirus	MF	2 7	-	-	_	-	-	- 1	-	-	-	_ 1	-	-	-	1
046	Other enterovirus diseases of central nervous system	M	4 2	-	1	1 -	1	-	- 1	-	-	-	3	ē	-	-	_
050-057	Viral diseases accompanied by exanthem	M	64 86	-	-	1	-	-	- 2	2	2	3	8 9	9	3	3	2
050	Smallpox	M	-	-	-	-	-	_	-	••	-	-	-	~	-	-	-
051	Cowpox	M	~	-	-	-	-	-	_	-	-	-	-	-	-	_	_
052	Chickenpox	M	10	-	-	-	_	-		-	-	2	2	_	-	_	1
053	Herpes zoster	M	20	-	-	_	_	-	-	-	-	-	-	-	1 -	_	-
054	Herpes simplex	M	8	-	-	1	-	-	-	-	-	-	1	-	-	1	_
055		М	23	-	-	-	-	-	-	1	- 2	1	4	1	3	- 2	1
056	Rubella	F	28	-	-	_	-	-	1	- 1	3 -	4	8	3	5	2	3
057	Other viral exanthem	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
060-068	Arthropod-borne viral	F M	81	_	-	-	-	1	- 1	- 2	- 1	-	-	3	3	2	- 1
060	diseases	F	73	-	-	-	-		-	í	i	4	6	5	2	1	1
061		M F	-	-	-	=	-		-	-		-	-	-	-	-	-
		M F	-	-	-	-	-	-	-	-	-	-	-	-	=	-	-

TABLE 17 (Numbers) - continued

									Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
027	1 -		-		_	-	-	-	1	-	-	-	1	1	-	1 -	_	-
030-039	90 71	5 7	3 4	4 3	3	- 3	3	5 6	1 3	5	6 2	12 13	13 9	11 9	11 9	4 9	4 5	2 2
030	-	-	-	-		-	_	-	-	-	1 -	-	_	_	-	-	-	
031	-	-		_	_	-	-	-	-	-	-	1 -	1	1	-	-	-	_
032	1 -	-	-	-		-	-	-	-	-	-	Ī	_	-	-	-	-	-
033	9	-	-	-	=	-	-	Ī	-	_	-	1 =	-		-	_	-	-
034	1	1	- 1	1 -		-	-	-	-	_	:	_		_	-	-	-	-
035	-	-	-		-	-	-	-	-	-	_	_	1	-	1 -	-	-	2
036	47 29	5 3	1	2 1	2	-	1	~	_ 1	- 1	-	2 4	1	1 -	2	- 1	-	-
037	-	-	1 -	1 -	- 1	- 1	-	-	_	1 _	1 -	1 _	- 1	2	1 -	2	-	-
038	30 32	- 3	1 -	- 2	1 -	- 2	2	4 6	1 2	4 2	4 2	8	10 4	7 8	5 7	1 6	3 4	2
039	3 3	-	- 2	-	-	-	- 1	1 -	-	-	-	_	1	- 1	2	1 2	1	-
040-046	4 2	-	1 -	- 1	1	1 -	-	~	2	2 1	1 -	1 1	1 3	-	1 -	2 3	-	_
040		_	_	-	-	-	_	_	-	_	-	_	_	-		~~	_	_
0.44	***	-	-	-	-	-	-	-	-	•	-	-	~	-	-	-	-	-
041	-	-	-		-	Ξ	=	-	-	Ξ	-	Ξ	-	-	-	-	-	-
042	-	-	-	-	-	=	-	~	-	-	Ξ	-	-	Ī	-	-	_	-
044	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-
045	- 1	-	-	1	1	1 -	-	-	1	2 -	1 -	1	1 -	-	-	2 -	-	-
046	1	-	1 -	~	-	-	Ī	Ī	-	1	-	-	2	-	-	3	-	-
050-057	3 1 25	- - 6	-	-	-	-	Ξ.	-	-	-	-	-	1	-	1 -	-	-	-
050	25	9	1	1	1	1 2	1	2 2	1 -	3	1 -	2	1 2	2 1	3 3	5 5	12	7 18
. 050	-	-	-	_	-	-	-	=	-	-	-	-	-	-	-	-	-	-
052	3	1		-	-	~	-	=	1	-	- 1	1	1	- 1	-	-	-	- 1
053	2	1	-	-	1	- 1	1	1	-	1	_	-	-	1	- 1	5	- - 6	-
054	- 2	1	1		_	1	Ξ	1	-	1		1	-	-	1 2	5	11	18
055	1	1 2	-	1	Ξ.	1	Ξ.	- 2	-	2	Ξ.	=	2	1	2 1	-	1	
056	19 21	6	1	_	-	-	-	-	-	=	=	Ξ.	-		-		-	-
057	1	1	-	-		-		Ξ	-	-		Ξ.	-		-	Ξ.		=
060-068	15	- 5	2	- 4	- 4	-	1	- 2	2	- 6	12	12	- 5	- 8	1	1	1	
060	15	2	2	1	4	ī	2	1	1	8	12 8	10	9	5	3	-	1	-
			-	=	Ī	-	-	-	-	-	-	=	-	-	-	-	-	-
061	-	-	-	-	-	-		~	-	-	-	-	-	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Age	at death	1						
ICD No.	Cause of death			Day	rs		Weeks			Mont					Years		
			All ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
062	Mosquito-borne viral encephalitis	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
063	Tick-borne viral encephalitis	M	-	-	-	-	-	-		-	-	-	_	~	-	-	_
064	Viral encephalitis transmitted by	M F	- 1	-	-	~	-	_	-	_	-	-	_	- 1	-	-	-
065	other arthropods Viral encephalitis, unspecified	M F	44 43	_	-	-	-	1	1	2	1	1 4	6	2	3 2	2	1
066	Late effects of viral encephalitis	M	37 29	-	-	-	-	-	-		-	-	-	1 -	-	-	-
067	Arthropod-borne haemorrhagic fever	M F	-	-	-	-	-	-	-	_	-	-	-	-	-	-	_
068	Other arthropod-borne viral diseases	M F	-	-	Ī	- -	-	-	-	-	-	-	-	-	-	-	-
070-079	Other viral diseases	M F	166 169	-	1	2 ~	-	1 -	6 3	5 4	2 1	1 3	18 12	6 3	4 -	3 -	-
070	Infectious hepatitis	M F	119 135	-	-		- -	-	2 -	- 1	-	1 -	3 1	1	2	2	-
071	Rabies	M F	-	-	-	-	-	-	_	-	-	-	-	-	-	-	=
072	Mumps	M F	1 2	-	-	-	-	-	-	-	-	-	_	-	-	-	-
073	Psittacosis	M F	-	-	-	-		-	-	-	-	-	-	-	-	-	-
074	Specific diseases due to Cocksackie virus	M F	3	-	1	2 -	-	-	-	-	-	-	2	-	-	-	-
075	Infectious mononucleosis	M F	5	-	-	-	-	-	-	-	-	-	-	-	1 -	-	-
076	Trachoma, active	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
077	Late effects of trachoma	M F	-	-	_	-	-	-	-	-	-	-	Ī	-	-	-	-
078	Other viral diseases of the conjunctiva	M F	-	-	~	-	-	-	-	-	-	-	-	-	-	-	-
079	Other viral diseases	M F	38 31	-	1 -	-	-	1 -	<u>4</u> 3	5 3	2	3	13 10	5 2	1 -	1 -	-
080-089	Rickettsioses and other arthropod-borne diseases	M F	3 2	-	-	-	-	-	-	-	-	-	-	-	-	-	_
080	Epidemic louse-borne typhus	M F	=	-	-	-	-	-	-	-	-	-	-	-	-	-	_
081	Other typhus	M F	-	~	-	-	-	-	-	-	-	-	-	-	-	-	Ī
082	Tick-borne rickettsiosis	M F	-	-	-	_	-	-	-	-	-	-	-	-	-	-	
083	Other rickettsioses	M F	1 -	-		_	-	-	-	-	-	-	-	-	-	-	Ī
084	Malaria	M F	2 2	-	-	-	-	-	-	-	_	-	-	-	-	-	-
085	Leishmaniasis	M F	-	-	-	-	-	-	-	 -	-	-	-	-	-	-	-
086	American trypanosomiasis	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
087	Other trypanosomiasis	M F	-	~	-	-	-	-	-	_	-	-	-	-	-	-	-
088	Relapsing fever	M F	-	_	-	-	Ī	-	-	-	-	-	-		-	-	-
089	Other arthropod-borne diseases	M F	-	Ξ.	-	-	-	-	-	=	-	-	-	-	-	-	-
090-099	Syphilis and other venereal diseases	M F	106 80	-	-	-	-	-	Ξ	-	-	-	-	-	-	-	-
090	Congenital syphilis	M F	ī	-	-	-	-	-	-	-	-	-	:	-	-	-	-
091	Early syphilis, symptomatic	M F	-	-	-	-	Ξ	-	-	-	-	-	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35~39	40-44	45-49	50-54	55 - 59	60-64	65-69	70-74	75-79	80-84	85 and over
062	-	-	600	-	-	-	~	600	=	-	~	-	=		-	-	_	
063	-	/ <u>u</u>	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-
064	- 1	-	-	_	-	-	_	_	_	-	_	-	_	-		-	-	-
065	14	5 2	2 2	3	4 2	-	1	2	2	3	1	3	_	2	1	1	_	_
066	14	-	-	1	- 2	1 -	2 -	-	~	3	4 11	4 9	2	1 6	2	-	1	-
067		-	-	-	-	-	-		-	5	4	6	7	4	1	-	-	-
068	_	-		_	-	-	-		-	-	_	-	-	-	-	-	-	-
070-079	31	8	7	5	6	3	1	- 4 2	3	- 8	10	15	7	- 17	16	7	9	- 9
070	15	6	6	6 3	7 5	6	5	2 2 1	10 3	10	7 9	17	11	19 13	12	8 6	1	11 5
071	2	1 -	2 -	5	7	5 -	4	-	9	10	7	17 -	8	18	10	8	13	8 -
072	-	1		-	-	-	7	_	-	-	-	_	-	-	-	-	-	-
073	-	-	·	_	_	_	1	-	-	-	_	-	1 -	-	-		-	-
074	2	-	-	-	-	-	-	-	-	_	-	_		-	1	-	-	-
075	1	1	1 ~	2	-	-	-	-	-	_	-	-	-	-	-	-	-	-
076	-	-	-			-	~~ ***	-	-	_	-	-	-	-	-	-	_	-
077	-	-	-	~ -	-	-	-	-	-	-	· -	_	-	-	-	_	-	_
078	-	-	-	_	-	-	-	-	-		-	-	-	-	-	-	-	-
079	20 12	-	- 1	- 1	1 -	_ _ 1	-	2 1	-	-	1	-	1 2	4	1 2	1	3	4
080-089	_	-	-		-	_	, 1	- - 1		1	-	1	1	1	-	-	6	3 -
080	-	-	-	-	_	-		-	-	-	-	-	-	-	-	-	-	
081	-	-	- 1	_	- 1	-	-	-	-	-	_	-	-	-		-	-	-
082	-	-	- 1	~	-	_	-	_	-	-	~	-	-	-	-	=	_	-
083	-	· -	-	-	-	-	1	-	-	-	~	-	-	_	-	-	-	-
084	-	-	-	-	-	-	_	- 1	-	1 -	-	1	- 1	-	2	2	-	-
085	-	~	# .	-	-	-	1	<u>-</u>	-		=	= -	-		-	-	Ī	
086	-	-		-	-	-	_		-		-	-	-	-	-	-	-	-
087	-	-	-		_	_	Ī	-	-	-		=	-		_	-	-	-
088	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
089	-	-	w {	-	= 1	-	-	-	-	-	~	-	-	_	-	-	-	-
090-099	-	~	-	=	-	-	=	Ξ	3	2	5 6	14 5	18 10	26 19	17 17	12 12	6 5	B 5
090	-	-	-	Ξ		-	-	-	-	Ξ	- 1	=	-	Ξ	-	Ξ	-	-
091	-	-	-	-		-	' =	-	-	-	-	-	-	-	-	-	-	-
	L						-											

TABLE 17 (Numbers) - continued

ICD	Cause of death	+							Age	at deat	n 		T				
No.			A11	De	ays		Weeks			Mon	ths				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
092	Early syphilis, latent	M F	-	-	-	-	-		-		-	_	-	-	-	-	-
093	Cardiovascular syphilis	M F	59 58	-	-	-	-	-	-	-	-	~	_	-	-	-	_
094	Syphilis of central nervous system	MF	45 18	-	-	_	-	-	-	-	-	-	-	_	-	-	-
095	Other forms of late syphilis, with symptoms	MF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
096	Late syphilis, latent	M F	-	-	-	-	-	-	-	-	-	~	-	-	-	-	
097	Other syphilis and not specified	M F	1 3	-	-		-	-	-	-	-	1	-	-	-	-	_
098	Gonococcal infections	M F	1 -	-	-	-	-		-		-	-	-	~	-	-	-
099	Other venereal disease	M F	- 1	-	-	-	-	_	-	-	-	_		-	-	-	-
100-104	Other spirochaetal diseases	M F	8 -		1	_	-	-	-	-	-	- ~	_		-	-	-
100	Leptospirosis	M F	8 -	_	-	-	-	-	-	-	-	- 1	-	-	-		-
101	Vincent's angina	M F	-		-	-	-	-	-	-	-	-	-	-	-	-	-
102	Yaws	MF	-	-	-		-	-	-	-	-	-	~	-	2	-	-
103	Pinta	M F	-	-		-	-	-	-	-	-	-	-	-	-	-	-
104	Other spirochaetal infection	M F	-	-		-	-	-	-	-	~		-	-	-	-	-
110-117	Mycoses	M F	19 12	-	-	_	-		_	-	-	- 1	- 1	-	_	-	-
110	Dermatophytosis	M F	ĩ	_	Ī,	-	-	-	-	_	-	-	<u>-</u>	-	-	-	_
111	Dermatomycosis, other and unspecified	M F	-	-	_	-	-	-	-	-	Ē	-	-	-	-	-	-
112	Moniliasis	MF	6 8	_	1	-	~	-	_	Ī	-	- 1	_ 1	-	-	-	-
113	Actinomycosis	M F	2 -	1	_	-	-	-		-	-		-	-	-	-	
114	Coccidioidomycosis	M F	-	_	-	_	_	-	-	_	-	-	-	-	-	-	_
115	Histoplasmosis	M F	1	_	-	_	-	-	-	-	-	-	-	-	~	-	-
116	Blastomycosis	M F	-	_	-	~		-	-	-	-	-	Ī	-	-	-	-
117	Other systemic mycosis	M F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120-129	Helminthiases	M F	8	Ī	-	-	-	-	-	-	-	-	-	1 -	-	-	Ξ
120	Schistosomiasis (bilharziasis)	M F	1	-	-	-	-	-	-	-	-	-	-		-		_
121	Other trematode infection	M F	-	<u>-</u>	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hydatidosis	M F	3 4	Ī	-	-	~	-	-	-	-	-	-		-		-
123	Other cestode infection	M F	2 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Trichiniasis	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125	Filarial infection	M F	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	:
126	Ancylostomiasis	M F	-	=	-	-	-	-	-	-	-	-	-	-	-	-	-
127	Other intestinal helminthiasis	M F	-	-	-		-	-	-	-	-	-	2	-	-	-	-
128	Other and unspecified helminthiasis	M F	1 -	-	-	-	-		-	=	-	-	-	1 -	-	-	-

									Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75~79	80-84	85 and over
092	-	-	-	-		_	-	-	-	-	-	-	-	-	-	-	-	-
093	-	/ -	-	-	-	-		-	2	1 -	3 3	8 2	14 7	13 16	7 13	4 9	5 3	2 4
094	-	-	-	-	~ ~	-	-	-	1 -	1 -	1 2	6 3	4 3	13	9 3	8 2	1	1 1
095	=	~		-	<u>-</u>	Ī.	=	-	2	-	~	-	-	_	-	-	-	-
096	-	-	-	-	=	- 1	-	-	-		-	-	-	_	=	-	-	_
097	-	-	-	-	Ξ	-	-	-	-	_					1	- 1	_	-
098	-		-	-	-	Ξ	-	-	Ī	-	1	=	-	wo	-	_	-	-
099	-	-	-	~		-	-	-	_	-			~ ~	-	-	-	-	-
100-104	-	-	-	-	1 -	=	Ξ	~	2 -	-	1 -	2	2	-	-	-	-	-
100	-	-	-	-	1 -	_	-	-	2 -	-	1 -	2	2	-	-		-	-
101	-	-	-	- ~	- 1	-	-	Ξ	***	-	-	Ξ	-	-	-	-	-	-
102	-	-	-	-	-	_	_	-	-	-	-	-	-	-	-	-	~	-
103	_	-	-	-	-	-	_	-	=	-	-		-	-	-	-	-	-
104	-	-	- 3	-	·	-	Ξ		-	-	-	~ -	-	-	-	-		-
110-117	ĩ	=	ī	-	1 1		ĩ	2	3	1 -		2	5 -	3 -	3 1	2 1	- 1	1
110	-	-	-	-	-	-	_	-	_	-	• [1	-	-		_	-	-
111	-	-	-	-	-	-	-	-	-	_	-	-	-	~ -	-	_	~	-
112	1	-	1	Ţ:	1	-	_ 1	-	-	-	-	-	1 -	1 -	2	1	_ 1	1
113	-	-	-	Ξ	1 -	-	-	-	-	-	-	-	1	-	-	-	-	-
114	-	-	-	-	~	-		-			-	-	-	Ξ	-	-	-	-
115	-	-	-	-	-	-	-	-	-	-	-	-	1 -	-	-	=1 =	-	-
116		-	-	-	-	-	-	-	-	~	-	Ξ	-	-	-		~	-
. 117			-	-	-	-	-	2	3 -	1 -	-	1	2 -	2 -	1 -	1 -	_	-
120-129	1 -	-	1	-	-	-	Ξ	1 -	ī	-	-	1	2 -	-	1 -	ī	1 -	ī
120	-	~	-	-	-	-	-	1 -	-	-	-	-	-	-	-	-	-	_
121	-	-	-	-	-	-	-	-	-	~	-	Ĩ	-	-	-	-	-	-
	-	-	1 -	-	-	_	-	_	1	_	-	1	1 -	-	-	1	1 -	1
123	-	-	-	-	-	-	-	=	-	=	-	1 -	-	-	1 -	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	~	-	-	Ξ	-	-
125 126	=	-	-	=	-	-	-	-	-	-	-	=	1 -		-	Ξ	-	-
126	-	,_	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
127		-	-	-	-	-			-	-	-	=	-	-	~	-	-	Ī
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	=	-

TABLE 17 (Numbers) - continued

-								Age	at death	n							
ICD No.	Cause of death		433	Day	ys		Weeks			Mont	ths				Years		
			All ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
129	Intestinal parasitism, unspecified	MF	-	-	-	-	-	-		-	-	-	-	-	-	-	-
130-136	Other infective and parasitic diseases	M F	40 57	-	1 -	1 -	-	~	1 -	ĭ	Ī	1 -	4 1	-	-	-	Ī
130	Toxoplasmosis	MF	5 2	-	1	1 -	-	-	1 -	_ 1	-	-	3 1	-	-	-	-
131	Trichomoniasis urogenitalis	M F	-	- -	-	-	-	-	=	-	-	-	~	-	-	-	-
132	Pediculosis	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133	Acariasis	M F	-	-	-		Ī	-	-	-	-	-	=	-	-	-	-
134	Other infestation	M F	1 -	-	-	-	-	-	-	-	-	-	-	-	-		-
135	Sarcoidosis	M F	25 53	-	-		-	-	-	-	-	-	- -	Ī	-	_	2
136	Other and unspecified infective and parasitic diseases	M F	9 2	-	-	-	-	-	-	-	Ξ	1 -	1 -	-	-	=	-
140-239	II. NEOPLASMS	M F	61,669 52,267	2 2	4 3	2	1 3	1 -	4 4	10 2	5 6	5 4	32 26	37 44	40 34	64 44	49 45
140-149	Malignant neoplasm of buccal cavity and pharynx	M F	1,027 626	-	-	-	-	-	-	Ξ	-	-	-	-	-	2	-
140	lip	M F	56 10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	tongue	M F	230 121	-	-	-	-	-	-	-	-	-	- -	-	-	-	-
142	salivary gland	M F	74 59	-	-		-		-		-	-	-	_	_	- 1	-
	O parotid gland	M F	60 47	-	-	-	Ξ	-	-	-	-	-	-	-	-	1	-
	8 other specified salivary gland	M F	12 11	-	-	-	_	-	-	-	-	-	-	-	-	-	-
	9 unspecified salivary gland	M F	2 1	-	-	-	- -,	-	-	-	-	-	_	-	-	-	-
143	gum	M	25 36	-	-			-	-	-	-	-	-	-	-	-	-
144	floor of mouth	M F	93 24	-	-	-	_	-	-	-	-	-	~ -	-	Ī	-	-
145	other and unspecified parts of mouth	M F	97 55	- -	-	-	-	-	-	-	-	-	-	-	-	-	-
146	oropharynx	M F	143 51	-	-	-	-	-	-	-	-	-	-	-	-	-	-
147	nasopharynx	M F	85 37	- -	-	-	Ξ	-	-	-	-	-	- ~	_	-	1	=
148	hypopharynx	M F	162 204	-	_	-	_	-	-	-	-	-	-	-	-	-	-
149	pharynx, unspecified	M F	62 29	_	1	-	-	-	-	-	-	-	-	-	-	-	-
150-159	Malignant neoplasm of digestive organs and peritoneum	M F	19,784 18,871	-	-	=	1	Ξ	-	-	ī	-	2	3 2	1 1	1 -	-
150	oesophagus	M F	1,677 1,224	-	-	-	Ξ		-	-	-	-	-	-	Ξ	-	-
151	stomach	MF	7,242 5,507	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	o cardia	M F	445 241	- -	-	-	-	-	-	-	-	-	-	-	-	~	Ξ
	1 pylorus	M F	642 552	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 other specified parts	M F	2,748 1,918	-	-	-	-	-	-	-	-	-	=	-	-	-	-
	9 part unspecified	M F	3,407 2,796	_	-	-	-	-	-	Ξ	-		-	-	-	-	-
152	small intestine, including duodenum	M F	125 103	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35~39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and
129	-	-	-	-	-	-	-	-	-	-	-	_		-	_	-	-	_
130-136	4 1	1	-	-	1	1	5 1	2 4	1 3	5 2	2	4 9	4 8	5 8	3 9	2	-	1 1
130	3 1	-		-	1	-	-	-	-	-	-	- 1	-	1	-	-	-	-
131	-	-	- 1	-	-	-	-	-	-	-	_	-	-	-	-	-	-	~
132	-	-	-	-	-	-		Ī	-	-	-	-	-	_	_	-	:	-
133	-	-	-	_	-	~	-	Ξ	- 1	-	-			-	-	-	-	-
134	-	-	-	-		-	-	-	<u>-</u> 1	-	1	-	Ī	-	-	-	-	-
135	-	-	-	-	=	_	3 1	2 4	1 3	5 2	1 6	3	4 8	3 7	2	1 3	-	- 1
136	1 -	1 -	-	-	Ĩ,	Ξ	2 -	1	<u> </u>	·	=	1		1 1	1 -	1 1	~	1 -
140-239	222 193	147 130	123 86	153 101	226 152	227 180	331 356	558 672	1,113 1,353	2,134 2,607	3,796 3,626	6,852 5,286	10,009	11,600 7,241	9,745 7,582	7,624 6,957	4,492 5,289	2,317 4,005
140-149	- 2	:	1 -	2 -	4	2 1	4 4	8	14 14	32 20	60 46	98 56	128 74	186 78	164 98	145 79	100	79 65
140	-	-	-	-		Ξ	-	Ī	=	2 -	4 -	7 -	3 2	5 1	9 1	9	7	10
141	-	-	-	-	_ :	-	2	2 3	2 2	8	12 7	14 9	26 12	42 11	36 20	46 18	25 15	17 21
142	- 1	-	-	-	= '	1 -	-	2 1	3 4	2 4	3 4	9	12 3	7 7	11 10	7 7	8 10	9 5
•0	1	-		-	- :	1 -	-	1 -	2 3	2 3	2 4	8	10 2	5 5	8 10	5 5	7 10	9 3
*8	-	-	~ ~	-	-	-	-	1	1 -	. 1	1 -	1 2	2 1	2 2	2	1 2	1 -	- 2
•9	Ĩ	-	- : -	-	-	- -	-	· <u>-</u>	- 1	-	-	-		-	1 -	1 -	-	-
143	-	-	-	-		Ξ	-	-	=	-	1 -	3 2	5 2	3 5	3 9	2 5	4 5	4 8
144	-	-	-	-	Ξ	-	Ξ	1 -	1	3 -	11 1	<u>4</u> 2	7	21 3	12	18 ! 5	6 2	9 5
145	-	-		1 -		-	-	- 1	1	1 -	7 3	8 2	8 9	19 7	16 9	18 8	11 6	7
146	Ī	-		-	1 -	-	1	1 -	1 1	5 2	5 3	17 6	19 4	29 8	18 6	16 8	19 9	11 3
147	1	-	1 -	1 -	1 1	1	2	1	3	9	3 5	13 4	13 4	14 8	12 4	7	2	1 2
148	-	-	-	-	1 -	-	1 -	2	2 4	2 11	8 21	15 24	27 36	3 <u>4</u> 25	41 32	1 <u>4</u> 20	11 19	6 10
149	-	-	-	-	1 -	1 -	-	1 -	1	1	6 2	8	1	12 3	6 3	8 7	5 6	5
150-159	5 5	3 2	2 1	3	12 11	22 27	65 65	148 112	337 243	635 457	1,138 732	1,990 1,385	3,015 1,948	3,626 2,568	3,223 3,136	2,828 3,333	1,783 2,766	950 2,077
150	-	-	-	-	1	2	3 4	9 7	23 12	63 34	100 52	189 88	240 134	315 178	252 192	244 204	151 190	85 128
151	-	-	-	2	3 -	7 6	20 17	53 21	112 60	197 110	421 165	782 341	1,197 521	1,432 717	1,230 966	951 1,038	572 887	265 656
•0	-	-	-	-	-	1	3 1	5 2	9	16 5	25 8	5 <u>4</u> 21	80 30	92 31	59 37	51 44	39 29	12 31
•1	~	-	-	1	-	Ξ	3 -	6 2	12	23 9	34 24	67 31	9 <u>4</u> 53	133 77	119 99	7 4 86	45 88	32 74
*8	-	-	-	-	1 -	1 4	3 6	22 10	46 24	73 34	179 66	308 121	470 201	562 276	452 339	363 373	189 29 4	79 170
*9	-	-	-	1	2 -	6 1	11 10	20 7	45 27	85 62	183 67	353 168	553 237	645 333	600 4 91	463 535	299 4 76	142 381
152	-	-	-	-	1 -	1 -		2	3 3	9 5	7 5	8 12	21 10	19 17	22 22	19 16	8	3 5

TABLE 17 (Numbers) - continued

									Age	at death	1						
No.	Cause of death		A11	Da	ys		Weeks			Mont	hs				Years		
		ae	ges	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
	Malignant neoplasms																
153	large intestine, except rectum	M 4	1,061 5,882	-	-		-	-	-	_	-	-	-	-	-	_	-
	O caecum, appendix and ascending colon	M F 1	905 1,485	-	-	-	-	_	-	-	-	-	-	-	=	-	2
	1 transverse colon, including hepatic and splenic flexures	M F	667 878	-	-	=	-	Ξ	-	Ē	=	-	-	-	-	-	-
	2 descending colon	M F	537 803	-	-	-	-	_	-	-	-	_	-	_	_	_	-
	3 sigmoid colon	M 1	1,287	-	1	_	-	-	_	-	-	_	-	=	-	-	-
	8 large intestine (including colon), part unspecified	M F	618 944	-	=	-	-		-	-	-	-	-		-	-	-
	9 intestinal tract, part unspecified	M F	47 67	_	-	-	-	-	-	-	-	-	_	-	-	-	-
154	rectum and rectosigmoid junction		3,114	-	-	_	-	-	-	-	-	-	-	-	-	-	-
155	liver and intrahepatic bile ducts, specified as primary	M F	313 197	-	-	-	- 1	Ξ	-	-	- 1	-	2	3 2	1	1 -	-
156	gallbladder and bile ducts	M F	437 688	_	-	-	-	_	-	-	-	-	_	_	_	-	Ξ
157	pancreas	M 2 F 2	2,619 2,279	_	-	_	-	-	-	-	-	-		-	_	-	-
158	peritoneum and retroperitoneal tissue	M F	159 183	-	- [_	-	-	-	-	-	-	Ξ	_	-	-	-
159	unspecified digestive organs	M F	37 32	-	-	-	-	_		-	-	-	-	-	-	-	-
160-163	Malignant neoplasm of respiratory system	M 24	,723 5,218	-		_	-	-	-	-	-	-	-	- 1	1	1	-
160	nose, nasal cavities, middle ear and accessory sinuses	M F	141 104	-	-	Ē	-	-	-	-	-	-	-	=	=	1	-
	O nose (internal) and nasal cavities	M F	34 16	-	-	1	_	-	-	-	-	-	-	-	-	_	-
	1 eustachian tube and middle ear	M F	11 14	_	-	Ξ	_	-	_	_	-	-	-	-	-	1	-
	2 maxillary sinus	M F	64 63		-	_	-	_	-	-	-	-	-	-	-	-	-
	8 other sinus	M F	30 10	-	-	Ī	_	-	-	-	-	-	-	-	-	-	-
	9 unspecified sinus	M F	2	5	-	_	-	-	-	-	-	-	-	-	-	-	-
161	larynx	M	534 117	-	-	-	-	-	_	_	-	-	-	-	-	-	-
	O glottis, true vocal	M F	164	_	-	-	-	-	-		-	-	-	-	-	-	-
	8 other specified parts	M F	157	-	-	Ξ	-	_	-	-	-	-	-	-	-	-	-
	9 part unspecified	M F	213 62	-	-	-	-	-	_		-	-	-	-	-	-	-
162,163	trachea, bronchus, lung, pleura, mediastinum and unspecified respiratory site	M 24	1,048	ī	-	-	-	-	-	Ξ	:	-	Ξ	1	- 1	=	=
162		M 23	,903	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	O trachea	MF	32	-	-	_	-	-	-	-	-	-	-	-	-	-	-
	1 bronchus and lung	M 23	,871	-	-	_	-	_	-	-	-	-	_	-	-	-	-
163	other and unspecified	М	145	-	-	-	-	-	-	-	-	-	-	1 -	-	-	_
	respiratory organs O pleura	F M	96	-	-	_	_	_	-		-	-	-	-	1	-	-
		F	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
457																	1	
153] -	/=	1	-	2	5 11	19 22	38 46	63 76	146 147	217 222	3 57 4 56	540 609	675 750	635 946	632 1,040	4 53 8 76	277 678
•0	-	-	_	-	1 -	3	8 5	11	8 17	29 26	46 31	70 90	121 128	156 174	129 271	151 291	102 263	73 183
'1	-	-	1	-	-	1 2	8	6 12	9 15	40 26	38 42	62 71	1 04 85	102 116	119 138	88 136	61 123	35 103
.5	-	_	-	-	1	1	, 3 4	5 3	12 11	19 21	28 29	33 49	75 84	79 93	84 112	84	70 127	43 121
*3	-	-	-	-	2	2 2	5	8 23	23 22	40 45	79 81	1118	170 199	229 246	197 262	185 279	144	85 148
•8	_		-	-	- 1	1 3	1 -	8	11 11	17 28	25 35	70 79	63 105	101	99 155	119 175	68 128	35 112
•9	-	-	-	-	-	~	-	.	_	1	1	4	7	8	7		8	6
154	-	w ·	-	-	-	3	9	19	56	1 88	146	4 251	8 42 7	13 564	507	5 12 505	339	11 200
155	, 5	2	1	2	2	1	12	, 14	12	81 14	132 43	2 1 9 3 3	262 66	377 47	443	477 21	393	319 7
156		4.		1	4	2	3	3	6	9	14	17	24	26	21	32	16	13
157		-	-	-	1	-	1 2	3 3	11 8	7 7	23 15	59 49	79 77	68 122	70 1 32	69 118	31 98	16 56
158	=	-		-	2	3	7 4	15 12	48 29	98 53	166 113	283 183	416 278	475 342	440 382	365 379	212 289	93 210
	-	1	1 -	Ī	1	2	3 1	4	8	12 11	11 12	25 19	22 31	26 37	21 25	· 19 21	2 7	7
159	-	-	~		-	-	1 -	1 -	1	1 -	4 2	3	7 2	5 2	5 7	3 8	3 4	3 5
160-163	2	2 -	1	1 2	9 5	16 4	43 24	111 43	344 111	887 262	1,731 440	3,331 680	4,848 803	5,406 949	4,043 808	2,532 553	1,054 326	364 205
160	1 -	-	-	=	-	-	1	2 -	2	9	12 5	17 9	23 14	2 <u>4</u> 19	25 15	10 15	8 12	7 8
•0	1 I	-	-	Ξ.	-	Ξ	-	2	1 -	1 -	3 1	5	7 3	4	6 2	2 3	2 3	1 3
•1	1 -	-	-	-	-	_	, <u>1</u>	-	-	-	2	4 1	1 3	1	2	2	- 1	- 1
•2		-	-	~~	-	-	· -	Ξ	1 -	4 2	6 2	7 7	9 5	14 14	14 9	1 11	3 6	5 4
*8	-	. =	-	-		-	1	Ī	-	3 ~	3 _	1 1	6 3	5 3	3	5 1	2	1 -
•9	···	Ţ	-	-	-	-	Ξ	Ī	-	1 -	-	~	-	-	400 400	-	1	-
161	-				-	, ma No	ī	2	7 _	11 5	36 4	49 15	57 26	111 26	101 16	87 7	48 9	2 5
•0	-	-	-	~	_	ž.	-	-	2	3	13	16 2	19 2	30 7	30	25 2	17 1	9
•8	' <u>-</u>	=	-	-	- 1	Ī	-	1 -	3 -	1 2	13	16 5	16 8	34 10	. 30	25 2	15 1	3 4
•9	-	-	-	-	-	Ī	- 1	1 1	2	7 2	10 4	17 8	22 16	4 7 9	41 8	37 3	16 7	13 3
162,163	2	2	1	1 2	9 5	16 4	42 19	107 42	335 111	867 254	1,683 431	3,26 5 656	4,768 763	5,271 904	3,917	2,435 531	998 305	332 190
162	- 1	1 -	- 1	1 2	8 3	13 4	40 19	103 41	329 109	860 251	1,669 422	3,235 649	4,741 751	5,256 896	3,903 769	2,420 528	99 4 299	330 188
•0	-	-	-	-	1	-	***	=	1	1	4 3	7 3	8 5	4 5	1 3	4 -	1 1	1 1
11	- 1	1	- 1	1 2	7 3	13 4	40 19	103 41	329 108	859 251	1,665 419	3,228 646	4,733	5,252 891	3,902	2,416 528	993 298	329 187
163	- 1	1	-	-	1 2	3 -	.2	4	6 2	7 3	14	30 7	27	15	14 8	15	4 6	2 2
•0	-	-	-	-	- 2	2	. 1	3 -	6	7 2	11 8	16 4	21 6	10 5	5 7	9	3 3	2

TABLE 17 (Numbers) - continued

									Age	at deat	h						
ICD No.	Cause of death	A:	11	Da	ys		Weeks			Mon	ths				Years		
		age		0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
	Malignant neoplasms																
163	1 mediastinum	M	43 23	-	_	-	-	_	-	-		-	-	-	- 1	-	_
	9 site unspecified	M F	6 2	-	-	-	-	-	=	-	-	-	-	-	-	-	-
170-174	Malignant neoplasm of bone, connective tissue, skin and breast		,000	-	-	-	=	Ξ	-	-	Ξ	-	Ī	2	2	1	1
170	bone	M F	322 237	-	=	-	-	-	-	-	Ī	-	-	- 2	1	-	1
171	connective and other soft tissue	M F	141 132	-	-	-	-	-	=	-	-	-	-	-	- 1	1	-
172	Malignant melanoma of skin	M F	223 304	-	_	-	-	-	-	-	Ī	-	-	-	-	-	-
173	Other malignant neoplasm of skin	M F	238 190		-	-	_	-	-	-	Ī	-	-	-	-	-	1 -
174	breast	M F 10	76	_	-	-		_	_	-	-	Ξ,	-	-	_	-	-
180-189	Malignant neoplasm of genito-urinary organs	M 7 9	,808	-	-	-	1 -	-	ī	-	-	-	1	4 9	5 2	7 3	10
180	cervix uteri	F 2	,434	~	-	-	-	**	-	-	-	-	-	-	-	~	-
181	Chorionepithelioma	F	10	-	-	_	-	-	-	-	-	-	-	-	-	-	-
182	Other malignant neoplasm of uterus	F 1	,527	-	-	-	-	-	-	-	-	-	-	1	-	1	-
	O corpus uteri	F 1	,241	-	-	-	-	-	-	-	-	~	-	-	-	-	-
	9 uterus, unspecified	F	286	-	-	-	-	-	-	-	-	-	-	1	-	1	-
183	ovary, fallopian tube, and broad ligament	F 3	3,410	-	-	-	-	~	-	-	-	-	-	-	-	-	-
	0 ovary	F 3	3,393	-	-	-	-	-	-	-	-	~	-	-	-	-	~
	1 fallopian tube and broad ligament	F	17	-	_	_	-	-	-	-	-	-	-	-	-	-	-
	9 part unspecified	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
184	other and unspecified female genital organs	F	546	-	-	-	-	-	_	-	-	-	-	-	-	-	-
	0 vagina	F	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1 vulva	F	413	-	-	-	-	~	-	-	-	-	-	-	-	-	-
	8 other specified sites	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9 site unspecified	F	1	-	-	-	-	-	-	-	-	~	-	-	-	-	-
185	prostate	М 3	3,939	-	-	-	-	-	-	-	-	-	-	1	-	-	-
186		M	256	-	-	-	-	-	-	-	-	-	-	1	3	1	-
187	other and unspecified male genital organs	М	94	-	-	-	-	-	-	-	_	-	-	-	-	-	-
188	bladder		2,608	_	-	_	-	_	-	-	_	-	-	-	1	1 -	-
189	other and unspecified urinary organs	M F	911 592	-	-	-	1 -	-	1	-		-	1	2 8	2 1	5 2	4 10
	O kidney, except pelvis	M F	836 526	-	=	-	1 -	_	1	-		-	1	2 8	2	5 2	10
	1 pelvis of kidney	M F	23 21	-	-	-	-	-	-	-		-	-	-	-	-	-
	2 ureter	M F	33 19	-	=	-	=	Ξ	_		_	-	-	-	-	Ξ	-
	9 other and unspecified	M F	19 26	-	-	-	-	-	-			-	-	-	-	-	-
190-199	Malignant neoplasm of other and unspecified sites		2,899	ī	=	ī	ī	1 -	1 -	3	2 -	3 1	10 4	15 9	14 11	14 12	13 11
190	eye	M F	72 86	-	_	-	-	~	-		-	-	-	-	- 1	2	:
191	brain	MF	930 697		-	-	-	-	1		-	1 1	2	7	5 3	3 5	8

TABLE 17 (Numbers) - continued

									Age a	at death								
ICD No.									Ye	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55~59	60-64	65-69	70-74	75-79	80-84	85 and over
															1			
163.1	- 1	1 -	_	-	1 -	1 -	1 -	1	- 1	- 1	3	12 3	4 5	5 3	7	6 2	1 3	- 1
•9	-	-	_	_	-	-	-	_	-	-	-	2	2	-	2	-	-	<u>-</u> 1
170-174	1 6	9	11 9	28 21	24 20	18 34	28 103	35 233	45 453	60 856	74 1,044	99 1,436	108	124 1,387	120 1,362	98 1,057	71 818	47 729
170	_	5	9	26	15	7	9	10	13	20	16	26	28	48	36	25	19	10
171	4	5 3	7	16	7	2 5	5	3	4 8	5 13	11	19 15	23	36 17	34 10	2 4 12	16	16 2
	2	2	1	1	3	5	2	5 17	5 17	7 19	8 29	10 25	16 31	20 19	17 18	10 16	12 4	6 5
172	-	-	-	1	6	7	7	17	24	33	32	27	30	35	29	25	12	19
173	1 -	1 -	_	1	= 1	-	1	2	5 4	5 5	13 8	24 8	17 11	27 17	43 31	37 34	3 5 34	27 36
174	-	-	- 1	2	4	20	88	2 208	2 416	3 806	985	9 1,372	10 1,412	13 1,279	13 1,251	8 964	5 744	3 652
180-189	21 25	8 11	4 4	13 3	35 16	48 27	31 64	48 128	78 327	122 658	239 903	461 1,137	863 1,280	1,236 1,356	1,364 1,265	1,430 1,117	1,116 744	691 543
180	-	-	-	-	3	8	24	67	159	304	326	313	305	255	251	191	121	107
181	-	-	-	-	2	6	-	1	-	-	-	-	-	1		-	-	-
182	2	-	-	-	1	-	3	4	13	45	110	193	228	260	234	215	138	81
•0	-	-	-	-	1	-	1	2	8	31	88	156	189	215	194	175 40	120	61 20
•9	2	-	-	_	-	-	2	2	5	14	22	37	39	45				
183	-	1	2	3	8	7	34 34	44	132	249	387 382	469 464	524 523	536 535	421 419	319 319	162 162	112
•0	-	1	2	3	8	7	54	44	130	249						313	102	
•1	-	-	-	-	-	-	-	-	2	-	5	5	1	1	2	_	_	1
•9	_	-	-	_	-	_	-	~	-								-	
184	-	-	-	-	~	-	1	1	11	14	17	21	58 17	69	105	97	92	60 12
••		_	-	_	-	_	1	-	11	9	11	15	41	56	72	75	74	48
•8	-	~	_	_	_	-	-	-	-	1	-	-	-	1	-	-	- '	-
•9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
185	1	1	-	1	1	-	-	1	2	4	42	119	300	528	790	893	780	476
186	5	2	2	10	30	46	29	31	21	20	9	7	11	15	7	6	3	2
187	-	-	-	1	1	-	-	2	1	5	7	8	12	13	8	15	13	8
188	1 1	_	-	-	-	-	1 -	6 2	25 6	54 22	110 28	207 76	375 100	50 <u>4</u> 156	431 173	430 201	282 182	182 142
189	14 22	5 10	2 2	1 -	3 2	2 6	1 2	8 9	29 6	39 24	71 35	120 65	165 65	176 79	128 81	86 94	38 49	23 41
•0	14 22	5 10	2 2	1 -	3 1	1 6	1 2	8	27 6	37 23	69 32	111 58	150 53	159 71	117 64	77 89	34 44	20 35
•1	-	_	-	-	-	-	_	-	1 -	-	- 2	2 2	6 5	4 3	6 6	3 -	- 1	1 2
.5	1	-	-	-		-	-	- 1	-	1 1	1	5 2	5 3	10	4 5	3 2	2 3	2
•9	-	-	- -	-	- 1	1	-	-	1 -	1	1 1	2 3	4	3 4	1 6	3 3	2	- 3
190-199	66 47	26 31	21		23	33 20	39 30	60 48	110 90	151 131	240 226	399 292	463 398	465 420	324 408	254 373	126 235	73 190
190		-	-	1	-	1 -	- 1	1 3	5 2	1 4	3 5	6 10	11 16	19 14	9	7 8	3 7	3 5
191	. 25	13	13	18	11	22	26	40	76	78	113	180	163	95	40	14 11	3 2	- 1
	16	22	11	11	12	13	24	26	49	58	92	92	118	88	51	11		1

TABLE 17 (Numbers) - continued

								Age	at death	1						
ICD No.	Cause of death	All	Day	ys		Weeks			Mont	hs				Years		
		ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
	Malignant neoplasms															
192	other parts of nervous lasystem	150 120	-	-	1	1	-	-	3 -	2	2	7 3	8	9 7	6	3 4
193	thyroid gland	124 269	-	-	-	-	_	-	-	-	_	-	-	-		_
194	other endocrine glands	57 7 45	-	Ξ'		-	1 -	-	-	-	-	1 -	1	-	3 -	1
	O suprarenal gland		-	=	-	-	1 -	-	-	-	-	1 -	- 1	-	3 -	_
195	ill-defined sites		-	-	-	-	-	_	-	-	-	-	-	_	_	1 -
196	Secondary and unspecified I malignant neoplasm of lymph nodes	39 31	-	=	-	Ξ	Ξ	-	-	Ξ	-	Ξ	2	-	Ī	=
197	Secondary malignant neoplasm of respiratory and digestive systems	473 420	-	Ξ	-	-	=	-	-	Ξ	-	-	Ī	Ξ.	Ξ	-
198	Other secondary malignant ineoplasm	111 81	-	Ξ	-	-	-	-	-	-	-	Ξ	-	-	-	1 -
199	Malignant neoplasm without I specification of site	799 970	_	3	=	-	-	-	_	-	-	-	- 1	~	-	
200-209	Neoplasms of lymphatic and haematopoietic tissue I		Ξ	2 1		-	-	3 2	5 1	1	2 2	13 7	9 15	19 15	40 25	26 23
200	Lymphosarcoma and lareticulum-cell sarcoma	753 544	- ~	=	=	-		-	1 -	_	1 -	2 -	1	7 -	3 2	2 3
	O reticulum-cell isarcoma		_	-	_	-	_	-	1 -	-	-	1 -	-	1 -	1 -	- 1
	1 lymphosarcoma	435	-	=	-	-	-	-	-	Ξ	1 -	1 -	- 1	6	2 2	2
201	Hodgkin's disease	552 377	-	Ξ	-	-	-	-	-	-	-	-	-	-	-	-
202		191	-	1 -	-	-	-	2	-	-	- 1	3 -	-	- 2	1 -	-
	O giant follicular lymphoma			Ξ	-	2	-	-	-	_	-	-	-	-	-	Ī
		15 3		2	-	-	-	-	-	-	-	-	-	-	-	-
	2 other primary malignant 1 neoplasms of lymphoid tissue	81 5 53	-	= 1	-	Ξ.	-	-	-	-	-	-	Ī	-	-	Ξ
		81 59	-	1 -	_	-	-	2 -	-	-	-	3	-	2	1 -	
203	Multiple myeloma	473 507	_]	_	-	-	Ξ	-	-	-	-	-	-	-	Ī.
204	Lymphatic leukaemia	659 496	-	_	-	-	-	1 -	3 -	1	2	5 3	4 8	5 8	24 15	15 14
		4 270 206	<u>-</u>	-	Ξ	-	-	1 -	3 -	1	2	5 3	4 8	5 8	22 13	13 14
		362 275		-	_	-	-	-	-	-	-	-	-	-	2	Ξ
		27 7 15	-	-	-	-	-	-	-	-	-	-	-	-	-	2
205		698		1 -	-	-	-	- 1	_ 1	-	-	1 2	2 3	4 1	7 6	4 4
		408	-	1 -	-	-	-	- 1	- 1	-	-	1 2	2 3	3 -	6	4 4
		259 272		-	-	-	-	-	-	-	-	-	-	1 1	1 2	-
		31 38		-	-	-	-	-	-	-	-	-	-	-	-	-
206		111 113	-	-	-	-	-	-	Ξ	-	-	-	1 -	1 -	-	1 -
		81 95	-	4 -	-	-	-	-	-	-	-	-	1 -	1 -	-	1 -
	1 chronic	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Age	at death								
No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55~59	60-64	65-69	70-74	75-79	80-84	85 and over
192	33 26	9	9	5 5	6	4 3	2 -	2 5	4	6 7	9	16 16	17 9	18 11	8	4	1	-
193		1	-	Ξ	-	1 -	-	3 3	6	6 8	9 16	11 16	20 31	28 42	19 38	18 53	6 33	3 22
194	2	2	1 -	1 2	3	-	1	1 2	3	6 5	5 1	4 5	6 3	9 7	8 4	3 4	1 2	1 2
•0	2	-	-	1	1	<u> -</u>	_ 1	1 1	3	4 5	4	3 1	2	7	6 3	2 2		- 2
195	1 -	1 -	-	1 -	1	-	-	3 -	3 5	8 9	11 9	10 16	13 28	28 47	21 47	18 56	16 32	10 30
196	-	~	-	, -	-	1	1 -	ī	1	2	3 2	2 4	3 5	9 3	6 3	6 3	5	3 2
197	-	1 -	-	-	1 1	2 2	3	4 1	7 7	12 15	29 21	60 39	72 54	94 59	72 72	59 7 4	38 42	19 33
198	1 -	-	-	-	-	-	_	-	5 2	5 2	7 12	19 10	24 15	25 11	12 11	9	2 5	2
199	- 1	-	-	2	3 3	3 1	6 3	6 7	7	27 22	51 59	91 84	134 119	140 138	129 168	116 155	5 4 105	32 91
200-209	107 85	91 64	65 42	68 44	106 69	80 57	108 60	127 74	151 89	192 160	258 175	397 233	495 363	479 407	457 427	291 376	212 266	97 149
200	14 6	20 7	11 2	13 4	16 7	13 9	12 6	32 10	39 15	50 29	62 30	88 46	106 75	90 76	92 87	50 66	37 44	8 25
•0	3 1	4 -	5	4 2	7 6	7 7	7 3	16 4	17 3	30 15	24 17	38 19	44 36	35 31	41 25	18 28	16 12	2
•1	11 5	16 7	6 2	9 2	9	6 2	5	16 6	22 12	20 14	38 13	50 27	62 39	55 4 5	51 62	32 38	21 32	6 16
201	=	2	4	11 14	50 25	43 20	44 27	40 22	3 <u>4</u> 22	42 27	53 25	57 29	68 32	41 40	25 32	22 35	13 12	5 9
202	4 2	-	-	3 -	5 3	6 3	4 5	9 2	12	11 6	14 5	18 7	32 20	31 20	21 17	13 21	5 12	3 7
•0	-	-	17	-	-	1 -	1 -	vo ~	-	2	2	1	5	3	4 2	- 4	-	- 1
•1	=	-	-	-	-	1 -	-	-	1 :	2 -	2	3 ~	3	-	2	- 1	- 1	1
•2	-	-	-	-	3	1	<u>-</u>	5 1	6 2	4	5 3	7 2	16 9	15 8	7 7	7 8	3 7	2 2
•9	4 2	-	-	3 ~	2 2	3 2	3 4	4	5 1	5 3	5 2	7 4	8	16 9	8	6 8	2	- 3
203	-	-	-	- 1	-	-	1	5 4	12 11	11 13	44 32	59 38	72 92	85 97	79 85	5 4 66	32 47	19 20
204	53 48	41 38	32 12	14 12	10 7	6 4	10 4	6 4	3 1	23 7	13 21	56 30	85 39	73 4 6	101 64	50 58	52 51	31 50
•0	49 46	39 36	28 11	14 12	10 6	6 4	8 4	6 3	2 -	11 4	4 10	20 8	22 15	12 10	17 16	9 8	6 8	7 5
•1	2 2	2	1	-	. 1	-	2 -	-	1	10 2	9 11	3 5 22	61 23	5 <u>4</u> 33	78 46	38 48	46 41	23 43
•9	2 -	1	3		Ξ	w- 	-	- 1	-	2	-	1 -	2	7 3	6 2	3 2	2	1 2
205	18 16	16 9	11 11	16 7	14 17	8 14	25 12	26 23	39 25	40 57	46 41	72 57	72 71	9 <u>4</u> 70	82 77	62 79	38 56	19 20
•0	16 13	13 8	10 9	16 6	10 13	7 11	1 5	21 13	19 13	20 32	30 23	43 24	35 30	55 3 9	49 39	26 33	15 31	8 8
•1	2 3	2	1 -	-	3 3	1 3	8 5	5	18 12	19 22	15 14	25 30	33 37	38 29	29 32	31 42	21 22	8 10
•9	=	1	2	-	1	=	2	2	2 -	1 3	1 4	4 3	4 4	1 2	4 6	5 4	-2	3 2
206	3 -	1	2 5	3 2	3 2	3 2	4 2	5 5	2	2 7	6 12	1 4 9	10 5	18 15	13 15	10 11	8 11	4 5
•0	3 -	1	1 4	3 2	3 2	3 2	4 2	4 5	2 4	1 6	4 12	9	9	14 12	5	6	5 8	4 4
•1	=	-	-	-	=	- 	-	-	-	1	1	2	-	1	5	4 1	3 ~	- 1

-									Age	at death	1						
ICD No.	Cause of death	-	422	Day	's		Weeks			Mont	hs				Years		
			All ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	2	1	2	3	4
206	9 unspecified	M F	13 13		-	-	-	-	-	-	-	-	-		-	-	
207	Other and unspecified leukaemia	M	208 185	-	- 1	-	-		- 1	1 -	-	1 -	2 2	2 3	2 4	5 2	4 2
	O leukaemia, acute	M F	155 123		-	-	-	-	-	1 -	-	1 -	2 -	1 3	1 3	4 2	3 2
	1 leukaemia, chronic	M F	2 6	-	-		-	-	-	-	-	-	-	-	-	-	-
	2 acute erythraemia	MF	18 19	-	1	-	-	-	-	-	-	-	- 1	-	1 ~	-	2
	9 leukaemia, unspecified	MF	33 37	-	-		-	-	1	2	-	-	_ 1	1 -	- 1	1 -	1 -
208	Polycythaemia vera	M F	66 49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209	Myelofibrosis	MF	70 74	-	-	-	-	-	-	-	-	-	_	-	-	-	-
210-228	Benign neoplasms	M F	248 415	-	1 2	1	- 1	-	1	2	2 3	-	5 9	3	1 ~	1 -	2 -
210	buccal cavity and pharynx	M F	2 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211	other parts of digestive system	M F	32 35	-	-	1	-	-		_	-	-	_ 1	1	-	-	1 -
212	respiratory system	M F	9 7	-	1 -	-	-	-	-	1	-	-	1	-	-	-	=
213	bone and cartilage	M F	5 5	-	-	-	-	-	-	-	-	-	-	-	-	-	Ξ
214	Lipoma	M F	3	-	-	-	-	-	_	-	-	-	-	-	-	-	=
215	Other benign neoplasm of muscular and connective tissue	M F	3 13	-	-	-	-	-	-	_	-	-	_	-	-	-	-
216	skin	M F	3 2	-	-	-	-		-	-	-	-	-	- 1	-	-	-
217	breast	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
218	Uterine fibroma	F	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-
219	Other benign neoplasm of uterus	F	6	-	-	-	-	-	-	-	-	-	-	-	-	~	-
220	ovary other female genital	F	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	organs	F	-	-	-	-	-	-		-	-	-	-	-	-	-	-
222	male genital organs kidney and other urinary	M	39	-	_	_	-	_	_	-	-	_	_	-	_	-	_
	organs	F	18	~	-	-	-	-	-	-	-	-	_	-	-	-	-
224	eye	M F	-	-	-	_	-	-	_	_	-	-	-	-	-	-	-
225	brain and other parts of nervous system	M F	93 134	-	2	-	-	-		1 -	1	-	1 1	1	-	-	-
226		M F	35 36	_	-	-	-	-	_	-	1 -	-	1 -	-	-	1 -	Ξ
227	Haemangioma and lymphangioma	M F	17 15		1	-	-	-	1	1 -	1 2	-	2 4	1 -	1 -	-	1 -
228	other and unspecified organs and tissues	M	7 7	-	1	~	1	_	-	-	-	-	2	-	-	-	-
230-239	Neoplasm of unspecified nature	M F	399 323	2 1	1 ~		-	-	-	-	- 1	1	3	3	2	1	3 -
230	digestive organs	M F	31 35	-	_	-	-	-	-	-	-	-	-	-	-	-	-
231	respiratory organs	M F	51 19	1 -	-	-	-	-	-	-	=	-	1 -	1	2	-	-
232	skin and musculo-skeletal system	M F	6 7	1	-	-	-	-	-	=	-	-		-	-	-	-
233	breast	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
234 235		F	1 6	_	-	-	-		-	-	-	-	_	-	-	-	-
		- E	L °	L													

TABLE 17 (Numbers) - continued

									Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
206.9	-	-	1	-	-	-	Ξ	1 -	=	-	1 -	3	1	3 2	3 3	- 2	3	:
207	15 13	13 7	5 8	8	8 8	1 5	7 3	3 3	7 7	10 10	12 6	15 11	26 14	23 20	23 20	13 18	14 18	5 10
•0	11 10	13 4	5	8 4	8	1 5	6 2	3 2	5 6	10	7 3	9	17 9	13 12	13 12	9 11	14 9	3 4
•1	-		-	-	-		-	-	-	-	1 -	1 -	- 1	- 1	-	-	1	3
•2	1 1	1	-	-	2	-	1	-	2 1	uno man	2	3 -	2 2	3	2 3	2 3	2	1 ~
•9	3 2	2	2	-	-	-	1 -	1	-	1	2 3	2 2	7 2	7 4	8 5	2 4	- 6	1 3
208	-	-	-	=	-	-	1 -	1	1	1 -	3 1	13 2	13 11	11 9	8 12	10 7	2	2 1
209	-	-	-	-	Ξ		Ξ	Ξ	2 -	2 4	5 2	5 4	11 4	13 14	13 18	7 15	11 11	1 2
210-228	11 12	1 9	6 4	5 4	8 6	4 7	7 3	8 18	13 17	22 37	20 36	22 36	28 41	29 37	17 47	23 36	15 30	9 35
210	-	-	-	-		-	-	-	=	-	=	1	1	-	1	=	1	-
211	1 2	-	-	~	-	1 -	1	1	1 -	-	1	3 2	2 3	7 6	6	4 5	1 4	4 4
212	1 1	-	Ī	-	1 1	-	1 -	1	1 -	1 -	1 -	ī	1 -	1 -	2	1 -	_	ĩ
213	-	1	1	-	-	-	-	-	-	1 -	ī	-	1	2 -	1	1	1 -	-
214	-	-	-	-	. <u>-</u> -	-	-	-	-	-	-	1 -	1 -	1 -	1	-	. =	-
215	-	1	-	1 -	1	-	1	=	1	-	2	1 -	ī	1 2	1	2	-	ī
216	- 1	-	-	-	1 -	-	2	=	5	=	1 -	-	1 -		- 1	-	=	
217	-	-	-	-	Ξ	-		-	-	-	-	-	-	-	-	=	-	-
218	-	-	-	-	-	-	1	8	7	9	10	3	1	2	5	3	2	5
219		-	-	-	-			~	-	-	-	*	-	1	-	1	1	3
220			-	-	1	-		3	1	6	7	7	4	7	7	9	11	. 13
221		-	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-	-
. 223	-	-	-	-	_	-	 -	-	1	-	-	1 1	3 -	6 2	5 2	11 5	7 2	5 5
224	-	-	-	-	-	-	-	=	-	=	=	-	-	-	Ę	-	-	-
225	2 2	1 6	3	2	3 3	1 4	4 -	4 3	5		13 11	10 13	14 25	6 14	3 15	6 8	3 6	2
226	2 -	_	2 2	2 3		2 3	2	3 -	2	3 4	3 2	4	3 5	2 2	2 5	2	1 2	-
227	5 4	-	1	-	1 -	-	=	- 1	3 -	3	-	- 4	1 -	2	1	-	1	-
228	2	-	-	-	-	-	_	1	1	1	1	1 -	2 -	1 -	-	1 -	-	1
230-239	10	7	13 5	8	5 4		6 3	13 8	21 9	33 26	36 24	55 31	61 52	49 39	33 31	23 33	15 24	7 12
230	-		-	-	-	-	-	-	2	2 -	1	2	4 4	5 4	4	3 7	6 10	2 4
231	1 1	1	-	-	Ī	-	:	-	-	1 2	3	4 -	6 2	11 2	11 6	6 2	4 3	3
232	1	-	1	-	. 1	1 -	-	***	~	-	-	=	-	3 -	2	1	1 2	-
233	-	-	-	-	Ξ	-	· :	=	-	-	-	=	-	_	Ξ	-		-
234	1	-	-	-	-	-		-	-	-	-	1	- 1	1	-	- 1	-	1
235	-	-	1	-	-	-	-	**			-							

TABLE 17 (Numbers) - continued

		1						conti	at death							
ICD No.	Cause of death		Da	TS		weeks		1	Mont					Years		
		All	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	:	2	3	1 4
236		P -													1	•
237	other genito-urinary 1	M 7	-	-	:	-	-	-	-	-	-		-	-	-	_
238	eye, brain and other parts !	M 281 F 222	-	1 _	-	-	1	-	_	- 1	1	1 2	4 2	* 2	-	3
239	other and unspecified 1	M 23 F 26	1	-	-	-	-		-	-		1	-	-	-	-
240-279	III. ENDOCRINE,	2,316 F 4,075	1 2	27 12	9 7	5	4	19 11	22 12	6	6	99 53	9 11	7 9	8 9	10
240-246		68 F 574	_	-	:	1	-	-	- 1	-	-	- 1	-	- 1	-	-
240		H 2 10	-	Ξ	-	ī	-		-	-	-	:	-	-	-	-
241		M ~	-	-	-		-	:	-	-	2	:	-	-	-	-
242		M 23 F 209	1	-	:	Ē	-	-	-	-	-	-	-	-	-	2
243	Cretinism of congenital	M -	-	-		-	-		- 1	-	-	- 1	-	-	-	-
244	Myxoedema 1	M 36 327	-	-	ĩ	-	-	:	-	-	-	-	-	-	-	_
245	Thyroiditis	3 7	-	-	-	-	-		Ī	-	-	-	-	-	-	-
246	Other diseases of thyroid gland	M 4 11	-	-	-		-	<u> </u>	Ī	-	-	-	-	-	-	-
250-258		1,851 7 3,039	1 1	13 7	=	1	1 -	2 2	7 1	1	2	28 12	2 2	- 1	1 1	- 1
250		1,716 2,900	-	-	-	-	-	1	1	-	1	2	1 2	-	- 1	- 1
251	Disorders of pancreatic internal secretion other than diabetes mellitus	M 21	1 1	12 6	-	1 -	-	1 -	1 -	1 -	1	18	-	-	-	=
252	Diseases of parathyroid I	H 4 9	-	1	-	2	-	-	-	Ī.	-	1 -	-	-	-	ī
253		M 37		-	-	-	-	:	-	-	-	-	1	-	-	-
254		M 3	-	-	-	-	-	1	3	-	-	P.A. CM	-	-	-	-
255		61 F 55	-	- 1	-	_	1	1 -	2	2	-	4 2	-	-	1	Ī
256	Ovarian dysfunction	1	-	-	-	-	-	-	-	-	-	-		-	-	-
257		_	-	~	-	-	-	-	-	-	- 5	-	-	-	-	-
258		M 8 F 15	-	-	-	-	= {	-	-	-	=	-	~	-	Ī.	-
260-269	Avitaminoses and other nutritional deficiency	73 F 112	1		-	-	-	2 2	4	-	1 -	7 3		- 1	-	-
260		H -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
261	Thiamine deficiency	M 1	-	-	ī	-	-	-	-	-	-	-	_	-	-	-
262		M -	-	-	2	-	-	-		-	-	:	-	-	-	-
263		e - 9	1	-	-	-	-	-	-	-	1	-	-	-	-	-
264	Ascorbic acid deficiency	7 1 7 2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
265	Vitamin D deficiency	1 9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
266	Other vitamin deficiency states	- 1	-	-	-			-	-	-	-		-	-	-	-
261		M -	:	-	-	-	1	:		-	-	-	-	:	-	:

TABLE 17 (Numbers) - continued

•									Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65~69	70-74	75-79	80-84	85 and over
236	-		-	-	_	-	-	-	-	-	_	_	-	-	-	_		-
237	* -	-	_	-	-	-	:	:	1	-	-	-	1	2	2	3 2	2 3	1 -
238	8 7	5 5	11 3	8	4 3	3 3	6 3	12 7	16	30 22	32 22	4 7 26	47 43	29 27	15 18	7	1 5	2
239	1	1	2	-	- 1	-		1	2	2	- 1	2 2	4 2	1 3	3	4 5	1 1	1 6
240~279	127 92	27 29	23 13	12 14	10 13	18 23	33 20	43 32	43 36	69 73	81 109	169 202	256 357	308 539	354 781	369 750	235 607	139 385
240-246	2	-	-	ĩ	_	1 4	2 -	2 4	- 5	3 16	1 22	7 28	8 53	11 75	10 107	13 104	7 78	3 75
240	-	-	-	-	-	-	-	1 -	-		- 1	- 1	- 1	1	1	3	1	- 1
241	-	-	-	-	2	-		1	-	- 1	-	-	_	- 2	3	2		- 1
242	-	-	=	-	· -	1 4	2	- 3	- 4	2 12	10	3 17	5 25	3 37	2 39	4 30	16	12
243	1	-	-	-	-	-	-	, <u>-</u>	-	-		-	-	_	-	_	_	-
244	- 1	-	-	_ 1	-	-	-	1 -	-	3	10	4 10	2 23	6 30	7 62	9 66	4 60	3 61
245	-	w ~		-	-	-	Ξ	_	-	-	-		-	1 3	1 2	-	1 -	-
246	-	-	Ξ	=	-	-	-	1	- 1	1 -	- 1	_	1 3	- 2	-	- 2	2	Ī
250-258	31 17	7 9	8	2 6	. 9 11	12 16	26 17	33 19	32 25	52 38	61 73	131 148	207 277	270 422	305 627	328 585	213 477	124 263
250	3 6	3 7	7 8	2 4	8	10	24 13	29 18	28 21	44 34	55 63	113 135	193 256	255 408	296 610	317 569	209 4 73	120 257
251	18 8	1	-	-	-	1	-	1 -	:	=	:	-	-	1	ī	2 1	-	1
252	1 -	1	-	-	- 1	- 1	-	1 = 1	- 1	-	-	1 2	=	- 1	2		-	1 -
253	1 -	-	-	- 1	_	1 1	- 1	_ 1	2	3 -	4 3	7 3	7 9	5 3	1 9	3 8	1 2	2 1
254	3 1	-	_	-	-	-	, =	-	-			-	-	1	-	=	-	-
255	5 2	3	1 -	- 1	1	1 3	. 2	3 -	2 2	4 3	2 5	8 7	6	7 7	7 4	5 5	3 1	1 3
256		-	-	-	-	-	~	-	-	-	-	-	-	-	-	1	40	-
257	1	-	-	-	~	-	-	_	-	-	-	- 2	1	3	1	1	-	_
258	-	-	1	-	1	_	2	-	-	1 1	2	2	1 3	3 1	1	-	1	1
260-269	7 4	-	1 -	1 2	-	2 -	-	ī	1 ~	3 1	6 2	6 6	11 4	6 11	10 12	10 20	2 24	7 25
260	-	-	-	~ -	-	-	-	-	-	-		-	-	-	-	-	-	-
261	-	-	-	-	-	-	-	-	-	-	-	-	1 -	-	-	-	~	-
262	-	-	-	-	Ξ	-	-	-	-	-	-	-	-	-	-	-	-	-
263	-	-	-	-	-		:	-	-	-	-	- 1	ī	1	Ī	2	2	2
264	-		-	-		=	:	-	1	-		:	***	1	-	1 -	1	-
265	-	-	-	-	ĵ	-	-	-	Ξ	-	1 -	-	ī	-	-	1		3
266	-	-	-	-	1	-	-	-	=	-	-	-	1		-	1	=	-
267	-	-	-	-	-	-	-	-	-	=		_	-	en en	-	1	_	-
																1		

TABLE 17 (Numbers) - continued

								Age	at death							
ICD No.	Cause of death	A11		Days		Weeks			Mont	hs				Years		
		ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
268	Nutritional marasmus		6		-	-	-	**	1 -	-	-	1 -	-	-	Ī	-
269	Other nutritional deficiency		4 6		-	-	-	2 2	3	-	1 -	6 3	-	- 1	-	_
270-279	Other metabolic diseases	M 32 F 35		- 14 1 5	9 7	4	3 1	15 7	11 9	5 3	3	64 37	7 9	7 6	7 8	4 9
270	Congenital disorders of amino-acid metabolism	M F	8 3		1 -	-	-	1 -	~	1	-	3 -	<u>-</u> 1	1 -	-	- 1
271	Congenital disorders of carbohydrate metabolism	M F	7 4	- 1 -	-	1	-	1 -	2 -	- 1	1 -	5 3	1	-	1 -	-
272	Congenital disorders of lipid metabolism	M F	5		1	-	-	1	-	-	- 1	3	1 2	-	-	-
273	Other and unspecified congenital disorders of metabolism	M 12	8 0	- 14 - 5	8 6	3 -	3 -	13 5	9	4 2	1	55 27	3 5	3 3	5 6	4 7
	O Cystic fibrosis (mucoviscidosis)		1 8	- 12 - 5	7 5	2	3 -	11 5	9 7	4 2	1	49 25	3 4	2 3	3 6	3 7
274	Gout		6	: :	=	-	-	=	-	-	-	-	-	-	-	Ξ.
275	Plasma protein abnormalities		7 8		-	_	-	1	=	-	-	1	1 -	- 2	-	Ξ.
276	Amyloidosis		7		_	-	-	-	-	-	-	-	-	-		-
277	Obesity not specified as of endocrine origin	M F	8]	-	-	-	-	-	-	-	-	-	-	-	-
278	Other hyperalimentation	M F	-		-	-	-	-	Ξ	-	-	-	-	-	_	=
279	Other and unspecified metabolic diseases		1		-	_	1	-	_ 1	-	1	1 3	1	2	1 2	-
280-289	IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	M 63 F 1,24		= =	3 -	-	1 -	3	3 1	2 1	5 1	18 6	7	5 3	3	1
280	Iron deficiency anaemias	M F 18	3		-	-	-	1 -	-	1	-	1 1	-	Ξ	-	-
281	Other deficiency anaemias	M 10 F 4:		: :	=	Ī	-	-	-	-	1 -	1 -	-	-	-	Ξ.
	O pernicious anaemia	M 13		: :	=	-	-	-	_	-	1 -	1 -	-	-	-	-
	1-9 other and unspecified deficiency anaemias		9	: :	-	_	-	-	-	-	-	-	-	-	-	-
282	Hereditary haemolytic anaemias		8]]	-	-	-	ī 1	1 -	-	2	3 2	3 2	1	1 2	Ξ
283	Acquired haemolytic anaemias		7	= =	-	-	-	-	=	-	-	-	-	-	-	Ξ.
284	Aplastic anaemia	M 1:			=	-	1 -	-	·1	-	-	2 -	2	1	1 -	Ξ.
285	Other and unspecified anaemias	M 1:		= =	_	-	-	3 1	-	-	-	3 1	-	-	1	-
286	Coagulation defects	M F	.6		-	-	-	1	-	1 -	-	1 1	-	1 -	-	-
287	Purpura and other haemorrhagic conditions		86	: :	2 -	-	_	-	1 -	-	1 -	4 -	1	-	=	1
288	Agranulocytosis		.5		_	-	-	-	1	1 -	-	1 1	-	3 1	-	
289	Other diseases of blood and blood-forming organs		13	= =	1 -	-	_	-	-	-	1 -	2 -	1 -	-	1 -	=
290-315	V. MENTAL DISORDERS	M 4:	.2	= =	-	-	-	=	ī	-	-	ĩ	1	-	2 -	1 -
290-299	Psychoses	M 3:			-	-	-	-	=	-	-	=	-	-	-	-
290	Senile and pre-senile dementia		18	: :	-	-	-	=	=	-	-	-	-	-	-	-
291	Alcoholic psychosis	M F	ī	= =	-	Ξ	-	-	=	-	-	=	-	-	-	-
292	Psychosis associated with intracranial infection	M F	1 -			-	-	-	-	-	-	-	-	-	-	=

TABLE 17 (Numbers) - continued

									Age a	at death								
ICD No.									Ye	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
268	1 -	-	1 -	1 1	-	-	-	-	-	-	1 -	2 -	3	1 2	1 2	3	1 5	4 10
269	6		-	- 1	-	2 -	-	- 1	1	3	4 2	4 5	7	5 7	9	9 12	1 12	3 10
270-279	89 69	20 20	14	9 5	1 2	3 3	5 3	8 8	10 6	11 18	13 12	25 20	30 23	21 31	29 35	18 41	13 28	5 22
270	4 2	1	2	1 -	1 -		-	-	_	-	-	-	-	-	-	-	-	-
271	7	-	-	-	-	-	-	-	-	-	-	-	-	_	-	<u>-</u>	_	-
272	1 6	1	1	-	-	=	1 -	1 -	Ξ	2	1,	-	1 -	-	_	=	Ξ	-
273	70 48	18 16	11 3	8	1	1 2	1	1 -	2 -	2	-	5	3 1	3 1	3 -	1 1	ī	-
•0	60 45	16 15	8 3	7	-	- 1	-	-	=	_		_	-	_	=		-	**
274		-	-	_	_	1 _	-	2	~ 1	2	1 2	-	4 -	6 -	6 3	3 4	9	2 4
275	. 3	1 1	1 -	-	-	-	-	- 1	=	-	1	1 2	2 3	1 4	2 2	2 2	2 2	1 -
276	-	-	-	_	-	-	2	2 3	4 -	2 4	4 3	6 7	9 1	4 5	4	3	1	- 1
277	-	-	-	_ 1	_	1 -	-	2	3 4	2 6	3 3	11 9	8 15	6 18	8 24	6 28	1 23	1 16
278	-	-	-	-	Ī	-	-	-	=	=	-	-	Ξ	-	-	-	_	-
279	4 8	1	-	-	1	1	2	2	1	3 5	4	2 2	3 3	1 3	6 5	6 3	1 -	1
280-289	33 16	14 6	7 9	6 5	10 6	10	12 6	10 7	13 7	18 21	11 24	30 41	51 70	69 102	89 173	108 233	104 255	69 258
280	1 1	-	-	1 -	-		- 2	-	-	3	. 4	- 4	3 9	11 17	6 27	14 34	18 38	8 44
281	1 -	-	-	-	-	-	- 1	Ξ	1 3	2 3	- 3	7 8	8 18	23 30	25 54	42 78	31 112	25 106
•0	1 -	-	-	=	Ξ	=	- 1	-	1 2	2	- 1	3 6	6 12	19 21	20 39	31 66	23 83	22 86
•1-•9	-	- -	-	-	_	_	1 =	-	1	2	2	4 2	2 6	4 9	5 1 5	11 12	8 29	, 3 20
282	7 7	2 -	3	2	1	1	2 -	2 2	-	1 -	1	1	1 2	2	4.4	3	2 7	3 3
283	=	1	1	1	2	1 2	-	-	1	3	-	1	2	1 1	1 2	2 6	2	1 -
. 284	6 2	6 3	2	1	5 2	2 4	5 2	2	1 -	3 5	5 8	9	19 20	16 24	18 30	13 29	18 16	8 17
285	3	1 -	1 -	-	=	-	_	1	2 -	2 4	3 1	3 4	8 7	9	26 36	24 62	28 66	22 77
286	2	1 -	1 -	3 -	ε <u>1</u>	1	1 -	1 -	=	2 -	-	2	-	1 -	_	1 1	1	-
287	5	3 2	2 4	1	3 1	2	2	1	1	2	2 6	5 9	3 4	5 9	3 12	15	8	7
288	4 2	-	-	-	-	-	1		1	2	1	2 2	1 1	1 3	3 1 3	5 1	2	1
289	4	1	1 -	1	-	1 -	1 -	1	1 1	1 14	1 -	1 3 22	6 5 27	33	7 40	73	5 3 62	3 77
290-315	3 2	2 2	2	3 4	10	7 3	7 3	6 8 1	10 7	14 10	14 18 7	38 12	42	67	83	130	172 60	77 242 77
290-299	-	-	-	1 -	î	-	1	-	1	5 3 2	11	25 8	36 17	62	75	125	172 59	77 240 71
290	-	-	-	-	=	-	=	-	-	3	5 6	19	31	53	71	121	161	71 231 -
291	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
292	-	-	-	-	-			-	-	-		-	-	-	-	-	60	

TABLE 17 (Numbers) - continued

		Т							Age	at death	1				_		
ICD No.	Cause of death	ŀ		Da	ys		Weeks			Mon	ths				Years		
			All ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
293	Psychosis associated with other cerebral condition	M F	_ 1	-	-	-	-	-	-	-	-	-	-	-	-	- -	-
294	Psychosis associated with other physical condition	M F	4 4	-	_	_	-	-	-	-	-	-	-	_	-	-	Ξ
295	Schizophrenia	MF	10 14	-	-	_	_	-	-	-	_		-	-	-	-	_
296	Affective psychoses	MF	8 23	-	-	_	_	-	-	-	-	-	-	-	-	-	-
297	Paranoid states	MF	1 6	-	-	-	-	-	-	_	-	-	Ī	-	-		Ξ
298	Other psychoses	M F	1 1	-	-	-	-	-	-	-	-	-	-		-	-	-
299	Unspecified psychosis	M F	9	-	-	-	-	-	-	-	-	-	Ξ	-	-	-	-
300-309	Neuroses, personality disorders and other non- psychotic mental disorders	M F	71 72	-	-	-	-	Ξ	Ī	-	-	-	-	Ī	Ĵ	-	2
300	Neuroses	MF	3 7	-	-	-	-	-	-	-	-	-			-	-	-
301	Personality disorders	M F	-	Ī	-	-	-	-	-	-	-	-	-	-	Ī	-	-
302	Sexual deviation	M F	-	-	-		-	-	-	-	-	- -	Ξ.	-	-	-	-
303	Alcoholism	M F	46 34	-	-	-	-	Ξ:	-	-	-	-	-	-	-	-	Ī
304	Drug dependence	M F	19 11	-	-	-	-	_	-	-	-	-	-	-	_	-	-
305	Physical disorders of presumably psychogenic origin	M	1	-	-	-	-	-	-	Ī	Ī.	-	-	-	Ξ	-	-
306	Special symptoms not elsewhere classified	M F	2 19	-	-	-	-	-	-	-	-	-	-	_	Ī	-	Ī
307	Transient situational disturbances	M F	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	Ξ
308	Behaviour disorders of childhood	M F	-	-	-	-	-	-	-	=	-	-	-	-	-	-	Ξ
309	Mental disorders not spec. as psychotic associated with physical conditions	M F	-	-	-	-	-	-	-	Ī	Ξ	-	-	-	Ī	_	-
310-315	Mental retardation	M F	19 11	-	-	-	-	Ξ	-	- 1	_	_	- 1	- 1	1	2 -	1 -
310	Borderline mental retardation	M F	-	-	-	-	-	-	- -	-	-	-	_	_	-	-	-
311	Mild mental retardation	M F	-	-	-	-	-	-	-	_	-	-	_	-	-	-	-
312	Moderate mental retardation	MF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
313	Severe mental retardation	M	9 7	-	-	-	-	-	-	- 1	-	-	- 1	1	=	1 -	-
314	Profound mental retardation	M F	1 -	Ξ	-	-	-	-	-	-	-	-	-	-	_	1 -	-
315	Unspecified mental retardation	M F	9	-	-	-	-	-	-	-	-	-	-	-	Ξ	-	1 -
320-389	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	M	3,098 3,230	-	16 8	14 10	7 4	8 5	35 26	45 37	29 14	20 16	174 120	38 29	32 16	17 14	16 15
320-324	Inflammatory diseases of central nervous system	M F	343 244	-	15 8	13 9	7 4	8 5	16 16	19 17	10 3	12 5	100 67	19 9	14 6	7 5	4 2
320	Meningitis	M F	214 162		13 8	10 9	6 4	7 4	13 11	16 12	7 1	8 2	80 51	15 8	10 6	4 1	1 2
	0 H. influenzae	M F	17 13	-	-	-	-	-	1 3	1 1	1 -	1	4 5	4 3	6 3	1	1
	1 pneumococcus	M F	65 52	-	2	1 2	-	1 -	6	4 3	1	3 -	18 7	4 2	2	-	1 -
	8 due to other specified organism	M F	48 24	=	6 3	5 5	2	5	3 2	4 4	2 -	1 -	28 16	3 -	-	-	-

TABLE 17 (Numbers) - continued -

										at death								
ICD No.									Y	ears					· · - · · · ·			
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
293	-	-	-	-	-	-	-	-	= '	-	-	_	-	-	-	-	~ 1	-
294	-	-	-	~	-	_	-	~	-	-	- 1	1 -	1 -	-	-	-	- 1	2 2
295	-	-	- 1	1 -	- 1	-	1 1	1 -	_ 1	2 -	1 2	1 3	1 2	1 -	1 1	-	- 3	Ī
296	-	-	-	-	- 1	- ₹ -	-	-	-	-	1 -	1 3	1 2	1 6	2 3	1 3	- 2	1 4
297	1	-	-	Ξ	-	=	_	-	Ξ	-	1	-	-	2	Ξ	1	2	1 -
298	-	-	-	-	-	-	-	-	-	~	-	-	-	-	-	1 -	1	-
299	=	-	-	-	-	-	-	-	-	1 -	-	1 -	1		-	4 -	1	2 3
300-309	-	-	-	1 3	7 2	6 3	6 2	7	8 6	6 7	7 6	10 12	5 5	8 5	1 8	4	2 -	2
300	-	-		-	- 1		-	- 1	1	-		_	1 -	-	- 1	- 2	1 _	- 1
301	-	-	-	-	-	-	 	-	-	-	-			-		-	-	-
302		-	_	-		-	-	-	-	-	<u>-</u>		Ξ	-		-	=	-
303	-	-	-	-	-		5 -	2	6 2	6 5	7 6	7 9	4 5	8 3	1 3		-	-
304	-	-	-	1 1	7 1	5 3	1	1	1	_ 1	-	2 1	-	_ 1	-		1 -	-
305	-	-	-	_	-	-	-	-	-		-	-	-	-	-	-	~	- 1
306	-	-	-	- 2	-	-	- 1	1 4	- 2	- 1	=	1 2	-	- 1	- 4	- 2	-	-
307	-	-	~	-	_	1	=	-	-	-	-	-	-	-	-	=	-	-
308	-	-	-	1 2	_	-	-	_	_	_	-	-	-	-	_	-	-	-
309		-	-	-	=		_	Ξ	_	-	_	-	-	_	_	-	-	-
310-315	3	2	2	1	3	1	_	1	1	3	-	-	1	-	_	1	_	~
310	2 -		-	1 -	1 -	_	-	1 -	-	_	1	1 -	1 -	_	_	-	-	-
311	_	-	-	-	-	_	-	_	_	-	-	-	_	-	_	-	-	-
. 312	-	_	-	-	-	-	-	-	-	-	-	-	-	-			-	-
313	1 2	2	-	1 1	1 -	1	-	1 1	-	-	_ _ 1	-	1 -	_	-	1 -	_	-
314	1	-	-	-	-	-	-	-	-	-	-	-		-	_	-	-	~
315		- 1	2	-	2	-	-	-	1	3	=	-	1	-	-		-	=
320-389	277 194	41 46	50 38	94 32	93 37	69 42	58 50	80 69	99 101	126 141	171 131	231 186	284 278	359 376	359 409	362 440	205 352	140 308
320-324	144	12	8	12		5	10	10 7	7 5	8 10	16 11	26 19	21 21	22 22	17 14	9 5	4 4	4 5
320	110	10	6 4 2	5 5 2	2	3 1	2	2 3	3 2	4 8	6 6	15	12 14	17 20	11	8 3	4 4	3 3
•0	15 13		-	2	ى -	-	-	-	-	-	-	1 -	1	-	-	-	-	-
•1	23	3 2	4	1 1	1	1	-	- 2	3	1 4	2 4	5	4 5	7 9	6	2	_	2
•8	31 1E	-	-	3 -	-	1 -		-	-	1	1 -	4 2	4 2	2 2		1 -	- 1	<u>-</u> 1
	15		_									-		L		L		

TABLE 17 (Numbers) - continued

									Age	at death							
ICD No.	Cause of death		All	Da	ys		Weeks			Mont	hs				Years		
			ages	0	1-6	1	2	3	1-2	3- 5	6-8	9-11	0	1	2	3	4
320	9 with no organism specified as cause	MF	84 73	-	5 4	4 2	4 3	1 3	3 6	7 4	3 -	3	30 23	4 3	4 1	3 -	- 1
321	Phlebitis and thrombo- phlebitis of intracranial venous sinuses	MF	11 13	-	2	1 -	1 -	-	2 3	2	1	1 -	10 5	- 1	ĵ	-	-
322		MF	43 24	_	-	2 -	-		2	-	-	1 -	3 2	-	-	1	1 -
323	Encephalitis, myelitis, and encephalomyelitis	M F	53 37	-	-	-	-	1	-	1 4	2	1 2	5 7	3 -	2	3 3	1 -
324	Late effects of intracranial abscess or pyogenic infection	M F	22	-	-	-	Ĵ	-	1 -	-	1	1	2 2	1 -	2 -	-	1 -
330-333	Hereditary and familial diseases of nervous system	MF	194 112	Ī	1 -	-	-	-	8 -	6	6 2	1 5	22 10	4 2	1 2	3 1	3 2
330	Hereditary neuromuscular disorders	M F	142 43	-	1 -	-	-	-	8 -	5 3	6 2	1 4	21 9	4 2	1 -	2 -	1 2
331	Hereditary diseases of the striato-pallidal system	M F	31 43	-	-	-	-	-	-	-	-	-	-	Ī	-	-	Ξ
332	Hereditary ataxia	M	12 15	-	2	-	-	-	-	-	-	-	-	_	-	-	-
333	Other hereditary and familial diseases of nervous system	M F	9	2	-	-	-	Ī	-	1 -	-	1	1 1	-	2	1	2
340-349	Other diseases of central nervous system	M F	2,430 2,755	_	-	- 1	-	-	5 4	9	10 3	6 3	30 19	14 14	14 6	7 8	8 9
340	Multiple sclerosis	MF	327 480	-	-	-	-	-	-	-	-	-	-	-	-	-	Ξ.
341	Other demyelinating diseases of central nervous system	MF	7 9	-	1	-	-	-		-	-	-	-	-	-	1	-
342	Paralysis agitans	M F	764 956	_	-	-	-	_	-	-	-	_	-	_	-	-	-
343	Cerebral spastic infantile paralysis	M F	66 47	-	-	-	-	-	3 1	5 3	3 2	1	12 7	3	7	3 -	2
344	Other cerebral paralysis	M F	404 514	-	-	-	-	-	-	~ -	-	-	-	-	-	-	Ξ.
345	Epilepsy	M F	366 288	-	_	-	-	-	1 -	2	1 -	-	4	5 7	1 2	2 6	4 5
346	Migraine	M F	- 1	_	-	_	-	-		-	-	-	-	_	-	-	Ξ
347	Other diseases of brain	M F	141 155	-	-	-	-	-	1 2	2	5 1	5 1	13 8	5 6	6 2	2	2 3
348	Motor neurone disease	M F	327 278	-	-	1	-		-	-	1 -	1	1 2	Ī	-	-	-
349	Other diseases of spinal cord	M F	28 27	-	-	-	-	-	1	-	-	-	1	1 -	1	-	-
350-358	Diseases of nerves and peripheral ganglia	M F	45 32	-	- ~	_	-	-	-	-	-	-	-		-	-	ī
350	Facial paralysis	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
351	Trigeminal neuralgia	M F	- 2	-	-	-	-	-	-	-	-	~	-	Ξ	-	-	Ī
352	Brachial neuritis	M F	-	-	-	-	-	1	-	-	-	-	-	Ξ	-	-	-
353	Sciatica	M F	ī	-	-	-	-	_	-	-	-	-	-	_	-	-	-
354	Polyneuritis and polyradiculitis	M F	27 19	-	-	-	-	-	-	-	-	-	-	Ξ.	_	-	1
355	Other and unspecified forms of neuralgia and neuritis	M F	8	=	=	-	-	-	-	=	-	-	-	=	:	-	=
356	Other diseases of cranial nerves	M F	2 -	=		-	-	-	-	-	-	-	-	-	-	-	-
357	Other diseases of peripheral nerves except autonomic	M F	8	-	Ξ.	-	Ξ	-	=	2	-	-	-	=	=	-	-
358	Diseases of peripheral autonomic nervous system	M F	-	-	-	=	-	1	-	-	-	=	-	-	-	=	-

TABLE 17 (Numbers) - continued

									+3÷	an seest								
Se.									170	eas s								
	i.e.	ę = s	11-14	15-13	90-24	85-25	31-34	15-12	4	45-42	50 - 54	39-83	60-64	65-69	7:-74	75-11	#0 - #4	88 AD1
12: 3	a 2 3 8	3 3	-	=	6	-	-	2		2 *	N 64	E 1	3.		E 9	Nen	4 3	***************************************
121	10	-	-	-	- -	-	= 2	-	=		-	3	- -	-	-	-	-	-
522	4 5	1	- 2	3	2	2	5	4	2		10 to	=	Persi	1	e + 3		_	
E23	14	DAVI	4	4 2	1	~	=	<u>*</u>	1	2	N N C	± 5 5	4 3	* - * - * - * - * - * - * - * - * - * -	=	:	-	ā 1
324	Ē 2	:	1	-	3 -	-	=	-	<u>-</u>	-	-	=	*	3 5	1	-	-	-
330-333	33 17	- 5	13	34	* 4	. 3	€	6 2	-	9	50	18	=======================================	-	20	2		_
150	21	-	12	34	: [2 2	3	8 1	5	17	in the state of	=======================================	-	9 5	9		:	-
331	-	-	1	-	-	-	N	2 2	12	8 23	A DAM	1	3	4 4 5 4 5 5	to to to		-	-
504	:	- -	-	-	101	- 2	2	1	- 2		2	* 1 * 1	8	- 2	ra to	5	1	-
222	÷	-		-	-	1	-		-		1	-	5	-	1	-	-	-
340-349	73 56	27	26	44 26	70	55 31	42	58	50	102	131	180	287	3.2.3	315	33.5	195	131
3+1	-	1	-	- 2	14 to	34	5	55	50	+:		150 36 48	136 40 78	334	383	417	341	- 20-5
I+1	- - -	- :	2		-	- 2	-	-	1	-	2	-	2	51	30	13	:	-
341	_	-	-	-	_	_	_	_	-	E E	16 12							
343	27	-		-	th Ni	3	-	2	- 2	5 1 1 2	:	-	2-		199	192	181	125
3-4	-	:	:	2 -	=	:	-	1	:	2	10.14	- 17 3	20	16	1	33	-	*-
343	: ÷	::	12	31	# 5 2 0	= -	25	21	11	-	16	27	20	Paris II	8 18		*	3
348	-	-	Ĩ	-		2	Ī.	-	1	-	-	-	-	-	-	-	-	-
347	25	D #4	-	1433	2 -	: 2	F1 (6)	ta ha	E 21	8 2	Ę	=	114 114	18	13	15	18	3.3
343	į	-	-	= -	-	<u>:</u> -	÷ .	- 3	1+	15	36	45	3 T	37	+-		11	1
349	=	1 -	1	-	-	-	- ~	1 14	- 1	2 -	2 .	3 1	111	-	E3 E3	-	44	-
350-358	ĩ	-	i	-	1 -	i	-	3	4	:	2	3	10	(B) 628	10	* 4 5 7 7 7 7	1	3
380	-	-	-	-	-	~	-	-	-	-	-	-	-	-	-	-	-	-
351	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	~	-
383	-		-	-	1	_	-	-	-	-	_	-	_	-	-	-	-	-
254	-	-	- 1	-	-	-	-	2	-	-	2	2	1		-	-	-	-
363	2	-	1	~	-	:	-	1 14 M	1 3	1	2	2 2	1 110	41 4	th Mark	:	-	-
555	-	-		-	-		-	-	-	-	:	-	=	-	-	:	-	1
357	-	-	-	-	- - -	-	-	-	-	-	-	-	12	~	- Fig.	-	-	-
	-	-		-	,	-	, E	*	8	1	-	2	3	2	Ę	** **	-	-
2.22	-	-	-	-	8	-		-	88		-		- 1	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Age	at death							
ICD No.	Cause of death		A11	Da	ys		Weeks			Mont	hs				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
360-369	Inflammatory diseases of the eye	M	2 3	-	1	-	-	-	-	-	~	-	-		-	-	-
360	Conjunctivitis and ophthalmia	M F	-	_	1	-	-	-	-	-	-	-	-	-	-	-	-
361	Blepharitis	M F	-	~	1	-	-	2	-		-	-	-	-	-	-	-
362	Hordeolum	M F	~	_	-	-	-	-	-	-	-		-	-	_	-	-
363	Keratitis	M F	1 1	-	-		-		-	-	-	-	-	-	-	-	Ī
364	Iritis	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
365	Choroiditis	M F	-	_	-	-	-	-	-	-	-	-	-	-		-	_
366	Other inflammation of uveal tract	M F	-		-	-	-	-	-	-	-	-	-	-	-	-	-
367	Inflammation of optic nerve and retina	M F	-	=	-	-	-	-	-	-	-	-	-	-	-	-	-
368	Inflammation of lacrimal glands and ducts	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ξ
369	Other inflammatory diseases of eye	M F	1 2	-	-	-	Ī	-	-	Ī	-	-	-		-	-	Ξ
370-379	Other diseases and conditions of eye	M F	10 19	-	-	-	Ī	-	-	Ī	-	-	-	~	-	-	-
370	Refractive errors	M F	-	-	- -	-	Ī	-	-	-	-	-	1	-	-	-	:
371	Corneal opacity	M F	-	-		-	Ī	-	-	-	_	-	Ī	-	-	-	Ξ.
372	Pterygium	M F	-	-	-	-	Ī	-	-	Ī	-	-	Ī	-	-	- ~	-
373	Strabismus	M F	1 -	-	-	- ~	-	-	-	-	-	-	-	-	-	-	-
374	Cataract	M F	6 11	-	-	-	-	-	-	-	-	-	 	-	-	-	-
375	Glaucoma	M F	1 3	-	-	-	Ī	-	-	_	-	-	-	-	-	-	-
376	Detachment of retina	M F	1	-	-	-	Ī	-	-	-	-	-	-	-	-	-	-
377	Other diseases of retina and optic nerve	M F	1 -	-	-	-	Ī		-	-	-	-	-	-	-	-	-
378	Other diseases of eye	M F	- 3	-	-	-		-	-	-	-	-	-	-	-	-	-
379	Blindness	M F	1	-	-	-	Ī	~	-	-	-	~	-	-	-	-	-
380-389	Diseases of the ear and mastoid process	M F	74 65	-	Ξ	1 -	-	-	6 6	11 9	3 6	1 3	22 24	1 4	3 2	-	1
380	Otitis externa	M F	1	-	-	-	_	-	~	-	-	-	-	-	-	-	-
381	Otitis media without mention of mastoiditis	M F	59 54	-	-	1 -	_	-	4 6	10 9	3 6	1 3	19 24	1 4	3 2	-	1
382	Otitis media with mastoiditis	M F	5	-	-	-	- -	-	1 -	-	-	-	1 -	-	-	-	-
383	Mastoiditis without mention of otitis media	M F	10 8	-	-	-	-	-	1 -	1 -	-	-	2 -	-	-	-	-
384	Other inflammatory diseases of ear	M F	ī	-	-	-	-	-	-	-	-	-	-	-	-	-	-
385	Meniere's disease	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
386	Otosclerosis	M F	1	-	-	-	-	-	=	=	-	-	-	-	-	-	-
387	Other diseases of ear and mastoid process	M F	-	-	-	-	-	-	=	Ξ	-	-	=	-	-	-	-
388	Deaf mutism	M F	1	-	-	-	-	-	-	=	-	-	-	-	-	-	-
389	Other deafness	M F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 17 (Numbers) - continued

							-		Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
360-369	-		-		-	-	- 1	1	-	-	-	-	- 1	-	2	-	-	1 1
360	_	-	-	-	_	-	-	-	-	-	-	-	-	_	-	-	-	-
361	_	-	-	-	_	-	-	-	-	-	-	-	Ī	-	Ī	_	-	-
362	_	-	_	-	-	-	-	-	_	-	Ξ	-	1	_	-	-	-	-
363	-	-	-	-	=	~	Ξ	-	-		Ī	-	1	-	-	-	-	1 -
364	-	-	-	-	1	-	-	-	-	_	-	-	-	-	-	-	-	-
365	-	-	-	-	Ī	-	-	-	-	-	-	-	-	-	=	-	-	_
366	-	-	-	-	-	_	-	Ī	-	=	=	-	-	_	Ξ	-	-	-
367	_	-	-	-	-	-	-	-	-	=	-	-	=	-	Ī	-	-	-
368	-	-	-	-	-	-	-	Ξ	-	=	_	-	-	-	-	-	-	-
369	-	-	-	=	Ξ.	-	1	1 -	_	-	-	-	-	-	Ξ.	-	=	1
370-379	=	1 -	ī	-	_	_	-	Ξ	1 ~		=	1 -	ī	3	1 -	9	3	4 2
370	-	-	-	-	-	_	-	-	-	_	-	Ξ.	-	=	-	-	-	-
371		-	-	_	-	_	-	-	-	=	-	-	-	_	-	-	-	-
372	=	-	-	_	-	-	-	-	-	-	-	Ī	Ξ.	=	-	=	-	-
373	-	1 -	-	-	-	-	-	-	=	_	-	-	-	-	-		~	-
374	-	-	-	-	-	-	-	-	-	_	-	1 -	1	2		5	2	2
375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1 -
376	-	-	-	-	-	-	-	-		-		Ξ	-	1		-	-	-
37 7	-	-	-	-	_	-	-	-	1 -	-	-	-	-	-	-	-	-	-
378	-	-	1	_	_	-	-	-	=	-	Ξ	-	-	-	-	2		1
379	-	-	-	-	Ξ	-	-	-	-	-	-	- 6	- 4	-		-	- 1	î -
380-389	31	. 4		-			_	2 3		6	5	5	5	2	3 1	3 2	3	2
380	-	-				-	-	- 2	1		4	- 4	3	- 4	1		1	-
381	31	. 2		-		1	-	2	1 2	-	1	1	5	1		2 2	1 2	2
382	-	-	-	-	- -	-	Ξ		-	1	- 1	1	- 1	-	-		-	-
383	-	. 2	? 2			-		1	-	_	-	1	-	1		-	1 -	-
384	-		. 1			-	-	=	-		-	-	-	-	-	-	-	-
389	-				 	-	-	-	_	-	-	-	-	-	-	_	-	-
	-					. 1	-	-	-	-	-	-	-	-	-		-	-
38*	-					-		-	-	-	-	-	-	-	-	-	-	-
388						-		_	_	-	-	-	-	-	-	-	-	-
389							. -	_	-	-	-	-	-	-		_	-	-

TABLE 17 (Numbers) - continued

									Age	at death	1						
ICD No.	Cause of death		All	Da	iys		Weeks			Months	3				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
390-458			142,171 152,214	2	6	3	3	4 -	14 18	10 9	3 6	2 2	47 42	6 8	7 4	ĩ	1 6
390-392	Active rheumatic fever	MF	12 12	-	-	_	-	-	-	_	1 -	-	1 -	-	-	-	-
390	Rheumatic fever without mention of heart involvement	MF	-	-	2	=	Ī	-	-	-	-	-	-	-	-	-	Ξ
391	Rheumatic fever with heart involvement	M	11 12	-	_	-	-	-	-	-	1 -	-	1 -	-	-	-	-
392	Chorea	MF	1	-	_		-	-	-	-	-	-	-	-	-	-	_
393-398	Chronic rheumatic heart disease	MF	2,612 4,386	-	_		=	-	-	-	-	-	1	ī	-	-	-
393	Diseases of pericardium	MF	15 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
394	Diseases of mitral valve	M F	854 2,166	-	-	-	-	-	-	1	-	-	-	-	-	-	-
395	Diseases of aortic valve	MF	1,007 826	_	-	-	-	-	-	-	-	-	-	1	-	-	-
396		M F	318 478	_	_	-	-	-	_	Ī.	-	-	-	-	-	-	Ξ
397	Diseases of other endocardial structures	MF	85 172	-	-	-	-	_	-	~	-	-	-	-	-	-	-
398	Other heart disease, specified as rheumatic	M F	333 729	-	Ξ	-	-	-		-	-	-	-	-	-	-	-
400-404	Hypertensive disease	M	4,774 6,309	-	_	-		1 -	-	1 -	1	-	2 1	-	-	-	-
400	Malignant hypertension	M	490 207	_	-	-	Ī	-	-	-	-	-	-	-	-	-	-
401	Essential benign hypertension	M F	582 698	-	-	-	_	-	=	-	-	-	-	-	-	-	-
402		MF	3,395 5,026	_	-	-	-	1 -	_	_	_	-	1 -	-	-	_	-
403	Hypertensive renal disease	M F	230 294	-	_	-	-	-	-	1 -	- 1	_	1	-	-	-	-
404	Hypertensive heart and renal disease	M F	77 84	-	-	-	-	-		-	-	-	-	-	~	-	Ξ
410-414	Ischaemic heart disease	M	79,735 58,834	_	1 -	-	~	-	_	-	1	-	1 1	1 ~	-	-	_
410	Acute myocardial infarction	M	59,457 36,920	-	1 -	-	_	-	-	-	-	-	1 -	1 -	-	-	_
411		M F	1,089 780	-	=	-	Ξ	-	-	Ξ	-	=	-	-	-	-	-
412	Chronic ischaemic heart disease	M F	19,093 21,057	-	-	-	Ī	-	-	-	_	-	1	-	-	-	_
413	Angina pectoris	M F	96 77	-	_	-	_	-	-	-	-	-	-	-	-	-	_
414	Asymptomatic ischaemic heart disease	M F	-		-	-	-	-	-	-	-	-	_	-	-	-	-
420-42	Other forms of heart disease	M F	12,617 20,008	1 -	4 2		1 2	2	9		- 4	2 2	24 26	3 7	1	1	1 5
420		M F	27 21	-	-	1 -	1	-	1 -	-	-	-	2	-	-	-	-
42:	Acute and sub-acute endocarditis	M F	152 130		-	-	_	-	-	-	-		-	1 ~	1 -	1	-
42:	Acute myocarditis	M F	68 71	-	-		_	-	2 2		-	1	3 9	2	-	-	1
42	Chronic disease of pericardium, non-rheumati	M c F			-		-	-	=	_	-	-	1	-	-	-	-
42	4 Chronic disease of endocardium	M F					-	-	-	-	-	-	=	-	-	-	-
	0 mitral valve, non-rheumatic	M F					-	-	-	_	-	-	-	-	-	-	-
	1 aortic valve, non-rheumatic	M F					-	-		-	-	-		-	-	-	-

TABLE 17 (Numbers) - continued

									Age a	t death								
ICD No.									Υe	ars								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
390-458	61 61	15 14	25 24	52 40	96 69	147 112	329 186	800 389	2,054 789	3,970 1,497	6,334 2,399	11,430 4,449	16,835 8,478	21,590 13,963	22,240 21,743	22,446 29,316	18,163 31,512	15,584 37,173
390-392	1 -	2 1	- 1	-		- 1	1 -		1 -	-		- 2	4 3	-	1 -	1 1	2	1
390	-	-	-	-	Ī	-	-	-	-	-	-	-	-	-	Ī	-	-	-
391	1	1 1	- 1		Ī	1	1 -	***	1	-	~	2	4 3	-	1	1 1	2	1 1
392	-	1	-	~	-	-	_	-	_	_	-	-	-	-	-	-	-	
393-398	- 1	-	2	7	17 8	18 21	36 39	72 74	107 159	184 256	261 324	359 476	414 576	386 582	295 576	242 507	139 424	75 360
393	_	<u>.</u>	Ī	-	1 -	_	<u>-</u> 1	_ 1	~	-	3 -	1 -	1	5 4	2 2	2 2	- 3	-
394	-	-	- 1	3	5 7	3 13	10 16	20 41	30 88	62 132	98 178	123 253	117 316	118 286	101 282	8 <u>4</u> 226	51 183	29 143
395	1		Ξ	-	6	6 -	7 3	17 8	34 7	56 23	74 24	132 48	186 85	170 107	115 130	114 131	56 123	34 13 5
396		-	_	2 -	2	4 3	10 9	24 11	20 23	30 36	34 50	5 3 5 7	44 53	34 52	26 57	16 46	16 49	3 31
397		-	-	1 -	1 -	1	3 2	. 1 2	5 6	7 13	13 9	5 25	16 24	8 26	16 15	6 22	2 15	1 12
398	=	-	-	1 -	2	5 4	6 8	10 11	18 35	29 52	39 63	45 93	50 97	51 107	35 90	20 80	14 51	8 38
400-404	2	-	- 1	3 2	4 3	9	16 11	49 28	92 42	151 66	239 126	395 220	640 382	732 622	767 1,072	781 1,363	547 1,239	347 1,125
400	-	-	_ 1	2	3 3	8 3	11 8	29 14	55 19	67 26	86 32	93 34	70 23	42 21	17 10	3 8	2	2 1
401	-	-	-	-	-	- 1	-	6 3	6 5	18 6	26 11	43 26	100 41	98 56	87 109	96 132	63 164	39 144
402	. 1	-	-		1 -	1	4 3	11 6	22 12	49 26	113 75	225 150	433 304	561 519	, 635 916	631 1,149	441 992	268 872
403	1 1	-	-	_	-	_	1 -	3 5	8	9 8	12 6	24 8	32 10	22 22	16 31	36 54	38 58	28 88
404	_	-	-	1 -	-	1 1	-	-	1 3	8 -	2 2	10 2	5 4	9	12 6	15 20	3 22	10 20
410-414	2 1		1 -	1 1	13 7	35 10	146 34	470 77	1,463 240	2,883 443	4,563 870	8,074 1,816	11,131 3,865	13,371 6,649	12,584 9,595	11,215 11,764	7,830 11,338	5,953 12,124
410	2 -		1 -	1	12 6	26		411 63	1,261 212	2,440 363	3,893 721	6,769 1,493	9,121 3,076	10,693 5,110	9,421 6,842	7,676 7,562	4,676 6,252	2,933 5,189
411	=	_	-	-	-	1 -	6	6 2	26 2	47 4	63 13	122 35	139 43	165 91	172 142	152 160	112 153	78 134
. 412	1	-	Ī	1 -	1	8 4		51 12	176 26	388 73	603 135	1,179 285	1,865 743	2,499 1,437	2,971 2,600	3,373 4,023		2,934 6,789
413		_	- -	-	_	-	<u>.</u>	2 -	-	8 3	4 1	4 3	6 3	14 11	20 11	14 19	16 14	8 12
414	-	-	-	-		_		-	-	-	-	 	-	-	-	-	-	-
420-429	32 40	6						49 37	70 58	148 98	214 151	445 278		1,318 1,027		2,225 3,411	2,632 4,686	2,878 7,538
420	2		_	-	_	-		1	- 1	5 -	1 2	3 2	6 1	5 4	2	3 3	2	3
421	2	_	1 -					4.4	10 3	8 5	16 10	28 10		16 15		7 16	5 7	1 4
422	3 12				2 2			5 2	5 6	3 5	9 2	4 3	7 5	5 9		3 6	3 2	1 4
423	1	-	_	- 2	-		. 1	1 3	3	9 5	5	8 2		11 1		6 8	5 8	1 7
424	-	. 1	<u> </u>	-	: -	1	5 2	2	9 2	20	32 16	53 29				99 168	70 165	69 196
•0	-	-		1			. 2	-	1	1 -	3 2	1 3	<u>4</u> 9	16		10 29	5 29	8 4 0
•1	-		-				1 1	1 -	5	13	2 <u>4</u> 6	4 5	65 21				5 <u>4</u> 94	51 119

TABLE 17 (Numbers) - continued

		П							Age	at deatl	h						
ICD No.	Cause of death		A11	Day	ys		Weeks			Mon	ths				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
424	9 other endocardial structures	M F	110 201	-	-	-	-	-	-	-	-	-	-	-	-	-	-
425		MF	200 121	=	1	-	_	1 -	1 3	1 2	- 1	-	4 7	1 2	-	_	-
426	Pulmonary heart disease	MF	954 455	-	1 -	-	_	-	Ī	-	- 1	-	1 1	-	1 -	-	1
427	Symptomatic heart disease	MF	4,908 7,223	1 -	2	-	1 -	1 -	5 3	1 1	- 1	2	13	-	2 -	-	1
	O congestive heart failure	M F	3,484 5,085	1 -	2	-	-	1 -	3 1		1	2	9 3	-	2	-	1 -
	1 left ventricular failure	MF	616 700	_	-	-	-	-	1 2	1 -	-	-	2 2	-	-	-	-
	2 heart block	MF	147 150	_	-	-	_	-	-	1	_	-	1	-	-	-	1
	9 other disorders of heart rhythm	MF	661 1,288	-	-	-	1 -	-	1 -	_	-	-	2 -	-	-	-	-
428	Other myocardial insufficiency	M F	5,494 11,021	-	-	-	-	-	-	1 -	-	-	1 -	2	1	-	2
429	Ill-defined heart disease	M F	59 65	-	-	_	-	-	-	-	1	_	1	1	-	-	-
430-438	Cerebrovascular disease	M F	31,707 48,645	_	-	-	-	-	7	5 2	2 -	-	11 9	2 -	3	-	-
430	Subarachnoid haemorrhage	M	1,505 2,593	-	1	-	-	-	1 3	1 -	2 -	-	3	-	-	-	=
431	Cerebral haemorrhage	M F	8,179 12,017	-	-	_	_	-	2 3	2	-	-	4 4	1 -	1 -	-	-
432	Occlusion of pre-cerebral arteries	M	281 237		-	-	-	-	_	_	-	-	-	-	-	-	-
433	Cerebral thrombosis	M F	13,096 20,409	_	-	-	-	-	1 1	2 -	-	-	3 1	-	1	-	-
434	Cerebral embolism	M F	139 217	-	-	-	-	-	-	-	-	-	_	-	-	-	-
435	Transient cerebral ischaemia	M F	6 5	-	-	_	-	-	-	-	-	-	_	_	-	-	-
436	Acute but ill-defined cerebrovascular disease	M F	4,296 6,411	Ξ.	-	-	_	-	-	-		-	_	-	-		-
437	Generalized ischaemic cerebrovascular disease	M F	3,751 6,076	_	-	_	=	-	-	-	-	-	_	-	-	-	-
438	Other and ill-defined cerebrovascular disease	M	454 680	-	-	-	-	-	-	1	-	-	1	-	2	-	-
440-448	Diseases of arteries, arterioles and capillaries		8,402 10,441	_	ī	1 -	1 -	1 -	1	_	_	-	4 2	-	-	-	1
440	Arteriosclerosis	F	4,286 7,061	=	-	-	-	-	_	-	_	-	-	-	-	-	-
441	Aortic aneurysm (non-syphilitic)	M F	2,631 1,655	_	-	-	Ξ	-	_	-	_	-	-	-	_	-	-
442		M F	103 64	=	-	_	_	-	_	=	-	-	-	_	_	-	-
,	Other peripheral vascular disease	F	114 79	_	-	-	=	-	-	_	Ξ	-	3	_	-	-	-
	Arterial embolism and thrombosis	M	617 832	_	1	-		1 -	1		_	_	2	_	-	-	1
	Gangrene	M	496 610	-	-	-	_	-	-	-	_	-	_	-	-	-	-
	Polyarteritis nodosa and allied conditions	M F	128 108	-			-	-	-		-		-	-	-	-	-
	Other diseases of arterie and arterioles	F	24 24 3	-	-		-	-	-		_	-	-	-	-	-	-
	Diseases of capillaries	M F	2,312	1	1		- - 1 1					-	4		-	-	-
450-458	B Diseases of veins and lymphatics, and other diseases of circulatory system	M F	3,579	-	-		- 1	-	2		-		3	-		-	
450	Pulmonary embolism and infarction	M F	1,068 1,342		1 -			-	-	:	-		1	-	-	-	-

									Age a	t death								
ICD No.									Ye	ars								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
424 • 9	-	1	-		-	1 -	2	1	4 1	6 5	5 8	7 9	19 15	17 22	16 27	11 32	11 42	10 37
42 5	5 9	. 2	6	3 5	9 2	11 5	7 1	7 6	14 8	20 7	2 4 8	30 17	23 14	21 12	9 7	4 6	4 6	1 5
426	2 2	- 1	4	1 5	1	2	1 5	6 9	4 13	26 16	35 17	92 28	150 41	175 64	170 80	164 80	81 51	44 37
427	16 7	2	2	3 4	- 1	4 2	2 3	13 4	16 16	32 35	65 58	159 135	321 286	633 509	776 982	932 1,513	1,001 1,656	931 2,011
•0	12	1	-	_ 3	- 1	2 1	1 2	8 -	11 6	21 18		95 81	206 172	427 325	521 661	670 1,055	763 1,221	706 1,499
•1	2 2	1	-	1	-	- 1	_	1 2	4 3	4 5		28 15	57 38	102 56	101 89	110 152	103 149	90 183
.2	- 2	-	2	2	en en	1	1 -	1	1 2	1 1	4 1	5 9	9	15 11	23 23	30 27	26 35	26 28
.9	2	~	-		-	1 -	1	3 1	- 5	6 11		31 30	49 67	89 117	131 209	122 279	109 251	109 301
428	2 5	-	1 -	3	3	3 2	5 4	11 6	8	21		59 50	139 144	337 314	602 798	1,001	1,456 2,784	1,818 5,254
429	- 2	_	2	2	2	_	1		1 -	4		9	2 3	7 8	4 11	6 10	5 7	12 17
430-438	16	7		15 14					24 9 222			1,652 1,368	2,957 2,532	4,460 4,116	5,220 6,860	6,003 9,695	5,188 10,642	4,419 11,661
430	4 3	4		10				72 86	125 116			219 3 22	227 347	208 331	86 317	74 281	36 165	21 71
431	6 4	2	1 2	1 2					85 71				1,046 979	1,380	1,374 1,989	1,363 2,372	974 2,223	667 1,809
432	-	-	_	1	0		1 1	2 4	6 5			41 16	48 23	52 29	41 36	38 37	15 37	14 29
433	4 2			1	1 2	1 3		4	15 17				954 659	1,707	2,344 2,744	2,776 4,322	2,506 5,058	2,181 5,785
434	-		-		: :	1	! - -	_	1 1					29 28	25 53	23 35	22 39	10 37
4.38	-		. <u>-</u>		- -		. <u>-</u>	-	=			1	- <u>-</u>	2 2		2 -	1 -	ž
436	-		-				1 2			3				594	760 1,051	876 1,468	1,347	445 1,278
431	7 -					i i		. 1			5 13 5 10		108	216	562	751	901	
438	8 3		 1 -	l l	2 -		1 3 1 -				1 9 4 9	12	35	41	108	100	153	
440-44			2 :		3 10		8 8 6 \$	3 24 5 13				121	. 264	522	1,042	1,849		3,889
44	0	-	_ :	-	- :	- :	 	- -			5 14 1 10	23	5 58	206	549	1,174	1,895	3,144
. 44	1	-	1 .	-	1 -	3 2		1 10	3 1	5 1	6 28	3 58	119	182	288		33 5	
44	2	-		-			3 :	- :	1	1		7 3		11	. 6	7	9	5
44	.3	-		-		-		-	-	-		5 8		2 4	. 15	12	23	21
4.4		3 3		-		-			2	9 1	.7 2: .6 1:	5 18	3 48	80) 110	164	174	191
4.4	15	1		_		-	_ :	-	-	1 2	2	2 12	2 10	23	5 55	114	139	262
44		-		1			1 2		4	0		6 1:	1 13	5 15	5 13	11	. 6	8
54		-		-		-	1	-	-	1		- ;	3 2	2 :	1 3	5	3 -	6
4.4	18	-	-	-	un on	1	**	-	m	-	# .		1 :	1 .	~ 3	5 1	1	. 1 7 169
450-4	58	4 . 3	000 000	1 -	5 -		9 1 15 1				35 10 91 11							
4	50	1	-	-	2	1	. 7 1	4.0			29 4 35 3	3 10 5 6						73 189

TABLE 17 (Numbers) - continued

						(21)		5,-	Contt	ruea							
									Age	at death	h						
ICD No.	Cause of death		A11	Da	iys		Weeks			Mont	ths				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
451	Phlebitis and thrombophlebitis	M F	84 196	_	_	-	-	-	-	-	-	-	_	-	-	-	-
452	Portal vein thrombosis	M F	8 7	_	-	_	_	_	-	-	-	-	-	-	-	-	-
4: 3	Other venous embolism and thrombosis	M F	1,007 1,776	-	-	1 -	1	-	- 2	_	-	-	2 3	-	-	-	-
454	Varicose veins of lower extremities	M F	45 147	-	=	-	-	-	-	-	-	-	-	-	-	-	-
455	Haemorrhoids	M F	8 8		-	-	-	-	-	-	-	-	-	-	-	-	-
456	Varicose veins of other sites	M F	25 28	-	-	-	-	-	-	-		-	-	-	-	-	_
457	Non-infective disease of lymphatic channels	MF	- 4	-	_	-	-	-	-	-	- ~	-	-	-	-	-	-
458	Other diseases of circulatory system	M F	67 71	1 -	-	-	-	-	- -	-	-	-	1 -	-	-	-	-
460-519	VIII. DISEASES OF THE RESPIRATORY SYSTEM	M F	47,458 37,288	29 17	122 67	60 53	44 44	48 33	560 344	470 359	178 147	92 62	1,603 1,126	148 141	74 69	43 42	28 32
460-466	Acute respiratory infections (except influenza)	M F	1,453 1,487	-	5 3	7 5	6 7	10 3	174 98	159 120	58 48	25 13	444 297	43 44	24 20	11 5	3 14
460	Acute nasopharyngitis (common cold)	M F	1 6	-	-	-	-	-	-	1 -	Ī	-	1 -		-	-	-
461	Acute sinusitis	M F	1 1	-	-	-	-		-	-	-	-	-	-	-	-	Ī
462	Acute pharyngitis	M F	3 8	-	-	-	-	-	-	Ī	-	-	-	-	-	-	Ī
463	Acute tonsillitis	M F	7 8	-	-	-	-	-	-	2	_	-	2 -	-	1 -	1 ~	1 -
464	Acute laryingitis and tracheitis	M F	28 40	-	-	-	- 1	-	5 3	6 8	1 3	1 2	13 17	5 4	3 3	- 1	1 3
465	Acute upper respiratory infection of multiple or unspecified sites	M F	30 15	-	1 -	-	-	-	10 2	6 3	2	1 -	20 6	_ 1	2 -	1	- 1
466	Acute bronchitis and bronchiolitis	M F	1,383 1,409	-	4 3	7 5	6 6	10 3	159 93	144 109	55 44	23 11	408 274	38 39	18 17	9	1
470-474	Influenza	M F	1,855 2,797	-	1 -	-	-	1 1	1 3	2 5	2 2	2	9 12	4 2	-	~	2 2
470	unqualified	M F	283 449	-	1 -	-	-	-		-	-	-	1 -	1 -	-	-	-
471	with pneumonia	M F	1,226 1,929	-		-	-	1 1	1 3	1 5	2 1	2	7 11	1 2	-	-	1 2
472	with other respiratory manifestations	M F	341 403	-	-		-	-	-	1 -	_ 1	-	1 1	1 -		-	1 -
473	with digestive manifestations	M F	3 15	-	-		-	-	-	Ī	Ī	-	-	-	-	-	Ī
474	with nervous manifestations	M F	2 1	-	-	-	-	-	-	-	-	-	Ī	1 -	-	-	-
480-486	Pneumonia	M F	18,147 22,880	29 17	111 63	53 47	37 36	35 26	345 223	275 208	108 86	62 43	1,055 749	85 79	37 39	23 29	15 12
480	Viral pneumonia	M F	206 173	-	2 3	2 3	1 5	2 -	32 20	27 17	10 8	7	8 3 57	3 6	2 3	2 2	3 1
481	Pneumococcal pneumonia	M F	1,721 1,488	- 1	3 3	2 2	-	4 1	8	5 5	4 3	1 2	27 23	2 4	1 -	3 3	1 4
482	Other bacterial pneumonia	M F	75 53	- 1	1	3 ~	2	1 -	5 2	3 1	2	2	14 9	3 1	- 1	2	-
483	Pneumonia due to other specified organism	M F	3	-	-	-	-	-	-	-	1 -		1 -	-	-	-	-
484	Acute interstitial pneumonia	M F	23 21	1 1	1 -	-	1	1 1	12 9	4 3	- 3	1	20 19	1 -	1 -	-	- 1
485	Bronchopneumonia, unspecified	M F	15,119 20,204	3 4	51 26	29 3 3	26 22	15 21	235 156	200 147	76 59	45 33	680 501	69 60	29 31	14 19	10 5
486	Pneumonia, unspecified	M F	1,000	25 10	54 30	17 9	10 6	12	53 30	36 35	17 11	6	230 140	7 8	4	4 3	1
																	

									Age a	t death								
ICD No.									Υe	ars								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
451	-	-	-	-	1	-	- 1	- 4	- 4	3 5	9	9 11	11 19	13 20	12 24	13 42	6 30	7 2 5
452	-	-	1 -	-	-	- -	-		-	-	-	-	1 1	2	2	2 -	2	-
453	2 3	-	-	2	3 4	5 8	5 6	7 9	13 22	28 40	42 53	72 76	125 134	175 219	167 303	166 377	125 291	70 231
454	_	-	-	_	-	-	- 1	<u>-</u> 4	1 4	3 5	5 7	3 10	7 19	4 24	3 18	8 25	7 20	4 10
455	-	-	-	-	-		1 -	_	~	1	-		3 1	-	1	2 2	2	2
456	-	-	-	1 -	-	_	-	_	1	3	3 3	4	3 2	4.4	3 3	3 3	4	4
457	-		-	-	Ī	-	-	-	-			_	- 1	1	-	1	-	1
458	1 -	-	-	_	-	-	1 -	-	1 2	2 2	1 6	1	10	7 6	12 11	11 13	10 16	11 13
460-519	1,896 1,410	85 72	76 60	94 61	96 58	79 67		145 120		664 393	1,154 581	2,529 998	4,726 1,680	6,914 2,684	7,748 4,280	8,040 6,266	6,843 7,544	5,974 10,703
460-466	525 380	8 15	4 2	7	6	6 2		6 4				48 24	76 55	115 76	138 121	148 183	170 239	140 338
460	1 -	-	_	-	-	_	- 1	-	_	-	- ~	-	_	_	- 1	-	1	3
461	-	-	- 1	_	_	-		-	1 -	-	-	-	=	-	=	-	-	-
462	-	1	-	-	-	-	_	-		_	_	***	± .	1 2	i i	1	1	<u>3</u>
463	5 -	2	-	-	1 -	-	1 -	-	_	-	-	_	_	1	1	-	-	4
464	22 28	1 3	-	-	- 1	2		1	=	_	1 -	-	2	-	-	2	2	1
465	23	1	1 -	-	- -	-	. <u>-</u>	-	_		1 -	1	-	-	1 1	1	1	3 1
466	474 343	6		7		4						48 23	76 53	114 73	137 118	148 179	170 234	136 326
470-474		-1	. 4	13	3 5		5 8						119 97	196 165		351 471	348 611	350 1,004
470	1	-			3 -		1 1						12 13	30 22	38 38	59 73	54 90	62 191
471	9 15	-	. 3	10	o 5		2 6		9 14 5 6				73 67	118 111	175 203	237 324	232 434	253 672
472	3 1	- 1	. 1				2 1		1 · 1	. 6			33 17	48 30		55 70	61 86	35 136
. 473	-	-			: :		- -	. :	:	-		1		2	1 2	4	1 1	5
474	. 1		. :		 	-	: :		- 1				-		1	-	-	~
480-486	1,215						5 39 4 32						745	1,334	2,356	3,203		3,662 7,478
480	93 69		5 4	3 2				5 1	1 5 5 3	5	<u>l</u> 5	8	8	9	8	7 12		3 14
483	34		2					5 1	0 2: 5 19		5 33	52	. 82	138	217	274 256	282	213 332
482	2 17		- 3	-		2		- 1	2 :	2 4	2 3	5 1	. 6	3	3	10		3 4 1
48	3 1		-	-		-	-	- 1	- :			. 1		-	-	1		-
48	4 22 20		- -	-	-	-	-	1	-				. 1	-	. ***	2,765	3,063	3,331
48	5 802 616		3 2 7 2	7 1		3 2	26 2	3 2	3 6 5 6	1 8	8 15'	7 308	604	1,122	2,041	3,560	4,585	6,907
48	6 246 156	3	3 5	3		3	5 2	4 2		4 1		23				126		

TABLE 17 (Numbers) - continued

										at death							
ICD No.	Cause of death			Da;	ys		Weeks			Monti	hs				Years		
			All ges	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
490-493	Bronchitis, emphysema and asthma		3,945 8,821	-	, 2 -	-	1 -	1 1	10 11	17 20	7 2	2 3	40 37	7 9	9	4 6	4 3
490	Bronchitis, unqualified	M F	749 832		2	-	1 -	1 1	8 9	13 17	6 2	- 3	31 32	4 8	2	2	1 1
491	Chronic bronchitis	M 2:	1,398 6,885	-	-	-	en en	-	2 2	3 3	-	2 -	7 5	1	2	-	-
492	Emphysema	M F	1,152	_	-	-	-	-	-	no m	-	_	-	-	-	-	-
493	Asthma	M F	646 810	-	-	-	-	-	-	1 -	1 -	-	2 -	2	5	2 5	3 2
500-508	Other diseases of upper respiratory tract	M F	47 38	-	-	ī	-	_	4 1	2 2	1 -	- 1	7 4	2 1	2 1	3	3
500	Hypertrophy of tonsils and adenoids	M F	8 3	_	-	-	-	-	-	-		-	-	~	1 -	2 -	2
501	Peritonsillar abscess	M F	3 4	-	-	-	-	-	-	-	-	-	-	- 1	-	-	-
502	Chronic pharyngitis and nasopharyngitis	M F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
503	Chronic sinusitis	M F	7 5	-	-	-	_	-	-	-	-	-	-	-	-	-	
504	Deflected nasal septum	M F	2 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
505	Nasal polyp	M F	-	-	-	-	-	-	-	-	- ~	-	-	-	-	-	-
506	Chronic laryngitis	M F	1 -	Ī	-	-	-	-	-	-	-	-	Ξ.	-	-	-	-
507	Hay fever	M F	-	_	-	-	-	_	-	Ī	-	-	-	-	-	-	-
508	Other diseases of upper respiratory tract	M	26 25	-	-	-	-	-	4	2 2	1 -	1	7 4	2	1	1	1
510-519	Other diseases of respiratory system	M F	2,011 1,265	-	3 1	ī	ī	1 2	26 8	15 4	2 9	1	48 27	7 6	2 3	2 1	1 -
510	Empyema	M F	51 28	-	-	-	-	-	-	Ξ.	1	-	1	- 1	-	1 -	-
511	Pleurisy	M F	32 26	-	-	-	-	-	-	-	-	-	Ī	- ~	-	-	-
512	Spontaneous pneumothorax	M F	19 2	_	-	-	-	-	-	-	-	-	-	-	-	-	-
513	Abscess of lung	MF	47 20	_	-	-	-	_	1 -	-	-	-	1 -	-	-	-	-
514	Pulmonary congestion and hypostasis	M F	220 478	-	-	_	-	-	2 -	-	-	-	2 -	-	-	-	-
515	Pneumoconiosis due to silica and silicates	M F	543 6		-	-	-	-	_	-	-	-	-	-	-	-	-
	0 silicosis	M F	68 1	-	-	-	-	-	-	-	_	-	-	-	-	-	-
	1 anthracosilicosis	M F	10	-	-	_	-	-	Ξ	Ī	-	-	-	-	-	-	-
	2 asbestosis	M F	9	_	-	-	-	-		-	-	-	-	-	-	-	-
	9 other, including pneumoconiosis unspecified	M F	456 1	-	-	-	-	-	Ξ	-	-	-	-	-	Ξ	Ξ	-
516	Other pneumoconioses and related diseases	M F	13 4	=	-	-	2	-	Ξ	Ξ	-	-	-	-	-	-	-
517	Other chronic interstitial pneumonia	M F	311 168	-	-	1	-	-	-	1 -	-	-	1 1	1 -	-	-	-
518	Bronchiectasis	M F	567 376	-	-	-	-	-	2	-	<u>-</u> 2	-	2 2	-	-	1 -	-
519	Other diseases of respiratory system	M F	208 157	=	3 1	-	1	1 2	21 8	14 4	2 6	1	42 23	6 5	2 3	1	1 -

TABLE 17 (Numbers) - continued

									Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
490-493	64 61	17 8	31 16	32 26	26 28	25 19	35 35	64 55	145 94	343 193	719 279	1,673 466	3,227 685	4,526 995	4,581 1,391	4,057 1,490	2,719 1,456	1,661 1,524
490	40 45	4	1 -	1 -	1 1	1 -	1	3 2	4 6	5 10	18 10	28 25	64 33	89 63	105 99	119 114	134 158	131 265
491	10 6	2	4	1 2	3 5	6	11 6	28 17	90 4 0	273 111	607 191	1,476 338	2,902	4,124 805	4,188 1,156	3,727 1,270	2,479	1,467 1,202
492	-	-	- 1	2 -	4 -	-	4 -	6 2	9 5	25 9	56 15	97 20	186 36	227 29	233 41	170 54	79 40	54 42
493	14 10	11 6	26 15	28 24	18 22	18 15	19 29	27 34	42 43	4 0 63	38 63	72 83	75 96	86 98	55 95	41 52	27 47	9 15
500-508	17 8	4 5	2	1 3	2	2 -	2	ĩ	4 2	1 -	2	2 3	1 3	4 3	-	4 4	1 1	-
500	5	2 2	-	- 1	1	-	Ī	-	=	-	Ī	-	-	-		-	-	~
501	- 1		1 -	-	-	-	-	Ī	_ 1		2	- 1	-	_	-	_ 1	Ξ	-
502	-	-	-		-	=	-	Ξ	-	-		Ī	- 1	_	-		-	-
503	-	1 -	1_	1	1 -	1 -	_	1 1	2	-	Ī	- 1	-	1 -	Ī	1		-
504	-	-	Ξ	1 -	-	-	-		1	-	-	-	-	-	-	-	-	-
505	-	-	Ξ		-	-	-	~	-	-	Ī.	-	-	-	-	-		Ī.
506	-	-	_		-	-		_	-	-	-	-	-	1 -	-	=	-	
507	-	-	=	-	-	=	-	-	_	-	-	-	-	=	-	-	-	-
508	12 7	1 3	_	1	-	1 -	- 1	_	1 -	1 -	3	2 1	1 2	2 3	=	4 2	1 1	-
510-519	60 37	3		5 5	6 5	6 8	11 10	13 15	26 17	51 37	90 41	163 52	275 95	339 111	333 128	277 159	192 178	161 359
510	1 2	1	-	-	-	-	2	Ξ	1 -	2 5	5 1	2 2	12 2	13 2	7 5	2 4	1 3	2 2
511	-	-	-	-	-	-	-	1 -	-	1 -	-	1	5	1 -	6 3	6 7	8 7	3 8
512	-	-	-	1 -	-	=	-	_	-	-	_	2	3 1	3 ~	3 -	4 1	2	1 -
513	1 -	1	_	_	_	-	· · ·	1	2	3 ~	2 -	2 3	4 1	7 1	9	7 3	7 4	. 1
514	2	-	_	-	-	2 -	1 -	-	1 -	1 -	1	3 -	7 7	8	18 23	26 50	4 5 97	105 289
515	_	-	_	-	-	-	-	-	1 -	8 -	22	4 8 2	99 1	126 1	111	81 2	36 -	11
0	-	-	<u> </u>	-	-		-	Ī	-	2 -	5	7 -	10	17	15	4 -	7 -	1 -
• 1	-	_	<u> </u>		=	-	_	-	-	-	-	-	2 -	1 -	3 -	2 -	2	-
•2	1 2	-	: :	-	-	-	-	-	-	-	2	1 2	1	3 -	2	1	-	-
•9	-		. <u>-</u>	-	-	-	-	_	1 -	6 -	15	40	86	105	91	75 1	27	10
516	-		: <u>:</u>	-	-	-	-	-	2	1 -	2 -	1 1	4 -	2 2	1 -	1	-	-
517	2			-	-	-	3 2	2 3	1 4	11 3	18 11	35 12	57 30	57 32	54 28	48 21	18 12	5 6
518					5		5	9	17 11	19	33	55	60 4 0		92	85 44	61 36	21 32
519			1 - 1 1						1 1				24 13		32	18 26	14 19	12 18
	32		. 1		1													

TABLE 17 (Numbers) - continued

		ì							Age	at death							
	Cause of death			Da	''S		Weeks		1,80	Mont					V		
			All ages	0	1-6	1	2	3	1-2	3-5	6-P	3-11	2	1	Years 2	3	
520-577	IX. DISEASES OF THE DIGESTIVE SYSTEM	M F	6,801 7,069	47 40	23	12	14 2	7 6	31	14 17	12	5	165	16	14	7	8
520-529	Diseases of oral cavity, salivary glands and jaws	M F	19 54	-	-	2	-	-	1		5	10	134	11	7	2	5
: 20	Disorders of tooth	M	1	_	-	_	-	_	1 -	1 -	-	_	2	~	~	1	-
£21	development and eruption Diseases of hard tissues	F M	-	-	-	_	-	_	-	-		-	-	_	-	_	_
522	of the teeth Diseases of pulp and	F M	2	-	-	_	-	~	-	-	_	-	-	-		_	-
523	periapical tissues Periodontal diseases	F	-	_	-	-	-	_	-	-	-	_	-	-	-	-	-
524	Dento-facial anomalies	F	2	_	-	- 1	-	-	-	-	-	-	- 2	-	-	_	-
525	including malocclusion Other diseases and	F	3 4	-	-	-	-	-	ī	1	-	-	2	-	-	-	-
(20)	conditions of the teeth and supporting structures	F	5	-	-	-	_	-	-	-	-	-	-	-	-	. 1	Ξ
526	Diseases of the jaws	M F	- 1	-	-	_	-	-	-	_	_	-	-	-	-	-	-
527	Diseases of the salivary glands	M F	8 36	-	-	1 -		-	-		-	-	1	-	-	-	-
528	Diseases of the oral soft tissues, excluding gingiva and tongue	M F	2 7	-	-	_	Ī	-	-	-	-	-	-	-	- -	-	-
529	Diseases of the tongue and other oral conditions	M F	2		-	-	-	-	-	-	-	-	-	-	-	-	
530-537	Diseases of oesophagus, stomach and duodenum	M F	2,954 1,766	-	3 1	1 -	1 -	1	3	1	1	-	10	- 1	~ 3	-	1
530	Diseases of oesophagus	MF	131 118	-	-	_	-	-	_	-	-	-	-	- 1	-	-	-
531	Ulcer of stomach	M F	1,042 802	-	2	1	-	_	40	Min	-	-	3	-		-	_
	0 with perforation	M F	257 178	-	2	1	-	-	_	~	-	-	3	_	2	~	-
	9 without mention of perforation	M F	785 624	-	-	-	-	-	-	-	-	-	1 -	-	-	_	_
532	Ulcer of duodenum	M	1,437	~	-	-	_	-	1	-	-	_	1	_	_	_	_
	0 with perforation	М	553		-	-	_	-	1	-	-	-	1	-	-	-	_
	9 without mention of	F	251 884	_	-	-	_	-	-	-	-	-	-	-	-	_	-
533	perforation Peptic ulcer, site	F	300 215	-	-	-	-	-	- 1		-	-	1	-	-	_	-
	Unspecified O with perforation	F M	182 51	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9 without mention of	F	164	-	-	-	-	-	- 1	-	-	-	-	-	-	-	-
534	perforation Gastrojejunal ulcer	F	135 26	~	-	-	-	-	-	-	-	-	-	-	-	-	-
	0 with perforation	F M	9	-	-	_	-	-	-	-	-	-	-	-	-	-	-
	9 without mention of	F	19	and	-	-	-	-	-	-	-	-	-	_	-	-	_
538	perforation	F	5	-	-	_	-	-	-	-	-	-	-	-	_	-	-
	Gastritis and duodenitis	M F	24 49	-	-	~	-	-	1 -	1 -	-	-	2	-	-	-	1
536	Disorders of function of stomach	M F	6 7	-	-	-	-	-	-	-	-	-	-	-	_	-	-
537	Other diseases of stomach and duodenum	M F	73 48	-	1 -	-	1 -	1	_ 1	-	1	~	3 2	-	-	-	-
540-543	Appendicitis	M F	210 177	-	1 1	-	-	-	-	n- m			1 1	2	4 2	5 -	3 2
540	Acute appendicitis	M F	169 141	-	1 1	-	-	-	-	601 601	-	-	1	2	2 2	5	3 2
	0 with peritonitis	M F	140 118	-	1 1	-	-	-	:			~	1 1	2	1 2	4	3 2

									Age 8	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	8C-84	es and over
520-577	210 159	12 8	14 13	31 9	34 26	34 22	36 35	86 53	138 88	232 178	327 201	540 340	751 580	1,017 742	1,083 995	983 1,224	741 1,253	532 1,143
520~529	3 3	1	1	-	1 2	-	1 -	1 -	2	-	-	. 3	1	1 3	1 4	1 6	3 11	3 20
520	-	-	-	 -	-	-	-	_	-	-	-	-	- 1	1 -	-		us 	-
521	-	w =	-	-	-	-	-	-	-	-	~	<u>-</u>	-		-	-	-	-
522	-	-	-		-	-	_	-	-	-	-	1 -	-	-	-	-		1 -
523	-	-	-		Ī	-	Ξ	-	-	-	-	-	-		-	eno mm	-	-
524	2 2	-	-	-	_	-	-	2	- 1	-	-	-	_	-	-	-	-	-
525	- 1	1	- 1	-	1	-	1 -	-	1	-	=	1 -	-	-	Ξ	-	-	-
526		2	=	-		-	=	-	-		=	-	-	**	Ξ	-	**	- 1
527	1 -	***	-	=	_	-	_	1 1	-		2	1 -	- 1	- 1	1 3	1 5	1 10	2 16
528	-	-	_ _	-	_	-	~	-	_	-	der Wel	-	-	1	1	1	2	3
529	-	~	-	*	-	-	-	Ī	~		_	-	-	1	- 1	-	-	-
530-537	11 8		- 1	3	7	4 5		26 8					328 116	529 168	549 255	460 341	330 3 71	220 337
530	- 2	_	-	1 1	-		1 1	_ 1	4	. 8			11 5	22 11	22 21	24 16	14 28	14 24
531	3 3	_	-	2 -	2			6	15	27 13			131 55	200		156 161	108 164	80 157
•0	3 3		-	1 -	1			2	4	10			3 3	53 27	42 21	41 33	25 32	8 20
•9		-		1	1			4 3	11				98 36			115 128	83 132	72 137
532	1	-		_	4	1	L 7	17 4				107 22	155 37	258 52	262 84	224 107	161 112	100 98
•0	1	_		-			L , 1	5	7	15	31			106	108 45	83 47	57 49	32 41
• 9	:	_	: :	-	. 3		- 6 - 2		13	32			91 20	152 31		141	104 63	57
533	1	-			. 1		: :	1	. 1	2 4			15 10					40
. •0	-			-		: :	- -	1			- 3 3 1	5 5	2 4	6		7	8	9
• 9	1			-		1 -	= =	-				9 2			32	32		
534				-		: :			- 2 		- 2 1 1		5 -	2	. 1	3		-
• (: :	= =		: :		 1 1	. 1 L -	_	-	. 2	ł	-	-
• 9			: :			- :			- 2	2	- 2	2 2		1	~	2		-
535		3 .	- 1	: :		_	- 1 -		1 :	1	1 :	- 2		4		5	9	
536	5	-		: :		1			-	1 :	:	- 2		- -		1	. 2	-
53′	7	3 -		: :		-	- :				3 :		2 6	5 2		. 9	7	5
540-54	3 1	5 5 .					3 1				6 1: 5	1 19 9 13	3 16	3 26	5 22	21	23	15
54	0 1	3 5		7	7	4 2	2 -		3 2	3	4 !	9 1:	L 9	2:	1 20	16	16	12
	0 1		3 3	7 4	5	3 -	2 '	- :	2 1		5 4	7 1: 7 1:	5 7	1 1 1	7 17 7 19	18	11 16	7 9

TABLE 17 (Numbers) - continued

									Age	at death	1						
	Cause of death		All	Da	ys		Weeks			Mont	hs				Years		
	<u> </u>		ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
' 40	9 without mention of peritonitis	M F	29 23	_		-	=	-	-	-	-	-	-	-	1	1	-
4.1	Appendicitis, unqualified	MF	37 36	-	-	-	-	-	-	-	-	-	-	-	2	-	-
. 42	Other appendicitis	M F	1	-	-		-	-	-	-	-	-	-	-	-	-	-
: 4 ś	Other diseases of appendix	M F	3 -	-	-	_	-	-	-	-	-	-	-	-	-	-	_
550-553	Hernia of abdominal cavity	M	569 811	47 39	11 17	4 3	6	2 2	7 2	5	2	-	84 64	5	-	1	1
150	Inguinal hernia without mention of obstruction	M F	36 8	_	-	-	-	-		1 _	-	-	1 -	-	-	-	1
.81	Other hernia of abdominal cavity without mention of obstruction	M F	168 293	46 39	11 16	4 2	3 -	1	1 2	1	-	-	67 61	Ī	Ī.	-	-
	0 femoral	M F	- 8	-	-	-	-	-	-	-	-	-	_	-	-	_	-
	1 umbilical	MF	29 30	15 10	5 7	2	3 -	- 1	1 2	-	-	-	26 21	-	-	-	
	2 ventral (incisional)	M F	8 14	-	-	-	-	-	-		-	-	-	-	-	-	-
	3 diaphragmatic	M F	122 232	30 29	6 9	2		1 -	-	1 1	-	-	40 40	-	-	-	-
	8 of other specified sites	M F	- 2	-	-	-	<u>-</u>	-	-		-	-	-	-	-	-	-
	9 of unspecified site	M F	9 7	1 -	-	-	-	-	-	-	-	-	1	-	-	-	-
552	Inguinal hernia with obstruction	M F	222 59	-	-	-	3 -	1	6 -	3 -	2	-	15	3 -	-	1 -	-
553	Other hernia of abdominal cavity with obstruction	M F	143 451	1 -	- 1	_ 1	-	- 1	-	-	-	-	1 3	2	-	-	-
	O femoral	M F	51 239	-	-	-	-	-		-	-	-	-	-	-	-	-
	1 umbilical	M F	23 63	-	- 1	- 1	-	<u>-</u> 1	-	=	-	-	- 3	-	-	-	-
	2 ventral (incisional)	M F	15 49	-	-	-	_	-	-	-	-	-	-	-	-	_	
	3 diaphragmatic	M F	14 40	1 -	-	-	_	-	-	-	-	-	1 -	2	_	-	-
	8 of other specified sites	M F	19 32	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9 of unspecified site	M F	21 28	-	-	-	-	-	-	-	-	-	-	-	-	-	
560-569	Other diseases of intestine and peritoneum	M F	1,479 2,221	- 1	8 10	4 6	6 2	5 3	18 11	8 15	9 5	5 6	63 59	8	5 1	1 -	1 -
560	Intestinal obstruction without mention of hernia	M F	481 585	-	4 4	1 3	4	4	6 6	7 10	5 3	1 4	32 32	4 2	2	1 -	1 -
	0 intussusception	MF	16 22	-	-	-	-	1 -	Ī	4 9	3 2	4	8 15	3 1	- 1	-	-
	1 paralytic ileus	M F	21 25	-	1	_	Ξ.	-	- 1	1	-	-	- 3	-	-	-	-
	2 volvulus	M F	171 166	-	3 2	2	3 1	2	3 -	2 -	_ =	1 -	14 6	1 -	2 -	1 -	1 -
	3 impaction of intestine	M F	37 47	-	-	1 -	-	-	-	1 -	-	-	2	- 1	-	-	-
	9 other and unspecified	M F	236 325	-	1 1	1	1 -	1 -	3 5	Ī	2		8 8	-		-	-
561	Gastro-enteritis and colitis, except ulcerative, of non-infectious origin	M F	72 144	2	-	-	1	-	3 2	1 2	3 1	3 2	11 8	3 3	1 -	-	Ξ
562	Diverticula of intestine	M F	378 796	-	1	-	-	-	-	-	-	-	- 1	-	-	-	-
563	Chronic enteritis and ulcerative colitis	M F	225 308	-	-	-	-	-	1	<u>-</u> 2	1	1 -	3 3	-	1 -	-	-
	O regional enteritis	M F	67 77	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Age a	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
540 • 9	2	1	~	2	1 2	-	- 1	1 1	-		2 2	2	7 3	4 4	- 1	3 3	2 2	2 3
541	2	· -	1 -	1 2	- 1	1	1	1	1 1	1 1	1 -	2 2	6 7	3 5	7 2	4 5	4 5	1 3
542	~ -	-	-	-		-	-	-	-			-	1 -	_	=	-	-	 -
543	-	-	- !	-	-	-	-	-	-	-	1 -	-	1 -	_	1 -	÷-	-	-
550-553	91 64	1	-	-	3	_1	1 -	3 3	3 5	9 17	13 12	23 25	30 44	69 76	65 104	99 142	97 173	66 142
550	2 -	-		dro-	-	-	-	2	-	-	1 -	3 -	2 -	10 2	3 2	8 ~	2 4	3
551	67 61	-	-		-	-	-	1	1	5 6	2 7	9	9	14 33	16 29	17 43	18 58	10 35
10	8 <u>-</u>	-		_	- '	-	-	-		_	-	-	<u>-</u> ;	_	- 2	- 2	- 3	-
•1	26 21		-	-	 	-	_	-	200 Tes		-	_	1 2	- 2	_	-	2	
•2	-	-	-	-	-	-	2	-		- 1	<u>-</u> 2	1 -	1	1	4	4	1	2
•3	40	-	_	-	_	-	-	- 1	-	4 3	2 5	7 8	7 6	11 27	15 21	12 33	15 54	9 34
FB		-	12.	-	(-	-	-	-	-		-		1	<u></u>	- 1	_	-
F9.	1 1	-	-5°	_	<u>4</u> :	-	-	-	(<u>1</u> 1)	1	_	1 -	.e.: 1	1.2° 2	1 1	1 3		1 -
552	19	-	***		_	=	-	1	2	1 -	4 -	6 1	12 3	26 6	29 11	48 14	43 10	31 14
553	3 3	_	-	-	3	-	1 -	2	- 4	3 11	6 5	5 15	7 31	19 35	17 62	26 85	34 101	22 93
•0	-	-	-	-	_		-	- 1	- 3	3	1	1 7	1 12	6 17	5 27	13 51	13 63	11 54
•1	3	an 00	***	-	-	=	 	1	=	1 2	2	1 6	3 9	3 8	1 11	8	5 7	3 5
•2	-	-	-	-	1	-		=	_	1 4	1	1	1 3	2 6	2 12	2 9	5 4	9
•3	3 -	-	-	-	=		1 -	_	-	1 1	~	1	5	1 3	1 5	8	3 10	3 8
•8	-	1	-		2	-	-	_		1	1	1	1 2	4 -	4	3 3	9	9
•9	-	-	-	-	-	-	-	=	ī	-	1	-	1 -	3	3	6	8	8
560~569	66	4 2	3	4	15 7	5	13 14	19 20	33 30	43 53	57 43	83 76	144 161	183 219	209 318	228 402	181 407	153 391
560	35	. 2	2	6 -	_	4 2	4 5	5	8 6	16 9	11 7	18 18	41 35	57 49		73 101	66 115	
76	17	-	-	1 -	- i		-	_	1.	-	-	1	1	1 - 6	4	1 3	1 1	
•1	3	-	-	1 -	-	-	_	3	1	1 1	1	1 1 7	3 3 16	25	4	1 17	4	2 1
•2	6	2		-	-	1	3 2	1 1	1 2	6 6	3	10	13	24	19	26	24 24 4	15 28
• 3	1	-	-	-	-	-	1 -	- 2	1 -	-	1 4	1 1 9	4 3	2 3		7 8 46	14 37	5 8 33
•9	8	2			-	1	3	3 1 -	5 3 1	62	2	5	18 15	23 20 2		65	72	
561	15 11	~		-	1 -		-	1	_	1	2	-	3	2 2	21	13 32	15 26	45
562	- 1	٠.					-	1	2	3 3	11 7	23 24	46 63	62 87	65 124	67 176	58 165	40 146
563			. <u>-</u>		. 8	14	, 7	13 11		13 22	22 16	16 17	22 28	19 39	29	22 32	12 38	6 18
• (-		3	; 2	5		5 8		5 11	6 3	6 10	6	7 4	6	4 3	2	_
					-					I				1		1		

TABLE 17 (Numbers) - continued

									Age	at death							
ICD No.	Cause of death		433	Da;	ys		Weeks			Month	hs				Years		
			All ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
563	1 ulcerative colitis	MF	150 217	-	-	-	-	-	-	-	- 1	-	- 1	-	-	-	-
	9 other	MF	8	_	-	-	-	-	1 -	- 2	1 -	1 -	3 2	-	1 -	-	-
564	Functional disorders of intestines	M	9 21	_	-	-	-	-	-	-	-	-	Ī	-	-	-	-
565	Anal fissure and fistula	M F	2	-	-	-	-	~	-	-	-	-	-	-	-	-	-
566	Abscess of anal and rectal regions	M F	9 7	_	-	-	-	-	-	-	-	-	-		-	-	-
567	Peritonitis	M F	68 78	1	1 2	1 1	1 -	_ 1	2	- 1	-	-	5 7		-	-	Ξ
568	Peritoneal adhesions	M F	6 12	-	-	-	-	-	-	-	-	-	-	-	-	-	Ξ
569	Other diseases of intestines and peritoneum	M F	229 270	-	3 3	2 2	-	1	6 2	-	-	-	12 8	1	1 -	-	Ξ
570-577	Diseases of liver, gallbladder and pancreas	M F	1,570 2,040	-	-	1 -	1 -	-	2 1	-	-	4	4 5	1 4	5	1	2 2
570	Acute and subacute necrosis of liver	M F	26 77	Ξ.	-	-	-	-	-	-	-	-	-	-	-	-	-
571	Cirrhosis of liver	M F	750 712	_	-	-	-	-	1	-	-	2	3	3	3 -	-	2
572	Suppurative hepatitis and liver abscess	M F	24 10	-	-	-	-	-	=	-	-	-	-	-	1	-	=
573	Other diseases of liver	M F	90 91	-	-	1 -	-	_	2 -	-	-	2	3 2	1	2 -	1	Ξ
574	Cholelithiasis	M F	188 381	=	-	-	-	-	-	-	-	-	=	-	-	-	-
575	Cholecystitis and cholangitis, without mention of calculus	M	148 281	-	-	-	-	-	-	-	-	=	-	-	-	-	_
576	Other diseases of gallbladder and biliary ducts	M F	85 133	-	-	=	1 -	-	-	-	-	Ξ	1 -	Ξ	=	-	_
577	Diseases of pancreas	M F	259 355	-	-	-	-	-	-	-	-	-	-	-	-	_	1
	O acute pancreatitis	M F	215 325	-	=	-	-	_	-	-	-	-	-	-	-	-	1
	1 chronic pancreatitis	M F	34 22	-	-	-	-	-	-	-	-	-	-	-	-	-	Ξ
	9 other diseases of pancreas	M F	10	-	3	-	-	-		-	-	-	-	-	-	-	=
580-629	X. DISEASES OF GENITO- URINARY SYSTEM	M F	4,678 3,604	1 -	2	2 -	2	1	14	3	2 2	-	30 17	5 2	3 4	3 1	5 3
580-584	Nephritis and nephrosis	M F	1,348 1,120	_	-	-		_	1	2 2	1 -	-	7 3	4	1 2	-	2 2
580	Acute nephritis	M F	109 69	_	-	-	-	-	1	1 -	-	-	3	1 -	1	1 -	1
581	Nephrotic syndrome	M F	95 78	_	=	-	-	-	1 -	1 2	1 -	-	3 2	2 -	1 -	-	1
582	Chronic nephritis	M F	1,085 939	-	=	-	-	-	_	-	-		-	1 -	-	-	2
583	Nephritis, unqualified	M	47 21	=	-	-	-	_	1 -	Ξ.	-	-	1 -	-	1	-	Ξ.
584	Renal sclerosis, unqualified	M F	12 13	-	-	-	_	Ξ	-	-	-	-	-	1	2	2	3
590-599	Other diseases of urinary system	M F	1,702 2,331	1 -	. 2	-	. 4	: 1	7	1	1 2	-	22 14	2	2	í	1
590		M F	1,048 1,684	-	-	1 -	1	=	3	1	1	-	6	1	1	-	-
591		M F	66 53	-	_		. 1		1 -	1 -	1 -	-	4	-	-	-	1
592	ureter	M F	116	-					-	-	-	-	9	1	-	1	1
59	Other diseases of kidney and ureter	M F	264 228		. 1		. 2		5 3		-		6		1	-	-

TABLE 17 (Numbers) - continued

									Age	st death								
200									Ţ.	sarc								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	#3-##	48-49	50-54	55-59	60-64	65-69	70474	18419	90-94	85 and
563-1	- 1	-	- 2	1	6 2	9	2 2	8 3	9	8	15 13	10 7	16 23	12 35	22 40	18 27	5 25	5 14
•9	4 2	-	-	-	-	:	-	-	-	-	-	_	- 1	-	1 -	2	2 5	1 4
564	-	-	-	1 1	-	-	-	-	-	-	-	1	1	1 1	1 3	1 3	2 7	2 3
565	-	-	-	-	-	-	_	-	-	-	-	1 -	=	_	_	-	_	1 -
566	-	-	-	-	-	-	_	-	-	1 -	1	1	-	2	1 -	3 -	- 2	2
567	5 7	2	1 -	-	2	:	2	- 2	2 2	- 6	7 2	6 2	6	8 7	11 14	6 9	3 7	9 10
566	:	-	-	-	-	=	-	-	1	- 2	-	1 -	2 4	2	1	1	1	2
5.63	14		-	2 -	-	2 -	2 -	1	Ť	10 10	6 7	16 13	26 21	30 32	25 39	43 48	25 46	21 40
570-577	12 13	3 -	3 4	7 3	7 10	7 11	10 12	33 20	53 34	87 67	113 101	200 163	227 242	211 250	234 292	170 312	113 268	80 238
5*0	-	:	:	2	- 3	3	:	4 2	3	12	10	- 4	F 10	2	2 9	2 8	4	2 2
571	5	2	2	4 1	Ξ 4	2	d) d)	16	36 18	5.6 4.2	82 54	119	120 133	106 108	96	83 80	2" 4"	14
572	1	-	-	1	-	-	ī	2	2 -	:	-	50	6 2	2	ē -	:	2	1 -
573	6 4	-	2	ī	-	i	i	1	5	5	5	10	17	11 9	: 5	13	10 (2)	4
574	-	-	-	-	-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	No.	. 183	35	4 -	12	37 26	24 36	53	37	22	25
275	:	-	-	1	-] [-	-	- 2	3 -	2 2	16 11	15	20 20	52	25 50	<u>22</u> 52	16 84
576	1 -	-	-	:	-	:	-	2	2 -	3 -		10	12 12		:2 23	2-	132	10 26
577	1	-	-	2	2 3	1 3	3	10	12 5	14 5	13 18	34 24	37 36	36 61	41 53	25 56	21 53	8 26
-0	- 1	-	-	2	2 3	1 3	2 3	9	9 5	11 4	8	29 21	32 38	31 56	35 46	22 50	17 50	5 24
•:	:	-	-	:	-	-		=	3 -	3 1	4 2	4 -	3 -	4 5	6	3 5	3 2	1
• 5	:	-	-	-	-	-	1	1 -	-	-	1	1 3	2 -	1 -	1	1	1	2
580-629	46 27	13 9	12 8	27 15		35 29	41 39	56 44	74 92	121 104	167 153	277 201	370 305	490 410	618 487	827 548	690 558	770 552
580-584	15 7	10 5	7 2	19 10		27 16	34 23	42 21	49 41	74 43	105 65	163 79	150 102	160 155	130 143	164 147	79 120	
583	5 3	1	3	2 -			5	2	2 3		7	13 6	10	10	9	13 12	5	6
561	6 3	2		3 4			2	2 3	5		6	10 5	10	20 12		9	2	3
588	3 -		2	12	24 13	22	25 22	3 5	4.5 33	63 38	80 55	135 65	123 85	128	100	137	71	75 113
583	2 2	3	1 -	2 -			2	3 -	_		10 2	1	6 2	3	4.	3 2	2 4	-
584	:	-	-	-			***	-	-	-	2	2	1	1 -	2	2 3		1 4
590~386	30	3				7	7 12	16	25 36	51.	54 83	90 118	161 192	194	321	283 386	256 413	416
590	9 6		4			2 10	11			39	35 63	55 90	97 147	132		188 270	195	287
591	5		1			-	2 -	1	-	-	5	2	11 9	9	7	11 7	10	
590	2 1	1		-	. 1	-	=	2	3	6	8	13	15	14	27	10 12		
593	3 12		1	2		5 * 3	1	2 2	2	9 4	9 9	16	24	22	41 23	3.0 8.0	41	7.8 4.1

TABLE 17 (Numbers) - continued

									Age	at death	1						
ICD No.	Cause of death	Al	,	De	ıys		Weeks			Mont	hs				Years		
		age		0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
594	Calculus of other parts of urinary system	M	17	-	-		500 600	-		-	-	-	-	-	00 00	-	
595	Cystitis	M F	49 97	-	-	-	-	-	-	-	-	~	-	-		-	-
596	Other diseases of bladder	M F	46 29	-	-	-	-	-		-	-	-	- 1	-		1 -	-
597	Urethritis (non-venereal)	M F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
598	Stricture of urethra	M F	30	-	-	-	-	-	-	-		-	-	-	-	-	-
599	Other diseases of urinary tract	M F	96 120	=	1_	-	1	-	-	-	-	-	2	-	-	:	-
600-607	Diseases of male genital organs	м 1,	627	-	_	-	_	-	_	~	_	-	-	_	-	_	-
600	Hyperplasia of prostate	M 1,	580	_	_		-	-	-	-	-	_	-	-		-	_
601	Prostatitis	M	18	-			_		-	_	_	_	_	-	_	-	_
602	Other diseases of prostate		16	_	_	_	_	_	_	40		-	_			_	-
603	Hydrocele	м			_	_	_	_	_	_	_	_	_	_	_		_
604	Orchitis and epididymitis		3				_			_		_			_	_	_
605	Redundant prepuce and	м	_				_										_
606	phimosis Sterility, male	M	_	_		_	-		_			_		_	_		_
607	Other diseases of male																
-	genital organs	M	10	-	-	-	-	-	-			-	-		-		-
610-616	Diseases of breast, ovary, fallopian tube and parametrium	M F	1 47	~	-	1	-	-	-	₩ ₩	-	-	-		-	-	-
610	Chronic cystic disease of breast	M F	-	_	-	-	-		-	-	-	-	-	-	-	-	-
611	Other diseases of breast	M F	1	-	-	1 -	-	-	-	-	-	-	1 -	-	-	-	-
612	Acute salpingitis and oophoritis	F	2	-	-	-	-	-	-	-	-	-	•	-	-	7	-
613	Chronic salpingitis and oophoritis	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
614	Salpingitis and cophoritis, unqualified	F	12	-	-	-	46	-	-		-	-	-	-			-
615	Other diseases of ovary and fallopian tube	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
616	Diseases of parametrium and pelvic peritoneum (female)	F	29	-	-	_	_	_	_	-	~	_	-	_	-	-	-
620-629	other female genital	F	106	_	-	-	_	_	_			-	-	-	600		_
620		F	1	-	-		_	-	_	-	for	-	-	_		-	_
621	Other diseases of cervix	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
622	Infective diseases of uterus (except cervix), vagina and vulva	F	12	-	-	-	_	-	_	-	-	-	-	-	-	-	-
623	Uterovaginal prolapse	F	41	-	-	-	-	-	-	-	-	_	-	-	-		-
624	Malposition of uterus	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
625	Other diseases of uterus	F	35	-	_	-	-	-	-	-	-	-	-	-	-	-	-
626	Disorders of menstruation	F	6	-	-	-	-	-		-	-	-	-	-	_	-	-
627	Menopausal symptoms	F	-		-	-		-	-		-	-	-	-	-	-	
628		F	_	-	_	-	_	_	_	_		_	-	-	-	-	-
629																	
	genital organs	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Age a	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70~74	75-79	80-84	65 and over
594	-	_		_	-	-	-	-	-	-	-	2	-	5 1	2	4 1	2	2
595		`-	-	60 50	Ē	-	-	-	Ž.	, 1	- 1	2	6 8	2 8	7 14	7 17	11 20	13 26
596	1	-	_	-	-	-	-	1 -	2	_	- 2	2 2	3	2 3	11 5	8 8	9 8	7 3
597	1 -	_	_	-	-	-	100	-	-	-	-	-	-	_	_	-	1 -	-
598	_	-	-	_	-	_	-	-	_	_	1	1	-	2	7	7	E	4
599	2	-	_	_	1	-	-	_	-	-	. 1	_	5	5	14	16 21	21 31	31 39
	1	-	-	-	-	-	40	-	-	1	-	-	9	6	12			
600-607	-		-	-	1 -	1	••	-	-	-	8	24 23	59 57	136	235 230	380	355 342	428 41 9
600	_	~	-		1	_	_	-	_	ano.	-	1	1	4	-	1	6	4
602	_	1	***	-	-	-	-	-	-		~	-	-	2	3	3	4	4
603	-	_	-	-	**	-		-	~	-	~	60	-	-	-	00	-	-
604	-	-	-	-	~	-	**	-	-	-	-	-	40	N/A	1	1	1	~
605	_		_	-	-	-	on.	***	-	-	-	-	-	-	-	-	-	-
606	-		_	-	-	-	-	-	-	-	~	-	-	-	-	-	-	-
697	- T		:	-	=	1	-	-	-	-	2	-	Á.	1	1	1	2	1
610-616	1	L -	: :	-		2	1	2	7	2	1	1	3	6	5	4	10	3
610	, .			-	-	-	_	-	-	-	-	~	-	-	-	-	-	-
611		1 -	 	-	-	-	_		-	-	٠.	-	-	-	-	-	_	-
			-	-	-	-	-	_			_		_		_	_	_	44
612	2		-	-	-			1	1		_						1	
613				~			. ~	-	±		_	_		1		1	2	_
61				-	-		. 1	-	-5		1	-	-				1	
619	5	-					L -	-	1	-	44	-	-	-	_		1	-
61	6	-				. :	1 -	. 1	_	. 1	-	. 1	3	5	5	3	6	3
							_ 3		5 8	8 8	. 4	ı 3	8	12	18	11	15	9
620-62		~ .		- :								. 1				-	_	_
62		-		•	- 0		-						_			-	2	
62	1	-	- •				- *											
62	2			-	- :	1					. 1	1 -			. 4	}	5	
62	3	-		-		-	- :	1 :	1 1	1 :	. 1		. 4	: 5		6	5	_
62	- 1	-	-	-	-	-										3	,	. 1
62	- 1	-	-	-	1		- 2	2 2		5						-		
62		-			1		_			_						-		-
62 62		_		_		-				-						-		-
							_			1		- :	1. 1		- 1	. 2	2	5 -
62	29	-	100	-	•													

TABLE 17 (Numbers) - continued

								Age	at death	h						
ICD No.	Cause of death	A11	Day	s		Weeks			Mont	ths				Years		
		ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
630-678	PREGNANCY, CHILDBIRTH	F 200	-	-	-	-	-	-	-	-	-	-	-	_	-	
630-634	Complications of pregnancy	F 33	**	_	_	_	_	_	-	-	-	-	-	-	-	
630	Infections of genital tract during pregnancy	F -	_	_	_	_	_	_	_	_	_	_	_	_	_	
631		F 13	_	_	_	-	-	-	-	-	-	-	-	-	-	
632	Haemorrhage of pregnancy	F 4	-	-	~	-	~	-	-	-	~	-	-	-	-	
633	Anaemia of pregnancy	F -	-	-	-	~	**	-	-	-	-	-	-	-	-	
634	Other complications of pregnancy	F 16	_	-	-	-	_	-	_	_	-	_	-	_	_	
635-639	toxaemias of pregnancy	F 34	-	~	-	-		-	-	-	-	-	-	-	-	
635	arising during pregnancy	F 1	-		-	-	-	-	-	-	-	-	-	-	-	-
636	during pregnancy and the puerperium	F 3	-	-	-	-	-	-	-	-	-	-	-		-	-
637	Pre-eclampsia, eclampsia and toxaemia, unspecified	F 27	_	-	-	-	-	-	-	-	-	-	-	-	-	-
638	Hyperemesis gravidarum	F 1	-	-	~	-	-	-	~	-	-	-	-	-	-	-
639	Other toxaemias of pregnancy and the puerperium	F 2	-	-	-	-	-	-	-	-	-	-	-	-		
640-645	Abortion	F 50	-	-	-	-	-	-	••	-	-	-	-	-	-	
640	induced for medical indications	F 4	-	-	-	-	-	-	-	-	- }	-	-	-	-	
641	induced for other legal indications	F 1	_	-	-	_	_	-	-	_	_	_		-	_	
642	induced for other reasons	F 22	-	-	-	-	-	-	-	-	-	-	-	~	-	-
643	Spontaneous	F 12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
644	not specified as induced or spontaneous	F 10	-	_	-	_	_	-	_	_	_	_	_	-	_	-
645	Other abortion	F 1	_	-	-	-	-	-	-	-	-	-	-	-	-	-
650-662	Delivery	F 41	-	-	~	-	-	-	-	-	-	-	~	-	**	-
650	without mention of complication	F 2	_	-	-	_	-	-		-	_	_	-	-		
651	complicated by placenta praevia or antepartum haemorrhage	F 7	-	-	-	-	_	-	-	_	-	_	_	_	-	_
652	complicated by retained placenta	F 3	_		_	_	- :		_	_	_	_	_	_	_	_
653	complicated by other postpartum haemorrhage	F 5	-	_	-	-	-	-	-	_	-	•	-	-	~	_
654	complicated by abnormality of bony pelvis	F 2	_	-	-	_	-	-	_	-	-	_	_	_	-	-
655	complicated by foetopelvic disproportion	F 4	_	_	_	_	~	_	_	_	-	_	_	_	-	_
656	complicated by malpresentation of foetus	F 4	_	_	_	_	_	_	_	_	_	_	_	~	_	_
657	complicated by prolonged	F 6	~~	_	_	_	_	_	_	_	_		_	_	_	_
658	with laceration of perineum, without mention of other laceration	F -	-	_	-			_	_	-	_	_	-			
659	with rupture of uterus	F 1	_	_	_	_	_		_	-	-	-	_	_	_	_
660	3	F -							_	_		_				
661		F 4	_	_	_	_		_	_	_	_	_	_	_	_	
662	Anaesthetic death in															
	uncomplicated delivery	F 3	-	-	-	-	-	~	-	_	-	-	-	-	-	-

TABLE 17 (Numbers) - continued

ICD No.										at death								
									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
630-678	-	-	-	8	38	54	44	36	17	3	-	-	~	~	-	_	-	
630-634	-	-	-	2	8	6	4	8	3	2	-	~	-	-	-	-	-	
630	-	-	-	-	3	3	- 4	- 2	1		-	-	-	-	-	-	_	-
632	-	-	-	-	-	2	*	2	-	tus	-	-	-	-	-	-	-	-
633		-	-	-	-	-	-	-	~	-	. •	-	-	-	***	-	-	-
634	-	•	-	2	5	1	~	4	2	2	-	•	~	-	40	-	-	-
635-639	_	_	-	2	6	11	5	6	4	-	-	-		_	-	-	-	-
																_	_	
635	-	-	-	-	-	1	~	-	-	-	-	-	-		-			
636	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
637	-		-	2	4	8	5	5	3	-	-	-	-	-	-	-	-	-
638	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
639	-	-		-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-645	-	•		1	16	10	12	9	2	-	-	an	-	-	-	-	-	-
640	-			-	-	1	1	2	-	-	-	-	•	-	-	-	-	-
641	-		-	1	-		-	-	-	-	**	-	-	-	-	-	-	-
642 643	-		 	-	9		5 3	3		i	-	_	_	-	-		-	-
644				_	3		2	1	_	-	-	۰.	-	_	-		-	-
645	-			-			1	-	-	-	~	-	-	-	**	-		-
650-662	-			-		16	12	7	4	-	-	-	-	-	-		***	
650	-			-		1	-	1	~	-	-	-	-	-	_	. =	-	-
651	-			_		- 3	, 1	2	1		-		-	-	-	-	-	-
652	-	,		-		- 2		1	-	-	~	-	-	-	-	-	-	-
653						- 3	3 2	-			es	-	-	-	-	-	400	-
654				. -		- 2	2 -	-		. -	~	**	-	-	-	-	-	-
655						1 1	. 1	1			-	-	-	-	-	-	-	-
656							. 1	-	. :	3 -	-	~	-	-	-	-	-	-
657						_ 1	1 4	1			-	-	-		_	-	-	-
										_			~			_		
658 659							- 1			_	-	-	-		-	-		-
660			_		-	-				-	-	-	-	-		-		-
661		-		-	-	1	3 -				-	-	-	-		-		-
662	2	-	-	-	-	-	-, 2	: :	1	- -		_	-		-	-		-

								Age	at death	1						
ICD No.	Cause of death	A11	Day	78		Weeks			Mont	hs				Years		
		ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
670-678	Complications of the puerperium	F 42	-	-	-	-	-	-	and and	-	-	-	-	-	-	-
670	Sepsis of childbirth and the puerperium	F 6	-	-	-	-	-	_	-	-	-	_	-	-	-	-
671	Puerperal phlebitis and thrombosis	F 13	-	-	-	-	~	-	-	-	-	-	-	-	-	-
672	Pyrexia of unknown origin during the puerperium	F -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
673	Puerperal pulmonary embolism	F 15	-	-	-	-	_	-	-	-	-	-	-	-	-	-
674	Cerebral haemorrhage in the puerperium	F 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
675	Puerperal blood dyscrasias	F 1	-	-	-	-	-	-	-	~	-	-	-	-	-	-
676	Anaemia of puerperium	F -	-	-	-	-	-	-	-	••	-	-	-	-	-	-
677	Other and unspecified complications of the puerperium	F 2	-	-	-	-	-	-	-	-	-	-	-	-	_	-
678	Mastitis and other disorders of lactation	F 1	_	-	_	_	_	-	-	~	-	_	-	-	-	-
680-709		M 115 F 236		Ξ	=	ī	1 -	2	5 3	1 -	1	8	2 ~	-	-	-
680-686	Infections of skin and subcutaneous tissue	M 44 F 83		-	-	ĩ	· -	- 2	ī	-	1 -	1 4	2 -	-	-	-
680	Boil and carbuncle	M 5		:	-	Ī	-	-	-	-	-	-	-	-	-	-
681	Cellulitis of finger and toe	M -		=	-	-	-	-	Ξ	-	-	-	-	-	-	-
682	Other cellulitis and abscess	M 34 F 64		-	-	=	· <u>-</u>	- 1	ī	2	1 -	1 1	1 -	-	-	_
683	Acute lymphadenitis	M 1 1		-	-	-	-		-	-	-	1	-	-	-	_
684	Impetigo	M -	-	-	-	Ī	-	-	-	-	-	-	-	-	-	_
685	Pilonidal cyst	M 1 2	-	-	-	-	-	_	-	-	-	_	-	-	-	_
686	Other local infections of skin and subcutaneous tissue	M 3		Ξ	1	- 1	· I	-	ĩ	~	-	2	1 -	-	-	-
690-698	Other inflammatory conditions of skin and subcutaneous tissue	M 41 F 58		-	=	Ĩ.	1 -	-	5 2	1 -	-	7 2	-	=	-	Ξ
690	Seborrhoeic dermatitis	M F	-	-	-	-	-	-	Ī	-	-	-	-	-	-	-
691	Infantile eczema and related conditions	M I		-	-	-	-	-	-		-	-	-	-	-	-
692	Other eczema and dermatitis	M 12		-	-	-	-	=	5 2	1	-	6 2	-	-	-	-
693	Dermatitis herpetiformis	M 1		-	-	-	-	=	Ξ	-	-	-	-	-	-	-
694	Pemphigus	M 9 23		1	-	-	-	-	-	-	-	=	:	-	-	-
695	Erythematous conditions	M 15		2	-	-	1 -	=	-	-	-	1 -	-	-	-	-
696	Psoriasis and similar disorders	M S		=	-	-	-	-	-	-	-	-	-	-	-	-
697	Lichen	M F		-	-	-	-	-	-	-	-	=	-	-	-	-
698	Pruritis and related conditions	M F		_	-	-	-	-	-	-	-	=	-	-	-	-
700-709		M 30 F 9:		-	-	-	-	1 :	-	-	-	:	-	-	-	-
700		M F	i i	=	-	-	-	-	-	-	-	-	-	-	-	-
701	Other hypertrophic and atrophic conditions of skin	M F	-	:	-	-	Ξ	-	-	:	=	:	Ξ	=	-	-

-									Age :	st desto								
173 56.									3	* * * * *								
	C-4	6-9	15-14	15-19	20-24	25-23	30+34	36-39	+1-4+	¥8-×8	80-84	85-89	€ C – €-±	\$5-50	70-74	15470	30-14	4 8 8 0 0 0 0 8 0
670-673	-		-	3	÷	11	1.1	ę	4	1	-	-	-	-		-	-	-
671		-	-	:	2	:	Ė	12	-	-	-	-	-	-	-	-	-	-
671	-	-	₹.,	-	** **	4	3	7	[3		-	-	*	-	-	-	-	-
672	-	-	9	-	t 4	-	-	-	-	-	-	-	<u>-</u> -	-	-	-	espe	-
673	-	-	\$ \$	_	2	3	5	2		, 4	-	-	<i>-</i>	-	-	-	-	-
574	-	-	, *		į. Ši	1	2	-	* * 	7	-	-	7	-	-	-	-	40.
575	-	-	-	-		1	-	-	66	-	-	-	· ·	-	-	-	_	
676		-	į.	-	.4										_			_
677	-	-	[=	1	Ş	1	-	-	<u> </u>	-	-	-	_	-				
616	l.	-		1		1 1	- Fac	- -		1 10	1 3	(a)			19	18	12	11
680-709	10	1		=	3	1	1	3	13		13	92				34	47	
680-686	3 4			:	3	1	Ę	4.		i	diam'	1	3		12	15	13	15
580	-			=	5	-	-	-] :	-	-	-	-	1	1 -	-	1
2.2.2	1 :		· (E	-	484	-	-	-		-	-	-				-	-	
888	1 3			-		1	ī	3 -	-	1 2		r =	1	101	5	1.3	22	3 12
983				1 :		-	-	-	-	- a -	-	-	÷.	. 1 - 2	1 -	-	-	-
584			<u> </u>	1		-	-	-	-	. * <u>-</u> - 5, -	-	-	1	1 - 1	_		1	
888	5		- \{\frac{1}{2}}	1 :			- -	Ī		. () . . (-	-	-	<u>.</u> 2		-	-		
88	8	-) 	-	· ÷		-	-				-	-					1 2
690-69	8	7 2	- i -		: 16							(4		2, 4				3 3
53		_					-			- 8					-			
33		-	- :	1	-					- 1		-		-				
***		- 6								- (<u> </u>				: :		1 1
68		2	_	- 1		- / - / - / - /			_]	-	- :					-	
23	- 1	-		÷ '		¥.					-	1				2	1 :	2 2 7 5
	9.5	1				10	_		2			3	1			3	3	1 2
	96	-	-	zi.		전 - -	_		-	4			1		1	2	- I	
	эт	-		-	_	₹/ 	-	•	-) 숙	-						-	
	96	-	-		_		-		-		-	-	-	Ter .		-	-	
700-7		*	-			-		1			-	£	÷ (8	3	#/ #/	9 1	8 .5 2	6 4 15 33
	00	-	-	-	-	-	-	-	-	-	-	-	-			-	-	
	101	-	-	-	-	-	-	-	-		-	-	-	ī.	-	-	-	
		*	-	7	-					es.				,				

TABLE 17 (Numbers) - continued

						,			Age	at death	1						
ICD No.	Cause of death		A11	Day	S		Weeks			Mont	ths			2	<i>l</i> ears		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
702	Other dermatoses	M F	ī	-	-	-	-	-	-	-	-	-	-	-	-	-	-
703	Diseases of nail	M F	-	-	_	-	-	-	-	-	-	_	-	-	-	-	-
704	Diseases of hair and hair follicles	M F	-	-	_	-	-	-	-	-	-	-	-	į	-	-	-
705	Diseases of sweat glands	M F	-	- -	-	-	-	-	-	-	-	-	-	-	-	-	-
706	Diseases of sebaceous glands	M F	-	-	-	_	- ~	-	-	-	-	-	-	-	-	=	-
707	Chronic ulcer of skin	M F	27 90	-	-	-	-	-	-	-	-	-	-	-	-	-	-
708	Urticaria	M F	3 4	Ī	-	-	-	-	-	-		-	-	-	-	-	-
709	Other diseases of skin	M F	-	-	-	-	-	-	-	_	-	-	-	-	<u>.</u>	-	_
710-738	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	M F	663 1,661	Ξ	ī	-	-	-	-	-	:	-	ī	Ξ	ī	-	ī
710-718	Arthritis and rheumatism, except rheumatic fever	M	410 1,106	-	-	-	-	-	-		-	-	-	-	-		-
710	Acute arthritis due to pyogenic organisms	M F	10 10	-	-	-	_	-	=	Ī	-	-	-	-	-	-	-
711	Acute non-pyogenic arthritis	M F	-	-	-	-	Ī	-	Ξ	-	-	-	-	-	-		-
712	Rheumatoid arthritis and allied conditions	M F	261 745		-	-	Ī	-	-	:	-	-	-	-	-		:
713	Osteo-arthritis and allied conditions	M F	107 286	-	-	-	-	-	-	Ī	-	-	-	-	:	-	-
714	Other specified forms of arthritis	M F	3	~	-	-	-	-	-	Ī	-	-	-	-	-	-	-
715	Arthritis, unspecified	M F	17 35	-	-	-	_	-	-	-	-	-	-	-	-	-	-
716	Polymyositis and dermatomyositis	M F	10 17	-	-	-	Ξ	-	-	-	-	-	-	-	-	-	:
717	Other non-articular rheumatism	M F	5 3	-	-	-	-	-	-	-	-	-	:	-	-	-	-
718	Rheumatism, unspecified	MF	7	-	-	-	Ī	-	-	-	-	-	Ī	-	-	-	-
720-729	Osteomyelitis and other diseases of bone and joint	M	134 283	-	1	-	-	-		-	2	-	ĩ	-	-	-	
720	Osteomyelitis and periostitis	M F	17 19	-	1	-	-	-	Ī	Ī	-	-	- 1	-	~	Ξ	:
721	Osteitis deformans	M F	61 88	Ī	-	-	-	-	-	_	-	-	-	-	-	-	-
722	Osteochondrosis	M F	-		-	-	-	-	-	-	-	-	-	-	-	-	-
723	Other diseases of bone	M F	40 156	Ξ	-	-	-	-	-	-	-	-	-	Ī	-	-	-
724	Internal derangement of joint	M F	ī	-	-	_	-	-	-	-	-	-	-	-	:	-	-
	Displacement of intervertebral disc	M F	10 6	-	-	-	-	-	-	-	-	-	-	-	:	-	-
	Affection of sacro-iliac joint	M F	-	-	-	-	-	-	=	-	-	-	:	-	:	:	-
	Ankylosis of joint	M F	-	-	-	-	-	-	Ξ	-	-	-	-	2	-	-	-
	Vertebrogenic pain syndromes	M F	1	=	-	-	-	-	-	-	-	-	-	-	-	-	=
	Other diseases of joint	M F	12	-	-	-	-	-	-	=	-	-	=	-	-	-	-
	Other diseases of musculoskeletal system	M F	119 272	-	-	-	-	-	-	=	-	-	-	-	ī	-	ī
730	Bunion	M F	ī	-	-	-	-	-	-	-	-	-	-	-	:	-	-

									Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
702	-		-	-	-	-	-	-	æ ;		-	-	20	Ī	= =	-	-	Ī
703	1	-		-	-	-	-	-	21		-	-	<u> 5</u> 8	-	34	Ē	=	-
7.04	F	-	,	-	é.			Ī	F	-	_	-	F	-	50	-	1.2	-
7.05	1		: :	-		-	-	-	.¥ ≃	-	- -	-	5.	-	-/- -/-	-	-	-
706	î.	- :		:	<u>.</u>	=	-	-	4) #/	-	-	-	# -4	-	₹.	<u> </u>	Ξ	-
707			: :	:	: :	-	-	-	1	-	-	2	3 3	2	6 9	8 15	6 25	4 3 3
708					-	-	1 -	-	2 -	1	1	2	-	-	-	-	-	-
7.09		-	<u>.</u> 5			1 :	-	_	.3	-	-	-	- -	_		_	-	
710-738			1 3		2 5 7 8	2 16	6 14	11 22		21 41	35 50	62 83	87 134	93 189	98 245	77 267	86 262	65 290
						-	3	6	1	10	24	38	57	69	65	53	54	29 201
710-718		-	1 2			3	1	7		14	33	5 5	95 3	131	185	186 1 2	186	3
710	1	-				-	-	-		1 -	-	-	-	3 -	1 ਵ	-	-	-
7/11		-	- 7		_	-	- 1	5			22 26	27	39 39	54	47 149	28 125	22 102	7
712		-	- :		_	2		4	. 5	2	_	6	13	103	10 27	19 47	25 71	
713	-	-		_		-	-	1		-	5	6	8 -	-	ے۔ 1	- 1	- 1	_
77.1.4	1	-			-		- 	-			-	2	2 2	1	4 4	3 8	5 8	1
719		-	-		- '				. :	-	1	1	- 3	2	1 2	2	1	-
710 7:10	r i	-	1	2	-		. 1				1	-	9	-	2	2	-	1 2
71	-	-				-	-	•		-	-	_		-	4	_	- 3	4
720-72		-	-	-		2			2	1 1		5 5	14	10	19	19 52		31 79
72		1	-	-	ma .	1	 		1	1 -		1 2		1	3	- 3	1	1 1
. 72		1	-	-	-	1	 		_				1 6	5		12 20	17 18	17 3 23
72		-	-	-	-	-	- ·		-	- :		- -	-	-	-	-		
72		-	-	-	-	a	_		1	-	-	- 2 1 3	3 2	2 9	6 21	6 28		
72		-	-	-	-	-	-		-	-	-	- 1 -	-	-		-		: :
	25	-	~	-	_	-	-				1 :	2 1	3	1		-		1 1
		-	-	-	-	3.	1		-		-		. <u>.</u>					
	- 1	-	-	-			-		-	2	-	_ :			. ±			
7:	28	-	-	-	-	-	-	-	-	-	-	: :		-	- 1	1	1	
7	29	-	-	-	-	-	-	-	-	-	-	_ :	2	1 2				ī ī
730-7	38	-	1 3	2	2 7	1	2 13. 1	3	3 14	7 1		7 1:	9 10	5 14 4 35		2	5 9 1	6 5 3 10
0	30	2	-					-	-	-	-	-	- :	:			-	ī -
		-	-															

TABLE 17 (Numbers) - continued

									Age	at death	1						
ICD No.	Cause of death		All	Day	7.5		Weeks			Mont	hs			Y	ears		
			ages	0	1-6	:	2	3	1-2	3-5	6-8	9-11	3	1	2	3	4
731	Synovitis, bursitis and tenesynovitis	M F	1 -	-	-	1	-	-	:	-	-	-	=	-	-	-	-
732	Infective myositis and other inflammatory dis- eases of tendon and fascia	H F	ī	-	-	-	-	-	1	-	-	-	:	-	-	-	1
733	Other diseases of muscle, tendon and fascia	X	33 38	-	-	:	-	-	:	-	-	-		-	- 1	-	-
734	Diffuse diseases of connective tissue	X F	58 206	-	-	-	-	-	1	-	-		-	-	-	-	-
735	Curvature of spine	X F	23 26	-	-	2	-	-	:	-	-	-	-	-	-	-	-
736	Flat foot	y. F	-	-	-	-	-	-	:	-	-	-	-	-	-	2	
737	Hallux valgus and varus	X F	=	-	-	:	-	-	:	-	-	-	-	-		-	-
738	Other deformities	N. F	4 -	-	-	-	-	-	-	-	-	-	-	~	-	-	-
740-759	XIV. CONGENITAL ANOMALIES	M F	2,540	433 339	375 312	174 135	107 82	58 71	273 211	157 159	81 76	51 43	1,709 1,428	95 82	53 51	36 30	27 18
740	Anencephalus	M F	78 109	49 92	27 25	1 1	1 -	-	-	-	-	-	76 109	-	-	-	:
741	Spina bifida	Y. F	253 337	38 49	39 45	21	25	10	37 45	23 39	11	12 5	205 278	13 16	9	6	5 4
	0 with spirocephalus	M. F	169 239	20 3E	28 31	14 20	14 to 00	5 12	28	2=	6 6	03 (0)	135 199	9	7 12	4 2	5 4
	9 without mention of hydrocephalus	M F	84 98	16 14	14	17	12	5 5	9 11	2 2	3 4	3 -	70 79	4 5	1 3	2 4	1
742	Congenital hydrocephalus	M F	97 78	20 25	6 6	-	:	2	9	5 7	7 4	2	52 54	10	7 4	3 3	2 2
743	Other congenital anomalies of nervous system	MP	88 121	9 24	9 19	N 6	0.0	3 6	7 9	7 4	1 3	4 2	4 8 79	3 3	7 6	1 2	3
	C encephalocele	M	23 48	2 16	12	80 10	- 4	1 3	3 4	3 1	-	-	20 4 5	-	2	_	-
	1 microcephalus	M. F	28 32	5 3	1 4		3 1	1 2	1 2	2	2	2	15 17	3 2	4 3	_	1
	2 other specified anomalies of train	M P	23 23	2 2	1 1	-	1 1	1 -	1 3	1	:	2	10	1	1 -	_	-
	3 other specified anomalies of spinal cord	M	2	-	- 1	-	-	-	-	-	-	-	-	-	-	-	-
	4 neurofibromatosis	M P	4 8	-	-	-	ī	-	-	-	-	-	1	-	-	1	Ī
	8 other anomalies of nervous system	F	2	-	-	-	-	-	-	_	-	-	Ī	-	-	2	-
	9 unspecified anomalies of brain, spinal cord and nervous system	M F	10 10	- 3	2	-	-	- 1	2 -	1	-	=	3 7	-	1	1 -	2
744	Congenital anomalies of eye	M F	1 -	-	Ξ	Ξ	:	-	-		-	2	1 -	-	-	_	Ξ
745	Congenital anomalies of ear, face and neck	MF	1 2	1 -	-	-	-	-	-	-	- :	-	2	-	-	_	-
746	Congenital anomalies of heart	M F	986 824	64 41	179 125	75 41	38 24	23 25	126 100	89 76	4 0 36	14 20	548 488	38 33	19	17 13	12
	O common truncus	₩ ₹	27 21	4 -	10	1 2	2 2	:	4 2	2	1	1 -	25 15	1 2	-	- 2	Ξ
	1 transposition of great vessels	M F	114 68	9 7	27 9	14 7	9 3	5 4	13 12	12 6	6	3 -	98 52	4 7	3 2	1	1 2
	2 tetralogy of Fallot	M F	77 90	1	4 2	2	3 3	1 4	5 73	5 6	3	1 4	22 30	7	6 5	6 2	4 2
	3 ventricular septal defect	M F	194 163	14 6	30 25	16 8	5 1	6	19 30	19 17	10 10	2	121 102	7 4	5 3	1 4	4
	4 atrial septal defect	M F	111 126	9 7	14 10	5	4 2	1 2	15 11	6	6 2	1 2	61 43	1 3	- 2	2	-
	5 ostium atrioventriculare	M. F	17 9	1 -	6 3	1 -	2	-	2 2	3	1 -	1	16 7	1 1	-	- 1	-
	6 anomalies of heart valves	M F	145 79	1 5	21	2 3	1 4	5 2	21 2	6 3	4 2	1 2	€2 32	4 3	1 2	2	1 2

									Age	at death								
ICD No.									Y	ears			·					
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
731	-	-	-	-	-	=	-	-	-	-	-	=	-	_	-	_	-	1 -
732	_ 1	-	-	=	-	-	-	Ξ	-	_	=	-	-	-	-	-	-	-
733	- 1	-	- 7	1 1	_	2	- 1	- 2	1 2	2 2	1	2	9	4	6	1	3	1 3
734	-	1 2	-	- 5	2 6	12	1 11	2 12	4 16	5 24	6 14	13 19	6 21	6 6 29	3 6 13	5 2 17	3 3	1 2
73 5	-	- 1	2	1 1	_	-	1 1	1 -	2	2	-	4	1	4 4	2	1 7	- 5	2 5
736	-	-	-	-	-	=	-	=	-		Ξ	_	-	-	-		-	-
737		-	-	-	-	-	-	-	_	_	-	_	-	-	-	-	- -	-
738	-	-	-	-	1 -	-	1 -	-	-	1 -	_	-	-	-	-	1 -	-	-
740-759	1,920 1,609	92 75	47 36	49 46	40 29	21 13	23 21	25 27	36 35	37 47	33 48	51 45	55 45	41 46	30 35	22 25	10 16	8 14
740	78 109	-	-	=	-	-	-	-	=	-	-	- ~	-	-	-	-	-	-
741	237 319	10 8	2	1 1	1 -	-	2 -	Ξ	-	-	-	- 1	Ξ	1	Ξ	1	-	Ξ.
•0	160 228	8 5	1 4	- 1	-	-	-	-	Ī	-	-	_	-	=	-	1	-	-
•9	77 91	2	1 2	1 -	1 -	-	2	-	-	-	-	1	-	1	-	-	-	-
742	74 69	7 2	7	3 1	2 -	1 -	1 2	2	-	1	1 -	1 -	-	-	-	=	-	-
743	62 91	10 5	1	1 3	3 4	1	2	2	3	1 1	2 3	-	2	1 1	1	2 2	-	-
•0	22 48	1 -	-	=	-	-	-	_	-	-	_	-	-	=			-	-
*1	23 24	5 3	1	2	-	-	-	-	=	-	1	-	-	-	_	1	-	-
•2	11 10	3 2	2 -	1	3	=	1	=	1	1 1	2	=	1		1	_		Ξ
•3	=	-	-	-		=	Ξ.		=		-	-	-	1	-	- 2	-	Ξ
•4	1	=	-	-	1 -	1	-	1	2	-	-	-	1	1	-	1	-	-
•8		- 1	-	1	-	=	1	=	1	-		-	-			_	_	_
•9	6 8	-	-	_	1	=	-	1	-	_	-	-	-	-	-	-	-	-
744	1 -	-	-	-	-	-	Ī	-	-	-	-	-	-	=	-	_	-	-
74 5	1 2	-	-	=	-	-	-	-	=	_	-	-	-	-	-	_	-	=
746	734 562	47 50	22 21	24 23	21 17	8 7	13 12	8	10 14	12 17	11 10	18 16	22 15	18 20	7 14	5 10	3 5	3 5
•0	19	1	-	_	-	-	_	-	Ξ	-	-	1	1	-	-	_	-	-
•1	107 63	3	3 -	1	-	1	1 -	-	=	-	-	1 -	=	-		-	-	~
•2	45 43	18 25	7	3 5	6 3	1	1	1 -	-	2	1	1	1	-	-	-	=	-
•3	114	10 11	5 3	5 5	7 3		3 4	3 4	2 2		1	2 3	5 2	7 5	1	2	-	2
•4	64 49	6 3	1 4	8 4	6		2 3	2 2	4	2 4	3 5	6 7	7 5	3 14	9	3	1	1
•5	9	-	-	-	Ξ,	-	-	-	-	-	-	7	- - 7	7	- -	- 5	-	1
•6	70 40	3 -	5 5	5 3	4 4	5 -	5 2	-	2	5 4	6 2	7 3	7 3	7 1	3	5 4	3	-

TABLE 17 (Numbers) - continued

								Age	at death	1						
I:D	Cause of death			leys		Weeks			Mont	ins			,	Tears		
No.		All ages	0	1-6	:	2	3	1-2	3-5	6-6	9-11	c	1	2	3	4
746	7 fibroelastosis cordis		0 -	1 2	1 -	1 1	-	6 7	14 12	5 6	: 2	29 31	4 2	1 1	-	1
	8 other specified anomalies of heart		3 5 8 5		9 4	2 2	- 3	5 2	5	1 2	-	43	2 2	2 2	2	- 2
	9 unspecified anomalies of heart	M 19			24 10	9	5	36 29	17 21	6	4	171 134	7 5	1 2	3 1	1
747	Other congenital anomalies of circulatory system	M 17		20 19	20 13	16 7	4 6	25 11	9	7 6	2	114	3 6	5 -	3 2	1 -
	O patent ductus arteriosus		9 5	7 3	7 4	4 2	2 2	6 5	3	2	-	36 25	1 2	-	- 1	-
	1 coarctation of aorta		8 4 2	6 5	8 4	2	2 3	11	2	_	-	35 16	1 2	2	-	_
	. 2 other anomalies of acrts		2 - 1	6 2	1 1	-	-	1	- 2	-	-	7	1	1 -	-	-
	.3 stenosis or atresia of pulmonary artery	H 2 F 2	1 2 -	8	1 1	2 -	ī	1 2	2 3	3 -	-	11 15	1	1	2	-
	4 anomalies of great veins		2 -	-	1 1	5	-	3	-	2 -	1	12 2	-	-	-	_
	5 absence or hypoplasia of umbilical artery	M F		:	-	-	-	-	-	-	-	-	-	-	-	-
	5 other anomalies of peripheral vascular system		8 - 5 -	-	2	1		2	1 -	-	1	6 4	-	1 -	1	-
		M 1		1	1	2 2	-	2	1 -	3	1	7 8	Ī	1	Ī	2 -
	9 unspecified anomalies of circulatory system	M F	2 -	-	-	-	-	-	-	-	-	-	-	-	-	-
748	Congenital anomalies of respiratory system	м 9 F 6		H) H)	=	- 1	1	2 4	5 2	2	1 1	55 31	1 2	1	1 2	1
	4 congenital cystic lung	M 3		-	-	-	-	1 -	2	2	-	7 4	1	-	1 1	<u>-</u> 1
749	Cleft palate and cleft		7 3	1 -	-	-	-	2 -	-	-	-	6	1 -	-	-	-
750	Other congenital anomalies of upper alimentary tract	M 7	4 4 3	22 20	14 9	2	2 -	13	2	2	3 -	64 37	1 1	1 1	-	1 -
	O anomalies of tongue	y. ?	1 1	-	:	-	-	-	-	-		1	~	-	-	-
			9 -	-	-	-	-	8 -	1 -	-	-	9	-	-	-	Ī
		M 5		21 20	12 9	2 3	2 -	4 -	1 2	2	3 ;	50 36	ī	1	Ξ	1
	8 other specified anomalies of upper alimentary tract		8 -	1 -	1 -	-	-	-	-	Ξ	=	2 -	Ī	-	=	-
	9 unspecified anomalies of upper alimentary tract		4 1	-	1 -	-	-	1	-	-	-	3 -	1	-	-	Ī
751	Other congenital anomalies of digestive system	M 14 F 10		21 17	18 17	13	6 7	19	6	4 3	6	101 76	11 8	2 5	2	_
	O Meckel's diverticulum	M 1	7 -	1 -	-	1 -	-	- 1	-	-	-	2	-	1	1	-
		M 3		8	7 6	5 4	2	(1) (2)	2 -	-	- :	29 25	-	-	-	-
	2 atresia and stenosis of rectum and anal canal		B 4 6 1	4 2	3 -	1	-	3 1	-	1 -	=	16 5	1	-	-	-
	3 Hirschsprung's disease	M 2 F 2		1 2	10 10	3 -	2 2	<u>4</u> 2	1 N	-	1 2	17 15	2 -	-	-	-
	fixation	7	6 - 7 -	1 -	1	-	2	-	-	-	-	3 2	-	1	-	-
		M 2 F 1		6	3 5	3 1	1 3	5	1 -	-	-	21 15	2 -	1 -	1 -	-
	© anomalies of gallbladder, bile ducts and liver	M 2 2		-	=	-	1 -	1	2	3 3	5 2	11 10	6 7	3	1 -	-
	7 anomalies of pancreas		: :		-	-	-	-	-	-	-	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Les 1	et seatr								
575 No.									7									
į	ŭ−4	5-9	10-14	15-19	20-24	25-29	30-34	36-39	4:4	45-45	85-84	=====	81-84	85-89	10-14		27-1-	3 ° 3 ° 5 ° 5 ° 6 ° 6 ° 6 ° 6 ° 6 ° 6 ° 6 ° 6
746.7	35	- 4	-	-	-	-	-	1	-	i	-	-	2 -	-	-	-	-	1
-6	42	2:	1	- - -	2	1 -	=	1	* * * * * * * * * * * * * * * * * * * *	:	-	= = =	- 2	-	1	-		:
.9	163	4 2	3 2	1	-	1	1	-	1 3	5 5	1 -	1	1 1	-	1	-	-	
-4-	126	CH EN	2 5	: :0	E 3	4	:	= = =	<u>4</u> E	2 4	1	\$	18 N	1	-	1	-	-
•0	3T 28	-	1	2	-	2	-	-	1		- :	- 2	ī	Ē	-	=	-	-
-1	36 20	2	1 1	4 -	2	2	:	7	=	3	:	:	N N	ī	-	-	-	-
-2		-	-	2	-	1		:	1	-		1. 5.	-	-	1	-	-	-
.3	25	2 2	-	2 2	:	:	Ī	2	-	=	-	-	2	-	2	-	-	-
- 4	12 12	=		1 :	1	-	-	-	-	:		=	-	-	1	-	-	-
• •	-	-	-	:	:	-	-	-	-	-	-	-	-	-	-	-	-	-
- 6	9 4		1	1 3	-	1	-	:	14.41	Ē	-	-	-	N. t.	2	2	-	*
-6	1 =		: 1	1	2	2 -		:		i	Ī	2 -	2	-	-	-	-	-
• 5	1			١.	_		-	_	-	-	-	-	:	1	-		-	
748	55			2		-	-	2	:	2	1 11	4	N de	2 3		1	ī	1
- 4	34		3 1	2	:		-	2	± 2	2		£	e :		*	1	-	1
749				-	-	-	-	-	-	-	-	-	-	1	-	-	-	:
(75)					_		-	-	:	-	1	-	-	3	Ė	=	Ė	2
	3				-	4 -		-	-		1	:	-	1	1	-	=	-
	1	=	-		-		<u>-</u>	-	-	: :	-	Ī	-	-	-	1	-	-
	2 5	2				: :	. <u>-</u>		-	:	-	<u> </u>	-	-	-	1	-	Ī
		2				. .							-	2	1	1		2 4
			-	-	- ,	•			•			<u>-</u>			-	_		<u> </u>
•	- 3	*													2			
7.5	1				-] :					•		-	. :			
		3	~	-	-					- '				- 2	-			
		29		- 1				- '		-								
		€		-		-		-		-		•						
	ì	16	-				_	-	- 1									
	- 1	3 3	-	1	1	-	-	-	-									
		25 15	-	-	1	-												: :
	•6	2C 2E	-	-	-	:												
	-7	-	-	1	-	-	-	-		-	-	-	-	-		-	-	: :

TABLE 17 (Numbers) - continued

									Age	at death	1						
ICD No.	Cause of death		A11	Da	.ys		Weeks			Mont	ths				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
751	8 other specified anomalies of digestive system	M F	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-
	9 unspecified anomalies of digestive system	M F	3 2	- 1	-	-	_	-	1 -	1	-	~	2 2	-	~ _	-	_
752	Congenital anomalies of genital organs	M	4 3	2 2	-	1 -	1 -	-	=	Ī	-	-	4 2	-	-	-	-
753	Congenital anomalies of urinary system	M F	271 157	63 12	11	11 1	8 2	6	19 4	1	3	1 2	123 29	6 1	1	1	1 -
	1 cystic kidney disease	M F	136 116	12 4	4	1	2	- 1	3 -	1 -	-		22 7	1 -	-	-	-
754	Clubfoot (congenital)	M F	-	-	-		-	-	-	-	-	-	-	-	-	-	-
755	Other congenital anomalies of limbs	M F	5 6	1	-	2	-	-	<u>-</u>	1	1	-	3 4	-	1 -	1 -	-
756	Other congenital anomalies of musculoskeletal system		63 55	26 13	5	3 2	2	1	2 3	5	2 2	-	40 32	3 2	1 -	1 -	1
757	Congenital anomalies of skin, hair and nails	M F	7 5	1 -	1	1 -	1 -	-	1	1 1	_	1 2	6 5	-	- ~	-	-
758	Other and unspecified congenital anomalies	M F	26 13	12 5	2	1 -	1	1	2 2	-	1 -	1 -	22 11	1	-	_	-
759	Congenital syndromes affecting multiple systems	M F	166 135	83 54	23 19	5 6	4 3	1 4	10 11	8 6	- 4	4 5	138 112	4	-	-	
	3 Down's disease	M F	26 35	5 4	2 2	1	1	1	3 2	2 2	3	2 4	16 20	1 3	-	-	-
760-779	XV. CERTAIN CAUSES OF PERINATAL MORBIDITY AND MORTALITY	M F	4,135 2,802	2,506 1,689	1,465 981	95 82	24 15	17 13	20 17	6	2	-	4,135 2,801	ĩ	-	-	-
760	Chronic circulatory and genito-urinary diseases in mother	M F	6	1	2	-	-	-	-	-	-	_	6	-	-	-	-
761	Other maternal conditions unrelated to pregnancy	MF	25 16	14 8	9	1	-	-	2	-	1	-	25 16	-	-	-	Ī
762	Toxaemia of pregnancy	M F	44 49	30 27	12 21	2	-	-	-	-	_	-	44 49	-	-	_	2
763	Maternal ante- and intrapartum infection	M F	3 5	1 4	1	_	-	-	1 -	-	_	-	3 5	~~	-	-	Ξ
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	M F	2 -	1 -	1 -	-	-	-	-	Ξ	Ξ	-	2 -	-	-	Ξ	Ξ
765	Difficult labour with disproportion, but no mention of abnormality of pelvis		1 -	1 -	-	Ī	-	-	-	-	-	-	1 -	-	-	~	Ξ
766	Difficult labour with malposition of foetus	M F	62 53	46 40	15 11	1 2	-	-	-	-	-	-	62 53	-	-	-	=
767	Difficult labour with abnormality of forces of labour	MF	21 25	13 19	8 5	1	-	-	-	-	-	-	21 25	-	Ξ	Ξ	-
768	Difficult labour with other and unspecified complications	M F	19 8	13 4	6	_	-	-	-	-	-	-	19 8	-	Ī	~	Ī
769	Other complications of pregnancy and childbirth	MF	413 301	304 212	106 85	2	-	- 1	1 -	-	-	-	413 301	-	-	-	2
770	Conditions of placenta	MF	77 51	59 43	1 8		-	-	-	-	-	-	77 51	-	-	-	-
771	Conditions of umbilical cord	MF	35 30	27 21	7 9	-	1 -	~	-	-	-	-	35 30	-	-	-	-
772	Birth injury without mention of cause	MF	608 362	317 182	253 151	20 21	9 5	5 3	3	1 -	-	-	608 362	-	-	-	-
773	Termination of pregnancy	MF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ξ
774	Haemolytic disease of newborn with kernicterus	M F	10	***	6 5	3	-	1 -	-	-	-	-	10 6	-	-	-	-
775	Haemolytic disease of newborn without mention of kernicterus	M F	129 109	82 78	40 27	2	2	1 -	1 2	- 1	1 -	-	129 109	-	-	-	-

TABLE 17 (Numbers) - continued

									Age a	at death								
ICD No.									Ye	ears								
	0-4	5-9	10-14	15-19	20-24	25 - 29	30-34	35-39	40-44	45-49	50-54	55=59	60-64	65-69	70-74	75-79	80-84	85 and over
751.8	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-
•9	2 2	1	-	-	-	-	-	-	~	-	-		-	-		00 00	-	-
752	4 2	- 1		-	-	-	-	-	=	-	···	-	-	-		-	-	-
753	132 32	5	5	5	2 2	1 -	. 3 2	3 5	12 10	17 13	9 26	17 15	23 17	9 8	13 13	9 5	4 5	2
•1	23 7	2	2	-	1 -	-	2 2	3 3	9 10	17 13	7 25	16 15	21 16	8 7	11 7	8 5	4 5	2 1
754	-	-	-	-	-	500 —	-	=	-	-	Ī	-	-	-	-	-	-	-
755	5 4	1	no m	-	-	-	~	-	-	-	-	-	-	-	-	1	-	
756	46 3 5	1 1	1 -	1 1	2	1 -	-	1 3	1 -	2 2	3 1	2 2	2	3	1	2	1 -	1
757	6 5	-	-	-	-	-	-	-	Ξ	-	-	-	-	1 -	-	-	-	-
758	. 23	-	-	1	-	-	~	1 -	-	-	-	1 -	-	1 1	~	-	-	
759	142 116	3 1	4 -	1 -	1 2	4 -	1 3	3	1	5	1 2	2	1	2	-	-	=	-
•3	17 23	1	2 -	1 -	-	-	1	2 -	3	4	2	1	1	1	-	_	1	-
760-779	4,135 2,802	-	-	-	Ξ.	-	-	=	-	-	_	-	-	-	-	_	_	-
760	6	-	-	-	-	-	-	-	Ξ	-	-	=	-	-	-	=	Ī	-
761	25 16	-	_	_	Ī	-	-	-	-	-		Ξ.	-	-	-	-	-	-
762	44 49	-	-	-	-	-	-	-	-	_	-	-	-	-	-		-	-
763	3 5	-	-	_	-	-		Ξ.	-	_	Ī	-	-	_	-	-	-	-
764	2 -	-	:	-	=	-		-	Ξ	-	Ξ	=	-		-	-	-	-
765	1 -	-	-	=	-	=		-	-	-	-	-	-		Ξ.	-	Ξ	-
766	62 53	-	~	=	-	=	- -	-	_	-	-	=	=	_	Ī	-	-	-
767	21 25	-	-	=	_	-		-	Ξ.	-	-	-	-	-	-	-	-	-
768	19	-	-	-	Ξ	-	: <u>-</u>	-	-	=	-	-	=	-	-	-	-	-
769	413 301	_	-	-	_		- -	-	-	-	-	-	-	-	-		-	-
770	77 51	-	-	-	-		: <u>:</u>	-	_	-	=	=	-	=	-	_	-	-
771	35 30	-	-	-	: :		: :	-	-	-	-	-	-	_	-		-	-
772	608	-	-	-	: :		: :	Ξ	-	-	-	-	Ξ	-	-	=	-	-
773	-	- -	_	-		:	: :	-	-	-	_	_	-	-	-	_	-	=
774	10	-	-		: :	1	: :	-			=	-	=	-	-	-	=	2
775	129) -	-					-	~		=	-	-	-		=	-	-

TABLE 17 (Numbers) - continued

		T						Age	at death	1						
ICD	Cause of death		I	ays		Weeks			Mont	hs				rears		
No.		A11 ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
776	Anoxic and hypoxic conditions not elsewhere classified	M 1,51		629 385	28 19	4 1	4 4	6 8	5 3	-	-	1,515 914	- 1	-	-	-
777	Immaturity, unqualified	M 1,01			22 26	4	5	5 4	-	-	-	1,016 769	-	-	-	_
778	Other conditions of foetus or newborn	M 14		78 51	14 8	4 4	1 5	3	-	-	-	149 102	-	-	-	Ξ
779		M F	= =		-	-	-	-	-	-	-	-	-	Ξ	-	-
780-796		M 1,26 F 2,90		-	1	=	-	3 6	4 -	1	-	11 13	3	2	1 -	2 -
780-789		M 13 F 21		-	ī	-	-	2 3	1 -	-	-	4	2 2	- 1	1 -	Ī
780	Certain symptoms referable to nervous system and special senses	M F	8 -	-	ī	Ī	-	2 -	1 -	-	-	3	1	-	2	-
781			3 -	-	-	-	Ξ	-	=	Ξ	-	-	1 -	-	1 -	Ī
782		M 9	4 -	-	-	Ξ	Ξ		-	-	-	-	-	Ξ	~	-
783			2 -	-	-	_	-	1	_	-	-	1	-	-	-	-
784			0 -	-	-	Ξ	-	1	-	-	-	1	-	1	-	-
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M F	4 -	-		Ī	Ī	-	-	Ξ	Ξ	-	-	Ξ	-	-
786		M F	5 -	-	-	_	-	_	-	-	-	-	-	-	-	-
787		M F		-	-	-	-	-	-	-	-	-	-	=	-	:
788		M F	6 1	1	-	-	-	1	-	_	-	1 1	1	-	-	-
789		M F	1 -	-	-	-	Ī	-	-	Ξ	=	-	-	-	-	-
790-796		M 1,13 F 2,68	32 2 36 5	-	-	_	_	1 3	3 -	1	-	7 9	1	1	-	2 -
790	Nervousness and debility	M F	2 -	-	-	-	-	-	-	Ξ	-	-	-	_	-	-
791	Headache	M F		-	_	-	-	-	-	-	~	-	-	=	-	-
792			57 - 14 -	-	-	-	-	- 1	-	- 1	-	2	1 -	_ 1	-	-
793	Observation, without need for further medical care	M F		2	-	-	-	-	Ξ.	-	-	-	-	Ξ	-	Ξ
794	Senility without mention of psychosis	M 1,00 F 2,60		-	-	-	-	-	-	-	-	-	-	-	-	-
795	Sudden death (cause unknown)	M F	1 -	-	-	-	-	=	-	1 -	_	1 -	-	-	-	-
796	Other ill-defined and unknown causes of morbidity and mortality		35 2 12 5			Ξ	Ξ	1 2	3 -	-	-	6 7	1	-	-	2 -
E800- E999	EXVII, ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)	M 12,6 F 10,1	11 28 02 34		5 7	3	8 4	106 75	104 82	50 34	31 19	340 266	120 92	117 69	116 72	88 58
E800- E807	Railway accidents		14 14	=	-	-	-	-	-	-	-	-	1 -	1	2 -	2
E800	involving collision with rolling stock	M F	4 -	_	-	-	-		=	-	-	-		-	-	-
E801	involving collision with other object	M F	3 -	_	-	-	-	-	-	-	-	=	-	-	-	-
E802	involving derailment without antecedent collision	M F	1 -	=	-	-	-	-	-	-	-	-	-	-	-	=

TABLE 17 (Numbers) - continued

									Age	at death								
ICD No.									Y	ears								
-	0-4	5=9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
776	1,515 915	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-
777	1,016 769	-	-	-	_	-	2	Ī	<u>-</u>	-	-	-	-	-	-	-	-	-
778	149 102	-	-	-	-	-	-	-	-	-	-	-	~o :	-	-		-	-
779	-	-	-	-	-	+ -	_	-	-	-	=	-	- 1	-	-	-	-	-
780-796	17 18	-	2	4 -	4 3	4 1	1 4	5 1	6 5	9	6 7	13 8	8 12	16 19	55 64	133 219	300 595	682 1,945
780-789	7 7		1	2	- 2	- 1	1 2	2 1	2 3	1 1	2 3	4 5	5 8	5 9	20 17	24 38	22 46	35 75
780	4 2	-	-	1 -	- 1	-	<u>-</u> 1	1 -	-	-	1	1	=	-	0A - 1	1	-	
781	2 -	-	-	-	-	1	-	Ξ	Ī	-	-	1 -	Ξ	-	-	-	:	
782	-	-	-	1 -	<u>-</u> 1	-	1	1	1 3	1 1	1 2	2	4 6	4 6	15 14	19 29	17 37	28 68
783	- 1	-	-	-	_	-	-	-	-	-	-	-	_	1 -	- 1	3	1 -	<u>-</u> 1
784	- 2	-	1 -	-	-	-	-	-	1 -	-	-	-	1	2	3 1	2 2	1 4	2 2
785	-	-	-	-	-	-	n- n-	-	-	-		 	1	1	2	1 2	1	2
786	_	-	-	-	-		-	=	_	-	-		1 -	-		1 -	1	2
787	-	-		=	Ξ	-	-	Ξ	Ī	=	-	-	-	t=-	-	-	-	-
788	1 2	-	-	-	-	-	1 -	-	-	-	-	_	- -		1	1	1 3	2
789	-	-	-	-	-	-	-	-	-	-	-	-	-	-	eo 	-	-	1 -
790-796	10 11	1	1 ~	2 -	4 1	4 -	. ~ ~ ~ ~ ~	3 -	4 2	8 2	4	9	3 4	11 10	35 47	109 181	278 549	647 1,870
790	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 -	-	-
791	-	-	-	-	-	_	Ī	-	-	-	-	-	-	-	-	<u>-</u> -	-	-
. 792	1 3	-	1	-	-	-	-		-	-	-	1 -	2	2	12 3	19 8	12 13	9 14
793	-		-	-	=	-	e-	-	=	=	-	-	-	-	~	-	_	-
794	-	-	-	-	6 ~	_	-	-	=	=	-	-	_	1 4	19 38	86 171	265 534	636 1,853
795	1 -	*	~	-	-	-	-	-	~	-	-	_	-	-	-	-	-	-
796	8 8		-	2 -	1	4 -	2	3 -	4 2	8 2	4	8 3	3 2	8 5	6	2 2	2	3
E800- E999	781 557	382 152	273 128	997 267	1,018 254	682 196	541 180	574 214	691 314	733 373	746 412	903 591	950 617	810 690	658 888	704 1,176	610 1,360	588 1,733
E800- E807	4 3	3 1	4	6	8 ~	5 -	5	11 1	8 -	11	12 1	14 1	15 2	2	3 1	1	2 1	-
2800	=	-	-	-	-	-	1 -	1 -	<u>.</u>	-	1 -	-	=7	: - <u>-</u>	Ξ.	-	-	-
E801	-	-	-	-	1 ~		1 -	1 -	-	-	-	-	-	-		-	- 1	-
E802	=	-	*	-	1 -	-		=	-	-	-	-	=	-	=	-	-	-

								Age	at death							
ICD	Cause of death		D	ays		Weeks			Mont				Y	ears		
No.		All ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
E803	involving explosion, fire, burning	M I	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E804	Fall in, on, or from train	M 15		-	_	-	-	-	-	-	-		-	-	-	
E805	Hit by rolling stock	M 83		-	-	-	-	-	~~	-	-	-	1	1 1	2	2
E806	Other specified	M F		-	-	-	-	-	-	-	-	-	-	-	-	-
E807	of unspecified nature	M F	-		- -	-	-	-	-	-	-	-	-	-	-	-
E810- E819	Motor vehicle traffic accidents	M 4,228	-	1 -	- 1	-	-	3 2	- 4	3	1 2	8 10	17 8	42 21	51 32	36 31
E810	involving collision with train	M 19		-	-	-	-	-	-	-	-	-	-	-	-	-
E811	involving collision with street car	M F	1	-	-	-	-	-	-	-	-	_	-	-	-	-
E812	involving collision with another motor vehicle	M 1,642 F 57		-	1	-	-	1	2	2 -	1 2	4 6	4	3	1	1 3
E813	involving collision with other vehicle	M 300		-	-	-	-	_	-	-	-	-	1	-	1 3	2 -
E814	involving collision with pedestrian	M 1,51:		1 -	_	-	-	1 -	1	1	-	2 2	13 6	36 17	4 6 28	32 26
E815	Other accident involving collision	M 299		-	_	Ξ	-	1 1	1	-	-	1 2	-	2	-	-
E816	Non-collision accident due to loss of control	M 319		-	_	-	-	-	-	1 -	-	1 -	-	1	-	1 2
E817	Non-collision accident while boarding or alighting	M 10		-	-	-	2	-	-	-	Ξ	-	_		-	-
E818	Other non-collision accident	M 7		-	-	_	_	-	-	-	-	_	Ξ	-	_	-
E819	of unspecified nature	M 4 2		-	-	-	-	-	-	-	-		-	-	-	Ī
E820- E823	Motor vehicle non-traffic accidents	M 8			_	-	-	-	Ĩ	-	-	-	1	1	1 ~	1 -
E820	involving collision with moving object	M F				_	-	-	-	-	-	-	1	1	1 -	1 -
E821	involving collision with stationary object	M I		-	-	-	-	=	-	-	-	_	-	-	-	-
E822	while boarding or alighting	M F	1 -		-	-	-	-	-	-	-	**	-	-	-	-
E823	of other and unspecified nature	M 3			-	-	-	-	-	-	-	=	-	-	-	-
E825- E827	Other road vehicle accidents	M 5		: I	-	_	-	-	-	-	-	-	-	1	-	1 -
E825	Street car accident	M F			-	-	-	-	-	-	-	-	Ξ.	_	_	-
E826	Pedal cycle accident	M 5 2		_	_	-	-	-	-	-	-	=	-	1	-	-
E827	Other non-motor road vehicle accident		5 -	-		-	-	_	-	-	-	_	-	1 -	-	1 -
E830- E838	Water transport accidents		7 B	-	=	-	_	-	-	-	-	-	_	-	1 -	ī
E830	Accident to watercraft causing submersion	M F	5 -	_	_	-	-	_	-	-	-	-	-	-	1 -	-
E831	Accident to watercraft causing other injury	M F	1 -	: I	-	Ξ	-	-	_	_	-	-	-	Ī	-	-
E832	Other accidental submersion or drowning in water transport	M F 4	-		-	Ξ	=	-	-	Ξ	-	-	-	Ξ	-	- 1
E833	Fall on stairs or ladders in water transport	M F		: :	-	-	-	=	2	-	-	-	-	-	-	=
E834	Other fall from one level to another in water transport	M F	3 -	-	-	=	-	-	-	Ī	-	-	-	2	-	-
E835	Other and unspecified fall in water transport	M F	1 -	: :	-	-	-	-	Ī	-	-	-	-	=	-	-

TABLE 17 (Numbers) - continued

Record R										Age a	t death								
E803										Ye	ears				1-	1			
E804			5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50~54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
E805			-		-		-	-			=				9	-	***	-	-
## B806 1 1 1 1 1 1 1 - -		-	· _		1 -		-				-				_	-	-	-	-
ESOT 1		4 3			3 -		5									3	1 1	2	-
E810		-	-		1		_				-				-	-	-	-	-
### B819 102		-	-		1 -		-				*				-	-	-	-	-
B810												193 83	254 140	273 153	214 179	207 204	206 205	151 146	75 73
E812 17 14 14 4 402 513 131 1831 83 85 85 84 82 88 110 97 54 34 E813 131 131 131 131 131 131 131 131 131		-	2		2	3 2	2 2	-				1						_	**
The color of the		-	-		1		3				-				=	-	=	-	-
E813 3 13 52 6 29 6 6 5 4 9 14 22 28 43 28 E814 129 176 58 62 46 57 29 36 57 18 25 72 64 121 1 E815 2 2 2 88 72 40 17 15 9 11 5 6 4 2 2 64 121 1 E816 2 2 2 28 19 11 5 1 4 3 5 4 2 4 E816 2 2 2 28 19 11 5 1 4 6 4 8 4 4 2 E817 - - 1 2 11 1			1 <u>4</u> 12	14 16	402 91					84 31	69 42					45 18	24 20	9 12	3 9
E814 129 176 58 62 45 57 29 36 57 48 55 90 102 119 1 E815 3 3 3 2 2 88 72 40 17 15 9 11 6 4 8 2 4 E816 2 1 2 74 109 38 17 9 11 13 12 11 12 3 8 E817 1 2 1 1 1 1 1 1 - 1 1 1 1 1 1 1 1 1		3	13	52					' 4 2	9		22 2	26 7			25 1	13	3 -	2 -
E815		9	176	58				29 5	36 12	37 9	48	55 25				127 169	160 176	136 130	69 58
E816		3	3	2 2				17 5	15 1	9				8 2	4 2	5 4	5 1	-	1
E817		2			7 <u>4</u> 24	109 22	38 11	17 2								3 5	- 2	2 1	***
E819		-	-	1 2		1										1 4	4	1	1 -
E820		_		2		8	5					6 2	9 2	6 2		1 2	3	2	ī
E823		-	1 ~	- 2	10	11 2				1 2			3		2	_	1 1	1 -	- 4
E821		2 2		1 2		15	9	4								2 2	=	1 -	1
E822		2 2					-	. 2			4 -	2				1 -	_	1 -	-
E825 1 8 5 1 - 3 2 - 2 1 5 5 8 4			-		-		4	1	1 -		-	Ξ				1	-	-	-
E825- E827 E825- E826		-	-		-		-		-		-	-				1	-	den den	1 1
E825		-	-	1	4 2	9			3 -			-			5	-	_	-	-
E826							-	- 3 	2		2 2	1 -	5 2	5 1	8	1	5 4	6	1
E827		<u>-</u> .	-	-	-	_	-	: :	-	_	-	-	-	-	-	-	_	-	-
E830- E838							=	- 3 	2	-	2 -	~			6 3	1	4	6	1
E830 1 1 1 - 1 1 2 - 1 - 1 - 1 - 1 - 1 - 1 -	2	2	-					: :	=	1	2	1 -	-				1 -		=
F030 1 - 6 8 7 3 1 9 2 3 4 2		-							13						-	1 -	-	-	-
E830 1 - 6 8 7 3 1 9 2 3 4 1 1 1 1	1	1 -	-						9	2	3	4			-	-	-	=	-
E831		-	-			. 1			-		-	-	-	-	-	=	-	=	-
E832 - 1 4 6 5 9 2 1 2 1 3 3 2 - 1 1 1 1 1	1	1				5			1						-	1 -	-	-	-
E833	-	-							_			-	-	-	-	-	-	=	-
E834	-	-					,	_ 1		1	-	-	1	=	-	Ξ	-	-	-
E835	-	-										-	-				-	~	-

TABLE 17 (Numbers) - continued

									Age	at death	h						
ICD	Cause of death	İ	A11	De	ıys		Weeks			Mon	ths			7	(ears		
No.			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
E836	Machinery accident in water transport	M F	6 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E837	Explosion, fire, burning, in water transport	MF	2 -	-	-	-	- ~	2	-	Ī	-		-	_	-	-	-
E838	Other and unspecified water transport accident	M	18	-	-	-	-	-	-	-	Ξ	= ;		-	-	-	-
E840- E845	Air and space transport accidents	M	94 40	-	-		-	-	=	-	=	-	-	-	-	-	1
E840	Accident to powered aircraft at take-off or landing	M F	41 38	-	=	=	Ī	-	-	-	-	-	-	-	-	Ī	1
E841	Accident to powered aircraft, other and unspecified	M F	45 1		-	=	Ξ	Ξ	-	-	-	-	-	-	-	Ī	-
E842	Accident to unpowered aircraft	M F	5	-	-	-	-	~	-	Ξ	Ī	-	-	-	-	-	-
E843	Fall in, on, or from aircraft	M F	-	-	-	-	-	-	Ξ	_	1	-	-	-	-		-
E844	Other specified air transport accidents	M F	3 -	-	_	_	-	-	-	-	-	-	-	-	_		-
E845	Accident involving spacecraft	MF	-	-	-	-	- ~	-	-	_	-	- ~	-	-	-	-	Ī.
E850- E859	Accidental poisoning by drugs and medicaments	M	170 229	~	-	-	-	-	-	_	=	1 -	1 -	3	8 2	2 2	1
E850	antibiotics and other anti-infectives	MF	- 2	-	_		-	-	-	-	-	-	-	-	-	-	-
E851	hormones and synthetic substitutes	M F	2	-	_	-	-	_	-	-	-	-	-	-	1 -	-	-
E852	primarily systemic and haematologic agents	M F	1 -	-	-	-	-	-	-	-	Ī	-	-	1 -	-	-	
E853	analgesics and antipyretics	M F	21 12	-	-	-	-	-	-	-	-	1 ~	1 -	1 1	3 2	- 1	-
E854	other sedatives and hypnotics	M F	110 172	-	-	-	-	-	-	-	-		-	- 1	1 -	1 -	-
E855	autonomic nervous system and psychotherapeutic drugs	M F	18 24	-	-	-	Ξ	-	-	-	-	-	-	1 -	2 -	- 1	Ī
E856	other central nervous system depressants and stimulants	M F	3 1	-	Ī	-	-		-	Ξ	-	-	~	-	-	-	-
E857	cardiovascular drugs	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E858	gastro-intestinal drugs	M F	1 -		-	_	-	-		-	Ī	-	-	-	1 -		-
E859	other and unspecified drugs and medicaments	M F	14 18	-	~	-	-	-	-	-	Ξ	-	:	1	-	1 -	
E860- E869	Accidental poisoning by other solid and liquid substances	M F	32 11	-	Ξ	_	-	Ξ	-	ī	Ξ	Ξ	-	1 -	Ξ.	1 ~	Ξ
E860	alcohol	MF	24 8	-	-	-	-	-	-	-	Ī	-	-	-	-	~	Ξ
E861	cleansing and polishing agents	M F	-	-	-	-	-	-	-	-	Ξ		-	-	-	-	-
E862	disinfectants	M F	1 -	-	-	-	-	-	-	-	-	-	-	-	-		
E863	paints and varnishes	M F	-	-	_	-	-	-	-	-	-	-	-	-	-	-	Ξ
E864	petroleum products and other solvents	M F	2 -	-	-	-	-	-	-	-	-	-	-	1 -	-	-	-
E865	pesticides, fertilizers or plant foods	M F	- 2	-	_	-	-	-	-	-	-	-	-	-	-	-	-
E866		M F	3 1	_	-	-	-	-	-	-	-	-	-	-	-	-	-
E867	corrosives and caustics not elsewhere classified	M F	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-
E868		M F	-	-	-	-	-	-	=	-	-	-	-	-	-	-	-

									Age a	- death								
goo Ya.									Ye	ears								
	5-4	5-9	10-14	15-19	20-24	25-23	30-34	35-39	40-44	48-49	50-54	85-89	60 - 64	95-62	11-14	75-79	1	96 and 31 Ar
2636	:	-	-	1 -	-	2	1	-	-	1 -	-	1 _	-	-	-	_	-	-
2837	-	-	-	-	1 -	1 -	-	-	_	-	-	-	-	=	-	-	-	-
3838	-	-	-	1 -	2	4 -	000 000	2	2	2 -	3 -	1 -	1 -	-	2	-		-
E840- E845	1 1	2 3	3 1	4 1	9	16 4	13 4	18 4	10 5	9	4 5	1 4	1 3	2	1 -	1	-	-
3540	1 1	2	3	2	3	3 4	3 4	8	6 3	3 3	3 5	1 4	1 3	1 -	1	1	-	-
E841	-	-	-	-	4 -	13	10	8 -	3	5 -	1 -	-	-	1 -	-	-	-	-
E842	-	-	-	-	1 -	-	-	2	1	1 -	-	-	-	_	-	-	_	-
E843	-	-	-	=	=	-	-	-	-] :	_	Ξ	=	-	=	-	-	-
E844	-	-	-	2 -	1 -	:	-	-	-	-	-	-	-		-	-	-	-
I848	-	-	-	=	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E850- E859	14 7	2 2	1	8	9	9	10 7	10	22 26	13 25	20 24	14 25	12 32	8 18	11	6 9	10	5
E 850	:	-	Section	1	-] -	-	-	_		-	1	-	1	-	-	-	-
ISS:	1 -	-	J.	1	Ξ	=	Ξ	-	1	_	-	-	-	-	-	_	-	-
E852	1 -	-		-	-	-	-	-	-	-		_	=	-	_	-	-	-
Z883	5 4	-	4.	-	2 -	-	1 -	1 -	2	1	1	1	1 3	1 -	2 -	1	1	-
E854	2	2	3	3	5 2	5	6	8 5	11 19	10	17 22	13 19	9 26	7 14	9	8	1 8	1 4
2858	3	1	4	2 2	-	1		3	5	2	1	3	1 2	2	1	_	-	_
2856	-	_	ਦੇ ਵ	1 -	1 -	1 -	_	Ξ	-	-	-	-	nd- 00	-	1	-	**	***
E887	=	-	±	-	-	-	-	-	-	-	_	-	_	-	_	=	_	-
E858	1 -	-	÷.	-	-	-	-	-	=	-	_	-	_	-	-		-	-
2653	1 1	-	= =	1 -	1 2	1 -	3 -	-	2	1 5	2	1	1	2	2	_	1	1
E869	2 -	1		2 -	2 -	1	1 -	2 -	3	2	4 -	6	1	2 2	1	1	_	-
I880	-	-	-	1	2 -	-	=	<u>:</u>	3	4 2	3 -	4 1	1 1	2 2	1 1	-	-	-
E861	-	-	-	-	-	-	-	-	-	:	-	-	-	-	-	-	Ī	-
E862	-	-	-	-	-) :	-	-	-] :	-	-	-	-	-	1-	-	-
E863	-	-	-	-	=	-		-	_] :		-	-	-	전	Ξ.	_	-
E864	1 -	-	-	-	_	-		1	-	:	=	-	-	-	₹ 	=	-	-
2888	1	- 2	-	-	=	1	=	-	-	:		-	-	-		-	=	-
3886	-	-	-	-	=	-	-	-	-	-	1 -	2	-	-	2°	1	-	-
2667	-	-	-		=	-	-	-	-	:	-	-	=	-	ē.	=	-	-
3666	-			1 :	-	:	-	-	-	-	-	-	-	-	-	=	-	-

TABLE 17 (Numbers) - continued

-									Age	at death							
ICD	Cause of death		411	Da	ys		Weeks			Mont	hs	-		3	ears		
No.			All ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
En. Assertion values	Accidental poisoning by other solid and liquid substances										1	1					
E869	other and unspecified solid and liquid substances	M F	2 -	-	-	-	Ξ	-	-	-	-	-	-	-	-	1 -	Ξ
E870- E877	Accidental poisoning by gases and vapours	M F	219 303	-	-	-	-	-	-	-	-	- 1	- 1	3 2	5 ~	- 2	- 1
E870	gas distributed by pipe-line	M F	154 268	-	-	-	_	_	-	-	-	- 1	- 1	2	3 -	- 2	-
E871	liquefied petroleum gas distributed in mobile containers	M F	6 -	-	-	-	-	-	_	-	-	-	-	-	Ē	-	Ξ
E872	other utility gas	M F	1 -	-	-	-	_	_	-	-	-	-	-	-	-	-	Ī
E873	motor vehicle exhaust gas	M F	12 2	-	-	-	-	_	-		-	-	-	-	-	-	-
E874	carbon monoxide from incomplete combustion of domestic fuels	M F	38 27	-	-	-	-	-		-	-	-	-	1	2	-	1
E875	other carbon monoxide	M F	3 5	-	-	-		-	-	-	-	-	-	-	Ī	-	-
E876	other gases and vapours	M F	5 1	-	-	-	-	-	· -	-	-	-	-	_	-	-	-
E877	unspecified gases and vapours	M F		-	-	-	-	_	-	-	-	-	-	_	-	-	
E880- E887	Accidental falls	M F	1,788 3,715	-	-	- 1	-	- 1	2 3	3	6 3	3 -	14 11	6 10	7 4	6 2	6
E880	Fall on or from stairs or steps	M F	311 430	-	-	-	-	- 1	-	-	1 -		1 1	2 2	2	-	2
E881	Fall on or from ladders or scaffolding	M F	104 6	-	-	-	-	-		-	-	-	-	-	-	-	-
E882	Fall from or out of building or other structure	M F	128 30	-	- !	-	-	-		-	Ī	-	-	3 4	4 2	4 2	2 2
E883	Fall into hole or other opening in surface	M F	67 3	_	-	_	-	-	-	=	-	Ξ,		-		-	-
E884	Other fall from one level to another	M F	189 262	-	-	-	Ī	-	2 2	3 3	5 2	3 -	13 7	1	1 -	2	1 2
E885	Fall on same level from slipping, tripping or stumbling	M F	138 418	-	-	-	-	-		-	-	-	-	- 1	-	-	Ξ
E886	Fall on same level from collision, pushing or shoving by or with other person	M F	9 8	-	-	_	-	-	-	-	-	-	-	-	-	-	-
E887	Other and unspecified fall	M F	842 2,558	-	-	1	-	_	_ 1	-	_ 1	-	- 3	1 2	- 1	-	1 -
E890- E899	Accidents caused by fires and flames	M F	337 454	-	-	-	_	1 -	2 1	2 4	3 2	8 2	16 9	23 17	17 15	15 12	13 8
E890	conflagration in private dwelling	M F	121 110	-	-	-	-	1 -	2	2 3	3 1	7 2	15 7	16 9	10 13	11	8
E891	conflagration in other building or structure	M F	22 32	-	-	-	-	-	-	_	-	-	-	-	-	-	-
E892	conflagration not in building or structure	M F	1 ~	_	Ī	-	-	-	-	-	_	-	-	-	-	-	Ξ
E893	ignition of clothing	M F	53 166	-	***	-	-	-		-	-	-	-	1	2	1 2	2
E894	ignition of highly inflammable material	M F	7 7	-	-	-	-	-	_	-	- 1	-	_ 1	-	-	-	-
E895	controlled fire in private dwelling	M F	43 66	-	-	-	-	-	_	-	-	-	-	5 3	3	1 -	1
E896	controlled fire in other building or structure	MF	-	-	-	-		-	-	-	-	-	-	-	-	-	-
E897	controlled fire not in building or structure	M F	3 -	-	-	-	-	-		-	-	-	:	-	-	-	-
E898	other specified fires or flames	M F	72 62	-	~	-	-	-	-	- 1	-	1	1	1 3	1 1	2	-

TABLE 17 (Numbers) - continued

									Age 8	at death								
ICD No.									. У	ears								
	0-4	5-9	10-14	15-19	20-24	25,-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
Eags	1 -	-	-	1 -	<u> </u>	-	-	. <u> </u>	72		-	~ -	<u>-</u>	-	2	-	-	
E870- E877	8	3	5 8	9 7	18 5	5 1	7 1	5	13 3	9 5	12 12	11 12	21 10	10 18	14 38	27 54	18 63	24 58
E870	5 4	2	2 8	5 4	11	3 1	4	3	7 3	4 5	7 8	8 9	10	6 13	14	23 50	16 61	24 57
E871	-	-	1	1 -	1.	1 -	=	-	-	1	1 -	-	-	-	-	-	-	-
E872	-	-	-	1	_	~	en 	-	-	-	_	-	_	_	-	-		-
E873	-	en 101		-	3	-	en- 10-	1	2	2	1	-	2 -	1 -			-	-
E874	3 2	1	2	1 1	2	1 -	3 -	1 -	2 -	No.	3 2	2 3	8	3 5	7	4 3	2	-
E875			-	-	-	-		-	1 -	1	- 2	-	1 1	_	ton Co	_ 	- 1	1
E876	-		-	1 1	1 -		-	_	1 -	1 -	-	1	_	-	~	-	-	-
D8771	-		940	-	ě.	-	<u>-</u>	-	<u>-</u>	1 -	-	-	120		-		_	-
E880- E887	39 31	20 3	19 5	24	35	41	31 8	31 6	53 12	45 16	51 16	88 48	114 79	129 141	156 329	236 625	283 960	393 1,429
E880	7 4	4 1	_	=	2 2	6	4 2	. 3	11 9	16 9	10 4	24 12	28 16	32 37	2 5 58	51 80	48 88	40 102
E881	=	-	-	-	5	7 -	3 -	8 -	12	8	9 ~	14 2	12	14	6	2 1	2	2
E882	13 10	8	2	4 -	14	10	6	8 -	10 1	4 -	9	7 2	6	6	7 2	3 3	3 4	8
E883	-	3 -	2	.3	4 -	5	7 2	3 -	9	5	5	7 -	8 -	4 -	1 -	-	-	1
E884	17 10	4 2	15 1	12	5 1	7 -	6	3 ~	5	8	6 5	7 3	10 4	7 6	15 27	14 43	2 <u>4</u> 75	24 83
E885	1	1 -	-	-	1	-	. 1	1	1 -	1	2	6 8	8 14	8 2,3	13 44	34 84	24 90	. 41 149
E886	-	-	-	1 -	2 -	-		-	Ī	=	-	-	1 -	2 -	1	4	2	2
· E887	2 6		<u>-</u> 2	4 -	3 2	6	5 3	6	5 2	4 4	10 5	23 21	41 44	56 74	88 197	132 410	182 700	275
E890- E899	84	19 12	6	8	4 5	6 5		2 13	8 11	10 11	12 10	16 13	24 30	28 31	26 40	34 70	26 60	19 66
E890	· 60 42	9	2	1 2	t 1	1 3	2	3	4 3	2 4	3 2	2	7 6	5 3	6	12 9	4 9	3 6
E891	-	4 -	3 -	3 3		3 -	2	1	1	1 1	1 2	. 1	1 2	8	- 5	5	2	**
E892	-	-	-	-	-	1 -	-	-	-	-	-	-	-	-	-	-	-	-
E893	5 6	4 3		1	1 3	-	1 2	1 7	5	2	2 2	4 5	5 8	6 11	3 18	8 31	7 29	. 4 34
E894	- 1	-	1 -	1 -	2	-	-	=	1	1 -	1 -	1	-	1 -	-	1	 	3
E895	10 5	-		-	-	1	-	=	-	1 1	2	1 -	3 8	4 4	3 7	7 13	7 14	7 11
2696	-	-	# -	,31 <u>-</u>	-	197	-	=	3	_	-	-	77 -	=	—	-	Ξ.	=
E897	_	1 -	: <u> </u>	-	-	1 -	=	=	-		1 -	-	<u>-</u>	=	2		_	=
E898	5 6	1		1 -	=	1	. 2	2	3	2 3	2	6 2	7 4	10 5	14 8	7 10	7 6	3 10

TABLE 17 (Numbers) - continued

									Age	at death	1						
ICD No.	Cause of death		A11	Da	ays		Weeks			Mont	ths			1	l'ears		
1101			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
	Accidents caused by fires and flames																
E899	unspecified fire	M F	15 11	_	-	-	-	-	-	-	-	-	-	1	1 -	_	2
E900- E909	Accidents due to natural and environmental factors	MF	109 92	18 19	1 1	- 1	-	-	1 1	1	-	-	21 22	2	- 1	-	ī
E900	Excessive heat	M F	2 2	-	-	-	-	-	-	1 -	-	-	1 -	-	-	-	_
E901	Excessive cold	M F	18 18	-	-	- 1	-	-	-	Ī	-	-	- 1	-	-	-	
E902	High and low air pressure	M F		-	-	-	-	-	·	~	-	-	-	-	-	-	_
E903	Effects of travel and motion	M F	-	-	-	- -	-	-	-	~	-	-	-	-	-		-
E904	Hunger, thirst, exposure and neglect	M F	68 60	18 19	1	-	-	-	1	-	-	-	20 21	2	-	-	- 1
E905	Bites and stings of venomous animals and insects	M F	1 -	Ž	-	-	-	=	-	-	-	-	-	-	-	-	-
E906	Other accidents caused by animals	M F	15 6	-	-	-	-	-	-	-	-	-	-	-	_ 1	-	
E907	Lightning	M F	3		-	-	-	-	-	-	-	-	-	-	-	-	_
E908	Cataclysm	M F	2 3	-	-	-	-	-	-	-	-	-	-	-	-	-	_
E909	Accident due to other natural and environmental factors	MF	-	-	-	-	-	-	-	-	Ī	-	-	-	-	-	-
E910- E929	Other accidents	M F	1,570 557	1 1	3 4	5 2	2 3	7 2	92 56	86 63	35 22	13 14	244 167	51 39	28 18	32 13	26 7
E910	Accidental drowning and submersion	M F	355 97	1 -	-	-	-	-	-	1 2	1 -	1	3 3	11 10	15 4	20 8	17 5
E911	Inhalation and ingestion of food causing obstruction or suffocation	M F	275 217	-	3 2	4 2	2 2	5	50 33	45 41	17 10	3	129 96	15 13	2 3	3 3	1 -
E912	Inhalation and ingestion of other object causing obstruction or suffocation	M F	12 10	-	-	-	-	-	- 1	1 -	- 1	1 -	2 2	3 3	Ī	-	- 1
E913	Accidental mechanical suffocation	M F	215 83	- 1	- 2	1 -	- 1	2	37 20	38 18	14 10	7 7	9 9 60	13 9	5 4	2	4 -
E914	Foreign body accidentally entering eye and adnexa	M F	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	~
E915	Foreign body accidentally entering other orifice	M F	9 10		-	_	_	-	-	-	-	_	-	- 1	-	-	_
E916	Struck accidentally by falling object	M F	148 18	_	-	-	-	-	-	1		-	- 1	1 -	1 2	2	-
E917	Striking against or struck accidentally by objects	M F	68 23	_	-		-	- 1	4 1	- 1	- 1	-	4 4	1	-	-	
E918	Caught accidentally in or between objects	M F	140 5	Ξ	-	-	-	-	-	-	-	-	-	2	1	2	2
E919	Over-exertion and strenuous movements	M F	1 2	Ξ	-	-	-	-	Ī	Ē	-	-	-	-	-	-	-
E920	Accident caused by cutting or piercing instruments	M F	10 4	-	_	-	-	-	2	-	-	-	-	1 -	-	-	-
E921	Accident caused by explosion of pressure vessel	M F	10	-	-	~	-	-	Ī	Ξ	-	-	-	2	-	-	Ξ
E922	Accident caused by firearm missiles	M F	29 5	_	~ -	-	-	-	-	-	-	~	-	-	-	- 1	-
E923	Accident caused by explosive material	M F	38 8	_	2	-	-	-	-	-	-	-	-	-	-	-	-
E924	Accident caused by hot substance, corrosive liquid, and steam	M F	33 28	Ξ	2	-	-	-	-	-	-	1 -	1 -	1 -	2 2	1 -	-
E925	Accident caused by electric current	M F	103 17	-	-	-	-	-	-	-	-	1 -	1 -	3	2	2	-

TABLE 17 (Numbers) - continued

									Age a	at death	,,,,							
ICD No.									Ye	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
E899	4 1	-	-	2 2	-		Ī	-	- 1	1 1	_	2 -	1 2	2 -	_		1 -	2 2
E900- E909	23 24	1	1 3	3 -	1 -	_	4 -	2 -	8	3 1	5 1	13 3	7 8	6 9	6 3	9 14	9	8 15
E900	1 -	1 -	-	-	-	-	-	Ξ	=	_	_	-	-	-	2	-	-	- 2
E901	_ 1	-	-	-	1	-	-	-	1 -	-	1 -	1	1 4	1	4 1	2 5	3 2	4 3
F902	-	-	-	-	-	_	-	-	-	-	-	-	=	-	-	_	-	-
E903	-	-	-	-	-	=	-	-	-		-	-	-		-	-	-	-
E904	22 22	-	-	2 -	-	_	1 -	2 -	7 -	1 1	4 -	6 2	5 4	7	2	5 8	3 6	9
E905	-	-	-	_	_	_	1 -	-	-	=	-	-	-	_	-	-	=	-
E906	- 1	<u>-</u> 1	1 2	_	_	_		-	-	2 -	-	5	1	1 -	_	2	3	-
E907		-	- 1	1 -	1	-	1 -	=	_	-	- 1	-	-	-	- 1		-	-
E908	-	-	-	-	=	-	1 -	-	- 1	-	-	1 -	-	1	_		-	- 1
E909		-	-	_	Ξ	-	-	-	Ξ	-	-	-	-		=	_	-	-
E910-	381	95		114	122	88	73	69	92 16			86 10	79 24	49	23 26	24 31	12 16	6 34
E929 E910	244 66	26 68	35	38	36	16	7	12	11 2	6 2	13	11	11 5	10	4 6	6 7	2	3 2
E911	150	1	2	7	6	6	7	2 8 4	7 9	13	10	14	11 12	12	8 9	8	3	2
7040	115	3		3			3	*	1		-	2			_	_	_	_
E912	5 6	1 -	-	-	1		_	_	<u>-</u>	-	-	_	2	1	-	-	-	-
E913	123 73	4	19 4			11		5 1	8 -	7	3 1	4	3 2	1 -	_	-	=,	-
E914	_	-	-	-	-		<u> </u>	-	_	-	-	=	-	_	-	-	-	_
E915	-	1		1	. 3		 -	-	_	-	_	-	1 -	1	- 2	2	-	_
· E916		2	2 3		14	15		9	19	20	15 1	13	10	3 1	1	1 -	1 -	-
E917	4 5	1	. 4	. 4			2	2			5 -	6	7	4 1	1 2	1 2	1 2	- 6
E918	7 2	- 2					15	10			13	17	11	3	1 -		-	-
E919		-					: :	-	-		Ξ.	_	-	1	1		-	- 1
E920	1 -					1	! - -	_	1		. 1	_	-	2 -	1 -	1 -	-	1
E921	1 -					- :	1 -	3	1 -		3 1		1	-	_		-	=
E922	2 -			3 6		3	- - 1	. 2				2	2		-		-	-
E923				. ;	3 (1	2 6	; 2	: 6	3 2	2 3	3 3	4	1	_ 1	3		-
E924	4 5		2 .	- :	1 :	2	1 2	2 2		5	1 3	· -	1		2	2	1 2	1 7
E92:		3	7 (6	9 1	1	8 11	! 7 ! 1	, ,	9	3 5 3 1	5 6		3	2	-	1	- 1
		-	1	ĭ	1	1	1 1	1		1 ;		L -	1	1	1	1	-	1

		T							Age	at deatl	h						
ICD	Cause of death	ı	433	Da	ys		Weeks			Mont	ths			3	/ears		
No.			All ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
E926	Accident caused by radiation	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	=	-
E927	Vehicle accidents not elsewhere classifiable	M	21	-	-	-	Ξ	-	-	-	-	-	-	-	-	-	-
E928	Machinery accidents not elsewhere classifiable	M	59 1	-	-	-	_	_		-	-	_	-	1 -	-	-	-
E929	Other and unspecified accidents	M F	43 29		-	-	-	-	1 1	1	3	-	5	2	- 2	-	2
E930- E936	Surgical and medical complications and misadventures	M F	34 34	- 1	ī		-		1 -	ĩ	Ξ	-	1 3	1 2	-	-	-
E930	in operative therapeutic procedures	M F	5	- 1	-	-	-	Ξ	-	_	_	-	- 1	-	-	-	-
E931	in other and unspecified therapeutic procedures	M F	28 18	-	_	-	-	2	1 -	-	-	_	1	~	-	-	_
E932	in diagnostic procedures	MF	-	-	-		-		-	-	-	-	-	-	-	-	-
E933	in prophylaxis with bacterial vaccines	M	-	-		-	-	Ξ	-	-	-		Ξ	-	-	-	_
E934	in prophylaxis with other vaccines	M F	1 5	-		-	-	-	-	<u>-</u> 1	-	_	- 1	1 2	-	-	Ξ
E935	in other prophylactic procedures	M	- 6	-	_	-	_	_	=	-	-	_	_	-	_	_	<u> </u>
E936	in other non-therapeutic procedures	M	- 1	-	_	-	-	-	-	-	-	-	_	-	-	-	-
E940- E949	Late effects of accidental injury	M	99 42	-	-	-	=	Ξ	_	-	-	-	-	-	-	1 ~	1
E940	motor vehicle accident	M	36 14	-	-	_	-	-,	-	-	-	-	-	-	Ξ	1 -	1 -
E941	other transport accident	M F	6	- -	-	_	-	-	-	-	-	-	-	-	-	-	-
E942	accidental poisoning	M F	-	-	-	-	-	-	-	-	-	-	_	-	-	-	_
E943	accidental fall	MF	20 22	-	-	-	-	-	-	-	_	-	_	-	-	-	Ξ
E944	accident caused by fire	M	- 2	-	-		-	-	-	-	-	-	-	-	-	-	-
E945	accident due to natural and environmental factors	M	-	-	-	-	-	=	-	-	-	-	-	_	-	-	Ξ
E946	other accidents	M F	32	-	-	-	-		-	-	-	-	Ξ	_	-	-	_
E947	surgical operation	M F	2	-	<u>-</u>	-		-	-	-	_	-	<u> </u>	-	-	-	=
E948	irradiation	MF	1	-	-	-	-	Ī	-	-	-	-	=	_	2	-	_
E949	other surgical and medical procedures	M F	2	-	-	-	-	-		-	-	-	Ξ	-	-	-	-
E950- E959	Suicide and self-inflicted injury	i M F	2,695 1,889	-	-	=	-	_	-	:	-	-	-	-	-	-	_
E950	poisoning by solid or liquid substances	M F	776 1,150	-	Ξ		-	Ξ	-	-	_	-	-	-		-	-
E951	poisoning by gases in domestic use	M F	635 353	-			-	Ξ	-	-	-	-	-	-	-	-	Ξ
E952	poisoning by other gases	M	178 29	-	Ξ	-	-		-	-	-	-		-	-	-	Ξ
E953	by hanging, strangulation and suffocation	M F	460 124	-	-	-	-	-	-	-	-	=	-	-	-	-	-
E954	by submersion (drowning)	M F	167 130	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E955	by firearms and explosives	M F	175 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E956		M F	95 17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E957	by jumping from high place	M	64 43	-	-	-	-	-	-	-	-	-	Ξ	-	-	-	-

TABLE 17 (Numbers) - continued

									Age a	at death								
ICD No.									Ye	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
E926	-	-	-	-	-	Ξ	Ī	ī	_	= -	-	-	-	-	-	=	-	-
E927	-	•	-	1 -	2	_	2	1	4	4 -	4 -	1 -	2	-	-	-	-	-
E928	1 -	3 -	-	5	5	5		6	7	8 -	5	4 -	6	1 1	1 -	-	-	Ī
E929	7 5	3 3	- 1	4 1	6	2	2	-	1	1 -	1 4	3	6	1	2	2 3	3 2	- 5
E930- E936	2 5	1	-	-	2 3	1	- 2	2	1 2	ĩ	1	6 3	8 2	5 5	4 3	1 2	1 2	-
E930	- 1	-	-	-	-	-	_	-	1	-	-	_	2	1 1	- 1	1 -	-	-
E931	1 1	-	-	-	2	1 1	- 1	2	- 2	-	1 1	6 3	6	4 3	4 2	-	1 2	Ī
E932		-	_	-	_	-	-	-	-	-	-	Ī	-	_	=	1	-	-
E933	-	-	Ξ	-	_	-	-	-	-	-	-	-	-	-	-	-	Ξ	Ē
E934	1 3	1	_	-	-	-	-	-	-	=		_	- 1		-	-	-	-
E935	-	-	-	-	<u>-</u> 1	-	-	- 1	-	- 1	-	-	-	1	940 801	1	-	-
E936	-	-	Ξ	-	- 1	_	-	-	-	-	-	-	-	-	-	_	-	-
E940- E949	2 -	1 -	1 1	3 -	4 3	9 -	7 1	. 1	9 1	8 3	11 2	10 2	9 3	10	3 4	4 4	1 6	3 7
E940	2 -	-	1	3 -	3 1	3 -	4 1	. 1	6 1	3 2	3 1	=	2	3 2	1 2	=	2	-
E941	-	-	-	-	-	-	-	-	-	2	1 -	-	1 -	1 -	1 -	-	-	-
E942	-	-	-	-	=	-	-	-	-	_	_	-	-	-	-	-	-	-
E943	-	-	-	-	=	1 -	2 -	Ξ	1 -	2 -	2 -	1	2 3	2	2	2 4	- 4	2 7
E944	-	-	Ξ	-	Ξ	-	-	=	-	-	-	1	-	1	-	_	-	-
E945	-	-	-	=	-	-	, -	-	-	-	-	-	-	-	-	-	-	
E946	-	-	1	-	1	4 -	1 -	2	2	1 1	1	6	4 -	3 -	1 -	1 -	1 -	1 -
E947	-	-		-	1	1 -	=	-	=	-	Ξ	-	-	1 -	-	_	-	=
E948	-	-	=	-	-	-	-	1	-	-	1 -	-	-	-	-	=	-	-
E949	-	. 1	-	=	-	-	-	-	-	-	=			-	-	1	-	-
E950- E959		:	. 2	61 24	65	66	75	104	229 147	167	191	267	310 209	254	175	117		44 25 8
E950	-	-	- 1	13	42	37	54	66	75 92	111	112	160	76 133	67	108	30 60	31	15
E951	-	-		6	13	8	10	17	53 23	28	36	44	28	63 51	34	27 37	25 12 1	6
E952	-	-	-	-	-	2		3	20	3	5	4	3	5 1	2	23	1	13
E953	-	-			5	6	4	19	31 10	7	15	23	10	55 11 25	17	5	4 9	1
E954	-			-	5	1	1 3	7	10 9	7	13	24	28	12	12	7	4	3 2 4
E955	-		- 1		-	2	2 -	1		-	3	_	-	1 -		- 4	2	3
E956	-		-		-	-	. 2		1	4	1	2		3	1	1	1	-
E957	-		-	2	2		67	3	10		3	4	5	5	1	3 4	1 2	1 1

									Age	at death	n						
ICD No.	Cause of death		A11	Day	78		Weeks			Mont	ths				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
	Suicide and self-inflicted injury																
E958	by other and unspecified means	MF	145 35	-	-	-	-	-	-	Ī	-	-	_	Ī.	-	-	-
E959	Late effect of self-inflicted injury	M F	-	-	-	-		-	-	-	-	~	-	-	-	-	_
E960- E969	Homicide and injury purposely inflicted by other persons	M	178 166	6 7	ī	2	1 -	-	3 7	8 5	3 4	5 -	26 26	4 5	3 4	4 7	1 2
E960	Fight, brawl, rape	M F	17 2		-	-	-		-	1	-		1 -	m- ma	-	-	_
E961	Assault by corrosive or caustic substance, except poisoning	M F	2	-	-	-	-	800 600	-	em Ass	~	-	-		Ī	-	2
E962	Assault by poisoning	M F	9	-	_	-	-	-	-	- 1	- 1	1 -	1 3	2	-	- 2	1 2
E963	Assault by hanging and strangulation	M F	23 50	4 2	1	2	-		-	3 -	1 -	1 -	9	1 -	1	2	-
E964	Assault by submersion (drowning)	M F	1 5	_	-	-	-	-	_	- 2	_	_	3	-	Ξ	Ξ	-
E965	Assault by firearms and explosives	M F	19 19	-	-		-	-	-	-	-	-	-	-	-	-	-
E966	Assault by cutting and piercing instruments	M F	42 28	1	-	-	_	-	-	-	-	-	- 1	-	_	1 -	-
E967	Assault by pushing from high place	M F	1 -	-	-	-	-	-	-	-	-	- 1	-	-	-		Ī
E968	Assault by other and unspecified means	M F	63 46	2 3	-	-	1 -	-	3 5	4 2	2 3	3 -	15 13	3 3	2 2	3 3	Ē
E969	Late effect of injury purposely inflicted by other person	M F	1 -	-	-	-	-	Ξ	-	-	-	-	-	Ī	-		-
E970- E978	Legal intervention	M F	-	-	-	_	-	-	_	Ī.	-	-	-	-	-	-	-
E970	Injury due to legal intervention by firearms	M F	-	-	-	-	-	-	_	-	-	-	-	-	-	1	-
E971	Injury due to legal intervention by explosives	MF	-	-	-	-	-		-	-	-	-	-	-	-	Ĩ.	-
E972	Injury due to legal intervention by gas	M F	-	-	-	_	-		-		-	-	-	-	-	-	Ξ
E973	Injury due to legal intervention by blunt object	M F	-	~	-	Ξ	Ξ	-	-		-	-	-	-	-	=	-
E974	Injury due to legal intervention by cutting and piercing instruments	M F	-	-	-	-	100	-	-	-	-	-	=	-		-	-
E975	Injury due to legal intervention by other specified means	M F	-		-	-	-	-	-	Ī.	Ī	-	-	-	Ī	-	-
E976	Injury due to legal intervention by unspecified means	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	=	-
E977	Late effect of injuries due to legal intervention	M	-	-	-	-	-	-	Ξ	-	_	-	-	-	-	-	Ē
E978	Legal execution	M F	-	-		-		4 2	-	-	-	-	-	-	-	Ī	-
E980- E989		M F	707 487	3 6	1	-	-	1	2 5	4 2	2	-	9 17	8 5	5 1	2	2 -
E980		M F	201 250	-	-		-	-	-	-	-	-	-	-	-	-	-
E981	Poisoning by gases in domestic use	MF	56 40	-	-	-	**	-	-	-	-	-	-	-	-	-	-
E982	Poisoning by other gases	M F	18	-	-	-	-	-	-	-	-	-	**	-	-	-	-
E983	Hanging and strangulation	M F	29 15	1	1	-	-	-	1 4	1 -	-	-	3 6	2	-	-	-
E984	Submersion (drowning)	M F	233 96	1 3	-	-	-	-	-	~	-	e =	1 3		3 1	-	2

TABLE 17 (Numbers) - continued

									Age a	at death								
ICD No.									Ye	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
E958	-	-	_	6	5 2	10	20	10 5	11 6	10 4	17 5	18 6	13 1	10 2	6	5 -	2	2
E959	-	-	- 1	-	_	-	-	-	-	-	-	-	=		-	-	-	Ī
E960- E969	38 44	12 5	4 2	11 15	17 10	12 18	10	9 5	16 11	13 10	12 2	5 9	5 11	7 3	5 4	1 3	3	1
E960	1 -	Ī	-	3 -	2	2	1 -	2	-	3 -	1 -	1 -	1 -		- 1	-	-	Ī
E961	-	2	-	-	=	-				-	=	Ī	-	=	Ī	-	Ī	-
E962	2 10	5 1	-	_	1 -	- 1	-	-	1 -		- 1	- 1	-	-	1		-	-
E963	11 9	2 3	2	7	- 4	1 2	1 3		- 3	1 2	2	- 4	7	- 1	3 -	_ 1	- 2	-
E964	3	1 -	-	- 1	=	=	-		-	=	_	-	_	-	1	-	-	-
E965	1 =	-	-	2	3 2	1 2	3 2	3 2	2 2	2 3	1 -	- 1	2 2	1	-	-	-	1
E966	1 1	-	2	5 3	7 2	5 8	<u>4</u> 3	2	9 2	3 2	3 -	2 -	2	1 -	1	1	1	-
E967	-	-	-	-	-	-	-	-	=	-	-	-	-	1 -	Ξ	-	-	-
E968	23 21	2	2 -	1 3	4 2	3 4	1 2	2 -	4	4 2	5 -	2 3	1 -	5	2	1 1	- 1	1 -
E969	=		-	-	1	=	-	-	Ξ.	-	-	-	1 -	-	=	-	-	-
E970- E978	-	-	-	-	-	-	-	-	Ξ	-	Ξ	-	-	-	-	-	-	~
E970	-	-	-		-	-	-	=		_	-	-	-	_	-	_	-	-
E971	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E972	-	-	-	-	-	=	-	-	-	-	-	-	-	-	-	-	-	-
E973	-	-	-	-	_	=	-	-	-	-	-	Ξ	Ξ.	_	=	-	-	
E974	-	-	Ξ	-	-	-	-	-	-	-	Ξ	2	-	-	-	-	-	Ī
· E975	-	-	Ξ	-	-	-	Ī	-	-	_	Ξ	-	** **	-	-	-	-	-
E976	-	-	=	=	=	-	-	:	-	=	-	Ξ	-	_	-	-	-	-
E977		· -	-	-	-	-		=	-	=	-	-	1	-	-	-	-	-
E978	-	-	-	-	-	-		-	~	_	-	-	-	-	-	-	-	-
E980- E989	24 25	6 2		29 6		42 26	26 20	53 13	51 24	63 39	43 43	83 49		70 49		31 36	22 27	12 18
E980	=	-	1 -	2 2	10	9		22 10	19 16		12 22	35 27	15 26	25 21	5 23	5 16	5 11	1 4
E981	-	Ξ	-		4	5	1 1	6	5	4 3	2 3	6 3	4 5	4 1	5 2	3 7	4 6	1 5
E982	-		-	=	3	-	1 1	2	2 -	- 1	1 -	2	4 -	1 -	- 1	2 1	-	-
E983	5 7	-			2		1 -	1 -	3 -	2 -	2	1	2 2	=	1	1 -	1 1	- 1
E984	6 4	6		8	17	15	6 2	11 1	9 5	22 6	18 11	23 10	20 12	30 20	24 12	10 4	2 4	5 -

						-, (2	- Call DC 2		CONTE								
									Age	at deat	h						
ICD No.	Cause of death		A11	De	ays		Weeks			Mon	ths				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
	Injury undetermined whether accidentally or purposely inflicted																1
E985	Injury by firearms and explosives	M F	16 1	Ī	-	-	-	-	_	Ē	-	-	-	-	-	-	-
E986	Injury by cutting and piercing instruments	MF	7	_	-		-	-	-	-	Ī	-	-	-	-	-	ĩ
E987	Falling from high place	M F	25 15		-	-	Ī	-	_	1	-	_	1	-	-	_	-
E988	Injury by other and unspecified means	MF	122 63	1 2	-	-	- ~	- 1	1 1	2 2	- 2	-	4.	6	2	- 2	-
E989	Late effect of injury	M	-	-	-	-	-	-	-	Ī	-	_		-	-	~	_
E990- E999	Injury resulting from operations of war	M F	7 -	-		-	-	-	-	_	-	-	_	-	-	Ī	-
E990	by fires and conflagrations	M F	-	-	Ī	-	-	-		-	-	-	-	-	-	-	-
E991	by bullets and fragments	M F	-	-	-	-	-	-	-	- ~	-	-	-	-	-	-	-
E992	by explosion of marine weapons	M F	-	-	-	-	-	-	_	Ī	-	-	-	-	-	-	-
E993	by other explosion	M F	-	_	-	Ξ	-	_	-	-	-	~ _	-	~	-	- ~	-
E994	by destruction of aircraft	M F	-	Ī	-	~		-	-	-	-	-	-	-	-	-	-
E995	by other and unspecified forms of conventional warfare	M F	-	-	-	-	-	-	-	-	-	-	-	Ī	Ξ	-	-
E996	by nuclear weapons	M F	-	-	-	-	- -	-	-	-	_	-	-	-	_	-	-
E997	by other forms of unconventional warfare	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E998	occurring after cessation of hostilities	M F	-	-	-	-	_	-	-	-	-	-	-	-	_	-	-
E999	Late effect	M F	7 -	-	-	-	-	-	-	-	-	-	-	-	~	-	Ξ
N800- N999	NXVII. ACCIDENTS, POISONINGS AND VIOLENCE (NATURE OF INJURY)	M F	12,641 10,102	28 34	5 8	5 7	3	8 4	106 75	104 82	50 34	31 19	340 266	120 92	117 69	116 72	88 58
N800- N809	Fracture of skull, spine, and trunk	M F	3,425 1,668	2 -	-	- 2	1 -	2	9 8	4 7	6 5	1	23 25	20 13	27 21	40 27	27 23
N800	Fracture of vault of skull	M F	44 15	1 -	-	_ 1	-	-	-	-	1	-	2	-	-	1	1
N801	Fracture of base of skull	M F	341 162	-	-		-	-	1 -	-	_	-	1	1	5 1	8 2	2 2
N802	Fracture of face bones	M F	24 13	-	-	-	-	-	-	- -	_	-		-	_	-	-
N803	Other and unqualified skull fractures	M F	1,543 579	1 -	-	-	1 -	1	8	4 7	4	1 1	19 21	17 11	17 14	23 16	14 14
N804	Multiple fractures involving skull or face with other bones	M F	727 334	-	-	-	Ξ	- 1	-	Ξ	Ī	-	- 1	2 -	3 4	4 6	5 3
N805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	M F	228 142	-	-	-	2	-	-	-	1	-	- 1	Ī	1 1	. 2	4 2
N806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	M F	85 29	Ξ	-	-	-	-	Ξ	-	1 -	-	1 -	-	-	1 -	-
N807	Fracture of rib(s), sternum and larynx	M F	147 80	-	-	- 1	-	-	-	-	-	-	- 1	- 1	:	-	-
N808	Fracture of pelvis	M F	90 130	-	-	-	-	-	=	-	-	-	-	-	1 -	-	1
N809	Multiple and ill-defined fractures of trunk	M F	196 184	-	-	-	-	-	-	-	-	-	-	-	- 1	1 2	-

TABLE 17 (Numbers) - continued

									Age a	at death								
ICD No.									Ύ€	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
E985	-	-	<u>-</u> 1	-	2	1 -	-	3	2	1 -	1 _	1 -	2	-	1 -	1 -	1 -	-
E986	_	-	-	1 -	1 ~	-	2	-	- 1	1 -	-	1	-	_	-	1 -	-	<u> </u>
E987	1	-	1	_ 1	1 2	3	1 2	1	2	3 -	2	2 2	- 1	3 2	-	1 2	2	2 2
E988	12 14	- 1	1 -	10	10	6 2	2	7	9 2	7	7 5	12	9	7 5	6	7	7 5	3 6
E989	-	-	-	-	_	_	-	-	-	-	-	-	-	_	-	-	-	-
E990-	-	_	-	_	-	_	-	-	~	1	-	1	1	1	2	1	-	-
E999 E990	_	~	-	_	-	_	-	-	-		_	-	_	_		_	-	-
E991	-	-	-	-	-	_	-	-	- ~	_	_	-	_	-	-	_	-	-
E992	-	-	-	_	-	_	-	-	-	-	-	_	_	_	_	-	-	-
E993	-	-	-	-	-	_	-	-	_	_	-	-	_	_	-	-	-	-
E994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E995	-	-	=	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E996	:	-	Ξ	_	-		-	-	-	-	-	-	-	-	-	-	-	-
E997	-	-	-	-	-	-	Ξ	-	_	-	-	-	-	-	-	-	-	-
E998	-	-	-	-	-	-	-	_	-	-	-]	-	_	-	_	-	-
E999	-	-	-	_	-	-	-	-	-	1 -	-	1 -	1 -	1 -	2 -	1 -	-	-
N800- N999	781 557	382 152	273 128	997 267	1,018 254	682 196		574 214	691 314	733 373	746 412	903 591	950 617	810 690	658 888	704 1,176	610 1,360	588 1,733
N800- N809	137 109	142 64	112 62	439 91	349 82				149 40	172 53	177 51	224 102	252 115	184 126	140 164	179 199	146 178	122 148
N800	4 2	1 -	3 3	7 -	5 2	3 -	4 ~	1 -	1 -	2 -	2	5 1	2	=	2	3	1	1 2
. N801	17	17 6	9	56 13	59 11	20	13 6	13 4	14 6	26 7	13 3	2 4 12	19 15	12 15	6 13	12 16	8 14	3 5
N802	-	-	-	7 -	3	3 1	_ 1	-	1 -	-	2	1 -	2	2 2	-	1 -	2 5	2
N803	90 76	77 27	6 4 34	228 44			70 10	83 13	70 19	73 27	75 21	91 32	100 29	71 34	42 57	54 45	40 30	34 21
N804		30 19			85	39	34	31 6	37 9	33 9		48	60 39	45 28	29 38	37 30	33 29	18 14
N805	7 5	11 7	9	2 5	13 5	15	4 1	5 2	9	12	11 6	20 12	16 12	16	16 10	13 21	11 21	15 19
N806	2 -	1 -		7 1	6	9	2	5 1	5 -	11 1	7 1	<u>4</u> 3	7	5 4	6 3	3 4	2 3	1
N807	2	1	. 2	4 2	4 -			5 1	2	5	5 1	7 5	13 4	14 7	15 6	24 16	16 18	25 15
N808	2	1 2	_	2	1 -		-	2 -	5 1	3 3	5		13 5	7 6		11 29	10 27	9 39
N809				16	7	7 -	3	7	5 3	7 1	13 5	14 11	20 10	12 22	18 26	2 <u>4</u> 35	23 30	14 31

									Age	at death	1						
ICD No.	Cause of death	}		Da	ys		Weeks			Mont					Years		
	7		All ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
N810- N819	Fracture of upper limb	M F	61 121	-	-	-		-	-	-	-	-	-	-	-	-	-
N810	clavicle	MF	3 9	-	-	_	-	-	-	-	-	-	_	-	-	_	-
N811	scapula	M F	1	-	-	-	-	-	-	-	-	-	_	-	-	-	_
N812	humerus	M F	27 71	-	-	_	-	-	_	-	-	-	_	-	-	-	_
N813	radius and ulna	M	6	-	-	-	-	-	_	-	-	-	_	-	-	-	_
N814	carpal bone(s)	MF	3 7	-	-	_	-	-	-	-	-	-	-	-	-	-	_
N815	metacarpal bone(s)	MF	-	-	-	-	-	-	_	-	_	-	-	-	-	-	-
N816	one or more phalanges of hand	M F	-	-	-	-	_	-	_	-	-	-	_	-	-	-	_
N817	Multiple fractures of hand bones	M	~	-	-	_	-	-	-	-	-	-	-	-	-	-	_
N818	Other, multiple, and ill-defined fractures	M F	10	_	-	-	-	-	_	-	-	-	_	-	-	-	_
N819	Multiple fractures both upper limbs, and upper limb with rib(s) and sternum	M F	20 11	-	-	Ξ	-	Ī	-	-	-	-	-	-	- -	-	=
N820- N829	Fracture of lower limb	M F	1,034 3,070	-	-	_	-	_	-	-	_	1	1	~ 1	1	-	-
N820	neck of femur	M F	452 1,668	-	-	-	_	_	-	-	-	-	-	-	-	-	_
N821	other and unspecified parts of femur	M F	341 1,114	_	_	-	-	-	-	_	-	-	-	_	-	_	-
N822	patella	M F	2 8	-	-	-	-	_	-	-	-	-	-	-	_	-	_
N823	tibia and fibula	M F	53 78	-	_	-	-	-	-		-	-	-	~	-	-	_
N824	ankle	M F	14 32	-	-		-	-	_	-	-	-	-	-	-	-	-
N825	one or more tarsal and metatarsal bones	M F	6 2	=	-	-	_	-	_	2	-	-	-	-	-	-	-
N826	one or more phalanges of foot	M F	=	_	-	-	-	-	-	_	-	-	-	_	-	-	-
N827	Other, multiple, and ill-defined	M F	29 28	-	-	-	-	-		-	-	-	-	-	-	_	-
N828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M F	120 127	-	-	-	-	-	-	-	Ξ	-	-	- 1	1 -		-
N829	unspecified bones	MF	17 13	-	-	-	_	-	-	-	_	1	1	_	-	-	-
N830- N839	Dislocation without fracture	M F	30 18	_	-	~	-	-	-	_	1	-	1	-	ĩ	1	-
N830	jaw	MF	-	-	-	-	-	-	-	-	-	-	-	_	-	-	-
N831	shoulder	M	2 9	-	-	-	-	-	Ī	-	-	-	-	-	-	-	_
N832	elbow	MF	-	-	-		-	-	-	-	-	-	-	-	-	-	_
N833	wrist	M F	-	=	-	-	-	-	-	-	-	-	-	-	-	-	-
N834	finger	M	-	2	-	-		-	-	-	-	-	-	~	-	-	-
N835	hip	MF	- 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N836	knee	M	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N837	ankle	M	-	-	-	-	-	-	-	~	_	-	-	-	-	_	_

TABLE 17 (Numbers) - continued

									Age a	at death								
ICD No.									Ye	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
N810- N819	=	1 -	- 1	4 -	1	1 -	-	~	2	-	1	2 2	3 2	3 4	5 11	8 30	12 24	18 46
N810	-	-	-	-	=	-		-	Ξ	=	Ī	_	-	1	1	1 2	2 2	3
N811	-	-	-	1 -	-	_	-	-		-	-	-	-		*** ***	-	-	1
N812	-	-	_	1 -	-	-		_	1 -	-	1	1 1	- 2	2	2	4 19	6 17	10 25
N813	-	-	_		Ī	-	-	-	_	-	-	1	1	-	- 1	2 3	1 2	2 4
N814	-	-	-	-	-	1 -	-	-	-	-	_	· -	-		- 1	1	1	2 4
N815	-	** **	-	-	Ī	-	-	-	-	-	-	-	_	-	00 me	-	-	-
N816	-	-	=	-	Ī	-	~	-	_	-	-	-	Ξ		-	-	-	-
N817	-	-	-	-	-	-	-	Ξ	-	-	-	-	_	-	_	-	-	-
N818	=	-	-	_	-	_	-		-	-	-		-	1	-	1 3	-	- 6
N819	-	1 -		2 -	1 -	-	-	-	1	-	1 -	1 -	2 -	1 1	3 2	2	3 2	<u>4</u> 3
N820- N829	2 1	1 3	1	15	13 2	7 2	5 1	7 3	10 2	11 8	13 9	28 27	49 60	73 111	111 267	165 513	228 825	295 1,231
N820	-	-	-	1	-	-	-	_	2	1 1	1 2	3 7	13 20	20 47	43 133	76 282	123 465	169 711
N821	-	-	- 1	5	. 3	2		1	-	1 1	2	5 7	11 23	29	38 90	62 171	73 316	109 467
N822	-	-	-	-	-	-	-	_	_	-	94 2m	-	1 1	1 1	- 2	1	-	3
N823	-	-	-	1	1	-	~	2	4	1 1	2	3 2	4 4	7 7	6 17	6 19	10 12	6 12
N824	-	-	~	-	_	_	-	-	-	1	1	2 3	3 3	1 5	1 8	3 5	2	- 4
N825	-	-	-	-	1	-	-	=	1 -	-		1		-	1 -	- 1	2	_
N826	-	-	-	-	-	-	· -	-	2	-	-	-	-	-	-	-	-	
N827	-	-	-	2	1 -	1	2 -	1	-	2	-	4 1	4 1	2 3	3 5	4 5	3 3	2 7
N828	1 1	1 3		3	7 -	1 1		2	2 2	7 3	7 2	9	12 6	13	18 10	10 28	15 24	8 27
N829	1	-		2	_	3		1	1	-	- 1	1 3	1 2	- 1	1 2	4 1	-	1 -
N830- N839	2	2		2	-	2		1	2	1	-	1 1	1	4 2	3	2 -	- 4	4 6
N830		-	-	_	-	-	_	-	-	-		_	_	-	-	-	-	-
N831	-		· •	-	2		-		Ē	-	-	_	Ţ.	-	Ē	_	<u> </u>	2
N832	-		-		-			=	-	-	1	-	_	-	-	-	-	-
N833	-		-	-			_	-	-	-	-	-	=	-	-	-	***	-
N834	-	-		-	_	1	-	-	=	-	-	-	-	-	-	-	-	-
N835	-			-	-	-	-	-		-	-	-	=	1 =	-	-	-	- 2
N836	-				-			-	-	-	-	=	-	1 -	-	=	-	-
N837	7 -			-				-	-	-	-	=	=	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Age	at death	1						
ICD No.	Cause at death	1	433	Day	78		Weeks			Mont	hs				Years		
			All ages	0	1-6	1	2	3	1-2	3~5	6-8	9-11	0	1	2	3	4
	Dislocation without fracture														1		
N838	foot	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N839	Other, multiple, and ill-defined	M	27 7	-	-	_	-	-	-	~	1 -	-	1	-	- 1	1	-
N840- N848	Sprains and strains of joints and adjacent muscles	M F	4 2	-	Ξ	-	Ī	-	-	-	- ~	Ξ	-	-	~	-	=
N840	shoulder and upper arm	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	_
N841	elbow and forearm	M F	-	-	-	-	-	-		_	-	_	_	-	-	-	-
N842	wrist and hand	MF	-	-	-	-	-	-	_	-	-	_	-	-	-	-	-
N843	hip and thigh	M F	_	-	-	-	-	-	-	-	-	-	-	-	-	~~	-
N844	knee and leg	M F	3	-	-	-	-	-	-	-	-	_	_	-	-	-	-
N845	ankle and foot	M F	1	_	-	-	-	-	-	_	-	-	-	_	-	-	-
N846	sacro-iliac region	M F	-	-	_	-	-	-	-	-	-	-	-	_	-	-	
N847	other and unspecified parts of back	M F	-	-	-	-		-	-	_	-	-	-	-	-	-	-
N848	Other and ill-defined	M F	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N850- N854	Intracranial injury (excluding those with skull fracture)	M F	875 448	1 ~	-	-	-	1	4 4	5 3	7 4	5 1	22 13	9	8 3	10 4	11 6
N850	Concussion	M F	38 18	_	1	-	-	-	-	-	-	-	- 1	1	-	1	-
N851	Cerebral laceration and contusion	M F	304 148	-	~ -	-	-	-	1 -	-	3	1 1	5 2	1 2	3	5 1	7 3
N852	Subarachnoid, subdural and extradural haemorrhage, following injury (without mention of cerebral laceration or contusion)	MF	153 132	-	-	Ξ	-	1	1 2	4 2	4 3	3 -	12 8	2 6	1 -	3	2 -
N853	Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)	M F	59 43	1 ~	-	-	-	-	1 -	1	-	-	3 1	2	2 -	-	1
N854	Intracranial injury of other and unspecified nature	M F	321 107	-	-	-	-	-	1	Ī	-	1 -	2	3 1	2	1 2	1 2
N860- N869	Internal injury of chest, abdomen and pelvis	M F	1,963 674	~	1	-	-	-	- 1	2 2	- 1	-	3 4	9 5	20 10	17 8	9
N860	Traumatic pneumothorax and haemothorax	M F	100 33	-	-	-	-	-	-	-	-	-	Ī	-	-	2	1 -
N861	heart and lung	M F	238 73	-	-		-	-	_	- 1	-	-	- 1	1	-	3	1
N862	other and unspecified intrathoracic organs	M F	514 152	-	-	-	-	-	-	- 1	Ξ	-	- 1	1	2	1	3
N863	gastro-intestinal tract	M F	24	-	-			-	-	1		-	1 -	- 2	2	2 2	-
N864	liver	M F	134 44	-	-	-	-	-	- 1	1 -	- 1	-	1 2	2 2	1 3	2	3 2
N865	spleen	M F	31 12	-		-	-	-	-	-	-	-	-	-	1 -	-	-
N866	kidney	M F	6	-	-	-	-	-		-	-	-	-	-	1 -	-	-
N867	pelvic organs	M F	14 6	-	-	-	-	-	2	-		-	-	-	1 -	-	-
N868	other and unspecified intra-abdominal organs	MF	104 37	-	1 -	-	-	-	-	-	-	-	1	2	3 2	4 -	-

TABLE 17 (Numbers) - continued

									Age a	it death								
ICD No.									Υe	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
N838	-	-	-	-	_		-	_	-	-	_	-	-		-	_	Ī	-
N839	2 1	2	2	2	- 1	2 -	1 -	1 -	2	1	-	1 1	1 -	3 2	3 1	2 -	Ī	2
N840- N848	=	-	-	-	=	-	1 =	-	1 -	-	1 -	~ ~	ī	1 -	1 -	-	-	ī
N840	-	-	-		-	-	_	-	-	-	- -	-	-	-	-	-	-	-
N841	-	-	-	-	-	-	-	-	=	-	-	-	_		-		-	- -
N842		-	-	-	-	-	- -	-		-	-	-	-	-	-	-	-	-
N843	-	-	-	-	Ξ	-	-	-	-	-	-	-	-		-	-	-	-
N844		-	-	-	-	-		-	1 -	-	1 -	-	-		1 -	-	-	-
N845	-	-	-	-	-	=	_	-	-	-	-	-	- 1	-	-	-	1	_
N846	_	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	Ī
N847	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-
N848	-	-	-	-	=	=	-		-	=	-	-	=	1 -	-	_	-	1
N850- N854	60 35	25 17	25 16	94	71 12	45 10		39 8	41 9	35 9	46 17	61 22	62 17	61 28	57 46	56 59	44 47	20 56
N850	2	1 2	2	5 1	5 -	2 -	1 -	1	2	=	. 4	2	4 ~	3 3	2 2	1 2	1 6	ĵ.
N851	21 11	12 7	13 8	47 12	24 8	18 4	13 3	8	15 2	9	16 7	16 3	19 8	25 9	14 16	15 19	13 10	6 19
N852	20 15	2	2	3 5	. 7	2	2 2	5 1	5 2	3 1	7 2	10 9	10 4	10	17 11	22 23	16 21	10 24
N853	8 2	5 -	1 2	8 4	3 1	5	. 1	6	3	1	2	1 2	3 -	. 1	2 6	6 4	7	5
						4.0	40	40	40	0.7	45	70	0.0	000	22	12	12	4
N854	9 6	5 5	7 5	31 7	32 2	18	16	19 2	1 6 5	23	17 5	32 7	26 5	9	22 11	11	3	8
N860- N869	58 36	77 24	39 19	238 70	278 45	138 33	120 16	91 30	134 32	124 38	114 37	151 52	134 48	84 58	79 45	57 40	29 30	18 21
N860	3 -	3 -	1	13	13	7 -	8 -	3 2	4 3	5 4	5 1	10 1	8	7 3	1 5	5 4	1 3	3 3
N861	2 5	9	4 1	34	35 1	14		13 4	17 3	21	6 4	21 11	16 4	10	10 7	5 3	5	2
N862	2	6	2	17	7	44		24 5	39 3	35 9	39 11	4 0 1 5	16	19 15	23 10	15 13	5 8	7 9
N863	5	1 -	-	1 -	-	-		_	2 -	-	2	5	-	2	1	3	1 -	1 -
N864	9	2 <u>4</u> 9	1.	4	4	1	. 1	5 2		2	3 -	7	8 4	3 2		1 -	1	2
N865	-	-	-	6	-		2	=	1 1	1 -	2	5	1	2	2	3 1	2	2
N866	-	600	-	-	_	-		-	1 -	-	1	1 - 2	2 -	1	1	2	3	-
N867	-	1		-	15	2	-	~	- 8	1 - 5	1 5	11	1 1	1 2	-	1	1	1
N868	10	12	3	11	15 5	3 2	1 6		8	4	5	11	2	2	- -	4	<u>1</u>	-

TABLE 17 (Numbers) - continued

									Age	at deat	h						
ICD No.	Cause of death	All		Day	s		Weeks			Mon	ths				Years		
		ages		0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
	Internal injury of chest, abdomen and pelvis																
N869	unspecified or involving intrathoracic and intra-abdominal organs	M 79		-	Ξ	-	-	-	-	-	=	Ξ	-	3	9 4	6 3	1 5
N870- N879	Laceration and open wound of head, neck and trunk	M 17	14	-	-	-	-	-	_	-	-	-	-	1		***	-
N870	Open wound of eye and orbit	M F	-	~	-	-	-	-	-	-	=	=	-	_	1		-
N871	Enucleation of eye	M F	-		-	-	-	_	-	-	_	-	-	-	-	=	-
N872	Open wound of ear	M	-	-	- 1	-	-	-	-	=	_	-	-		:	-	-
N873	Other and unspecified laceration of head	M F	4	-	-	~	-	-	-	-	-	-	-	-	-	-	-
N874	Open wound of neck	M 10	15	~	800 E	=	-	-	-	-	_	=	-	1	-	` _	-
N875	Open wound of chest (wall)	M I	8	-	_		-	_	-	-	_	_	-	1	-		-
N876	Open wound of back	M F	1	-		-	-	=	-	-	-	-	-	=	:	=	-
N877	Open wound of buttock	M	-			-	-	-	-	_	_	=	-	_	-		-
N878	Open wound of genital organs (external), including traumatic amputation	м	-	***	-	-	Ξ	-	-	-	-	=	-	-	-	-	2
N879		M F	7	-	-	-	-	Ξ	-	=	=	-	-	Ξ	-	-	_
N880- N887	Laceration and open wound of upper limb	M 2	24	-	-		-	-	-	-	-		-	_	-	-	-
N880	Open wound of shoulder and upper arm	M	1	-	-	_	-	-	_	-	_	Ξ	-	-	-	-	-
N881	Open wound of elbow, forearm and wrist		16	-	-	_	-	-	-	-	_	_	-	_	-	-	-
N882	Open wound of hand, except finger(s) alone		1	-		_	-	-	in in	-	-	-	-	-	-	-	-
N883	Open wound of finger(s)	M	1	_	-	_	_	1 -	_	-	_	-	-	-	-	_	-
N884	Multiple and unspecified open wound of upper limb	M	3	-	~	_	-	-	_	-	_	-	-	-	-	-	_
N885	Traumatic amputation of thumb (complete) (partial)		-	_	_	_	_	-	_	_		_	_	-	-	-	_
N886	Traumatic amputation of other finger(s) (complete) (partial)	M F	-	-	-	-	-	-	-	~	- - -	-	-	-	-	-	-
N887		M F	2	-	01 00	-	-	=	-	-	=	=	-	Ξ	-	unio ma	=
N890- N897	Laceration and open wound of lower limb		22	-	-	-	•	-	-	-		-	-	-	-	-	1
N890	Open wound of hip and	м .	5	-	-	_	_	_	_	_	_	-	-	-	_	_	-
N891		F M	9	-	_	_	-	_		-	_	-	_	-	_		-
N892		М	2	-	-	-	_	-	-	-	_	-	-	-	_		-
N893	except toe(s) alone Open wound of toe(s)	F M	1	-	-	-	-	-	-	-		-	-	-	-	-	-
N894		F M	1	-	-	-	-	-	-	-	-	-	_	-	-	-	1
N895	open wound of lower limb Traumatic amputation of toe(s) (complete)	M F	-	-	-	-	-	-	-	-	-	-	-	-	~	-	-
11896	(partial) Traumatic amputation of	м	-	*	-	_	_	_	_	_	-	_	_	-	_	-	
	foot (complete) (partial)	F	-	-	-	-	~	-	-	-	_	_	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Age a	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
N869	19 12	22 12	18 11	93 32	118 28	59 16	58 9	43 15	55 20	52 13	51 20	49 23	48 19	40 28	34 19	22 15	13 13	4 3
N870- N879	1	1 -	1 1	10 3	12 2	9 5	11 2	5 1	13 3	12 3	12 2	25 4	18	16 4	14	7	2 2	6 -
N870	-	-	-	-	-		-	-	-		_	-	Ī	-	-	-	-	-
N871	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- -	-	-	-
N872	-	-	-	<u> </u>	-	-	-	-	-	-	-	_	-		_	-	- -	-
N873	-	-	-	1 -	2 -	1	1 -	-	-	2 -	Ī	2	2	2	1 E	1 1	- 1	2 -
N874	- 1	-	-	4 -	2	7 1	6 -	3 1	7 1	6 3	7	21 3	14	11 2	11	5 -	1	4 -
N875	-	-	- 1	4 2	5 -	- 2	2 2	_	1	-	3 -	-	1 -	2 -	1 -	-	-	-
N876	-	1 -	-	_	-	-		-	2	_	-	-	-	-	-	-	~	-
N877	-	-	-	-	_	-	-	Ξ.	-	-	-	-	-		-	-	-	-
N878	-	_	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	Ξ.
N879	-	-	1 -	1 1	3 1	2	2 -	2	5 1	4 -	2 1	2 1	1 -	1 1	1	1 -	1 -	-
N880- N887	-	-	-	2 -	~	1 -	2	_	_	2 -	4 -	3 -	4 -	3 -	-	3 ~	-	2
N880	-	-	-		~	_	_	_	-	-	-	-	1 -	-	-	-	-	-
N881		-	_	-	-	_	1 1	-	-	1 -	4 -	2	3 -	2 -	-	3 -	-	- 1
N882	-	-		-	-	1 -	-	-	-	-		-	-	-	_	-	-	-
N883	-	-	_	1 -	-	-	_	-	_	-	-	-	-		-	-	-	1
N884	-	-		1 -	-	-	1 -	-	-		-	1 -	-	_	-	-	-	-
N885	_		_	-	-	_	-	-			-	-	-		_	-	_	-
N886	-		- -	-	-	-	-	-	-		Ī	-	-	-	-	=	-	-
N887	_	:			-	-	-	-	-	1 -	-	-		1 -	-	-	-	-
N890- N897	1	:	1 1	. 1	2		-	_	1 1	4 2	1	3	- 2	2 2	3 3	1 3		- 2
N897	_		1 -	_		_	-	-	~	2	-			1	1	-	-	
N891	-		- 1	. 1		-	-	-		1 1	-	2	2	- 2	1 2	1 3		<u>-</u> 2
N892	-				-	. -	-	-	-		1	-	-	-	1	-	-	-
N893	-				-	. -	-	- -	-	-	-	-	-	1 -	_	-	-	-
N894	1					. -	-	-	_	_	-	-		-	-	-	1 -	-
N895	-			. -				-	_	-	=	_	_	1 1 2	-		-	-
N896	-								_		-		_	-	-	-	-	-
	-			- -			-			-				-				

TABLE 17 (Numbers) - continued

									Age	at death	1						
ICD No.	Cause of death		A11	Day	ys		Weeks			Mont	hs				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
N897	Traumatic amputation of leg(s) (complete) (partial)	M F	4 2	-	-	-	-	-	-	-	-	-	-	-	***	-	:
N900- N907	Laceration and open wound of multiple location	M F	21 16	ī	-		-		-	-	-	-	- 1	_	=	-	-
N900	both upper limbs	M F	1 -	-	-	=	-	-	-		-	-	-	-	-	-	-
N901	both lower limbs	M F	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N902	upper with lower limb(s)	M F	3 -	-	_	-	-	-	-	-	-	-	-	Ī	Ξ	-	-
N903	both hands	M F	-		-	-	-	_	-	_	-	-	-	-	-	-	-
N904	head with limb(s)	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N905	trunk with limb(s)	M F	2 1	1	-	-	-	-	-	_	-	-	-	-	-	-	=
N906	face with limb(s)	M F	3	1	-	=	-	-	-	<u>-</u> -	-	-	-	-	-	=	-
N907	other and unspecified location	M F	14 12	- 1	-	-	-	-	-	-	-	-	- 1	-	-	-	-
N910- N918	Superficial injury	M F	7 9	-	-	-	-	-	-	-	- 1	-	- 1	-	-	-	-
N910	face, neck, scalp	M	1 3	- ~	-	-	-	-	-	-	- 1	-	- 1	-	_	-	-
N911	trunk	M F	ī] [-	-	-	-	-	-	-	-	-	-	2	-	-
N912	shoulder and upper arm	M F	-	no ma	-	-	-	-	-	-	-	-	-	-	-	-	-
N913	elbow, forearm and wrist	M F	1 1	-	-	-	-		-	-	-	-	-	-	-	-	-
N914	hand(s), except finger(s) alone	M F	- 1	-	-	-	-	-	-	-	-	-	_	-	-	-	-
N915	finger(s)	M F	- 1	-	-	-	-	-	-	-	-	_	_	-	_	-	-
N916	hip, thigh, leg and ankle	MF	2 1	-	-	-	-	-	-	-	-	-	-	-	_	-	-
N917	foot and toe(s)	M F	-	-	-	-	-	-	-	Ī		-	_	-	Ξ		-
N918	other, multiple and unspecified sites	M F	3	-	1	-	-	-	-	-	-	-	-	-	_	-	-
N920- N929	Contusion and crushing with intact skin surface	M F	18 37	Ξ	-	-	-	-	-	-	-	-	=	-	-	-	-
N920	face, scalp and neck except eye(s)	M F	4 5	-	-	-	-	-	:	2	-	-	-	-	-		-
N921	eye and orbit	M F	1 -	_	-	**	-	-		-	Ī	-	-	-	-	-	-
N922	trunk	M F	2 8	-	-	-	-	-	-	-	-	-	-	-	Ξ	-	-
N923	shoulder and upper arm	M F	-	-	-	-	-	- ~	-	Ξ	-	-	:	-	-	-	-
N924	elbow, forearm and wrist	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N925	hand(s), except finger(s) alone	M F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N926	finger(s)	M F	-	Ξ	-	-	-	-	-	-	:	-	-	-	Ξ	-	-
N927	hip, thigh, leg and ankle	M F	7 10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N928	foot and toe(s)	M F	-	-	-	-	-	-	-	-	-	-	-	-	Ξ.	-	-
N929	other, multiple and unspecified sites	M F	4 14	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 17 (Numbers) - continued

									Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
N897	-	-	-	=	=	1 -	-	-	1	1 -	-	1 -	-		1	-	-	-
N900- N907	ī	Ξ	-	2 1	-	2	3 -	1 -	4	5 2	- 1	1 -	1 4	1 2	1 1	1 1	1 -	1
N900	-	-	_	-	-		-	-	-	1 -	-	-	-	-	-	-	-	-
N901	-	-	_	1	-	-	-	-	-	1 -	-	-	Ī	-	:		-	-
N902		-	=	2 -	-	-	-	-	1 -	-	-	-	:	- -	:	-	-	-
N903	-	-	-	-	1	-	-	<u>-</u> -	-	-	-	-	-		-	-	-	-
N904	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	_	-
N905	-	-	-	-	-	-	1 -		-	-	_	_	-	-	-	-	1	-
N906	-	-	_	-	_	- 1	-	-	_	2	_	-	-	-	-	-	-	-
N907	_ 1	-	_	- 1	2	- 1	2	1	3 -	3 -	- 1	1	1 3	1 2	1	1	_	- 1
N910- N918	- 1	-	Ξ	- 1	_	_	-		- 1	2 -	- 1	- 1		~	1 1	2	2 2	<u>-</u>
N910	- 1	-	-	-	-	_	-	-	Ξ	-	_	=	-	-	-	1 1	_ 1	-
N911	-	-	=	-	-	_	Ī	_	Ī	-		- 1	-		_	-	-	-
N912	-	-	-	-	-	-	-	-	-	-	-	- ~	-	-	-	-	-	-
N913	_	-	-		-		-	_	-	-	-	-	-	-	1	-	<u>-</u> 1	-
N914		-	-	-	=	-	-	-	-	-	<u>-</u> 1	-	-	-	-	-	-	-
N915	_	-	_	-	-	_	-	-	_ 1	-	-	-		-	~ -	-	-	-
N916	-	-	-	_	-	_	-	-	-	1 -		-	-	-	-	1	-	-
N917	_	-	-	_	-	_			Ī	_	-	-	-	_	-	_	_	_
N918	-	-	-	-	-		 -	-	-	1 -	-	-	-	-	<u>-</u> 1	-	2	-
N920- N929	-	1	-		1 1	1 -	- 1	-	-	2	-	2	2 3	1 2	1 7	2 2	4 10	1 10
N920	-	-	-	_		1 -	-		-	1 -	-	-	1	_	- 1	_	<u>-</u> 3	1 -
N921	-	-	-	_	-		-	-	-	-	-	-	-	1 -		_	-	-
N922	-	-	-	-	-	-	-	-	=	-	-	-	_	1	- 1	1 -	1 2	- 4
N923	-	-	:	-	-	-	:	-	-	-	-	-	-	-	-	_	=	-
N924	-	-	-	-	-	-	-	-	Ξ	-	-	_	-	-	-	-	-	-
N925	-	-	-	_	-	-	-	-	-	-	-	-	_	-	-	-	-	:
N926	-	-	-	-		_	-	-	_	-	-	-	_	_	-	-	_	:
N927		1	-	-	-	-	-	-	-	1	-	2	1 -		1 3	1 1	- 4	-
N928	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N929	-	-	-	-	1	_	-	-	-	-	-	-	- 3	-	- 2	- 1	3 1	- 6
		-		-	-		1	-		_		-	5		2	1	1	

TABLE 17 (Numbers) - continued

									Age	at death	1						
ICD	Cause of death	H							Age								
No.			All ages	Da			Weeks		1.0	Mont					Years		
		+		0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
N930- N939	Effects of foreign body entering through orifice	M F	310 240	1	3 2	4 2	2 2	5 -	50 34	47 42	17 11	6	132 100	18 16	2 3	3	1
N930	Foreign body in eye and adnexa	M F	1 -	-	_	_	-	_	-	-	Ξ	_	-	_	_	-	-
N931	Foreign body in ear	M F	-	-	- 1	-	-	-	-	~	-	_	-	-	-	-	-
N932	Foreign body in nose	M F	ī	~	-	_		-	-	-	-	_	-	-	-	-	-
N933	Foreign body in pharynx and larynx	M F	292 220	- 1	3 2	4 2	2 2	5	50 33	46 42	17 9	3 6	130 97	18 15	2	3 3	1
N934	Foreign body in bronchus and lung	M	5 7	₩ 10	-	-	-	-	-	-	2	1	1 2	1	1	-	-
N935	Foreign body in mouth, oesophagus, and stomach	M	3 7	-	- 1	_	=	~	- 1	-	-	-	- 1	-	-	-	-
N936	Foreign body in intestine and colon		7 4	-	-	-	-	~	-	-	-	-	-	_	-	-	_
N937	Foreign body in anus and rectum	M	-	-	-	-	-	-	=	-	-	-	_	-	-	-	-
N938	Foreign body in digestive system, unspecified		2	-	_	-	-	-	_	1	-	-	1	_	-	-	-
N939	Foreign body in genito-urinary tract	M F	-	-	-	-	-	-	_	-	-	-	-	-	-	-	_
N940- N949	Burn	M	290 362	-	-		-	1	1	2 4	1	4	9	13	8	9	4
N940	confined to eye	M	-	-	-	***	-	-	-	-	_	-	4 ~	5	7	7	4 -
N941	confined to face, head and neck	MF	4 6	-	-	-	_	-	_	-	-	-	-	_	-	-	_
N942	confined to trunk	M	11 22	-	-	~			_	~	_	-	-	-	-	-	-
N943	confined to upper limb, except wrist and hand	MF	1 3	-	-	-	_	-	-	-	_	-	-	_	_	-	_
N944	confined to wrist(s) and hand(s)	M F	- 1	-	-	-	_	-	-	-	_	-	-	_	-	-	_
N945	confined to lower limb(s)	MF	14 18	-	-	-	_	-	-	-	_	_	_	-	-	-	_
N946	involving face, head and neck with limb(s)	MF	11	-	-	-	-	1	_	_	_	-	1	-	_	-	1
N947	involving trunk with	м	40	-	-	-	-	-	1	1 -	_	-	1	1	1	- 2	-
N948	<pre>involving face, head and</pre>	F	70 157	-	-	_	_	-	-	- 2	1	4	7	10	- 5	2	- 2
Voto	neck with trunk and limb(s)	F	149	-	-	~	-	-	44	3	-	-	3	5	4	3	3
N949	involving other and unspecified parts	M F	52 85	-	-	-	_	-	-	-	-	-	-	2 -	2	2	1
N950- N959	Injury to nerves and spinal cord	M F	45 13	-	-	-	-	-	-	-	-	-	_	-	-	1 -	1
N950	optic nerve(s)	M F	-	-	-	-	-	-	_	-	-	-	-	-	- ~	-	-
N951	other cranial nerve(s)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N952	nerve(s) in upper arm	M F	-	-	-	_	-	-	-	-	-	-	-	-	-	_	-
N953	nerve(s) in forearm	MF	-	-	-		-	-	-	-	-	-	-	-	_	Ξ	-
N954	nerve(s) in wrist and hand	M	-	-	-	-	-	-	-		-	-	-	-	-	-	-
N955	nerve(s) in thigh	M F	-	-	-	-	-	-	_	Ī	-	-	-	-	-	-	-
N956	nerve(s) in lower leg	M	-	-	-	-	-	-	-	-	-	-		-	-	-	-
N957	nerve(s) in ankle and foot	MF	-	-	-	-	-	-		-	-	-	-	-	-	-	-
N958	Spinal cord lesion without evidence of	MF	45 13	-	-	-	=	-	:	=	=	-	:	-	-	1 -	- 1
	spinal bone injury		13			-	-	-	-	-	-	-	-	-	-	-	1

									Age 8	at death								
ICD No.									Ye	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
N930- N939	156 123	4 4	2 1	9 4	11 6	12 2	7 3	9	8 10	14 4	10 6	16 2	15 13	15 14	8 11	9 13	3 9	2 11
N930	60 00	-	<u>-</u>	-	-	1 -	-	-	-	-	-	-		-	~ -	-	~	-
N931	-	-	-	-	- 1	-	-	-	-	-	-	-	- :	-	- :	-	-	-
N932	**	-	- 1	-	- 1	-	-	-	1	-	-	-	-		- i	-	~	-
N933	154 118	3 2	2	8	7 5	8	7 2	9 4	8 9	13 4	10 6	1 <u>4</u> 1	14 12	15 13	8 9	8 11	3 9	1 10
N934	1 4	1	-	-	2 -	-	- 1	-	-	-	-	-	1 -	-	- 1	-	-	
N935	- 1	_	- 1	1 -	-	- 1		-	-	-	-	-	-	- 1	-	1 1	-	1 1
N936	-	-	-	40 40	2	2 -	-	~	-	1 -	-	2	-	-	-	- 1	-	
N937	-	-	_	-	-	-	-	-	-	-	-	-	-	-	- 1	-	-	Ξ
N938	1 -	-		-	_	1 -	-	-	-	_	Ī	-	ī	_	- 1	-	-	Ē
N939	-	-	_	-	-	-	-	-	Ξ	-	-	-	-	-	-	_	-	-
N940- N949	43 27	10 10	6 2	7 3	16 6	11 8	9	13 12	12 12	10 10	18 12	13 12	16 24	25 17	18 32	28 53	20 51	15 63
N940	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ī
N941	-	-	=	-	-	-	:	=	-	-		:	1 1	1 -	1 2	-	- 1	1
N942	-	-	=	- 1	-	-	-	-	-	1 -	-	_		- 1	1 2	4 4	2	3 7
N943			_	-	-	-	-	-	-	-	-	-	- 1	-	 	-	1	- 2
N944	-	-	=	-	-	-	-	-	_	-	-	eo m	-	- 1	-	-	-	-
N945	-	1 -	_	-	-	-	- 1	Ī	_	-	- 1	1	1	1 2	4 1	5	1 4	- 7
N946	2 2	-	- 1	-	-	-	-	-	1	-	1	-	-	1	3	1 3	-	2
N947	5 2	1 1	=	-	-	-	,	- 5	_	2	4 1	2	2	8 4	2	3 14	7 10	4 17
N948		8	5	6	13 4	6 4	7 3	9 5	5 7	6 5	8	7 5	10 8	11 6	6	13 20	6 22	2 23
N949	7 5	<u>-</u> 5	1 1	1 1	3 2	5 4	2	4 2	6 5	1 4	5	3 5	2	3 3	1 7	2	3	3 5
N950- N959	1 1	1 1	-	4	3 -	1 -	2	1	1 1	3	3 2	8	6	4 1	4	3 2	- 1	ĩ
N950		-	-	-	-	-		<u>-</u>		-	-	-	-	000 To	_	-	-	-
N951	-	-	-	-		to _	-	_	-	-	~	-	-	_	-	-	=	-
N952	-	-	-	-	-	-	-	-	-	-	-	- -	-	**	_ [_	-	Ī
N953	-	-	-	-	-		-	-	-		-	-	-	-	-	=	-	-
N954	-	-	-	-	-	-	-	-	=	-	-	-	-	-	-	-	-	-
N955	-	-	-	_	_	-	-	-	-	-	-	-	-	-	-	-	-	-
N956	-	-	-	-	-		-	-	-	-	-	-		-	-	=	-	-
N957	-	-	-	-	-		-	-		-	-	-	-		-	=	-	-
N958	1 1	- 1 1	-	4	3	1	, 2	1	1 1	3 1	3 2	8	6	4 1	4 1	3 2	1	1
	1	1	_						1		4	1	-		1	-		

TABLE 17 (Numbers) - continued

			-					Age	at death	1						
ICD No.	Cause of death		Da	ıys		Weeks			Mont	hs				Years		
		A11 ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
N959	Other nerve injury including nerve injury in several parts	7 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N960- N979	Adverse effect of limedicinal agents		-	- 1	_	-	-	-	-	-	2	2	3 2	8 2	2 3	-
N960	antibiotics I	2		-	-	-	_	-	-	-	-	-	-	-	-	-
N961	other anti-infectives	- I		_	_	-	-	-	-	-	ī	_	=	-	-	-
N962		1 13	-	-		-	-	-	-	-	-	-	-	1 -	-	_
N963	primarily systemic agents 1	1 1		-	-	-	-	-	-	-	-	_	-	-	-	-
N964	agents primarily affecting lblood constituents	2 1	-	-		Ī	-	_	~	-	-	-	1 -	-	-	-
N965	analgesics and lantipyretics	107 153		-	-	Ξ	-		-	-	1 -	1 -	1	3 2	- 1	-
N966	anticonvulsants 1	2 1	-	-		_	-	-	-	-	-	-	-	-	-	-
N967	other sedatives and l	721	-	-	-	-	-			-	-	-	_ 1	1	1	-
N968	other central nervous is system depressants	12 12	-	-	-	-	-	-	_	-	-	-	-	-	-	
N969	local anaesthetics			Ī		_	-		-	-	_	-	-	-	-	-
N970	psychotherapeutics N		-	-		-	-	-		-	~ _		1 -	1	-	
N971	other central nervous is system stimulants	1 -	-	-		-	-	-	-	-		_	-	-		-
N972	agents primarily affecting the autonomic nervous system		-	-	-	-	-	-	~ -	-	-	_	-	1 -	- 1	-
N973	agents primarily affecting h cardiovascular system	1 1	-	<u>-</u> 1		-	-	-	-	-	-		~	-	-	-
N974	drugs primarily affecting A gastro-intestinal system A	1 1	-	-	-	-	-	-	-	-	-	-	_	1 -	-	_
N975	diuretics h	1 1		-	_	-	-	-	-	-	_	-	-	-	-	_
N976	agents acting directly Mupon musculoskeletal I	1 3	-	-	-	-	-	-	-	-	-	-	-		-	-
N977	other and unspecified Marugs	33 45	-	-	-	-	-	-	-	-	1 -	1 -	-	-	1 -	_
N978	two or more medicinal Magents in specified I combinations		-	-	-	Ξ	-	-	-	Ī	-	-	-	-	-	=
N979	Alcohol in combination N with specified medicinal R agents	112 88	-	-	-	-	-	-	-	-	-	-	=	Ī	-	-
N980- N989	Toxic effect of substances he chiefly non-medicinal as left to source		-	-	-	-	-	1 2	ĩ	2 3	5	8 9	15 17	16 11	8 9	10 7
N980	alcohol	26	-	-	_	-	-	-	_	-	-	-		Ī.		-
N981	petroleum products	2 -	-	-	~	-	-		-	-	-	-	1	-	-	-
N982	industrial solvents		-	~ .	-	-	-	-	-	-	-	_	~	-	-	-
N983	corrosive aromatics, acids Mand caustic alkalis		-	-	-	-	-		-	-	-	-	-	-	-	-
N984	leads and its compounds in (including fumes)		-	_	-	-	-	-	-	-	-	-	-	-	-	-
N985	other metals chiefly non-medicinal as to source H		-	-	-	-	-	-	-	-	-	-	-	-	-	-
N986	carbon monoxide	1,266	-	-	-	-	-	1 2	- 1	2 3	4 3	7 9	14 15	16 10	7 9	10 7
N987	other gases, fumes or Napours	15 5	-	-	-	-	-	=	-	-	1 -	1	- 1	- 1	-	-
			L													

TABLE 17 (Numbers) - continued

									Age a	at death					-			
ICD No.									Ye	ears								
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-80	80-84	85 and over
N959	-	Ξ	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-
N960- N979	15 8	4 2	1 2	21 21	61 56	61 61	75 76	89 82	114 136	114 164	120 157	125 212	98 190	100 155	54 140	38 84	17 54	9 23
N960	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	_	-	-
N961	-	-	- !	-	- 1	_		-	<u>-</u> 1		-	- 2		-	-		-	-
N962	1	-	-	-	2	1	-	2	1 -	- 1	1	1	3	2	1	_	_ 1	-
N963	-	-	-	-	-	-	-	-	-	-	-		-	-	1 -	_	-	-
N964	1 -	-	-	-	=	-	~- -	-	-	-		1 -	-	-	-	_	:	-
N965	5 4	-	-	3 3	11 4	1 6	4 5	8 6	12 14	13 13	12 13	12 17	5 26	5 12	6 10	6 15	2 5	2
N966	en -	1 -	-	-	-	-	Ξ	1 -	-	=	-	-	-	-	- 1	-	-	2
N967	2 2	2 2	1 2	9	32 34	35 37	4 5 54	58 55	69 92	73 105	85 114	80 158	68 13 5	74 117	41 114	27 63	14 44	6 22
N968	-	-	-	1 2	2 1	1 -	1 -	1	2	2 3	-	1 2	1 -	1	ĩ	1 -	- 1	-
N969	-	-	-	-	-	<u>-</u>	-	-	-	-	-	-	1 -	-	= !	-	1	Ξ
N970	2 -	1 -	-	2	1 8	9 10	5 2	6 11	9 11	8 7	2 11	6	5 8	6	1 5	- 2	- 1	-
N971	-	-	-	1 -	-	_	-	-	-	=	-	-	-	-	- -	-	_	-
N972	1	-	-	1	-	-	1	-	2	-	-	-	1	1		-	-	-
N973	- 1	-	-	-	-	-	-		-	-	-	-	- 1	1 1	-	- 1	-	-
N974	1 -	-	-	-	-	_	-	-	Ξ	-	-	-		-	-		-	-
N975	-	-	-	-	Ξ	=	-	-	=		-	-	-	1 -	-		-	-
N976	-	-	-	-	Ξ	-	, =	- 1	-	-	- 1	-	1 -	1	-	-	-	Ξ
N977	2 -	-	-	2	6 2	4 2	4 3	1 4	4 4	1 7	1 3	2 6	1 4	3 4	2 4	- 1	_	-
N978	-	-	-	2 2	3 4	3 2	5 5	1 2	2 2	5 9	7 6	4 6	1 5	2 4	2	2	1	1 1
N979	-	, <u> </u>	-	1 1	6 -	7 4	11 5	12 2	13 12	12 19	12 9	17 13	11 10	6 9	1 2	2	1 1	-
N980- N989	57 53	21 9	9 11	38 20	87 23	76 21	78 18	90 28	107 31	113 51	109 65	106 73	137 60	95 95	75 96	76 125	56 92	41 80
N980	_	-	1	1	2	-	2	1 -	3	4 2	3 -	4	2	2 2	1 1	<u>-</u> 1	-	-
N981	1 -	-	-	-		-		-	_	-	-	-	1	-	- 1	_	-	-
N982	-	-	-	-	Ξ	<u>-,</u>	-	2	-	-	_	_	~	_	-	-	1	-
N983	-	-	-	1	Ξ	2 -	1	1 -	1 -	2 2	Ξ	1 3	3 2	2 2	1	3 -	-	-
N984	-	-	-	=	Ξ	-	-	-	-	-	1	1 -	-	-	- 1	_	- -	Ī
N985	-	, ~	-	-	-	-	_	~	-	-	Ξ	1 -	2 -		- 1	-	-	-
N986	54 50	21 8	7 11	31 19	81 21	70 17	71 18	82 25	101 30	102 46	102 62	95 68	125 57	88 91	71 90	70 122	55 91	. 4 0 80
N987	1 2	-	1 -	3 -	1 -	1 -		-	1 -	1 -	1 1	2 -	1 -	1	-	1 1	1	=

TABLE 17 (Numbers) - continued

									Age	at death							
ICD No.	Cause of death		A11	Da	ys		Weeks			Mon	ths				Years		
			ages	0	1-6	1	2	3	1-2	3-5	6-8	9-11	0	1	2	3	4
	Toxic effect of substances chiefly non-medicinal as to source																
N988	noxious foodstuffs	M F	-	-	-	-	-	-	-	-	-	-	-	-		-	-
N989	other substances chiefly non-medicinal as to source	M	37 17	-	-	-	-	-	-	Ī	-	-	-	1	-	1 ~	-
N990- N999	Other adverse effects	M	1,851 797	25 32	1 5	1 3	ī	2 1	41 26	44 23	16 9	9	139 108	33 23	27 11	25 11	25 7
пээо	Effects of radiation	M F	1 -	_	=	-	-	-	Ξ	Ξ	-	Ξ	-	-	-	-	-
N991	Effects of reduced temperature	M F	20 20	_	-	1	-	_	-	Ī	-	-	- 1	-	Ξ	=	-
N992	Effects of heat	M F	2 2	-	-	-	-	_	-	1 -	-	-	1 -	-	Ī	Ξ	-
N993	Effects of air pressure	M F	-	_	-	-	-	-	-	-	-	-	-	-	Ī	-	
N994	Effects of other external causes	M F	1,750 695	25 30	1 5	1 2	1	2	40 26	43 22	16 9	9	137 104	32 21	26 11	25 10	25 7
N995	Certain early complications of trauma	M F	12 7	_	-	-	-	-	-	-	- ~	-	=		-	-	-
N996	Injury, other and unspecified	M F	57 58	- 1	-	-	-	-	-	-	-	-	- 1	-	1 -	- 1	-
N997	Complications peculiar to certain surgical procedures	M F	2 -	-	-	-	Ī	Ξ	-	-	-		-	Ξ	-	Ξ	-
N998	Other complications of surgical procedures	M F	2 6	- 1	-	-	-	-	-	-	-	-	_	-	-	-	-
N999	Other complications of medical care	M F	5 9	-	_	-	-	-	1 -	- 1	-	-	1	1 2	-	-	-

TABLE 17 (Numbers) - continued

									Age	at death								
ICD No.									Y	ears								
	0-4	5-9	10-14	15 - 19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
N988	-	_	_	-	10 E	~	-	~	-:	-	-	-	-	-		_	-	-
N989	1 1	_	-	3 -	3 2	3 3	4 -	4 3	1	4 1	2 2	2	3	2	2 3	2	=	1 -
N990- N999	249 160	91 18	74 11	111 19	113 18	97 18	65	76 19	92 35	109 28	117 52	134 78	152 78	138 69	83 62	67 50	46 31	37 31
N990	-	-	-	-		-	-	-	- i	-	1 -	-	**	-	-	5	-	_
N991	1	-	-	-	1 -	-	-		1	-	1 -	1 1	1 5	1	4 1	3 6	3 2	4 3
N992	1 -	1 -	-	-	_ :	-	-	-	- i	-	-	-	- 1	_	-	_	-	- 2
N993	-	~	-	-	_	-	-	-	1	-	-	-	-	_	-	_	-	-
N994	245 153	89 15	72 10	108 18	112 14	95 18	61 18	69 18	89 33	105 28	109 49	124 73	141 70	127 57	75 52	63 31	38 21	28 17
N995	-	-	1	1 -	-	-	-	1 1	1 -	-	3	3	2	_	- 1	- 2	1 2	-
N996	1 2	<u>1</u> 2	2	2	2	2 -	4 1	6 -	1 2	4 -	3 3	5 3	7 2	8	3 6	9	3	5 9
N997	-	-	-	=	-	-		-	-	-	-	-	-	1	-	1 -	-	-
N998	1	-	-		2	-	- 1	<u>-</u> 1		-	-	-	1	1	- 1		-	-
N999	2 3	1	Ξ	-	-	-	-	-	-	-	-	1 -	- 1	- 1	1 1	2	1 -	-

TABLE 17A. Death rates per million population from principal causes, by sex and age group, 1968

England and Wales

TCD								Age at	t death					
ICD Number	Cause of death		All ages	0-	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
	ALL CAUSES	M	12,409 11,358	20,991 15,948	869 733	418 285	907 387	952 639	2,327 1,650	7,007 4,282	21,133 10,360	53,698 28,164	123,237 80,180	267,379 214,115
000-136	I. INFECTIVE AND PARASITIC DISEASES	M F	110 64	805 602	73 53	15 11	13 10	14 17	37 36	86 48	221 84	379 129	525 200	752 331
000-009	Intestinal infectious diseases	M	17 14	552 389	28 23	3 2	2	2	1 1	2 3	9 8	15 16	33 35	119 91
009	Diarrhoeal disease	M	13 10	4 51 292	24 17	1 1	2 0	1 _	1 1	1 2	7 6	10 10	1 8 27	109
010-019	Tuberculosis	M F	63 24	5	5 2	1 -	2	. 8 8	24 22	61 27	166 40	285 63	388 94	406 98
011	Pulmonary tuberculosis	M F	42 14	2	1 1	0	- 1	4 4	17 14	42 17	104 21	192 38	272 57	267 44
070-079	Other viral diseases	M	7 7	43 30	8 2	4 1	3 4	1 4	2 4	6 5	8 9	20 13	26 22	89 40
070	Infectious hepatitis	M	5	7 3	3 1	3 1	2 3	1 3	2 3	6 5	8	17 12	20 17	49 29
090-099	Syphilis and other venereal diseases	M F	4 3	-	-	~	-	-	1 0	2 2	12 5	27 16	30 14	30 18
140-239	II. NEOPLASMS	M F	2,610 2,094	77 66	111 102	73 61	106 72	183 183	548 683	1,952 1,989	6,129 3,824	13,159 6,406	20,000	22,918 14,558
140-149	Malignant neoplasm of buccal cavity and pharynx	M F	43 25	-	1	0	2	2 2	7 7	30 21	8 2 42	216 76	404 131	781 236
141	tongue	M F	10 5	-	-	-	~ -	- 1	1 2	7 3	15 7	48 13	117 27	168 76
146	oropharynx	M F	6 2	-	-	-	0 -	0	1 0	3 2	13	29 6	58 14	109 11
148	hypopharynx	M F	7 8	-	_	-	0	0	1 2	3 10	15 20	46 25	41 32	59 36
150-159	Malignant neoplasm of digestive organs and peritoneum	M F	837 756	5	3 2	1 1	4 4	29 31	159 120	584 379	1,819 1,086	4,222 2,465	7,611 5,008	9,397 7,550
150	oesophagus	M F	71 49	-	2	-	0	2	10 6	54 27	156 72	350 160	652 324	841 465
151	stomach	M F	306 221	-	-	-	1 1	9 8	54 27	203 88	719 281	1,641 727	2,514 1,581	2,621 2,385
152	small intestine, including duodenum	M F	5 4	-	-		0 -	0 -	2 2	5 3	11 7	25 17	45 18	30 18
153	large intestine, except rectum	M F	172 236	-	-	-0	1 1	8	33 41	119 118	326 347	808 733	1,791 1,573	2,740 2,465
154	rectum and rectosigmoid junction	M F	132 111	_	_	-	- 0	4 5	25 19	77 68	246 157	660 354	1,393 714	1,978 1,160
155	liver and intrahepatic bile ducts, specified as primary	M F	13 8	5	3 2	0	1	1 2	5	19 7	36 13	54 20	54 39	69 47
156	gallbladder and bile ducts	M F	18 28	-	-	-	0	0	5 4	10 7	50 41	85 110	165 177	158 204
157	pancreas	M F	111 91	-	-	-	- 1	3 2	21 14	87 53	254 150	564 313	952 548	920 763
158	peritoneum and retroperitoneal tissue	M F	7 7	-	-	1 0	0 -	2	4 3	8 7	17 16	29 27	35 23	10 25
160-163	Malignant neoplasm of respiratory system	M F	1,046 209		1 1	1 0	3 2	19 10	149 52	862 224	2,973 483	5,825 759	5, 919 722	3,600 745
160	nose, nasal cavities, middle ear and accessory sinuses	M F	6 4	-	1 -		-	0	1 -	7	15 7	30 15	30 22	69 2 9
161	larynx	M F	23 5		-	-	-	-0	3 0	15 3	39 13	131 18	223 13	247 25
162,163	trachea, bronchus, lung, pleura, mediastinum and unspecified respiratory site	M F	1,018	-	- 1	1 0	3 2	19 8	145 52	839 219	2,920 462	5,664 726	5,667 686	3,284 691
162	trachea, bronchus and lung	M F	1,012	-	- 1	0	3	17	142 51	832 215	2,899 456	5,646	5,636 679	3,264 683

TABLE 17A (Rates) - continued

								Age at	death					
ICD Number	Cause of death		A11	0-	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	05 and
			ages			0 11	20 51	20 04	00 44	40-04	33-64	03-14	75-64	85 and over
170-174	Malignant neoplasm of bone, connective tissue, skin and breast	M	42 443	/ -	1 4	5	14 12	15 47	26 231	44 606	75 954	150 1,188	279 1,540	465 2,650
170	bone	M F	14	-	- 2	4 3	11 7	5 2	8 2	12 5	20 14	52 30	73 33	99 58
171	connective and other soft	M F	6 5	-	- 1	1	2	3 2	4 3	7 5	13	17 16	33 18	20 22
172	Malignant melanoma of skin	M F	9	-	-	-	1 2	7 5	11 14	16 21	20 19	23 28	33 30	4 9 6 9
173	Other malignant neoplasm	M F	10	_	1	0	0	-0	2	6	15	43 21	119	267
174	breast	MF	3 409	-	-	-0	- 2	37	1	4	7	16	56 21	30
180-189	Malignant neoplasm of genito-urinary organs	M F	330 385	2 3	12 15	3 4	13 5	26 31	210 41 153	572 119 498	907 481 788	1,093	1,402 4,203	2,370 6,835
180	cervix uteri	F	98	_	-	_	1	11	76	201	201	219	1,528	1,974 389
181,182	Chorionepithelioma and other malignant neoplasm of uterus	F	_	-	~	_	na	-	~		_	_		-
182.0	malignant neoplasm of corpus uteri	F	50	-	-	- 1	0	0	3	38	112	177	242	222
183	ovary, fallopian tube, and broad ligament	F	137	_	_	1	3	14	59	203	324	414	395	407
183.0	ovary	F	136	-	_ }	1	3	14	59	201	322	412	395	403
184	other and unspecified female genital organs	F	22	-	-	_	-	0	4	10	26	75	155	218
184.0	vagina	F	5	~	-	-	-	-	0	3	7	19	33	44
184 • 1	vulva	F	17	- 1	-	-	-	0	4	6	18	55	122	174
185	prostate	М	167	-	1	0	1	-	1	15	152	813	2,762	4,708
186	testis	M	11	- 1	3	1	11	25	17	10	7	14	15	20
188	bladder	M F	110 44	-	1		_	0	10	54 16	212 57	576 142	1,175	1,800 516
189	other and unspecified urinary organs	M F	39 24	2 3	8 13	2 3	1 1	1 3	12 5	36 19	104	187 69	205	227 149
190-199	Malignant neoplasm of other and unspecified sites	M F	123 120	24 10	33 26	13 15	14 11	24 17	56 47	129 114	313 225	486 358	627 499	722 691
191	brain	M F	39 28	5	13 9	7 9	8 7	16 13	38 25	63 48	125 68	83 60	28 11	- 4
193	thyroid gland	M F	5 11	-	-	- 0	-	0	1 3	5 8	11 15	29 35	40 71	.30 80
200-209	Neoplasms of lymphatic and haematopoietic tissue	M F	160 126	31 18	55 48	42 30	48 32	62 40	91 55	148 107	324 194	577 360	830 527	959 542
200	Lymphosarcoma and reticulum-cell sarcoma	M F	32 22	5	7 4	8 3	8 3	8 5	23 8	37 19	71 39	112	144	79 91
200.0	reticulum-cell sarcoma	M F	13 9	2 -	1 1	2	3 2	5 3	11 2	18 10	30 18	47	56 33	20 33
200 • 1	lymphosarcoma	M F	18 13	2	6	6 3	5	4 2	12	19	41 22	65 46	87 57	59 58
201	Hodgkin's disease	M F	23 15	_	-	1 2	17 11	29 16	24 15	31 17	45 20	41	58 39	49 33
202	Other neoplasms of lymphoid tissue	M F	8 5	7	1 1	-	2	3 3	7 2	8	18	32 16	30 27	30 25
203	Multiple myeloma	M F	20 20	-	-	-	- 0	0	6	18 14	48 42	101	142	188 73
204	Lymphatic leukaemia	M F	28 20	12 8	28 28	20 14	7 5	5	3 2	12	51 22	107	168	307 182
204.0	acute	M F	11 8	12	26 26	18	7 5	5 3	3 1	5 4	15	18	25 13	69 18
204 • 1	chronic	M F	15 11	-	1 1	1 1	- 0	1	0	6	35 15	81	139	227 156

TABLE 17A (Rates) - continued

TOD								Age at	t death					
ICD Number	Cause of death		All ages	0-	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
205	Myeloid leukaemia	M F	30 27	2 5	10	7 6	E 7	11 9	21 16	28 31	52 42	109 64	165 111	188 73
-05.0	acute	M F	17 14	2 5	9 7	6 5	7 5	7 6	13 9	16 18	28 18	64 34	68 53	79 29
205•1	chronic	M F	11 11	-	1 2	1 -	1 1	3 3	8 7	11 11	21 22	41 26	86 53	79 36
206	Monocytic leukaemia	M F	5	Ξ	2	1 2	2	2	2 3	36	9 5	19 13	30 18	40 18
207	Other and unspecified leukaemia	M F	9 7	5 5	8 7	5 4	4 3	3	3 3	7 5	15 8	28 17	45 30	49 36
207 • 0	leukaemia, acute	M F	7 5	5 -	5	<i>5</i>	4 3	2 2	3	6 4	9	16 10	38 16	30 15
210-228	Benign neoplasms	M F	10 17	12 23	3 2	2 4	4 3	4 3	7 12	14 23	18 25	28 36	63 54	89 127
225	brain and other parts of nervous system	M F	4 5	2 3	1 1	1 2	1 1	2	3	9 8	9	6 13	15 11	- 7
230-239	Neoplasm of unspecified nature	M F	17 13	7 8	4 4	5 3	4 2	3 2	11 6	23 16	42 27	51 30	63 47	69 44
240-279	III. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	M F	98 163	239 135	16 24	14 12	6 8	17 15	28 23	49 58	154 182	408 570	997 1,114	1,375 1,399
240-246	Diseases of thyroid gland	M F	3 23	3	- 1	Ī	0	1 1	1 3	1 12	5 26	13 79	33 149	30 273
242	Thyrotoxicosis with or without goitre	M F	1 8	-	-	-	-	1 1	- 2	1 7	3 14	3	7 38	44
244	Myxoedema	M F	2 13	-	- 1	-	-0		0	- 4	2 11	8 40	21 103	30 222
250-258	Diseases of other endocrine glands	M F	78 122	68 30	2 3	4 5	3 5	12 11	21 15	37 35	123 138	354 453	893 872	1,227 956
250	Diabetes mellitus	M F	73 116	5 3	1 3	3 4	<i>3</i>	11 8	19 13	33 31	111 127	340 440	868 856	1,187 934
260-269	Avitaminoses and other nutritional deficiency	M F	3 4	17	- 1	0 -	0	1 -	0	3	6	10 10	20 36	69 91
270-279	Other metabolic diseases	M F	14 14	154 94	15 20	9 7	3 2	3 2	6 5	8 10	20 14	31 29	51 57	49 80
280-289	IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	M F	28 50	43 15	9	6 4	4 3	5 5	8 5	10 14	29 36	97 119	350 401	682 938
280	Iron deficiency anaemias	M F	3 7	2 3	-	-	0 -	- 1	-	2	1 4	10 19	53 59	79 160
281	Other deficiency anaemias	M F	7 17	2 -	-	-	-	ō	0	1 2	5 8	30 36	121 156	247 385
281.0	pernicious anaemia	M F	5 13	2 -	-	- -	-	- 0	0	- 1	3 6	24 26	89 122	218 313
284	Aplastic anaemia	M F	6 7	5 -	2	2	1 1	2 2	1 1	3 4	10 9	21 23	51 37	79 62
290-315	V. MENTAL DISORDERS	M F	17 33	3	2	1 1	4 2	5 2	5 5	9	18 26	45 65	223 248	762 880
290-299	Psychoses	M F	14 30	-	-	-	0	0	1 0	4 4	12 20	39 59	218 244	762 872
290	Senile and pre-senile dementia	M F	12 28	-	-	-	-	-	0 -	2 3	9 16	36 54	206 232	702 8 4 0
320-389	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	M F	131 129	420 305	60 45	25 24	52 20	42 31	59 57	98 87	187 151	443 339	936 650	1,385 1,120
320-324	Inflammatory diseases of central nervous system	M F	15 10	241 170	26 13	5 5	6 3	5 2	6	8 7	17 13	24 16	21 7	40 18
320	Meningitis	M F	9 6	193 130	17 10	2 2	2	1 0	2 2	3 4	10 7	17 13	20 6	30 11
330-333	Hereditary and familial diseases of nervous system	M F	8 4	53 25	6 4	4 2	13 1	4 2	4 4	9 7	10 6	10	7	-
330	Hereditary neuromuscular disorders	M F	6 2	51 23	5 2	<i>3</i> 1	13 1	3	3.	3 2	7 1	6 3	2 2	-

TABLE 17A (Rates) - continued

								Ago at	death					
ICD Number	Cause of death		A11	0-	1-4	5-14	15-24	25~34	35-44	45-54	55-64	65-74	75-84	85 and
340~349	Other diseases of central	м	ages	72	25	14	32	32	45	77	152	395	880	over
340	nervous system Multiple sclerosis	F M	110	48	23	15	16	26	46	72	126	310	880 622	1,296 1,076
342	Paralysis agitans	F	19	-	-	0	1 2	9	20 25	30 41	35 46	34 35	12 17	10
		F	38	-	-	-	_		-	5	29 24	186 139	484 341	692 469
345	Epilepsy	M F	15 12	10	7 12	6 7	26 11	23 12	13 15	12	17	15 19	20 11	30 29
348	Motor neurone disease	M F	14 11	5	-	ō	1 -	1	7 2	19 9	37 31	60 42	64 30	40 25
390-458	VII. DISEASES OF THE CIRCULATORY SYSTEM	M F	6,017 6,098	113 107	8 1 2	11 11	41 31	156 102	936 397	3,392 1,243	10,274 4,212	27,021 15,431	67,034 49,945	
393-398	Chronic rheumatic heart disease	M F	111 176	-	- 1	7	7 3	18 20	59 79	146 185	281 343	420 500	629 764	742 1,309
394	Diseases of mitral valve	M F	36 87			- 0	2 2	4 10	16 44	53 99	87 185	135 245	223 336	287 520
395	Diseases of aortic valve	M F	43 33	~	- 1	***	2 0	4 1	17 5	43 15	116 43	176 102	281 209	336 491
396	Diseases of mitral and aortic valves	M F	13 19	-	-	- 0	1 _	5 4	14 11	21 27	35 36	37 47	53 78	30 113
400-404	Hypertensive disease	M F	202 253	5 3	, =	- 0	2 1	8	46 24	128 61	376 196	924 732	2,192 2,136	3,432 4,089
400	Malignant hypertension	M F	21 8	-	~	- 0	1	6	28 11	50 19	59 19	36 13	8	20
401	Essential benign hypertension	M F	25 28	-	-	-	-	- 0	4 3	14 5	52 22	114	262 243	386 523
402	Hypertensive heart disease	M F	144 201	2	-	-	0	1	11 6	53 32	239 148	737 620	1,770 1,758	2,651 3,170
403	Hypertensive renal disease	M F	10 12	2 3	-	-	-	0	4 3	7 4	20	23	122	277 320
410-414	Ischaemic heart disease	M F	3,374 2,357	2 3	1	0	4 2	59 15	634 107	2,451 419	6,981 1,851	16,001 7,020	31,438 18,969	58,882 44,071
410	Acute myocardial infarction	M F	2,516 1,479	2	1	0	3 2	49	548 93	2,085	5,776 1,489	12,400 5,165	20,390	29,011
411	Other acute and sub-acute forms of ischaemic heart disease	M F	46 31	-	-	1 1	-	2 0	10	36 5	95 25	208	436 257	18,862 772 487
412	Chronic ischaemic heart disease	M F	808 844	3	_ 1		1 0	9 4	74 13	326 66	1,106 335	3,372 1,745	10,563	29,021 24,678
420-429	Other forms of heart disease	M F	534 8 02	58 66	5 9	5 4	11 8	20	39 32	119 79	441 277	1,872 1,322	8,017 6,648	28,467 27,401
421	Acute and sub-acute endocarditis	M	6 5	-	1 1	0	1	4 2	5 2	8 5	17 12	21	20 19	. 10
424	Chronic disease of endocardium	M	29 34	-	-	- 0		2	4	17 8	51 24	146	279	682 712
425	Cardiomyopathy	MF	8 5	10 18	1	2	3 2	6 2	7 5	14	19	18	13	10
426	Pulmonary heart disease	M	40 18	2 3	1	- 1	1 2	1 2	3 7	20	88 22	213	404	435 134
427	Symptomatic heart disease	M	208 289	31 15	2 1	1 0	1 1	2 2	10 7	32 30	174 137	869 644	3,191 2,602	9,209 7,310
427.0	congestive heart failure	M	147 204	22	2	0	- 1	1	6	20	109	584	2,365	6,983
427 • 1	left ventricular failure	M F	26 28	8 5 5	-	0	0	7	2 2 2	18 5 3	82 31	426 125	352	5,449 890
427 • 2	heart block	M F	6	_	- 1	1	1	1	1	2	17 5	63 23	247 92	665 257
427 • 9	other disorders of heart	M	28	5		0		0	1	5	29	136	51 381	1,078
430-438	rhythm Cerebrovascular disease	F M	1,342	27		4	11	39	122	409	32 1,675	5,968	435 18,473	1,094 43,709
430	Subarachnoid haemorrhage	F M	1,949	23	2	3	14 8	32 23	120 65	397 106	1,271	4,744 181	16,698	42,388 208
		F	104	8	-	3 3	11	22	68	141	218	280	366	258

TABLE 17A (Rates) - continued

								Age at	death					
ICD Number	Cause of death		All ages	0-	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
431	Cerebral haemorrhage	M	346 481	10	1	1 1	2 2	11 7	40 35	181 158	618 504	1,698 1,484	3,858 3,773	6,597 6,576
432	Occlusion of pre-cerebral arteries	M F	12 9	-	-	-	0	0	3	7 6	32 13	57 28	87 61	138
433	Cerebral thrombosis	M F	554 818	7 3	1 1	0	1 1	2 2	6 7	62 44	495 293	2,497	8,719 7,702	21,573
434	Cerebral embolism	M F	6 9	-	-	1	-	0	0	3 4	7	33 35	74 61	99 134
436	Acute but ill-defined cerebrovascular disease	M F	182 257	-	-	-	-	1 1	7	4 2 36	257 176	895 711	2,547	4,402
437	Generalized ischaemic cerebrovascular disease	MF	159 243	-	-	-	-	-	1 _	6	73 47	525 336	2,727	10,138
440-448	Diseases of arteries, arterioles and capillaries	M	356 418	10	- 1	- 1	4 1	5 4	21 12	82 36	342 125	1,366 676	5,211 3,641	17,230 14,137
440	Arteriosclerosis	M F	181 283	-	-	-	-	-	2	6	58 26	4 65 326	3,229 2,520	13,769
441	Aortic aneurysm (non-syphilitic)	M F	111 66	-	-	- 0	1 1	2 1	9	45 14	195 58	631 203	1,258 571	1,325 912
442	Other aneurysm	M F	4 3	-	-	-	-	1 0	2	3	8 5	17 7	43 13	89 18
443	Other peripheral vascular disease	M F	5 3	-	-	-	-	- -	1 -	3	8 1	18 8	50 29	1 88 76
444	Arterial embolism and thrombosis	M F	26 33	7 5	- 1	-	-	1 1	2 4	13 10	47 22	141 82	246 278	564 694
445	Gangrene	M F	21 24	2 -	-	-	-	-	1 1	1 1	12	70 34	357 208	1,246 952
446	Polyarteritis nodosa and allied conditions	M F	5 4	-	-	- 1	2	1 1	5	10 5	12 8	17 12	21 14	20 29
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	M F	98 143	1 0 8	-	0	3 1	7 11	15 24	55 66	176 147	470 437	1,071 1,085	1,672 1,727
450	Pulmonary embolism and infarction	M F	45 54	2	-	-	1 0	3	8 7	24 22	87 56	221 161	479 409	722 687
451	Phlebitis and thrombophlebitis	M F	4 8	-	~ _	-	0	- 0	3	4 5	7 10	15 19	31 59	69 91
452,453	Portal vein thrombosis and other venous embolism and thrombosis	M F	-	-	-	-	-	-	=	-	-	-	-	:
454	Varicose veins of lower extremities	M F	2 6	-	-	-	-	- 0	0 3	3 4	4 9	4 18	25 37	40 36
460-519	VIII. DISEASES OF THE RESPIRATORY SYSTEM	M F	2,008 1,494	3,865 2,861	171 174	44 38	53 34	60 54	143 114	598 311	2,637 873	9,039 3,010	24,568 11,339	59,090 38,906
460-466	Acute respiratory infections (except influenza)	M F	61 6 0	1,071 755	47 51	3 5	4 1	6	4 3	13 11	45 26	156 85	525 346	1,385 1,229
466	Acute bronchitis and bronchiolitis	M F	59 56	984 696	38 42	2 3	3	4 2	3 3	12 11	45 25	155 83	525 339	1,345 1,185
470-474	Influenza	M F	79 112	22 30	3 2	1	5	4 4	9 5	20 15	66 51	300 194	1,154 888	3,462 3,650
470	unqualified	M F	12 18	2 -	1 -	-	1 -	1 1	0 2	4 2	7 7	42 26	187 134	613 694
471	with pneumonia	M F	52 77	17 28	1 2	1 1	4 3	3 2	8 3	13 11	41 35	181 136	774 622	2,502 2,443
472	with other respiratory manifestations	M F	14 16	2 3	1 -	0	-	1 1	1 1	3 2	17 9	76 30	191 128	346 494
480-486	Pneumonia	M	768 917	2,544	93 97	24 21	24 11	24 23	48 44	168 108	585 371	2,552 1,595	10,921 7,405	36,222 27,183
480	Viral pneumonia	M F	9 7	200 145	6 7	2 2	3 1	3 1	3 3	4 3	8 5	12 7	28 21	30 51
481	Pneumococcal pneumonia	M F	73 60	65 58	4 7	1 1	4	3 2	10 8	44 19	119	292 153	792 442	2,107

TABLE 17A (Rates) - continued

						(1111001	, ,	710001000						
ICD								Age at	t death					
Number	Cause of death		All ages	0-	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
490-493	Bronchitis, emphysema and asthma	M F	1,013 353	96 94	14 15	13 7	16 15	20 18	69 50	350 151	1,781 375	5,614 1,031	11,185 2,419	16,429 5,540
490	Bronchitis, unqualified	M	32 33	75 81	5 8	1 0	1 0	1 -	2	8	33 19	120 70	418 223	1,296 963
491	Chronic bronchitis	M F	906 276	17 13	2 1	2 0	1 2	6	39 19	290 96	1,591	5,124 847	10,244	14,510 4,369
492	Emphysema	M F	49 12	-	-	- 0	2	1	5 2	27 8	103	284 30	411 77	534 153
493	Asthma	M	27 32	5	7	10	13 13	12	23 26	26 40	53 58	87 83	112	89 55
514	Pulmonary congestion and hypostasis	M	9 19	5	_	-		1	0	1 0	4 2	16 15	117 121	1,039
515	Pneumoconiosis due to silica and silicates	M F	23 0	-	-		-		0	10	53 1	146	193	109
518	Bronchiectasis	M	24 15	5 5	1 -	- 1	2	3	9 7	17 16	42 22	116 45	241 66	208 116
520-577	IX. DISEASES OF THE DIGESTIVE SYSTEM	M F	288 283	398 340	26 15	7	18 10	23 19	73 48	184 121	469 300	1,295 751	2,846 2,034	5,262 4,155
530-537	Diseases of oesophagus, stomach and duodenum	M F	125 71	24	1 3	7	3 0	5	23 8	72 23	196 58	665 183	1,304 585	2,176 1,225
530	Diseases of oesophagus	M F	6 5	-	1 7	- 0	0	0	1 1	4 1	6	27 14	63 36	138 87
531	Ulcer of stomach	M	44 32	7 3	- 1	-	7	1 2	7 4	23	7 4 27	243 82	436 267	791 571
531.0	with perforation	M	11 7	7 3	1	-	1 -	1 0	2 2	8	19	59 21	109 53	79 73
531+9	without mention of perforation	M F	33 25	-	-	60 90	1 -	1	5 2	15 6	55 18	184 61	327 213	712 498
532	Ulcer of duodenum	M F	61 22	2	-	-	1 -	3 1	12	39 10	95 19	321 59	636 180	989 356
532 • 0	with perforation	M F	23 10	2 -	-	-	0	1 -	4 1	15 5	38 9	132 29	231 79	317 149
5 32 • 9	without mention of perforation	M F	37 12	_	-	2	1 -	2	8	24 4	57 10	189 30	404 101	673 207
533	Peptic ulcer, site unspecified	M	9 7	2 -	_	_	0		1 1	2 2	11 4	46 16	127 71	227 145
540-543	Appendicitis	M F	9	2 3	8 2	3 2	3	1 2	3 1	6 4	15 9	30 21	69 36	99 55
540	Acute appendicitis	M F	7 6	2 3	7 2	3 2	3	1 1	2 1	5 4	11 7	23 18	56 28	89 44
550-553	Hernia of abdominal cavity	M F	24 32	203 163	4 -	0	- 1	0 ~	2 3	7 9	19 22	83 78	324 259	653 · 516
560-569	Other diseases of intestine and peritoneum	M F	63 89	152 150	9 4	2	8 3	11 6	17 17	33 31	83 77	242 232	675 664	1,513 1,421
560	Intestinal obstruction without mention of hernia	M F	20 23	77 81	5 2	1 1	3 -	3 2	4 4	9 5	21 17	78 51	229 177	544 454
• 561	Gastro-enteritis and colitis, except ulcerative, of non-infectious origin	M F	3 6	27 20	2 2	-	0	-	0	7	1 1	5 10	46 48	168 164
562	Diverticula of intestine	M F	16 32	3	_	-	-	-	1 -	5 3	25 28	78 91	206 280	396 531
563	Chronic enteritis and ulcerative colitis	M F	10 12	7 8	1 -	- 1	3 2	7 3	9	12 12	14 15	30 37	56 57	59 65
563•1	ulcerative colitis	M F	6 9	3	-	- 1	2 1	4	6 5	8 8	9	21 32	43 43	49 51
570-577	Diseases of liver, gallbladder and pancreas	M F	66 82	10 13	5 5	2	4 4	6	28 18	66 54	155 132	274 234	467 476	791 865
571	Cirrhosis of liver	M F	32 29	- 8	3 2	1 0	3	3	17 9	45 31	87 72	119 87	142 104	138 65
574	Cholelithiasis	M F	8 15	-	-	-	-	0	1 2	2 3	9	44 38	97 130	227 284

TABLE 17A (Rates) - continued

F.00								Age at	death					
ICD Number	Cause of death		All ages	0-	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
575	Cholecystitis and cholangitis, without mention of calculus	M F	6 11	-	-	-	-	-	1	2 1	11 9	32 27	74 84	148 305
576	Other diseases of gallbladder and biliary ducts	M F	4 5	2	-	-	-	-	1 1	1 2	8 7	14 13	40 40	99 95
577	Diseases of pancreas	M F	11 14	-	- 1	-	1 1	1 2	7 3	9 7	26 20	47 49	76 89	79 95
£77 • O	acute pancreatitis	M F	9	-	- 1	-	1 1	1 2	6	6	22 19	41	64 82	49 87
580-629	X. DISEASES OF GENITO- URINARY SYSTEM	M F	198 144	72 43	9	7 5	20 11	25 23	43 46	95 82	235 165	683 388	2,504 908	7,616 2,007
580-584	Nephritis and nephrosis	M F	57 45	17	52	5 2	15 8	20 13	30 21	59 34	114 59	179 129	401 219	841 451
580	Acute nephritis	M F	5	7 3	1	1	2	2 -	1 2	4 2	8	15 8	30 13	59 22
582	Chronic nephritis	M F	46 38	-	2	2	10 5	15 11	26 17	47 30	94 49	141 108	343 188	742 411
590-599	Other diseases of urinary system	M	72 93	53 36	5 4	2 3	4 3	5 8	13 18	33 43	91 101	276 241	890 656	2,542 1,512
590	Infections of kidney	M F	44 67	17 15	1 1	1 2	2 2	2	8	23 33	55 77	175 175	558 464	1,513 1,043
592	Calculus of kidney and ureter	MF	4 5	-	1 1	0	1 0	-	2	2 4	8 7	18 18	26 19	20 3 6
600-607	Diseases of male genital organs	М	69	-	-	_	0	0	-	3	30	229	1,213	4,233
600	Hyperplasia of prostate	М	67	-	-	-	-	-	-	2	29	221	1,182	4,144
620-629	Diseases of uterus and other female genital organs	F	4	-	_	_	1	1	4	4	4	13	21	33
630-678	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	8	_	_	_	13	33	18	1	_	_	_	_
680-709	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	M F	2 3	2	1 -	0	-	O 1	1 1	0 3	2 3	10	13 23	4 0 5 5
710-738	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	M F	28 67	3	- 1	1 2	2	3 10	7 16	18 29	54 71	118 188	269 434	643 1,054
710-718	Arthritis and rheumatism, except rheumatic fever	M F	17 44	-	-	0	-	1 1	2 4	11 15	35 49	83 137	177 305	287 731
712	Rheumatoid arthritis and allied conditions	M F	11 30	-	-	0	-	0	2 3	10 12	24 42	62 109	83 186	69 320
713	Osteo-arthritis and allied conditions	M F	5 11	-	-	-	-	-	0	1 2	7 5	13	73 97	198 349
720-729	Osteomyelitis and other diseases of bone and joint	M F	6	3	-	-	1 0	-	1 0	2	7 7	18 27	74 94	307 287
730-738	Other diseases of musculoskeletal system	M F	5 11	-	- 1	1 1	1 4	2 9	3 11	6	13 15	17 24	18 34	49 3 6
734	Diffuse diseases of connective tissue	M F	2 8	-	-	0	1 3	0 8	2 9	4 12	7	7	8	10
740-759	XIV. CONGENITAL ANOMALIES	M F	107 89	4,121 3,628	123 111	38 32	25 21	14 12	20 21	23 30	39 29	44	53 34	79 51
740	Anencephalus	M F	3 4	188 277	-	-	-	-	-	-	-	-	-	-
741	Spina bifida	M	11 13	494 706	19 25	3 4	1 0	1	-	-	- 0	-	- 1	-
741.0	with hydrocephalus	M F	7 10	326 506	15 18	2 3	- 0	-	-	-	-	-	- 1	-
746	Congenital anomalies of heart	MF	42 33	1,563 1,240	50 45	19	13	7	6 7	8 9	15	15	13	30 18
753	Congenital anomalies of urinary system	M F	11 6	297 74	5 2	3 0	2	1 1	5 5	9	15 10	14	21 8	20 7

TABLE 17A (Rates) - continued

		1				(114 005	,		death					
ICD Number	Cause of death	-	A11	0-	1-4	5-14	15-24	25~34	35-44	45-54	55-64	65-74	75-84	85 and
		1	ages	0-	1-4	5-14	13-24	20-04	33-44	40-04	33-04	03-14	73-04	over
753*1	cystic kidney disease	M F	6 5	53 18	1	1 -	0	1 1	4 4	8 12	13	12 6	20	20 4
759	Congenital syndromes affecting multiple systems	M F	7 5	333 285	2 2	2	1 1	2	2	0 2	7	1 0	-	-
760-779	XV. CERTAIN CAUSES OF PERINATAL MORBIDITY AND MORTALITY	M F	175 112	9,971 7,116	7	-	-	-	-	-	-	-	-	-
772	Birth injury without mention of cause	M F	26 15	1,466	-	-	-	-	-	-	-	-	-	-
775	Haemolytic disease of newborn without mention of kernicterus	M F	5 4	311 277	-	-	-	-	-	-	-	-	-	-
777	Immaturity, unqualified	M F	43 31	2,450 1,954	-		-	-	-	-	-		-	-
780-796	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	M F	54 116	27 33	3 3	1 -	2	2 2	2	5	8 7	44 36	715 668	6,746 7,070
780-789	Symptoms referable to systems or organs	M F	6 9	10 10	2 2	0	1	0	7 7	1 1	3 4	15 11	76 69	346 273
782	Symptoms referable to cardiovascular and lymphatic system	M F	7	-	-	-	00	0	1	1 1	3	12 9	59 54	277 247
790-796	Senility and ill-defined diseases	M F	48 108	1 7 23	2	0 -	2	7	2	4 2	4 2	28 25	639 599	6,400 6,798
794	Senility without mention of psychosis	M F	43 104	_	-	-	-	-	-	-	-	12 18	579 579	6,291 6,736
E800- E999	E XVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)	M F	535 405	820 676	257 178	177 80	561 148	402 128	415 178	487 251	674 394	905 682	2,169 2,082	5,816 6,300
E800- E807	Railway accidents	M	5 1	-	2 2	2 1	4 -	3 -	6	8	11 1	3 0	5 2	
E810- E819	Motor vehicle traffic accidents	M F	179 81	19 25	85 56	93 48	349 E7	139 31	103 33	118 50	192 95	260 166	589 288	742 265
E812	involving collision with another motor vehicle	MF	69 23	10 15	8 5	8	199 43	70 15	55 21	52 26	75 32	61 22	54 26	30 33
E814	involving collision with pedestrian	M F	64 45	5 5	74 47	63 32	30 14	22 3	24 7	34 14	70 51	152 125	489 251	682 211
E816	Non-collision accident due to loss of control	MF	13 4	2 -	1 2	1 1	51 13	18 4	7 1	8	8 3	4 6	3 2	-
E830- E838	Water transport accidents	M F	5 0	-	7	3 0	9	8	7	6	4 0		-	-
E850- E859	Accidental poisoning by drugs and medicaments	M F	7 9	2	8	1	5	6	10 11	11 16	9 19	12 14	12 16	10 18
E870- E877	Accidental poisoning by gases and vapours	M	9 12	- 3	5	2 3	8 3	4 1	6	7 5	12 7	15 24	74 96	237 211
E870	gas distributed by pipe-line	M F	7 11	3	3 2	1 2	4 2	2	3	4	7 6	12 19	64 91	237 207
E880- E887	Accidental falls	M F	76 149	34 28	15 12	11 2	16 2	24	28 6	32 10	73 41	176 203	857 1,301	3,887 5,194
E880	Fall on or from stairs or steps	M F	13 17	2 3	3 2	1 1	1 1	3	5 5	9 4	19 9	35 41	163 138	396 371
E881	Fall on or from ladders or scaffolding	M F	4 0	-	-	-	1 -	3 -	7 -	6	9	12	7 2	20 4
E882	Fall from or out of building or other structure	M F	5 1	-	8	3 0	5	5 -	6 0	0	5	8	10	79 15
E885	Fall on same level from slipping, tripping or stumbling	M F	6 17	-	7	0 -	ō	ō	0 0	1 1	5 7	13 29	96 143	406 542
E890- E899	Accidents caused by fires and flames	M F	14 18	39 23	40 32	7 4	3 4	4 4	3 8	7 7	15 14	33 31	99 107	188 240
E890	conflagration in private dwelling	M F	5 4	36 18	26 21	3 3	0	0 2	1 2	2 2	3 3	7 2	26 15	30 22
E893	ignition of clothing	M F	2 7	-	3 4	1 1	0	0	0 4	1 1	3 4	6 13	25 49	40 124

TABLE 17A (Rates) - continued

ICD						·		Age at	t death			,		
Number	Cause of death		All ages	0-	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75~84	85 and over
E900- E909	Accidents due to natural and environmental factors	M F	5 4	51 56	1	1	1 -	1 -	3 0	3	7 4	7 5	30 19	79 55
E910- E929	Other accidents	M F	66 22	588 424	80 47	45 13	66 7	53	53 9	61 11	60 11	44 22	59 39	59 124
E910	Accidental drowning and submersion	M F	15 4	7 8	37 17	28	21 2	8 2	8	6 2	8	9	13	30
E911	Inhalation and ingestion of food causing obstruction or suffocation	M F	12 9	311 244	12 12	1 1	4 2	4 1	5 4	8	9 5	12	18 16	20 40
E913	Accidental mechanical suffocation	M F	9 3	239 152	14 8	6	6	6	4 0	3	3	1	-	-
E916	Struck accidentally by falling object	M F	6	3	2 2	1 2	6	9	9	12	8 -	2	3	-
E918	Caught accidentally in or between objects	M F	6	-	4	- 1	7 -	8	6	11	10	2	_	-
E925	Accident caused by electric current	M F	4	2 -	4	4 1	6	6	5	4	3	3	2	- 4
E950- E959	Suicide and self-inflicted injury	M F	114 76	-	-	7 7	55 25	109 48	133 85	175 114	212 155	250 162	320 141	435 91
E950	poisoning by solid or liquid substances	M F	33 46	-	_	- 0	15 16	35 31	44 53	57 71	55 95	65 96	69 75	79 55
E951	poisoning by gases in domestic use	M F	27 14	-	-	0	15 5	28	30 13	38 20	46 23	63 37	86	69 22
E952	poisoning by other gases	M F	8	-	-	-	4	10	16	16 3	8 2	5	3 2	30
E953	by hanging, strangulation and suffocation	M	19 5	-		0	8 2	13 3	16 5	30	42 11	50 12	69	129
E954	by submersion (drowning)	M F	7 5	-	-	-	1 0	4	4 5	7 6	18	25	43 9	30 7
E955	by firearms and explosives	M F	7		-	- 0	5	6	8	11	14	15	21	40
E960- E969	Homicide and injury purposely inflicted by other persons	M F	8 7	63 66	7	4 2	8 7	7	8 5	8 4	4 7	7 3	2 5	10
E980- E989	Injury undetermined whether accidentally or purposely inflicted	M F	30 20	22 43	9 5	3	22	22 16	34 12	35 26	51 32	68 40	87 52	119 65
E980	Poisoning by solid or liquid substances	M F	9 10	-	-	0	3 3	7 11	13	12 16	18 17	18 19	17	10 15
E984	Submersion (drowning)	M F	10 4	2 8	3	2	7 0	7 2	7 2	13 5	16	33	20 7	49
N800- N999	N XVII. ACCIDENTS, POISONINGS AND VIOLENCE (NATURE OF INJURY)	M F	535 405	820 676	257 178	177 80	561 148	402 128	415 178	487 251	674 394	905 682	2,169 2,082	5,816 6,300
N800- N809	Fracture of skull, spine, and trunk	M F	145 67	55 64	66 51	69 36	219	115 19	99 23	115	173 71	200 125	536 310	1,207 538
N801	Fracture of base of skull	M F	14	2	9	7 4	32 7	11	9 3	13	16	11 12	33 25	30
N804	Multiple fractures involving skull or face with other bones	M F	31 13	3	8	14	48	24	22	26	39 20	46 29	116 48	18 178 51
N805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	M F	10 6	3	4 2	5 2	11 3	6	5	8 3	13 8	20	40 34	148 69
N807	Fracture of rib(s), sternum and larynx	M F	6 3	- 3	- 1	1 -	2	2 0	2	3 1	7 3	18	66	247
N808	Fracture of pelvis	M F	4 5	-	1 1	0	1 0	1 0	2 0	3 1	8	8	35	55 89
N809	Multiple and ill-defined fractures of trunk	M	8 7	-	1 2	1 1	6	3 0	4	7 2	12	18	46 78	142
N810- N819	Fracture of upper limb	M	3 5	-	-	0	1	0	1 0	0	7 2	5 6	33	113 178
											7	6	44	167

TABLE 17A (Rates) - continued

						(nates								
ICD Number	G-11-2-1							Age at	death					
Number	Cause of death		All ages	0~	1-4	5~14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
N820- N829	Fracture of lower limb	M	44 123	, 2	7	7 7	8 2	4 1	6 2	8 5	28 28	113 163	649 1,099	2,918 4,475
N820	neck of femur	M F	19 67	-	-	-	0	-	1 -	1 7	6	39 78	328 613	1,672 2,585
N821	other and unspecified parts of femur	MF	14 45	-		0	2	1	0	1 1	6	41 54	223 400	1,078
N828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M F	5	-	7 1	1	3	1	7	52	8	19 9	41 43	7 9 98
N850- N854	Intracranial injury (excluding those with skull fracture)	M F	37 18	53	22 13	14 9	46 12	26 7	26	27 8	45 13	73 32	165 87	198 204
N851	Cerebral laceration and contusion	MF	13 6	12 5	9	7 4	20 6	10 2	8 1	8	13	24 11	46 24	59 69
N860- N869	Internal injury of chest, abdomen and pelvis	M F	83 27	7 10	32 20	31 12	144 33	85 17	74 21	78 24	104 33	100 45	142 57	178 76
N860	Traumatic pneumothorax and haemothorax	M F	4	-	2	1 0	7 1	5	2 2	3 2	7	5	10	30 11
N861	heart and lung	M F	10	- 3	1 2	4 1	19 3	9 3	10 2	9	13 5	12	17	20 4
N862	other and unspecified intrathoracic organs	M F	22 6	3	4 1	4	36 7	23 3	21 3	24	31 10	26 11	33 17	69 33
N864	liver	M F	6 2	2 5	5 4	8	11 2	5	4	2 1	5	3	3	- 7
N870- N879	Laceration and open wound of head, neck and trunk	M F	7	-	7	1 0	6	.7	6	8 2	16	18	15	59
N874	Open wound of neck	M F	5	-	- 1	-	2 0	4 0	3	4 1	13	14	10	40
N930- N939	Effects of foreign body entering through orifice	M F	13 10	318 254	14 14	2	6.3	6 2	6	8 3	11	14 11	20 18	20 4 0
N933	Foreign body in pharynx and larynx	M F	12 9	313 246	14 13	1 1	4 3	5	6	8 3	10	14 10	18	10 36
N940- N949	Burn	M F	12 15	22 10	20 14	4 3	6 3	• 7 5	8	9 7	11 12	27 21	79 85	148 229
N948	involving face, head and neck with trunk and limb(s)	M F	7	17 8	13 9	4	5	4 2	5 4	5	6	10	31 34	20 84
N960- N979	Adverse effect of medicinal agents	M F	47 65	5 3	8	7 7	23 22	45 47	67 74	77 102	81 131	95 127	91 113	89 84
N965	analgesics and antipyretics	M F	5 6	2	2 2	-	4 2	2 4	7 7	8	6	7	13 16	20
N979	Alcohol in combination with specified medicinal agents	M F	5 4	-	-	-	2	6	8 5	8 9	10 7	4 5	52	-
N980- N989	Toxic effect of substances chiefly non-medicinal as to source	M	58 38	1 9 23	29 27	8	35 12	51 13	65 20	73 37	88 43	105 83	218 178	406 291
N986	carbon monoxide	M F	54 36	17 23	27 25	8 5	31 11	46 12	60 19	67 34	80	98 78	206 175	396 291
N990- N999	Other adverse effects	M F	78 32	335 274	64 32	45 8	62 11	53 13	55 18	74 26	104 51	136 57	187 67	366 113

TABLE 18A. Deaths from non-transport accidents, by external cause, place of occurrence, and sex, 1968

England and Wales

Note 1. The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners.

2. Deaths from poisoning will be analysed periodically in the Statistical Review, Rart III, Commentary, to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

po	N																							
Age at death	Tota	al	At v	vork*	Но	ome	Fa	ırm	ar	d	rial an	place d	recr	ea- and	an	d			ins	tal	speci	fied	no	ot
	M	F	M	F	M	F	М	F	М	F	М	F	M	F	М	F	М	F	М	F	M	F	M	F
		E850	-E929 a	nd E980	D-E988.	Accide	ntal	poiso	ning	and o	ther	non-t	ransp	ort a	ccide	nts,	inclu	ding	injur	ies u	ndeter	mined		
All ages	1 4 022		ther ac	cidenta						5	561	13	74	25	167	145	137	95	336	837	627	172	508	899
0= 5=	575	398			441	325	5	1	-	-	5	2	6	6	4	1	3	2	18	7	51	28	42	26 5
15- 45- 65 and over	1,210	333 633			310 419	220 419	46	1	73 62	1	226	3 2 3	11	4	40	18	41	19	31	40	142	45	92	49 85 734
			-E877.	Accide	ental po	isoning	;		L															
All ages													-						9	13				14
0- 5- 15-	11	13			11	13	-	-	-	-		**	-	-	-	-	-	80	-		-	~	-	1 - 5
45- 65 and over	127	149			102	136						***	-			-	3	2	3	5	5		2	6 2
		E850	-E859.	Accide	ental po	isoning	by d	rugs	and m	edica	ments													
All ages		229 7					1 -	-	-	~	-		-						3 -				8 -	11 1
5~ 15-	68	3			48	48	1		-		1		ž.		1		7	400	3	3				5
45- 65 and over					55 24		-	~	-	-	-	-	-	-		-		1		2	2 -	-		1
		E850	. Acci	dental	poisoni	ng by a	ntibi	otics	and	other	anti	-infe	ctive	s										
All ages	_				-		-		_		_		-	_	_	-	-	-	_	_	_	-	-	1 -
5+ 15-	-				_	1	_	_	-		_	-	_	-	-	-	-	_	_	-	_	-	-	- - 1
45- 65 and over	-	-			-		_		-		-				-	-	-		-	-	-	-	-	-
		E851	. Acci	dental	poisoni	ng by h	ormon	es an	d syn	theti	c sub	stitu	tes											
All ages	2 1	_			1 1	_	_	_	_	-		-	-	-	-	-	_	_	_	_	_	-	1 -	_
5- 15-	1	-			-	~	_	_	_	_	-	-	_	_	-	-	-	_	-	-	-	_	1	_
45- 65 and over		-			-	-	-	-	_	-		-	-	-	-	-	_	-	_	-	-	-	-	=
		E852	. Acci	dental	poisoni	ng by p	rimar	ily s	ystem	ic an	d hae	natol	ogic	agent	s									
All ages	1 1	-			1 1	-	-	_	-	_	-	_	-	- ~	-		***	-	-	-	_	-		-
5- 15-	-	-	II		-	_			_	_	-	_	_	_	-	- ,	_	-	_	- -	_	-	_	_
65 and over	-	(a)			-	-	-	-	-	2.	-	20	-	-	-	- '	-	177 -	-	1.4	-	2	-	-
				dental	poisoni																			
All ages 0-	21 5	12 4			20	9 2	-	-	-	-	-	-	-	~	-	-	-	-	-	1 -	_	1	1 -	1
5- 15-	8	1			8	1	_	-		_	_	_	_	_	_	-	_	_	-	_	_	_	_	_
45- 65 and over	4 4	5 2			3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1 -	-	-	1	-
433	1 440		. Acci	dental	poisoni			sedat	ives	and h	ypnot:	lcs												
All ages 0-	110	172			97	156 1	1 -	_	-	-	-	-	-	-	2 -	1	7 ~	3	-	4 -	2	_	1 -	8 -
5- 15- 45-	35 49	3 40 84			27 46	3 33 78	1	_	-	-	~	-	-	-	1	1	5 1	- 2	-	1 2	- 2	-	1	5 2 1
65 and over	23	44			21	41	-	-	-	-	-	-	_	-	1	-	1	1	-	1	-	-	-	1
									-															

^{*} Figures for these two columns are not available for 1968, but as usual the deaths are included in the numbers shown in the other columns.

						IAD	LIE .	ron	(NUI	ibei	rs)	- 0	onti	inue	act.									
Age at death	Tota	1	At wo	ork*	Home	3	Fa	rm	Min and quar		Indu rial an prem	place d		ea- and	Str an high	d	Pub buil		ti		Oth speci pla		Pla no speci	t
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
		E855.	Accid	dental	poisonin	or ble o	l	mio.			****			.					<u> </u>			ļ		
All ages	18	24	1		8	22	1		,	- by -	l com a	na bs	y Cho t	пегар	eutic	arug								
0- 5-	3	1			2	1	-	_	_	_	_	_	_	_		_	2	_	3 -	2	1 -	_	4 -	_
15-	13	12			5	10	-	_	_	-	_	-	_	-	_	_	1	-	3	2	1	_	3	_
45- 65 and over	-	3			_	8	_	_	_	_	-	_	_	_	-	_	-	-	_	_	_	_	1 -	_
*		E856.	Anada	dontal	noden ada				- 3															
All ages	3	1	, Accre	aentar	poisonin		ther		ar ner		ssyst		press		and s	timul	,							
0- 5-	-	-			2 -	1 -	_	-		_	-	-	_	_	_	_	1 -	_	_	_	_	_	_	-
15- 45-	3	-			2	_	_	-	_	-	_	-	_	_	_	_	1	_	_		_	_	_	_
65 and over		1			_	1	_	-	_	-	_	-	_	_	-	-	_	_	_		_	_	-	-
		F957	Annie	lontal	noisonin				7 4		1												L	
All ages		E857.	Acc10	GHUMI	poisonin		ardio		iar dr	ugs	1		1				1							
0- 5-	-	-			_	~	-	-	-	_	_	_	_	_	_	-	-	-	-	-	-	-	-	_
15-	-	-			_	_	_	-	-	_	_	-	-	_	_	_	_	_	_	-	-	-	_	-
45- 65 and over	-	-			_	_	_	-	_	_	-	-	_	_	-	-	_	_	_	-	_		-	-
	l	POED		14-7			L			_							L							
A33 0000	E858. Accidental poisoning by gastro-intestinal drugs All ages 1																							
0-	1	-					_		_	-	_	-	_		_	-	-	_	-	-	_	-	-	_
5- 15-	_	-			-	_	_	_	_	-	_	_	_	-	-	-	_	-	_	-	_	-	-	_
45- 65 and over	_	-			-	_	-	-	_	-	_	-	_	_	_	_	-	-	-	-	-	-	-	-
	L												L											
		E859.	Accid	iental	poisoning		ther	and u	nspeci	fied	drugs	s and	medi	camen	ts									
All ages	14	18			12 1	15	_	_	_	_	_	-	-	_	_	_	_	-	_	2 -	1	-	1	1
5- 15-	8	3			- 6	3	_	_	_	_	_	_	_	_	-		-	-	_	-	1	_	1	_
45- 65 and over	5 -	8			5 -	6 5	_	_	_	-	-	_	-	-	-		-	-	_	1	-	-	_	1
-			70.00										<u> </u>						-					
477			E869.	Accide	ntal pois			ther	solid :	and i		i sub	stance	es										
All ages	32	11			15 2	9	1 -	_	-	_	3	_	_	-	-	-	5 -	-	1	2	3	-	4	-
5- 15-	10	1 2			1 5	1 2	_	_	_	_	_	_	_	_	_	-	2	_	_	-	1	-	2	_
45- 65 and over	15 4	4			5 2	2	1 -	-	_	-	3 -		_		-	_	2	-	1 -	2	2	-	1	_
		FREE	A 1	land - 3			1																	
A11 2000	1 04	E860.	ACC10	ental	poisoning			L																
All ages	24	8 -			11	7	-	-	-	_	-	_	_	-	-	-	4	-	1 -	1 -	3 -	-	4	_
5- 15-	8	1			1 4	1	-	-	-	-	_	_	-	-	_	-	1 2	-	-	-	1	-	2	-
45- 65 and over	12 3	3			5	2	1 -	-	-	_	_	_	_	-	-	-	2	-	1 -	1	2	-	1	_
	1	E861.	à and d	landal .						1 - 2 - 4 -		4 :												
A11 0000	1	EGOI.	ACCIO	iental j	poisoning	g by c	leans:	ing a	na por	ısnıı	ng age		1											
All ages	-	-			-	-	-	_	-	-	_	-	-	-	_	-	_	-	-	-	_	-	_	_
5- 15-	-	-			_	_	-	-	-	-	_	-	_	-	_	-	-	-	_	-	_	-	_	-
45- 65 and over	_	-			-	-	-	-	-	-	_	-	~	-	-	-	-	-	_	-	_	-	_	-
		FRCC	Acad	lond-3		. he	4 - 4 -		4-															
All ages	1	E862.	Accid	ental	poisoning		isinfo	ctan	ts							1								
0-	1 -	-			1 -	-	-	-	-	-	-	-	_	-	_	-	_	-	_	-	_	-	_	-
5- 15-	_	-			-	-	-	_	-	-	-	-	_	-	_	-	_	-	-	-	-	-	_	-
45- 65 and over	ī	-			1	-	-	-		-	-	-	_	-	_	-	_	-	_	-	-	-	_	_
	1						L																	

^{*} Figures for these two columns are not available for 1968, but as usual the deaths are included in the numbers shown in the other columns.

								4 011	(210		13,		01601	o i blue	w									
Age at death	Tot	al	At	work*	Ног	me	F	arm	ar	ine nd arry	Indu rial pan prem	place d		ea- and	an		Pub buil	lic ding	ins	den- al ti-	Oth speci pla	fied	Pla no speci	t
	M	F	M	F	M	F	М	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	М	F
								<u> </u>	L		L		L		1.7		1-1	I.	P1	F	141		IAI	r
		E863.	Acc	idental	poisoni	ng by p	aints	and	varni	shes														
All ages	~	- 1			-	-	-	-	-	-	-	-	-	-	-	~	-	-	-	-	_	-	-	_
0- 5-	_	- 1			_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	-	_	_	_	_
15- 45-	_	-			_	_	_	_	-	_	-	-	-	_	_	-	~	-	~	-	-	-	-	-
65 and over	-	-			-	-	-	-	-	-	-	-	-	-	-	-		-	_	_	-	-	-	-
		E864.	Acc	idental	poisoni	ng by p	etrol	leum p	roduc	ts an	d othe	er so	lvents	В										
All ages	2	- 11			2	_	-		-	-		_	-	~	-	-	_	~	_	~	_	- 1	_	_
0 5	1 -	-			1 -	_	_	_	_	_	_	-	-	-	_	_	_	-	-	~	_	-	~	-
15- 45-	1	- 1			1	-	-	_	-	-	-	-	-	-	-	- 1	-	-	-	-	-	-	-	_
65 and over	-	-			_	-	_	_	-	-	_	-	_	-	_	-	_	-	_	-	-	-	_	_
		E865.	Acc	idental	poisonir	ng by p	estic	ides,	fert	ilize	rs or	plan	t food	ds								J		
All ages	_	2			_	2	-	_	-	_	_		1 -	- 1		- 1	_	_ 1		_ 1		_ 1		
0- 5-	_	1			-	- 1	-	-	-	-	-	-	-	-	_	-		-	_	-	_	-	-	_
15-	_	1			_	1	_	_	_	_	_	-	_	-	_		_	-	_	-	_	_	_	_
45- 65 and over	_	-			-	_	-	_	_	-	_	_	_	-	-	-	_	~	_	-	_	-	-	-
							L																	
		E866.	Acc	idental	poisonir	g by h	eavy	metal	s and	thei	r fume	s												
All ages	3	1			-	-	-	-	-	-	3	~	-	~	-	-	-	-	-	1	-	~	-	-
5-	-	-			_	_	_	_	_	_	_	-	_	_	_	_	_	_	_	-	-	-	_	
15- 45-	3	-			_	-	-	_	_	-	- 3	_	-	-	_	-	_	-	_	-	-	-	-	-
65 and over	-	1			-	-	-	-	-	~	-	-	-	-	-	-	0.00	-	-	1	-	-	-	-
		E867.	Acct	idental	noisonir	o by c	OFFOR	ives	and o	aneti	os not	010	owhone	alar		اــــــا								
All ages	_	-			_	.g,	_	_		~	05 400	. 013	CWINCIC	Clas	221110	ı								
0-	-	-			-	-	_	-	_	-	_	_	_	-	_	_	_	_	_	_	_	-	~	
5 - 15-	_	-			_	-	_	_	_	-	_		-	-	-	_	-	-	_	-	_	-	-	_
45- 65 and over	_	-			_	_	-	-	_	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-
		E868.	Acci	idental p	poisonin	g by n	oxiou	s foo	dstuf	fs an	d pois	onou	s plan	ts										
All ages	_	-			-	-	~	-	-	-	-	-	-		-	-	~	-	-	-	-	~	-	-
5-	-	-			_	_	_	_	_	-	_	_	_	-	_	-	_	-	_	-	_	-	_	_
15- 45-	_	-			_	_	_	_	_	-	_	-	_	-	-	-	-	-	-		_	-	-	-
65 and over	~	-			~	-	_	-	-	-	-	- j	-	-	-	-	-	-	-	-	-	-	-	-
		E869.	Acci	dental p	oisonin	g by o	ther :	and u	nspeci	ified	solid	and	liqui	d sub	stanc	es								
All ages	2	-		1	1		_	-	~	-		-	_	- 1	_	-	1	-	~	- 1	_	-1	_	_
0- 5-	1 -	-			1	-	-	-	-	-	_	-	-	-	~	-	-	-	-	-	-	-	-	-
15- 45-	1	-			-	-	-	_	~	-	-	-	-	-	-	-	1	-	_	-	-	-	_	_
65 and over	-	-			-	-	_	~	_	_	_	-	_	-	_	-	_	-	_	-	_	_	_	_
		E870-	E877.	Accider	ntal poi	soning	by g	ases	and va	apours														
All ages	219	303		1	191	295	_	- 1	2	_	15	_	_	-	_	- 1	2	3	e.	2	4	. 1	2	2
0- 5-	8 8	6			8	6 9	-	-	-	-	-	-	-	-	-	-	-	-	5	2 -	1		3 -	3
15-	57	18			43	16	_	-	2	-	7	_	_	_	_	-	2	1	1	1	-	-	2	_
45- 65 and over	53 9 3	231			42 90	36 228	-	-	_	_	8	-	-	-	_	-	_	2	2	1	1	-	1	2
		E870	Acci	dental p	oisonin		as die	strib	ited b	N nd	0-145													
All ages	154	268		- Januar I	143		u 18	CITD						1		,		0 1						
0-	5	4			5	264	_	-	2 -	-	5 ~	-	_	-	-	-	1 -	2	_	-	_	-	3	2
5- 15-	4 33	13			4 26	8 13 30	-	-	2	-	2	-	-	-	-	-	- 1	-	-	-	-	-	2	-
45- 65 and over	29 83	31 212			26 82	30 209	-	-	~	-	3	-	-	-	-	-	-	2	-	-	-		~	1 1
																		2				-	1	1

^{*} Figures for these two columns are not available for 1968, but as usual the deaths are included in the numbers shown in the other columns.

									(11011				01001	71000										
Age at death	Tot	al	At	work*	Но	ome	Fa	rm	Mir and quar	rry	Industrial premis	place d	Place recr tion spo	ea- and		reet nd nway	Put buil	lic ding	in	iden- ial sti- tion	Oth speci pla		Pla no spec	5
	М	F	M	F	M	F	M	F	М	F	М	F	М	F	М	F	M	F	M	F	М	F	24	T.
																			1-1	I F	PI		M	F
433		E871	. Ac	cidental		ing by	lique:	ied p	petrol	eum g	gas di	stril	outed	in mo	bile	cont	ainers	3						
All ages	6	_			4 -	-	-	_	_	-	2	-	_	_	-	_	-	-	-	-	-	-	-	-
5- 15-	1 3				1 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-	-	_
45- 65 and over	2	_			-	_	-	-	_	-	2	-	-	-	-	-	-	_	_	_	_	_	_	_
							L									-		-	_			-		-
		E872	. Ac	cidental	poison	ing by	other	utili	ity gas	s														
All ages	1	-			-	-			-	-	1		-	-	-	-	-	-	-	-	-	-	-	-
5- 15-	- 1	-			-	-	-	-	_	-	-	-	_	-	_	-	-	-	_	-	_	_	_	_
45	-	-			-	-	_	-	_	-	1 -	-	-	_	-	_	_	-	_	-	-	_	-	-
65 and over									-				-	-		~	-	-	-	-	-	-	-	~
		E873	. Ac	cidental	poisoni	ing by	notor	vehic	le exi	haust	gas													
All ages	12	2			11	1	-	-	-	-	-	- 1	-	-	-	-	-	-	1	1	_	-	-	_
5-	- 6				-	-	_	-	_	-	_	_ :	_	-	_	-	-	_	-	-	-	-	_	-
15- 45-	5	2 -			5 5	1 -	_	_	_	-	_	- 1	_	-	_	_	_	_	1 -	1		-	-	-
65 and over	1				1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	E874. Accidental poisoning by carbon monoxide from incomplete combustion of domestic fuels All ages 38																							
All ages	All ages 38 27 32 26 1 - 4 1 1 - - -																							
5-	All ages 38 27 32 26 1 - 4 1 1 - 5 5 3 1 1 5 5 5 10 2 9 2 - -																							
	0- 3 2 5- 3 1 15- 10 2 13 6 10 5															=								
65 and over	E875. Accidental poisoning by other carbon monoxide All ages 3 5 1 4 2															-								
	E875. Accidental poisoning by other carbon monoxide All ages 3 5 1 4 2																							
	E875. Accidental poisoning by other carbon monoxide All ages 3 5 0 1 4																							
5-	E875. Accidental poisoning by other carbon monoxide All ages 3 5 1 4 2 1 1														-									
	0- 5- 15- 45- 2 2 1 1 1 1															-								
65 and over	15- 45- 2 2 1 1 1 1 1 1 1 1 1 1 1 1															-								
	0- 5- 15- 15- 45- 5 and over - 3																							
All ages	5	1			-	-	-	- 1	_	- 1	5	-]	~	- 1	_	- 1	_	1	_	- 1	_	- 1	_	_
0+ 5-	_	_ [-	-	-	-	-	-		-	-	-	_	_	-	-	-	-	-	-	-	-
15 - 45-	3 2	1 -			-	-	-	-	-	-	3 2	~		-	-	-	-	1	-	-	-	-	-	_
65 and over	-	-			-	-	-,	-	-	-	-	-	-	-	-	-	-	-	=	-	-	-	_	_
		E877	. Acc	cidental	poisoni	ng by u	nspec	ified	gases	and	vapoi	ırs												
Allages	~	- 1			_	-	-	-	_	- 1	-	-	-	- 1	-	- 1	_	- [_	- 1	_	- 1	_	_
0- 5-	_	-			-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_
15 - 45-	-	~			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	=	-	=	-
65 and over		~			-	-	-	-	-	-	-	-	~	-	-	-	-	-	-	-	-	-	-	-
		E880-	-E887.	Accide	ntal fa	lls																		
All ages	1,788			1	872	2,112	13	4	10	- 1	164	-	21	6	124	129	66	59	239	722	71	16	208	667
0 - 5-	39 39	31 8			36 10	28 4	-	-	4	-	4	-	4	-	1	-	2	1	1	-	1	2 3	-	1
15- 45-	215 298	33 159			48 124	25 92	4 3	1	5	-	74 81	-	6	1	6 28	16	25 17	1 13	4	1 18	32 15	4 2	11 13	2 16
65 and over	1,197	3,484			654	1,963	6	3	1	-	5	-	8	5		113	22		219	703	12	5	184	648
		E880	. Fal	ll on or	from st	airs or	step	5																
Allages	311	430			262	369	-	-	-	-	5		3	3	3	2	21	26	12	25	5	2		3
0- 5-	7	2			6	2	_	-		-	-	-	_	-	_	-	-	-	1	-	_	-	-	_
15- 45-	26 78	18 41			16 66	17 32	_	-	_	-	2 2	-	1 -	-	1	-	7 6	7	-	2	1 3	1 -	-	-
65 and over	196	365			170	314	-	-	-	-	2	-	2	3	2	2	8	19	11	23	1	1	~	3

^{*} Figures for these two columns are not available for 1968, but as usual the deaths are included in the numbers shown in the other columns.

						4.1.2		. 011	(1101	abc.	10)	_ 0	01666	iluuc	CU									
Age at death	Tot	al	At	work*	Но	me	Fa	ırm	Mi and qua:	d	Industrial pane	lace		ea- and	an			lic ding	in	iden- ial sti- tion	Oth speci pla		Pla no speci	ot
	M	F	M	F	M	F	М	F	M	F	М	F	M	F	M	F	М	F	М	F	M	F	M	F
		E881.	Fal	l on or	from la	dders o	r sca	ffold	ling										<u></u>					
All ages	104	6			42	6	1	~	1 -	-	44	-	1	_	4	_	5	_	1	~	5	_	1	_
0- 5-	-	-			-	-	_	_	-	-	-	-	_		_	-	-	_	-	-	_	_	-	-
15- 45- 65 and over	35 43 26	3 3			7 15 20	3 3	- - 1	-	-	-	23 20 1	-	1	-	2 1 1	-	1 2 2	-	1 -	-	3 -	-	- 1	-
		E882.	Fal	l from o	r out o	f build	ing or	r oth	er str	uctu	re													
All ages	128 13	30			53 13	21 10	1		1	_	39	-	_	~	2	-	11	-	7	9	9	-	5	-
5- 15-	10 52	1			3	1	1	-	1 -	-	20	-	-	-	-	-	9	-	1	-	3 5	-	- - 4	-
45- 65 and over	26 27	14			17	7	-	-	-	-	17	-	-	-	2	-	2	-	1 5	2 7	1	-	1 -	-
		E883.	Fal	l into h	ole or	other o	penin	g in	surfac	e														
All ages	67	3			8 -	_	2 -	_	5	-	37	-	3 -	_	1 -	-	5 -	1 -	-	1	6	1 -	_	-
5 - 15	5 31	2			2	-	-	_	1 4	-	2 18	-	1	_	_	-	1 2	- 1	_	_	- 4	- 1	-	-
45- 65 and over	25	1			1 4	-	2	-	-	-	17	-	1	-	1 -	-	1	-		1	2	-	-	
		E884.	Oth	er fall	from one	e level	to ar	nothe	r															
All ages	189 17	262			57 15	140	5 ~	_	4	-	29	-	7	-	8	-	5	3	43	111	30 1	7	1	1
5 15	19 38	3 2			2 2	1	3	-	2		11	-	4 2	~	2		1 -	-	1	-	8	2 2 2	-	_
65 and over	31 84	13 234			1 37	10 121	1	-	- 1	-	17	-	1 -	-	2	-	4	1 2	1 41	110	4	1	1	1
			Fal:	l on same	e level	from s	lippin	ng, t	rippin	g or	stumb	ling												
All ages	138	418			66	276	1	1 -	_	_	. =	-		3 -	35	45	5 ~	7	20	84	6	1 -	2	1
5- 15- 45-	1 1 16	3			1	3	_	-	-	_	-	-	_	-	1 -	-	_	-	-	-	_	-	-	_
65 and over	120	390			62 62	10 262	1	1 -	-	-	1	-	-	2	6 28	9 36	3	6	19	82	2 4	1	2	1
		E886.	Fal:	l on same	e level	from co	llisi	on,	pushin	g or	shovi	ng by	or w	ith o	ther	perso	n							
All ages	9 -	8			1 -	2	_		_	-	-	-	2	-	1	2	2	-	3	4	_	-	-	-
5 15	3	-			_	-	_	-	_	-	_	~	1	-	-	-	2	-		-	-	-	-	_
45- 65 and over	5	8			1	2	-	-	-	-	-	-	1	-	1 -	2	_	-	3	4	-	-	-	-
			Othe	er and un																				
All ages	842	2,558	,		383 2	1,298 5	3	3	-	-	7	-	5 -	-	70	80	12	-	153	488	10	5	199	662
5= 15- 45-	29 78	2 7 74			7	4	-	_	_	-	1	-	1	-	3	-	4	1 -	3	1	3	1 _	7	2
65 and over		2,469			31 343	35 1,254	3	3	=	-	6	-	4	-	16 51	7 73	6	17	10 140	11 476	1	3	12 180	16 643
		E890-1	E899.	Accider	ts caus	ed by f	ires	and i	lames															
All ages	337 84	454 61			286 84	409 61	5 -	-	-	-	19	2	1	-	-	-	9	10	15	31	1	- 1	1	2
5- 15-	25 33	13 49			17 15	13 40	2	-	-	-	_ 11	2	_	-	-	-	5	-	1	- 4	-	-	-	-
45- 65 and over	62 133	267			47 123	58 237	1	-	-	-	7	-	1 -	-	-	-	3	3 2 5	5 2 7	23	1 -	-	1	2
			Acci	dent cau			ratio	n in	privat	te dw	elling													
All ages 0- 5-	121 60	110			120 60	108	1 -	-	-	-	_	-	-	-	-	-	_	1	-	1	-	-	-	-
5≃ 15- 45-	11 6 14	10 14 16			11 6 14	10 14 16	-	-	-	-	_	-	-	-	-	-	-	-	-	-	_	-	-	-
65 and over	30	28			29	26	1	-	-	-	-	-	-	-	-	-	-	1	-	1	=	-	-	-

^{*} Figures for these two columns are not available for 1968, but as usual the deaths are included in the numbers shown in the other columns.

						IND	ue .	ron	(NUI	TDG.	rs,	- 0	Oreci	rouse	100									
Age at death	Tot	al	At	work*	Но	ome	Fa	rm	Mir and quar	i	Indu rial an prem	place d	Place recr tion spo	ea- and	Str and high	d	Pub	lic	ins	den-	Oth speci		Pla no speci	t
	M	F	М	F	M	F	М	F	M	F	M	F	M	F	М	F	M	F	M	F	M	F	М	F
		E891	Acc	ident on	used bu	000410		4															11	
All ages			, 1100	ident ca	. asea by	COLLIA		ion 12	otner	r bu:		or s	struct	ure										
0-	22	32			_	_	3	_	_	_	9	1	-	_	_	-	7	7	3	28	_	-	-	-
5- 15-	7 11	6			_	-	2	-	-	_	7	-	-	-	-	-	4	-	1 2	-	_	_	_	_
45- 65 and over	4	6 20			-	-	-	-	-	-	2	1 -	_	-	-	-	1 2	3 2 2	2	2 4	_	~	_	_
											_	-	_	_	-	-	-	2	-	18	-	-	-	-
		E892	. Acc	ident ca	used by	confla	grati	on no	t in h	ouilo	ling o	r str	ructur	Э										
All ages	1	- 11			-		-	_	-	-	1	_	-	- 1	_	- 1	_	- 1	_	_ 1		_ 1		
0- 5-	_	-			-	00 00	~	_	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	_
15~ 45~	1 -	-			_	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	_	-	_	-
65 and over	-	-			-	-	_	-	_	-	_	-	-	-	-	-	_	-	_	-	_	_	-	_
		+ 2003	Ann	4 done														1						
All ages	53	†E893 .	nce	ident ca				clot	ning															
0-	5	6			42 5	157	1 -	_	_	_	5 -	1 -	_	-	_	-	-	-	5	6	-	-	-	2
5- 15-	4 3	3 18			4 2	3 15	_	-	-	-	-	1	-	-	-	-	_	-	1	- 2	_	-	-	~
45- 65 and over	13 28	16 123			7 24	16 117	1	-	_	-	4 1	-	-	-	-		-	-	1	-	-	-	-	-
																-			3	4	-			2
	E894. Accident caused by ignition of highly inflammable material All ages																							
All ages	All ages 7																							
5-	E894. Accident caused by ignition of highly inflammable material All ages																							
45⊷	All ages 7 7 7 2 4 7 2 1 1 1 1 1 1 1															-								
65 and over	15- 45- 5 and over 1 4 1 2																							
	15- 3 1 1 1 2																							
All ages	#E895. Accident caused by controlled fire in private dwelling All ages 43 66 66 10 5																							
	\$E895. Accident caused by controlled fire in private dwelling All ages 43 66 43 66														_									
					-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-	_	_
65 and over	28	49			28	49	-	-	_	-	_	-	_	-	-	-	_	-	_	-	-	-	_	-
	11 ages 43 66 43 66 - -																							
All ages		-	ACC	uent cat	ised by	control	ried :	ire ;	In oth		ulldin	gor	struc	ture		,								
0-	-	-			-	-	-	-	_	_	_	-	-	-	_	-	_	-	-	_	_	-		-
5- 15-	_	-			_	-	-	-	_	_	_	-	_	-	_	-	-	-	-	-	-	-	-	-
45- 65 and over	_	-			_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- 1	-	_
		E897.	Acci	dent cau	sed by	control	led 1	ire i	not in	buil	lding	or st	tructu	re										
All ages	3	-			-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	
5- 15-	1	-			-	- 1	-	- 1	-	**	-	-	-	-	-	-	1	-	_	-	_	_	-	-
. 45-	1	-			Ξ	_	-	_		-	_	-	1	-	_	-	-	-	1	-	_	-		-
65 and over					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		E898.	Acci	dent cau	sed by	other s	pecif	ied f	ires o	or fl	ames													
All ages	72	62		1	63	60	-	-1	_	- 1	2	- 1	_	- 1	_	-	1	2	6	- 1	-	- 1		_
0 - 5 -	5 1	6			5	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15- 45-	6 19	6 11			4 16	6	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
65 and over	41	39			37	37	-	-	-	-	1 -	-	_	-	-	-	1 ~	2	1 4	_	_	-	-	-
		ESOO	Anni	dent cau	and be		44.	84.																
All ages	15	11	ACC1	done cau			1160	rire				,												
0-	4	1			14 4	11	-	-	_	-	_	-	_	-	_	_	_	-	_	-	-	_	1 -	_
5- 15-	2	3			2	3	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-
45- 65 and over	4 5	3 4			4	3 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

^{*} Figures for these two columns are not available for 1968; but as usual the deaths are included in the numbers shown in the other columns.
† E893 Including accident caused by ignition of clothing; domestic fire M7, F42; gas fire M4, F14; electric fire M6, F51; others M36, F79.
‡ E895 and E896 Including accident caused by controlled fire; domestic stove M9, F17; gas fire M3, F6; electric fire M15, F13; others M16, F30.

TABLE 18A (Numbers) - continued

						INE	ALE .	ron	(Nun	nbei	rs)	- 0	onti	nue	302									
Age at death	To	tal	At	work*	Home	,	Fa	rm	Mir and Quar	1	Indus rial p and premi	place 1	Place recre tion spon	ea- and	Str an high	d		olic ding	ti	den- al sti-	Oth speci pla	fied	Pla no speci	t
	M	F	M	F	M	F	M	F	M	F	M	F	М	F	M	F	M	F	M	F	М	F	M	F
		F900.	_F909	Accide	ents due t	0 001	L	and a			-3 0-							l					i	
All ages	109	92	-1000.	ncciue					nviror															
0-	23	24			49 19	47 16	8 -	1	_	-	3	2	1 -	4	7	3	3	2	4	2	22	12	12 3	19 3
5= 15=	2 18	1			1	_	-	1	-	-	1	-	-	1	- 2	_	1	_	1	-	-	2 2 1 2	1	-
45- 65 and over	28 38	13 50			6 23	7 24	6 2	~	-	-	2	1	1	1 1 1 1	2 2 3	1 2	-	100	1	1	12 8 2	2	1 2	1
			<u> </u>												3		1	1	2	1	2	5	5	15
		E900.	. Exc	essive h	eat																			
All ages	2	2			-	1	-	- m - m	-	-	_	-	-	-	-		-	-	1	-	-	- [1	1
5- 1 5-	1	-			-	-	-	-	-	-	-	-	-	-	~	-	_	-	1	_	_	-	1 -	_
45-	-	- 1			-	-	-	_	_	_	_	-	_	_	-	-	_	-	_	-	_	-	_	-
65 and over	The state of the s	2			_	1	-		-	-	fee.	-	-	-]	-	-	-	-	-	-	-	-	-	1
		E901.	Exc	essive c	old																			
All ages	18	18			11	11	-	-	-	- 1	-	1	-	1	-	- [1	1	2	- 1	2	- 1	2	4
0 - 5	-	1			-		_	-	_	-	_	-	_	_	-	-	-	_	-	-	-	-	-	1
15- 45-	1 3	5			-	3	-	-	-	-	_	- !	-	-	-	-	_	-	-		1	- 1	_	
65 and over	14	12			11	8	-	-	-	-	_	1	_	1 -	_	-	1	1	1	-	1	_	1	1 2
		E902.	High	and lo	w air pres	ssure												1						
All ages		- 11			-	- 1	-	- 1	-	-1		- 1		- 1	_	- 1		- 1	_	ł				
0 - 5-	_	-			-	_	-	-	-		-	-	-	-	-	-	-	- 1	-	-	-	-	_	
15- 45-	_	-			-	-	-	-	_	-	_	-	_	-	_	-	-	-	_	-	_	-	_	_
65 and over	-	-			_	-	-	-	_	-	_	-	_	-	_	-	_	-	_	-	-	-	-	_
		F003	10.8.6.													i								
All ages			FIIt	ects of	travel and		ion													,				
0-	_	-			_	_	_	-	_	-	_	-	_	_	_	_	_	-	_		_	-	-	-
5- 15-	-	-			_		_	-	_	-	_	-	_	-	_		_	- 1	_	-	_	-	-	_
45- 65 and over	-	-			-	_	_	-	_	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-
		E004	******	41.1																				
All ages	68	E904.	nung	er, thi	rst, expos					,		- 1												
0	22	22			37 19	34 16	1 -	-	-	_	3	1	_	-	2	-	1 1	1	1 -	2	15	8	8 2	14 2
5- 15-	12				1	-	_	-		-	1	-	_	-	_	-	-	-	~	-	9	-	1	-
45- 65 and over	16 18	31			6 11	14	1	-	_	+	2	-	-	-	1	-	-	-	1	1	5	2	1 4	12
		FOOF	711																				*	
All ages	1	4.6	Bite	s and st	tings of v						ts	,												
0-	1 -	-			-	-	_	-	-	-	-	-	_	-	_	-	_	-	-	-	1	-	-	-
5- 15-	1	-			-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45- 65 and over	*** ***	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	=	1 -	-	_	-
		E906.	Othe	r accide	nts cause	d by	anima	ls																
All ages	15	6			1 ~	-	7	1	-	-	-	-	1	2	3	1	-	-	-	-	2	2	1	-
5 - 15-	1	3			-	-	-	1	**	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-
45- 65 and over	8	- 2			- 1	-	5	-	-	-	_	-	1	-	1	-	_	-	~	-	1	-	-	-
					1	-	2				-			-	2	1	-	-	-	-	1	1	-	-
		E907.	Ligh	tning																				
All ages	3 -	3			-	-	-	- [-	-	-	-	-	1	1	1	1	- 1	-	- [1	1	_	_
5- 15-	-	1			_	-	-	-	-	-	-	_	_	-	_	-	_	-	_	-	-	1	-	-
45-	3 -	1			-	-	_	-	-	-	-	-	-	-	1	1	1	-	_	-	1	-	-	-
65 and over	non	1			~	-	-	-	-	-	-	-	-	1	-	-	-	-		-	-	-	_	-

^{*} Figures for these two columns are not available for 1968, but as usual the deaths are included in the numbers shown in the other columns.

TABLE 18A (Numbers) - continued

						7.1.0	4343 3	LOA	(1401	TDE.	rs)	_ 0	Ontt	riue	a									
Age at death	Tota	al	At	work*	Hor	ne	Fa	ırm	Mir and quar	1	Indus rial p	olace 1	Place recre tion spon	and	Stre and high	d	Pub:		Resi ti ins tut	al ti-	Oth speci pla	fied	Pla no speci	t
	M	F	М	F	M	F	M	F	M	F	M	F	M	F	М	F	M	F	M	F	M	F	M	F
	L	E908	Co	toolwan							L								li					
All ages	1 2		. Ca	taclysm	,	4 1																		
0-	2 -	3			_	1 -	_	_	_	_	-	_	-	_	1 -	1 -		-	_	_	1 -	1	-	_
5- 15-	1	1			_	-	_	-	_	-	_	-	_	-	1	_	_	-	_	-		1.	-	-
65 and over	1 -	2			_	1:	_	_	-	_	-	-		-	_	1	-	=	-	-	1 -	-	_	
		E909	. Acc	cident du	ie to otl	ner nat	tural	and e	nviro	nment	tal fa	ctors												
All ages O-	_	-			***	_	(-	_	_	-	-	-		-	_	_	_	-	-	-	~	_	-	-
5 - 15-		-			_	-	-	= .	_	-	_	-	_	-	_	-	-	-	-	-	~	100 100	_	=
45- 65 and over	-	-			_	_	-	_	den den	-	-	-		-		-	ton den	-	-	-		-	-	-
	L						L																	
			-E929	. Other	acciden																			
All ages O-	1,570 381	557 244			477 274	200	82	1	131	5	331 4	9	47	8 5	26 3	12	30	13	64 17	64	307 44	57 15	75 29	45 13
5- 15-	167 558	44 68			25 75	15 35	5 36	-	9 61	4	19 184	3	17 18	1	15	2 5	4 9	3 3	21	2 8	83 125	11	1 14	3 4
45- 65 and over	350 114	68 133			52 51	33 60	30 7	-	61	-	116	1 2 2	5	1	7	1 3	14	2	10	11 36	39 16	10	16 15	9
	1	ii					L																10	
		E910.	. Acc	cidental				sion																
All ages	355 66	97 30			34 17	40 13	9 3	-	10	1 -	27 3	1 -	31 5	3 2	-	-	2	1 1	3	-	235 38	50 14	4	1
5- 15-	103 120	15 16			1 5	3 7	2	-	8	1	10 8	1	13 10	1 -	_	-		-	1 2	-	68 92	10	-	1
45- 65 and over	41 25	17			5	9 8	1 2	-	_	-	5	-	2	-		-	2	-	=	-	23 14	8	3	-
	<u> </u>																							
		E911	. In	halation	and inge	estion	of fo	od ca	using	obst	ructio	on or	suffo	cati	on									
All ages	275 150	217			170 111	134 96	1 -		-	-	2	-	1	3 2	5 1	100 000	8 ~	4	44 15	48 6	4 2	5	40 21	23 10
5- 15-	3 41	3 24			20	1 12	-	Ten Ten	_	-	1	-	_	1	4	_	1 2	1 2	2	1 7	1	2	5	-
45- 65 and over	48	24 51			24 15	8	1	-	-	-	1	-	1	-	-	-	5	1	9	10	1	2	6 8	3
	L																			5.4				
		E912	. Inl	nalation	and inge		of ot	her c	bject	caus	ing ol	bstru	ction	or s	uffoca	ation								
All ages	12 5	10			9 5	6 5	-	~	_	-	1	-	-	-	-	-	_	-	-	2	-	-	2	2
5-	1	-			1	- 2		-	-		-		=	.24	_	-		- 3		4	_	- 4.	-	1
45- 65 and over	4	1 1			1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-
	1																							
			. Acc	cidental	mechanio		focat	ion																
All ages	215 123	83 73			153 116	77 70	4	-	21	3	14	-	2	1 1	3	-	2	-	5 1	1	6 2	-	5 3	1
5- 15-	23 51 17	4 2			17 17 2	1 2	1	-	12	3 -	2	-	1	-	- 3	-	2	-	4	-	3	-	2	-
45- 65 and over	17	4			2	4	3	-	9	-	3	_	_	-	_	-	_	-	-	-	_	-	-	-
			<u> </u>				1		***											1		1		
		E914	. For	reign bod	y accide	ntally	ente	ring	eye ar	d ad	nexa													
All ages	1 -	-			_	-	_	-	_	-	1	-	-	-	-	-	-	-	-	-	-	-	-	_
5- 15-	1	-			_	-	_	-	-	-	1	-	-	-	-	-	-	-	_	-	-	-		~
45- 65 and over		-			-	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
							L																	
		E915	. For	reign bod	y enteri	ng acc	ident	ally	other	orif	ice													
All ages	9 -	10			-	5	-	-	_	-	1	-	1	-1	1	-	_	-	4	1	-	-	2	4
0- S- 15-	7	2 2			-	1	_	-	_	-	1	-	5/1	2		51	_	-	- 4	1	-	-	- 2	1
45- 65 and over	1	5			-	3	-	-	-	-	-	-	~	-	1	-	-	-	-	-	-	-	-	2
	1																							

^{*} Figures for these two columns are not available for 1968, but as usual the deaths are included in the numbers shown in the other columns. † E913 Including E913.0, accidental mechanical suffocation in bed or cradle; in bed M20, F19; in cradle, cot etc. M92, F50.

					TAB	ال تكاميلة	LBA	(Nur	nbei	rs)	- 0	ont	inue	ea									
Age at death	Tota	al	At work	*]	lome	Fa	rm	Mir and quar	1	Indu rial j an prem	place d	Place recr tion spo	ea- and	Str an high	d	Pub buil		ins	den- lal ti- ion	Oth speci pla		Pla no speci	t
	M	F	М	F M	F	М	F	M	F	M	F	M	F	M	F	М	F	M	F	M	F	M	F
		E916	. Struck	accidenta	llv bv f	alling	z obie	ect		1												l	
All ages	148	18		1		5	1	34	1	83	2	1	_	6	9	ı <u>-</u>	1	-	- !	12	_	, 2	
0- 5-	4 5	4			. 2	-	1 -	1	1	1 2	2		-	2	1	-	1	-	-	2	-	-	-
15- 45-	75 58	5				4	-	16 17	-	44	_	- 1	-	2	5	-	-	_	-	7 3	-	1	~
65 and over	6	2				-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	_
		E917	. Striki:	ng against	or stru	ck acc	iden	tally	by of	jects												<u> </u>	
All ages	68	23				4	- 1	15	- 1	19	1	5	-	2	3	5	1	1	3	5	-	3	~
0- 5- 15-	4 5	5 2 1			1	-	_	-	-	-	-	1	_	_	1	2		1		1 1	_	1	-
45-	25 27 7	13			1	2	-	5 10	-	10 9	1 -	4	-	1	-	3	1	_	-	1 2	_	1 -	_
65 and over		13			8	1	-	-	-	-		_			2		_	~	3	-		1	
		E918	. Caught	accidenta	lly in o	r betw	een o	bject	S														
0-	5- 15- 16- 40- 40- 40- 40- 40- 40- 40- 40- 40- 40																						
							- 1		-	-	694	-	- 1	-	[-	-	-	- 1	-	1	-	-
45- 65 and over	45 and over 4 1 3 - 9 - 17 - 23 1 - 3 4 1 - 3 4															-							
	E919. Over-exertion and strenuous movements All ages																						
All some I	E919. Over-exertion and strenuous movements All ages																						
0-	E919. Over-exertion and strenuous movements All ages																						
15-	All ages 1 2 1 2															_							
65 and over	1			1		_	-	-	-	_						_			_	_		-	_
	E920. Accident caused by cutting or piercing instruments																						
All ages	5- 15- 45- 35 and over 1 2																						
5-	15- 45- 45- 45- and over 1 2																						
45-	All ages 10															-							
65 and over	All ages 10															-							
		E921,	Acciden	t caused	y explos	ion o	f pre	ssure	vess	el													
All ages	10	-			-	-	~	-	-1	10	-	-	-	-	-	-	-	-	-	~	~	-	~
5- 15-	5	-		_	-	-		-	-	5	-	=	-	_	-	_	-	-	-	_	-	_	_
45- 65 and over	5	-		_	-	-	-	-	-	5	-	-	-	_	-	~	-	~	-	_	-	_	_
																-	-						
All ages	29	E922.	Acciden	t caused 1																			
0-	-	5		10	1	7	-	_	-	_	-	2	-	1 -	-	_	-	-	-	9	-	-	-
5 - 15-	5 13	2		1 2	2	2 3	-	_	-	_	-	1	-		-	_	-	_	-	1 7	-	-	-
45- 65 and over	6 5	1 -		3 4	1 -	1	-	-	-	_	-	_	-	1	-	-	-	_	-	1 -	-	-	-
		E923.	Acciden	t caused h	v explos	ive ma	ateri	a 1															
All ages	38	8		9	4	1	-	3	- 1	21	3	_	- 1	_	- 1	2	1	_	_ 1	0	1		
0- 5-	_	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
15- 45-	23 12	3		3 3	2	_ 1	-	3	-	13 8	- 2	_	-	Ξ	-	2	1	~	-	2	-	-	-
65 and over	3	2		3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		†E924.	Acciden	t caused b	y hot su	bstanc	ce, co	orrosi	ve li	iquid,	and	steam											
All ages	33 5	28		13 5	20	-	-	-	-	14	-	-	-	••	-	2	3	2	5	-	- [2	_
5- 15-	2 13	2		1	2		-	-	-	10	-	-	-	_	-	-	-	_	-	-	-	1	-
45- 65 and over	4 9	4 20		1 6	3	-	-	-	-	12 2	-	_	-	_	-	1 -	-	1	1	2	-	-	-
				-	13									-	-	1	3	1	4	-	-	1	-

^{*} Figures for these two columns are not available for 1968, but as usual the deaths are included in the numbers shown in the other columns. † E924 Including accident caused by hot substance, corrosive liquid, and steam: M19, F22.

TABLE 18A (Numbers) - continued

						2 23		. 011	(1101	mbC.	(8)	_ 0	0100	rowe	CU									
Age at death	Tot	a1	At	work*	Home		Fa	rm	Mir and quar	1	Indus rial p and premi	lace	Place recre tion spor	ea- and	Stre and high	d	Pub	lic ding	Resi ins tut	al ti-	Othe specif plac	ied	Pla no speci	t
	М	F	M	F	M	F	М	F	M	F	M	F	М	F	М	F	M	F	M	F	M	F	M	F
		E925.	A = -	-4-34	used bu	10-4-					i	-			<u> i</u>				İi					
All ages	103	17	, ACC	cident ca	36	15	7		1		33	_	1	-	6		i a	1			1.5			1
0- 5-	8	2			8	2	-	-	-	_	- 4	-	-	-	-	_	4 -	-	-	-	15 - 8	~	_	-
15- 45-	55 21	6			17 7	6	5 2	_	1	-	21 6	-	1	-	4 2	-	2	-	-	-	4 3	-	-	- 1
65 and over	6	4			3	3	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
		E926.	Ac	cident ca	used by :	radiat	ion																	
All ages	-	- [-	-	-	-	-	-	-	-	-	-	-	-	-	~	-	-	~	- 1	-	-
0- 5-	-	-			_	-	_	_	_	_	_	~	_	-	_	_	_	-	-	-	-	-	-	-
15- 45-	-	-			_	-	-	-	_	_	_	_	_	-	-	_	_	_	_	-	-	-	_	-
65 and over	<u> </u>												-		-				Ma	-				
		E927.	Vel	hicle acc	idents n	ot els	ewher	e cla	ssifi	able														
All ages	21	-			-	-	1 -	-	6 -	-	13	-	-	-	-	_	-	-	_	-	1 -	-	-	_
5- 15-	10	-			_	_	-	_	3	-	- 6	_	_	_	-	-	-	-		-	1	-	-	_
45- 65 and over	11	-			_	-	1 -	_	3 -	_	7 -	_	_	_	-	-	_	_	-	-	_	-	_	_
		2000					10000		10004	64051			1		<u> </u>									
All ages	59	E928.	, ma	chinery a	1	not e	23	ere c	9	T TADI	21	~	-	1	ł _		_			_ 1	5	- 1	_	~
0-	1 3	-			1	_	1	_	-	-	1	_	-	-	-	-	-	-	_	-	-	-		100
15- 45-	30	-			_	_	13 7	-	5 4	-	9	_	-	-	-	-	-	-	-	-	3 2	-	-	-
65 and over	2	1			-	-	1		-	-	1	-	-	1		-	-	-		-	-	-	-	-
		E929	. Ot	her and u	nspecifi	ed acc	ident	s																
All ages	43	29			13 3	10 4	-	~	2	-	4	_	3	-	-	-	1	1	2	4	3	1	15 4	13 1
5- 15-	3 15	4			2 3	1 2	-	-	1	-	2	_	2	-	-	-	1	1	1	-	3	1	3	2
45- 65 and over	11 7	5 11			3 2	3	-	-	1	-	2	_	1 -	-	-	-	-	-	1	4	-	-	4	5 4
	l	7000	7000	V		_ 4 4				4.17.			- T 4		+04		l							
All ages	707	E980-	-E988	. Injury	undeter	mined 232	wheth	er ac	ciden	tally	or p	ırpos -	4	n111c 7	tea 8	_	12	5	5	5	218	86	197	152
0- 5-	24 11	25			5 2	9	1	-	-	_	1	_	1	_	Ann Mar	-	1	-		-	6	8	10	8 2
15 45	251 245	105 180			75 88	54 93	5	_	5	_	14 9	-	1	2	3	-	6	2	2	1	74 74	11 31	68 59	38 53
65 and over	176	173			51	75	-	-	1 2		2	-	1	5	1	-	1	3	2	4	57	35	59	51
		E980	. Po	isoning b	y solid	or liq	uid s	ubsta	nces,	unde	termi	ned w	hethe	r acc	ident	ally	or pu	rpose	ly in	flict	ed			
All ages	201	250			104	150	1 -	_	1 -	-		_	1 -	-	1 -	_	2	4	2	-	11	-	78	96
5= 15=	1 74	71			1 35	40	1	-	-	-	-	-	1	-	-	-	-	2	1	-	4	-	32	29
45- 65 and over	85 41	104 75			51 17	67 43	-	-	-	-	-	900 800	-	_	1	~	2	2	1 -	_	4 3	-	27 19	37 30
			<u> </u>		<u> </u>		L											1 4	071-4					
All ages	1 56	E981	. Po	isoning b		in dom	estic	use,	unde	termi	ned w	nethe	r acc	ident -	ally	or pu	rpose	1y 1n	11100	ea _	_	~ 1	10	8
O- 5-	56	40			44	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	_	-	-
15- 45-	23 16	5 14			16	4 11	-	~	-	-	-		-	-	-	 	1 -	-	-	-	-	-	6 2	1 3
65 and over	17	21			14	17	***	-	-	***	-	-	-	-	-	-	1	-	-	-	-	-	2	4
		E982	. Po	isoning l	y other	gases,	unde	etermi	ined w	hethe	r acc	ident	ally	or pu	rpose	ly in	flict	ed						
All ages	18	6			13	6	-	-	-	-	-	-	-	-	1	-	2	~	-	-	1 -	-1	1	-
0~ 5~	~	- 0			-	- 2	-	-	=	_	-	-	-	-	1	-	2	-	-	-	1	-	_	_
15- 45-	8 7	2 2			7 2	2 2 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
65 and over	3	2			-										L		l							

^{*} Figures for these two columns are not available for 1968, but as usual the deaths are included in the numbers shown in the other columns.

									(210		10/		Oleo	orous										
Age at death	Tota	al	At v	vork*	Но	ome	Fa	.rm	an	ne d rry	Indu rial pana	place d	Place recr tion spo	ea- and	Str an high	d		lic ding	Resi ti ins tut	al ti-	Oth speci pla	fied	Pla no speci	t
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	М	F	M	F
		E983	. Han	ging, st	trangula	tion or	suff	ocati	lon, u	indete	rmine	d whe	ther	accid	ental	ly or	purp	osely	infl	icted			1	
All ages	29	15	1		17	11	-	-	-	-	-		-	-	-	-	3	-	-	-	5	2	4	2
0 - 5-	5 1	7 ~			1	4		~	_	_	_	_	-	_	_	_	1 -	_	_	-	1 -	2	2 -	1
15- 45-	16 5	5			9 4	- 4	_	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	1 1	- 1
65 and over	2	3			2	3	-	-	-	-	-	-	-	-	-	-	00	-	-	-	-	-	-	-
		E984	. Sub	mersion	(drowni	ng), un	deter	mined	whet	her a	ccide	ntall	y or	purpo	sely	infli	.cted							
All ages	233 6	96	1		4	8	4	-	3	-	15	40	3	7	-	-	-	-	-	-	180	73	24	8
5-	7	1			-	-	_	-	-	_	1 -	_	1	-	_	_	_	_	-	_	6	4	_	_
15= 45-	66 83	12 39			1	2	3		1 1		6 7	_	1	2	-	-	-	-	-	-	57 63	9 28	2 7	1 5
65 and over	71	40			3	2	-	-	1	**	1	-	1	5	-	-	-	-	_	-	50	31	15	5 2
		E985	. Inju	ry by i	irearms	and ex	plosi	ves,	undet	ermin	ed wh	ether	acci	denta	11y o	r pur	posel	y inf	licte	d				
All ages	16	1			7	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	3	-
5-	_	1			-	1	_	-	_	_	_	_	_	-	_	_	-	_	_	_	_	-	-	_
15- 45-	8 5	_ :	}		3 2	_	2	_	1 -	_	_	_	_	_	1	_	-	-	_	-	2	-	2	-
65 and over	3	-	}		2	-	-		_	-	••	-	~	-		-	_	-	-	~	-	-	1	
		E986	. Inju	ry by c	utting	and pie	rcing	inst	rumen	ts, u	indete	rmine	d wher	ther	accide	ental	ly or	purp	osely	infl	icted			
All ages	7	1			2	1	-	-	-	-	-	-	-	-	-	-	-	~	-	-	_	~	5	~
5∞		~			=	-	_	_	-	_	_	_	_	_	_	-	_	_	_	-	_	_	_	-
15= 45=	4 2	1 -			2 -	1	_	_	_	-	-	_	_	_	_	_	_	_	_	_	_	_	2	-
65 and over	1	-			-	-	-	-	-	**	-	~	-	-	-	-	-	-	-	-	-	-	1	-
		E987	, Fall	ling fro	m high	place,	undet	ermin	ed wh	ether	acci	denta	11y o	r pur	posel	y inf	licte	d						
All ages	25 1	15			8	5	-	-	-	-	3	~	-	-	-	-	-	-	1	1	9	6	4	3
5∞	1	1			1 -	-	-	-	-	-	_	_	_	_	-	_	-		-	-	1.	-	000	1
15- 45-	8 7	5			3	2	-	_	-	-	2	_	-	-	-	_	-	_	-	-	3 4	2	~	1
65 and over	8	6			4	3	_	_	_	-	-		-	-	-		-	-	1	1	1	2	2 2	-
		†E988	. Inju	ry by o	ther an	d unspe	cifie	d mea	ns, u	ndete	rmine	i whe	ther a	ccide	entall	ly or	purp	osely	infli	icted				
All ages	122	63			22	18	1	-	3	- 1	8	-	-	- 1	5	-	3	1	2	4	10	5	68	35
5	12 1	14			3 -	5	-	_	_	_	-	_	-	_	_	_	-	-	-	-	1	2	8	7
15- 45-	44 35	9 13			3 9	3 5	1 -	-	3	-	6	-	-	~	3 2	-	1 2	-	1	1	3 3	1	23 18	6
65 and over	30	26			7	5	-	-	-	-	1	-	-	-	-	-	_	1	1	3	3	2	18	15

^{*} Figures for these two columns are not available for 1968, but as usual the deaths are included in the numbers shown in the other columns.
† E988 Including injury by other and unspecified means, undetermined whether accidentally or purposely inflicted: clothes on fire F1; conflagration M4, F2; others and unspecified M4, F1.

Deaths from violent causes, by external cause, nature of injury and sex, 1968 TABLE 18C.

	AN 150	All other and unspectificts of erfects of external causes	1,896	42	ळळला	स ।	C/ I	₩ 1	► 80 0 1 H H H 4	35 27 27 27 27 27 27 27 27 27 27 27 27 27	125
	AN 149	Adverse effects of chemical sub-	2,487	1 1	1111	1-1	1.6	1.1		40 41 00 00 00 00 00 00 00 00 00 00 00 00 00	- H I
	AN 148	Burn	290	22	1111	1 (41	1 1	O 4 4 4 4 0 1 1 1 1	40 00 00 00 00 00 00 00 00 00 00 00 00 0	0 1 1
	AN 147	Foreign body entering through	310	ਜਜ	1111	1 1	1 1	1 1	Teletiiii	000 0111441141 1111004114 04	4 0 0 0
	AN 146	Super- ficial injury, contus- lon and crushing with intact skin surface	25	~ 10	i Cuch	1 1	1 1	1 1	∜सा।।।स	। । । । । । । । । । । । । । । । । । ।	1 1
1st)	AN 145	Lacer- ation and open wound	241	23	4001	41	ı, ı	1 1	4010111-1	2000 H 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 41
Nature of injury ('A' List)	AN 144	Internal injury of chest, abdomen and pelvis	1,963	1,319	335 201 511	19	151	1 00	48 890 1004 45 841 75 75	100 1100 1100 1100 1100 1100 1100 1100	1 3
ure of inj	AN 143	Intra- crantal injury (exclud- ing skull fracture)	875 448	427	164 109 35	# I	80 g	15 15 15	₽ R G G G G G G G G G G G G G G G G G G	м чч с кчч кч ов 1341 г г с 474 бог бог он	₹ 8
Nat	AN 142	Sprains and strains of joints and adjacent muscles	40	1 4	1111	1 1	1 1	1.1		1111801111 1111411111 11	1 1
	AN 141	Dislo- cation without fracture	30	17	© ₩ H I	1 1	ΗI	1.4	७सा । । । सस	ा । । । ० ल् । । । । । । त्य । च्य । । । । त्य	1 1
	AN 140	Fracture of 11mbs	1,095	224	143 110 120	CV I	20	CI I	さく さなさまこののの	0 0 1 1 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0	8 8
	AN 139	Fracture of spine and trunk	746	412	1197 226 300 3	1 04	8 KO	ומו	8800 01 884-1980	Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	4 1
	AN 138	Fracture of skull	2,679	1,821	650 465 165 32	52	276	68	840 840 84144 84 844 844 844 844 844 844 844 84	064 400 1100041041000 1061 1060 1061 1061	8 8
		Total	12,641	4,315	1,512 1,131 295 54	80 0 10	550	109	1,091 249 249 96 50 33 370 136	381 1 788 3 715 3 715 3 715 4 724 1 788 1 106 1 108 1 178 1	- 1
			25 24	Z is	ZAZA	ΣĿ	Σħ	Z F4	ZEEFEFE	**************************************	Z fi
		External cause of injury	Total	Motor vehicle accidents (E810-E823)	Motor vehicle traffic accidents: To pedestrians (E810,7- E819,7) To ped cyplists (E810.6- E819,6) To riders or passengers of	motor cycles- involving collision with non-motor vehicle or object ((DENO-PENI).2,.3	(E013-E013).2,.3) involving collision with other motor vehicle (E919 9 %)	without collision ((E816- M E818).2,.3) Other motor vehicle traffic	involving two or more more motor vehicles (BS12 Rem.) Fron-collision due to loss Mo of control (ES16 Rem.) Fother motor vehicle RESIS Rem. Particulation (ES17, M. ES18 Rem.) Fother motor vehicle accidents (ES10-ES25 Rem.) F	Accidental poisoning Accidental poisoning Accidental falls Accidents caused by fires Accident caused by firearm missies Accident mainly of industrial type All other accidents Suicide and self-inflicted industrial type All other accidents Guicide and indury purposely inflicted by other persons; Inflicted by ot	Injury resulting from operations of war
		ICD List No.		AE 138						AE 1359 AE 140 AE 147 AE 142 AE 145 AE 145 AE 145 AE 146 AE 146 AE 146 AE 146 AE 146	AE 150

TABLE 18D. Deaths from road traffic accidents and accidental falls, by nature of injury, external cause, sex and age group, 1968

England and Wales

ICD					Externa	al cause o	of injury	by age		
List No.	Nature of injury		All ages	0-	5-	15-	25-	45-	65-	75 and over
			Road	vehicle	accidents	to pedes (E825-E	trians (1 827)·0)	CD Nos.	E810-E819).7,
	Total	M F	1,520 1,139	129 79	235 114	103 48	138 32	297 200	248 297	370 369
AN138	Fracture of skull	M	655	63	111	58	76	120	88	139
AN139	Fracture of spine and trunk	F M	468 197	42 10	54 16	26	15 9	89 49	122 36	120 72
AN140	Fracture of limbs	F M F	227 144 114	7 1 1	13 3 3	4 4	3 6 -	35 23 16	55 41 36	110 66 58
AN141	Dislocation without fracture	м	8	1	3	-	1	-	2	1
AN142	Sprains and strains of joints and	F M	3 -	1 -	-	-	-	-	2	-
AN143	adjacent muscles Intracranial injury (excluding skull fracture)	F M F	164 109	18 9	27 17	14 8	10 2	31 17	32 26	32 30
AN144	Internal injury of chest, abdomen and pelvis	M F	335 201	35 19	74	22	35	68	45	56
AN145	Laceration and open wound	M	4 6	-	26	10	11	39	47	49
AN146	Superficial injury, contusion and crushing with intact skin surface	M F	3 3	- -	-	-	-	2 1 2	3 1 1	1
AN147	Foreign body entering through orifice	М	-	_	-		_	_	-	_
AN148	Burn	F M	-	-	-	-		-	-	_
AN149	Adverse effects of chemical substances	F M	-	-	-	_	-	-	-	-
AN150	All other and unspecified effects of external causes	F M F	10 8	1 -	1 1	-	- - 1	4	2 5	2
			Roa	d accide	nts to peo	ial cyclis (E825-E8	sts (ICD 1 326)·1)	Nos. (E810	0-E819)·6,	
	Total	M F	337 67	3 5	73 15	38	25	114 27	59 10	25 1
AN138	Fracture of skull	MF	194 38	1	47	27	15	61	31	12
AN139	Fracture of spine and trunk	M	31	5 1	10	5 1	1 3	16 14	1 5	2
AN140	Fracture of limbs	M F	14 2	-	-	-	-	2 7 2	1 4 -	1 3
AN141	Dislocation without fracture	M F	1	-	-	-	1	-	_	_
AN142	Sprains and strains of joints and adjacent muscles	M	-	-	-		-	-	_	-
AN143	Intracranial injury (excluding skull fracture)	F M F	42 9	-	12	6	1 -	10	9 3	4
AN144	Internal injury of chest, abdomen and pelvis	M	52		9	4	5	20	10	4
AN145	Laceration and open wound	F M	11 2	1	2	-	2	2	5	-
AN146	Superficial injury, contusion and crushing with intact skin surface	F M F	- 1	-	-	-	-	-	~	-
AN147	Foreign body entering through orifice	М	-	-	-	-	-	_		_
AN148	Burn	F M	-	-	-	-	-	-	-	
AN149	Adverse effects of chemical substances	F M	-	-	-	-	-	-	-	-
AN150	All other and unspecified effects of external causes	F M F	1 2	-	-	-	-	1 2	-	-

TABLE 18D - continued

ICD					Externa	l cause o	f injury	by age		
'A' List No.	Nature of injury		All ages	0-	5-	15~	25-	45-	65-	75 and over
			Road	accident	to ride	ers or pas	sengers o -E819)·2,	f motor (cycles	
	Total	M F	752 70	-	4 5	529 46	95	101	16	7
AN138	Fracture of skull	M	398	_	1	279	57	50	8	3
AN139	Fracture of spine and trunk	F	44 47	-	3	30 30	5 7	6 8	1	-
AN140	Fracture of limbs	F M F	3 24 3	-	-	16	2	1 6 2	-	-
AN141	Dislocation without fracture	М	1	-	-	-	1	_	_	_
AN142	Sprains and strains of joints and	F M	_	-	<u></u>	-	-	-	-	-
AN143	adjacent muscles Intracranial injury (excluding skull fracture)	F M F	80 10	-	- 1	54 7	10	12	2	2
AN144	Internal injury of chest, abdomen and pelvis	M F	188 10	_	2	141	18	20	5	2
AN145	Laceration and open wound	M	6	1	1	4	-	2 2	-	-
AN146	Superficial injury, contusion and crushing with intact skin surface	. M	-	-	-	-	-	-	-	-
AN147	Foreign body entering through orifice	M	~	-	-	-	-	-	-	-
AN148	Burn	M F	4	-	-	3	-	1	-	-
AN149	Adverse effects of chemical substances	M F	-		-	-	-	_	-	-
AN150	All other and unspecified effects of external causes	M F	4	-	-	2	-	2	-	-
			Other mo	tor vehic	le traffi	c acciden	ts (ICD N	os. (E810	-E819 rem	ainder))
	Total	M F	1,669 767	22 19	41 39	589 208	485 147	386 214	105 80	41 60
AN138	Fracture of skull	M F	583 249	14	20 24	230	178	122	11	8
AN139	Fracture of spine and trunk	M F	130 77	1 2	4. 2	78 30 11	56 34 10	53 35 29	14 19	11 7
AN140	Fracture of limbs	M F	45 36	-	1	8 5	11 6	14	7 8 5	16 4 10
AN141	Dislocation without fracture	· · M	7 2	-	-	2 2	1	2	1	. 1
AN142	Sprains and strains of joints and adjacent muscles	M	-	-	-	-		=		-
AN143	Intracranial injury (excluding skull fracture)	M F	146 77	2 3	3 3	55 19	47 16	27 17	9	3 8
AN144	Internal injury of chest, abdomen and pelvis	M F	706 302	5 1	12 9	245 86	200 57	174 97	54 38	16 14
AN145	Laceration and open wound	M	10	-	-	2	5	3	2	- 14
AN146	Superficial injury, contusion and crushing with intact skin surface	M F	1	-	_	1	-	1	-	2
AN147	Foreign body entering through orifice	M F	1 1	-	_	- 1	1	-		-
AN148	Burn	M F	18 5	-	2	7 2	6	. 3	-	-
AN149	Adverse effects of chemical substances	M F	-	-	-	-	-	_	-	
AN150	All other and unspecified effects of external causes	M F	19 9	-	-	9 2	2 -	5 3	3 3	- 1

TABLE 18D - continued

ICD					Externa	al cause o	of injury	by age		
'A' List No.	Nature of injury		All ages	0-	5-	15-	25-	45-	65-	75 and over
				A	ccidental	falls (I	CD Nos. E	880-E887)		
1	Total	M	1,788 3,715	39 31	39	59 7	156 26	298 159	285 470	912 3,014
AN138	Fracture of skull	M	446 205	19 17	25 6	34	104 13	145	49 43	70 76
AN139	Fracture of spine and trunk	M F	226 223	1	4	5	11	43	47	116 173
AN140	Fracture of limbs	M F	820 2,993	-	-	3 1	5 2	42 75	132 346	638 2,568
AN141	Dislocation without fracture	M F	8 11	-		-	1	- 1	3	4 9
AN142	Sprains and strains of joints and	M	3	-	-	-	_	1	2	-
AN143	adjacent muscles Intracranial injury (excluding skull fracture)	F M F	162 181	18 11	2	7 1	19 6	1 31 16	32 30	53 116
AN144	Internal injury of chest, abdomen	M	73 29	2	5	9	11	27	8	13 18
AN145	and pelvis Laceration and open wound	F M	8	-	1	1	-	2	2	2
AN146	Superficial injury, contusion and crushing with intact skin surface	F M F	10 9 33	-	1 -	-	- 1	2 1 2	3 2 6	5 5 24
AN147	Foreign body entering through orifice	M F	4	1	-	-	1	-	2	- 1
AN148	Burn	M	-		-	-	-	-	-	
AN149	Adverse effects of chemical substances	F M	-	-	_	_	_	-	-	=
AN150	All other and unspecified effects of external causes	F M F	29 27	1 -	1 -	=	4 1	6	6 3	11 23

TABLE 18E. Deaths from accidents in the home and residential institutions:
numbers, and rates per million population, by cause, sex and age group, 1968 England and Wales

					Dea	aths						Rat	tes			
ICD Number	Cause of death		All ages	0-	5-	15-	45-	65-	75 and over	All ages	0-	5-	15-	45-	65-	75 and over
E850-E929	All accidents in the home and residential institutions	M	2,363 4,251	454 323	70 47	269 183	361 365	353 557	856 2,776	100 170	213 160	19 13	28 19	62 59	218 241	1,211 1,859
E850-E869	Accidental poisoning by drugs, medicaments and other solid and liquid substances	M	161 224	15 5	3 4	56 53	61 104	18 35	8 23	7 9	7 2	7	6	11 17	11 15	11 15
E853-1	Accidental poisoning by salicylates and congeners	M F	11 7	5 2		1	3 3	2 -	1	0	2	-	0	7.	7	7
E854-0	Accidental poisoning by barbiturates	M F	89 151	2	1 2	23 32	43 76	13 22	7 18	4 6	1 0	0	2 3	7 12	8 10	10 12
E870-E877	Accidental poisoning by gases and vapours	MF	196 297	8	8	44 17	44 37	24 56	68 172	8 12	4 3	2	5 2	8	15 24	96 115
E880	Fall on or from stairs or steps	M F	274 394	7 4	4 2	16 17	66 34	49 83	132 254	12 16	3 2	7	2 2	11 5	30 36	187 170
E881	Fall on or from ladders or scaffolding	M F	43 6	-	-	7	16 3	15	5 3	2	-	-	7	3 0	9	. 7
E882-E884	Other falls from one level to another	M F	168 282	28 18	7 2	18 1	11 15	31 36	73 210	7 11	13 9	2 1	2	2	19 16	103 141
E885, E886	Falls on same level	MF	90 366	- 1	_	1 3	4 12	15 54	70 296	4 15	-0	-	0	1 2	9 23	99 198
E887	Other and unspecified fall	M	536 1,786	2 5	-	10 5	41 46	99 185	384 1,545	23 72	1 2	-	1	7 7	61 80	543 1,035
E890-E899	Accidents caused by fires and flames	M	301 440	84 61	18 13	20 44	49 62	51 69	79 191	13 18	39 30	5 4	2 5	8 10	31 30	112
E890-E892	Accidents caused by conflagration	M	123 133	60 42	12 10	8 16	1 <u>4</u> 20	10 15	19 30	5 5	28 21	3 3	1 2	2 3	6	2 7 20
	from open fire	M F	4 9	2 2	1	1	<u>-</u>	1 -	4	0	1	0	. 0	0	1	3
	gas fire	M F	1 2	- 1	1 -	-	-	-	_	0	- 0	0	_	-	-	7
	electric fire	M F	2 1	-	-	1 -	1	-	-	0	-	-	0	0	-	-
	oil heater	M	5 2	4 -	1	-	1	-	1	0	2 -	-	-	0	-	7 -
	oil stove	M	2	2	-	-	-	-	-	0	1 0	_	-	-	-	Ξ
	matches	M F	3	3 -	1	-	-	-	-	0	1	-0	-	-	-	-
	cigarette	M F	5 1	1 -	1	- 1	3	-	_	0	0	0	- 0	1	-	-
	pipe	M F	3 -	_	-	-	-	-	3 -	0 -	-	-	-	_	=	4 -
	cigarette or match	M F	1 -	-	-	-	-	-	1	0	-	-	-	-	-	1 -
	ignited paper	M F	2 2	2 2	-	-	-	-	-	0	1	-	-	-	-	1
	smoking material	M F	1 -	-	-	-	-	-	1	0	-	-	=	-	-	7
	electrical fault	M F	- 1	-	-	-	-	-	- 1	- 0	-	-	-	-	-	7
	match struck near motor cycle petrol tank	M F	- 2	- 1	- 1		-	-	-	-0	-0	-0	-	-	-	-
	fall of lamp on to combustible material	M F	-	-		-	_	-	-	- 0	-	-	-	0	-	
	sun's rays through wineglass or lighting cooking stove	M F	1 -	-	-	-	-	_	1	0	-	-	-	-	-	1
	other unspecified	M F	93 110	46 35	9	7 14	10 16	9 15	12 24	4	22 17	2 2	1	2 3	6	17 16

TABLE 18E - continued

					De	aths						R	ates			
ICD Number	Cause of death		All ages	0=	5-	15-	45~	65=	75 and over	All ages	0-	5-	15-	45-	65-	75 and over
E893	Accident caused by ignition of clothing	M F	47 163	5 6	4 3	3 17	8 16	8 29	19 92	2 7	2 3	1 1	0 2	1 3	5 13	27 62
	from open fire	MF	7 42	- 2	3 3	1 4	<u>-</u> 4	- 7	3 22	0 2	- 7	1	0	- 1	- 3	4 15
	gas fire	MF	3 14	-	-	-	2	1 5	- 8	0	-	-	-	0	1 2	5
	electric fire	M F	5 30	1 -	-	- 1	1 4	2 2	1 23	0	0	-	-0	0	1	, 15
	other specified	M F	21 25	2 3	1	2	3 2	2 4	11 12	1 1	1	0	0	1 0	1 2	16
	unspecified	M F	11 52	2	=	- 8	2 5	3 11	4 27	0 2	1 0	-	-7	0	2 5	6
E895, E896	Accident caused by controlled fire in private dwelling or other building or structure	M F	43 66	10 5	-	1	5 11	7 11	21 38	2 3	5 2	-	ō	1 2	4 5	30 25
E897	Accident caused by controlled fire not in building or structure	M	1 -	-	-	1	-		-	0 -	-	_	0	-	-	-
E894, E898	Accidents caused by other specified fires or flames	M F	73 67	5 7	2	6 7	18 12	25 13	17 28	3 3	2	1 -	1	3 2	15 6	24 19
E899	Accident caused by unspecified fire	M F	14 11	4	-	2	4 3	1	3	1 0	2	_	0	1 0	10	4 2
E910	Accidental drowning and submersion	MF	37 40	17 13	2	7 7	5 9	4	2 4	2 2	86	1	1	1	2 2	3 3
E911	Inhalation and ingestion of food causing obstruction of suffocation	MF	214 182	126 102	2	28 19	33 18	17 18	8 23	9 7	59 50	1	3 2	6	10 8	<i>11</i> 15
E913.0	Accidental mechanical suffocation in bed or cradle	M	109 67	105 63	2	2 2	<u>-</u> 2	-	-	5 3	49 31	1 -	0	-0	-	-
E923	Accident caused by explosive material	M	9	-	-	3 2	3	<u>-</u> 1	3 _	0	-	-	0	10	-0	4
	explosive gases	MF	4 -	-	-	1	2 -	-	1	0	-	_	0	0	-	1
	* other and unspecified	MF	5 4	-	=	2 2	1	_	2	0	-	-	0	0	-0	3
E924	Accident caused by hot substance, corrosive liquid, and steam	M F	15 25	5 2	1 2	-	2	5 4	2 13	1 1	2	0	-	0	3 2	3 9
E925	Accident caused by electric current	MF	36 15	8 -	1 2	17 6	7 4	3 2	1	2 1	4 -	0	2	7	2	7
Rem. E850- E929	Other accidents	M	174 123	49 43	22 8	40 7	19 14	22 10	22 41	7 5	23 21	6 2	4. 1	3 2	14 4	31 27
E980-E989	Injury undetermined whether accidentally or purposely inflicted	M	226 237	5 9	2 1	77 54	89 94	27 34	26 45	10 9	2 4	1 0	8	15 15	17 15	37 30
E980	Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted	M F	106 150	-	1 -	36 40	52 67	12 24	5 19	4 6	-	0	4	9 11	7 10	7 13
E981, E982	Poisoning by domestic and other gases, undetermined whether accidentally or purposely inflicted	M F	57 38	-	-	20 6	21 13	8	8	2 2	-	-	2 1	4 2	5	11 11
E984	Submersion (drowning), undetermined whether accidentally or purposely inflicted	MF	4 8	-	-	2	1 4	2	1	0	-	-	ō	0	0	1
E987 *	Falling from high place, undetermined whether accidentally or purposely inflicted	MF	9 6	1 -	Ξ	3 2	-	2	3 2	0	0 -	-	0	-	1	4 1
Rem. E980- E989	Other injury undetermined whether accidentally or purposely inflicted	MF	50 35	4 9	1	18 4	15 10	3 4	9 7	2	2	0	2	3 2	2 2	13 5
N980	Toxic effect of alcohol	MF	13	-	1_	4	7	1 3	- 1	1 0	-	0	0	1	1	- 1

^{*} Includes Ronan Point disaster.

TABLE 19. Deaths by cause, sex and age group and Standardised Mortality Ratios, 1968

							Englan	d and Wa	les				
ICD	Cause of death							Age (in	years)				
B List Number		ı	All ages	Under 1	1	5-	15-	25-	35-	45-	55-	65-	75 and over
	Numbers		293,213 283,541	8,705 6,277	1,492 1,195	1,545 1,003	3,259 1,364	2,897 1,870	7,096 4,894	21,287 13,420	58,139 31,796		101,689
	ALL CAUSES Rates	M	12,409	20,991	869 733	418	907	952 639	2,327 1,650	7,007 4,282	21,133 10,360	53,698	143,852 104,859
B1	Cholera	F M	11,358	15,948	-	263	-	-	-	-	-	20,204	-
B2		FMF	- 2 1	-	- - 1	-	-	1		-	1	-	-
B3	Bacillary dysentery and amoebiasis	М	9	2	1	1	-	1	-	2	-	_	2
B4	Enteritis and other diarrhoeal diseases	F M F	366 326	1 224 152	1 47 35	1 11 6	7 3	2 -	3 3	1 3 8	22 23	23 32	24
B5	Tuberculosis of respiratory system	MF	1,092 364	1 -	1 2	1	- 2	13	52 43	136 55	326 69	347 93	215
B6	Other tuberculosis, including late effects	M	408 227	1 -	8	2	8 3	10	21 22	50 31	131 53	116 53	61 53
B7	Plague	MF	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria Diphtheria	M F	1 -	-	1 -	-	-	-	-	-	-	-	-
В9	Whooping cough	MF	9 6	9	-	-	-	-	-	-	-	_]
B10	Streptococcal sore throat and scarlet fever	M F	1 4	-	1	2	1 -	~	945 935	-	1	-	-
B11	Meningococcal infection	M F	64 43	25 16	22 13	6 4	4	1	1	- 1	3 4	3 1	i
B12	Acute poliomyelitis	M F	-	-	-	_	_	-	-	-	-	-	-
B13	Smallpox	M F	-	-	-	-	-	-	2	-	-	-	-
B14	Measles	MF	23 28	4 8	15 13	2 7		-	2	_	_	_	-
B15	Typhus and other rickettsioses	MF	1	_		~	_	1	_	-	-	-	_
B16	Malaria	M F	2 2	-	_			-	1	1 -	1	_	-
B17	Syphilis and its sequelae	MF	105 80	-	-	_	-	-	3 1	6	32 15	43 36	21 22
B18	All other infective and parasitic diseases	M	510 507	68 54	30 19	33 17	26 26	15 26	31 35	62 49	91 93	83 83	71 105
	Malignant neoplasm of:												
	buccal cavity and pharynx (140-149)	M F	1,027 626	-	2	1 -	6	6 5	22 22	92 66	226 130	350 176	324 224
	oesophagus (150)	MF	1,677 1,224	-		-	1 1	5 4	32 19	163	429 222	567 370	480 522
	stomach (151)	MF	7,242 5,507	-		Ξ	3 2	27 23	165 81	618 275	1,979	2,662 1,683	1,788 2,581
	intestine and rectum (152-154)	MF	7,300 8,761	-	-	- 1	5 3	37 49	183 183	613 592	1,604 1,568	2,422 2,555	2,436 3,810
B19 <	larynx (161)	MF	534 117	-	-	1	-	1	9	47	106 41	212 42	160 23
	lung, bronchus (162)	MF	23,903 4,933	-	- 1	1 1	9 5	53 23	432 150	2,529 673	7,976	9,159 1,665	3,744
	breast (174)	M F	76 10,204	_	-	1	6	108	624	1,791	2,784	2,530	2,360
	uterus (180-182)	F	3,971	-	2	-	6	41	244	785	1,039	1,001	853
	prostate (185)	M	3,939	-	1	1	2	-	3	46	419	1,318	
	Leukaemia (204-207)	M F	1,676	8 7	81 70	121 91	76 59	64 46	91 72 675	152	350 236	427 327 4,074	306 387 2,938
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M F	13,648 14,730	16 7	95	119 98	251 152	345 220	577	1,548 1,672	3,587 3,295	4,320	4,306
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M F	647 738 1,716 2,900	8 12 2 1	13 9 1 5	27 24 10 15	26 18 10 12	21 16 34 23	55 52 57 39	111 123 99 97	166 160 306 391	128 154 551 1,018	92 170 646 1,299
B22 B46 (pt.)	Avitaminoses and other nutritional deficiency Other endocrine, nutritional and	M F M	73 112 527	7 3 90	1 27	1 - 39	1 2 11	2 - 15	1 1 28	9 3 42	17 10 102	16 23 95	19 69 78
	metabolic diseases (240-246, 251-258, 270-279)		1,063	49	33	27	13	20	28	82	158	279	374
B23 B46 (pt.)	Anaemias Other diseases of blood and blood-forming organs (286-289)	M F M F		10 4 8 2	8 8 7 2	12 9 9	9 8 7 3	10 12 6 4	8 10 15 4	18 35 11 10	61 87 20 24	140 240 18 35	262 700 19 46

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates, hospital regions

						Englan	d and Wa					
ICD	Cause of death							years)				
B List Number	,	All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and
B46 (pt.) B24	Mental disorders (290-315)	835 214	1 80 51	3 1 30 17	4 2 9 6	13 8 7 5	14 6 3	16 15 5	28 28 10 14	49 80 27 22	73 150 28 31	212 544 15 10
B46 (pt.) B25	Other diseases of nervous system , h and sense organs (321-389) . Active rheumatic fever	3,068	94 69 1	73 57 -	82 78 2 2	180 64	124 91 1	174 165 1	287 258	488 442 4 5	690 754 1	692 1,090 2
B26 B27	Chronic rheumatic heart disease Hypertensive disease F	4,386	2	1 -	2	24 9 7 5	54 60 25 17	179 233 141 70	445 580 390 192	773 1,052 1,035 602	681 1,158 1,499 1,694	456 1,291 1,675 3,727
B28 B29	Ischaemic heart disease Other forms of heart disease F	79,735 58,834 12,617 20,008	1 1 24 26	1 - 8 14	1 20 15	14 8 39 28	181 44 60 37	1,933 317 119 95	7,446 1,313 362 249	19,205 5,681 1,214 850	25,955 16,244 3,036 3,059	24,998 35,226 7,735 15,635
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (440-458)	31,707 48,645 10,714 14,020	11 9 8 5	5 3 -	16 15 1 3	41 50 23 9	119 95 36 44	372 356 109 107	1,244 1,243 417 319	4,609 3,900 1,425 837	9,680 10,976 2,978 2,575	15,610 31,998 5,717 10,120
B31 B32	Influenza M F Pneumonia M F	1,855 2,797 18,147 22,880	9 12 1,055 749	6 4 160 159	4 4 88 74	18 9 87 38	13 12 74 66	27 16 146 131	62 48 510 339	181 157 1,609 1,138	486 449 4,140 3,690	1,049 2,086 10,278 16,496
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF Asthma (493) MF	23,299 8,011 646 810	38 37 2	12 14 12 10	11 3 37 21	12 8 46 46	23 10 37 44	140 72 69 77	984 346 78 126	4,753 972 147 179	8,966 2,193 141 193	8,360 4,356 77 114
B46 (pt.) B34	Other diseases of the respiratory system (460-466, 500-519) FPeptic ulcer MF	3,511 2,790 2,694 1,535	499 328 5	103 97 - 2	21 30 -	27 18 9	36 27 12 7	54 43 60 21	184 115 196 63	565 232 494 154	929 439 989 362	1,093 1,461 929 925
B35 B36	Appendicitis MF Intestinal obstruction and hernia MF F	210 177 1,050 1,396	1 1 116 96	14 4 15 3	12 7 4 4	12 5 10 3	4 6 9 7	8 4 18 19	17 14 49 45	41 29 112	49 48 261 299	52 59 456 798
B37 B46 (pt.)	Cirrhosis of liver MF Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	750 712 2,097 3,249	3 43 33	5 4 11 12	4 1 6 9	9 5 25 22	10 8 35 29	52 27 86 70	138 96 159 161	239 222 405 393	193 201 608 827	100 145 719 1,693
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629) F	1,348 1,120 1,580 1,750 2,484	7 3 - 23 14	8 4 - 8 6	17 7 - 8 10	54 27 - 17 11	61 39 - 15 29	91 62 - 39 74	179 108 6 103 149	313 181 80 254 325	290 298 359 459 599	328 391 1,135 824 1,267
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	150	-	-	-	17 29	22 76	11 42	3	-	-	-
B46 (Rem.)	Diseases of the skin and subcutaneous tissue (680-709) Diseases of the musculoskeletal system and connective tissue (710-738)	115 236 663	8 6	2	1 2	3 7	3 8	8 7 20	19 56	14 20 149	32 37 191	41 142 228
B42	and connective tissue (710-738) F Congenital anomalies F Birth injury, difficult labour and M	1,661 2,540 2,212 2,228	1,709 1,428 2,228	2 211 181	139 111	15 89 75	30 44 34	46 61 62	91 70 95	217 106 90	434 71 81	819 40 55
B44	other anoxic and hypoxic conditions Other causes of perinatal mortality M F	1,363 1,907 1,439	1,362 1,907 1,439	1	-	-	-	-	-	-		-
	Symptoms and ill-defined conditions MF	1,265 2,904	11 13	6 5	2 -	8 3	5 5	11 6	15	21 20	71 83	1,115 2,759
BE48	Motor vehicle accidents All other accidents M F	4,315 2,034 4,739	8 10 297	148 94 266	348 169 278	1,277 309 433	437 92 363	326 98 405	367 157 449	542 294 577	428 386 509	434 425 1,162
BE49 BE50	Suicide and self-inflicted injuries	5,526 2,695 1,889 892 653	213 - 35 43	171 - 27 26	98 2 2 27 11	76 198 89 107 47	333 141 90 74	126 405 251 129 53	176 531 358 132 94	320 583 476 151 118	718 405 375 126 99	3,559 238 197 68 88
BN47 BN48	Fractures, intracranial and M internal injuries F Burn F	7,358 5,981 290 362	49 42 9 4	208 139 34 23	423 207 16 12	1,502 335 23 9	698 130 20 16	625 152 25 24	693 222 28 22	966 447 29 36	797 860 43 49	1,397 3,447 63 167
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	2,487 2,574 2,506 1,185	10 10 272 210	62 51 137 78	35 24 181 37	207 120 283 57	290 176 215 54	400 277 215 75	456 437 302 104	466 535 392 190	324 486 304 183	237 458 205 197

							N	orth						
ICD B List	Cause of death							Age (1r	years)					S.M.R. (England
Number			All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers	M F	21,023 18,833	603 454	102 83	109	229 89	208 115	638 405	1,690 1,036	4,245	6,309 4,783	6,890 9,524	106 106
	ALL CAUSES Rates	- 1	12,853 11,044	21,927 17,395	882 756	401 273	941 372	1,017	2,925 1,925	8,125 4,910	22,737 10,975	55,537	148,812 107,860	200
B1	Cholera	М	-	-	-		-	-	-	-	-	-	-	_
B2	Typhoid fever	F M F	-	-	-	-	-	• -	-	~	-	-	~	-
B3	Bacillary dysentery and amoebiasis	M	-	-	_	-	-	_		-	-	_	_	_
B4	Enteritis and other diarrhoeal diseases	F M F	26 26	20	1	-	1 1	to 	- 1	1 1	5	2 5	1	106 122
B5	Tuberculosis of respiratory system	М	94	-	-	to to	_	2	7	15	28	20	22	126
B6	Other tuberculosis, including late effects	F M F	26 30 7	-	-	-	- 1	en en	2 1 2	9 7 1	5 9 2	4 9 1	6	109 108 47
B7	Plague	м	-	-	-	-	-		-	-	-	00	-	
B8	Diphtheria	F M F	-	-	1 1 2	-	_	-	-	-	-	 	-	-
В9	Whooping cough	М	-	-	_	-	-	_	-	_	400	_	_	
B10	Streptococcal sore throat and scarlet fever	F M F	-	=	-	-	-	-	-	-	-		-	-
B11	Meningococcal infection	M	9 2	5	4	-	-	-		**	-	-	~	208
B12	Acute poliomyelitis	M	-	-	-	1 -	-		-	-	_	-	-	. 69
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	3 1	-	3	-	-	-	=	-	-	-	-	191 52
B15	Typhus and other rickettsioses	MF	-	-	-	***	-	-	-	-	-	-	no	-
B16	Malaria	MF	1	-	-	, -	-	=	1	-	-	-	-	715
B17	Syphilis and its sequelae	M	7	-	-	-	-	-	-	-	3	2	2	97
B18	All other infective and parasitic diseases	F M F	8 36 31	4 3	2	6	1 -	1 3	1 3	2 4 3	5 10 6	5	1 2 7	155 103 93
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	77 60	-	-	-	-	- 1	1 4	4 8	13 9	27 17	32 21	110 150
	oesophagus (150)	M	113 60	-	_'	••	1	-	1	13	21	41	36	99
	stomach (151)	M F	603 463	-	-	-	-1	4 1	17 9	64 29	174 69	17 203 168	26 140 187	77 122 133
	intestine and rectum (152-154)	MF	571 568	-	-	-	-	4 2	9	47 57	119 106	222	170 219	115 102
B19 <	larynx (161)	M F	38 7	-	-	-	-	-	1	7 2	11	9	10	104
	lung, bronchus (162)	M F	1,650 313	-	-	1	1	4 2	41	199 68	591 82	609	204	101 97
	breast (174)	MF	5 594	-	-	-	1	4	46	101	2 147	1 156	139	96 89
	uterus (180-182)	F	277	-	- 1	-	1	1	10	62	65	84	54	107
	prostate (185)	M	230	-	1	-	-	-	-	5	25	83	116	87
	Leukaemia (204-207)	M F	98 96	2	7 7	6 7	6 3	2 2	7 7	16 14	18 11	22	14 23	85 101
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F	907 973	3 -	3 4	9	19 5	20	53 44	125 103	222 235	275 288	178 275	97 102
B20	Benign neoplasms and neoplasms of	M	47	2	2	1	3	1	11	3	12	6	6	106
B21	unspecified nature Diabetes mellitus	F M F	59 123 230	1 -	1	3 1 2	1 2 1	6	5 5 1	9 5 6	9 21 44	17 42 86	14 41 89	122 106 126
B22	Avitaminoses and other nutritional deficiency	M	8	2	-	-	-	-	-	2	2	1	1	162
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	5 34 62	6	1 4	2 4	1 -	1 1	1 2 1	3 2	8 8	18	2 6 23	72 95 91
B23	Anaemias	M	50	1	1	-	2	_	1	2	1	14	28	138
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	74 7 11	-	~	1 2	2	1 -	1	3 -	7 2	15	48	107 85
														125

						N	orth						
ICD B List	Cause of death	All					Age (ir	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)		M 34 F 46	-	1	-	1	-	2 -	2	3	5	21	123
B24		7 F 15	5 5	2	-	1 -	-	1 -	4 -	5 - 1	8 - 5	28	89 48 139
B46 (pt.)	and sense organs (321-389)	M 213 F 223	9 3	2 5	6 2	9 3	5 7	13	21 21	39 27	54 71	55 73	108 113
B25		M -	_	-	-	_	-		-	-		-	-
B26 B27		160 F 279 M 280	-	-	-	-	4 7	14 23	34 46	48 70	39 69	21 64	90 98
		390	-	-	=	1	1	10	25 16	53 47	82 117	106 205	86 100
B28 B29		5,914 7 4,402 4 814	2	- 2	- 2	1 - 3	16 7 4	205 42	586 123	1,434	1,898	1,774 2,319	109 121
B30		1,136	1	1	1	3	2	12	30 18	82 60	213 199	464 843	96 94
B46 (pt.)	Other diseases of the circulatory	2,481 7 3,272 7 734	3 1 2	-	1 2	3 5 3	8 7 2	33 24 8	124 101 19	356 269 79	759 804 200	1,194 2,059 421	116 109 102
B31		902	1	1	_	2	2	7	22	57	185	627	105
B32	Pneumonia	128	1 84	11	- 6	8	5	2 1 10	5 3 25	11 8 110	17 19 243	52 96 571	72 75 88
B33 (pt.)		1,173	49	11	6	2	3	12	90	65 391	225 744	780 560	84 114
B33 (Rem.)	Asthma (493)	561 4 42 7 74	1 -	1 1 -	1 2	4 7	1 2 3	11 7	37 5	77 13	148	285	112 95
B46 (pt.)	Other diseases of the respiratory	263	43	8	_	3 2	4	8	16	11	20 68	7 79	138
B34	Peptic ulcer	190 206 92	24	6	2	1 -	3 3	9	7 18 6	22 42 5	33 76 24	89 57 53	108 113 97
B35	Appendicitis	16 16	- 1	1	1	-	-	-	1	2	6	5	112
B36	Intestinal obstruction and hernia	1 68	10 9	1 3	1	- 1 1	1	- 1	2 2 2	7 9	3 13 22	4 32 49	105 96 110
B37	Cirrhosis of liver	69	-	1	2	1	3	4 7	13	20	17	11	134
B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	156	5	1	=	3	1	6 1	15 12	16 25 25	24 52 48	13 51 94	144 110 94
B38	Nephritis and nephrosis		- 1	2	2	1	2	6	16 14	23 21	21 30	25 35	107 151
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	119	- 1	1	-	2	1 4	1	7	13	28 32	69 62	96 101
B40 B41	Abortion Other complications of pregnancy,		_	_	_	1 -	1	1	12	25	45	61	96 58
	childbirth and puerperium	10	-	-	-	-	4	6	-	-	-	-	96
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)		-	1 -	-	-	-	-	2	2	6 2	2 10	115 109
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) Congenital anomalies	83		_ 1	-	2	2	2 1	3 1	6	17 28	13 32	96 7 9
	I	187	109 133	16 15	8	8	6	2 2	14	6	3	1 1	93 12 6
B43 B44	Birth injury, difficult labour and other anoxic and hypoxic conditions of Other causes of perinatal mortality	92	140 92 121		-	-	-	-	-	-	-	-	95 102
B45	I	81	81	-	-	-		-	-	**	-	-	96 85
	F	173	2 1	2	1 -	1 1	1 1	1 2	1	3 4	5 6	156	115 100
BE47 BE48	Motor vehicle accidents All other accidents	141	20	10 8 16	22 14 28	84 24 37	38 10 36	23 13 37	25 14 35	31 15 57	28 24 38	30 19 101	98 105
BE49	F	444	20	6	7	9	3	13	9	22	49	306	126 130
BE50	Suicide and self-inflicted injuries M All other external causes M	97	-	-	- 1	8 5 5	15 5 7	33 21 14	38 17 16	45 23 10	27 19 13	14 7 2	97 77 111
	F		9	2	2	1	3	3	7	7	7	3	101
BN47 BN48	Fractures, intracranial and Minternal injuries Furn	484	1 2	10	29 15	108	66 12	56 17	52 18	77 24	58 66	113 292	114 129
	F	19	-	2	1 2	2 -	1 -	2	3 1	3 3	2 2	8 9	121
BN49 BN50	Adverse effects of chemical M substances F All other injuries M	132		5 2 9	-	10 8	15	37 27	42 21	24 28	18	14 22	97 78
	F		19 27	2	21 6	14	14	12 5	17 7	39 12	28	12	108 116

		T					Tynesia	de Conurl	bation					
ICD	Cause of death							Age (in	years)					S.M.R. (England
B List Number			All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers	M F	5,402 4,838	145 115	20 23	25 11	48 15	48 27	154 100	439 264	1,239	1,622	1,662 2,475	110 104
	ALL CAUSES Rates	м	13,283	21,970	704	370	803	964	2,826	8,252	26,029	57,929	148,393	104
B1	Cholera	F M	11,099	18,254	855	170	240	549	1,862	4,731	10,487	30,968	106,681	_
B2	Typhoid fever	F	-	-	_	00 00	_		-	-		-	-	Ξ
B3	Bacillary dysentery and amoebiasis	F		-	_	-		_	_	_	-	_	_	-
B4	Enteritis and other diarrhoeal	F M F	12	7	1	-	1	-	-	1	-	2	-	201
B5	diseases Tuberculosis of respiratory system	M	3 24	1	_	_	_	1	1 2	5	5	3	1 8	56 129
B6	Other tuberculosis, including late	F M F	8 5	_	-	_	-	-	1	3 2	2	1 2	1 -	129 72
B7	effects Plague	M	2 -	-	_	_	_		1	1	_		_	52
B8	Diphtheria	F M F	-	-	_	-	_	-	-	-	-	-	-	=
B9	Whooping cough	M	en m	-	-	_	_	-	_	-	_	-		-
B10	Streptococcal sore throat and scarlet fever	F M F	-	-	-	-	_		-	-	-	-	-	_
B11	Meningococcal infection	M	2	2			-	_	_	-	_	_	′ =	189
B12	Acute poliomyelitis	F M F	-	-	_	-	←	-	-	-	-	· -	-	
B13	Smallpox	M	_	-	_	_	_	_	_	_	-	-	-	-
B14	Measles	F	1		1	-	-	_	-	_	-	-	-	260
B15	Typhus and other rickettsioses	F M	-	_	_	_	_	-	-	_	_	~	-	-
B16	Malaria	F	***	-	-	1		_	-	_	-	-	-	Ē
B17	Syphilis and its sequelae	F	3	-	_	_	-	_	-	-	1	1	1	168
B18	All other infective and parasitic diseases	F	3 9	-	_	3	-	-	-	2	1 4	-	-	221 104
٢	Malignant neoplasm of:	F	3	_	-	-	_	1	-	1	-	-	1	35
	buccal cavity and pharynx	M	24	-	-	-	_	_	-	2	4	10	8	139
	(140-149) oesophagus (150)	F	13 32	_	-	-	1	_	2	2	7	3	10	124
	stomach (151)	F M	16 165	-	-	_		1	5	3 20	1 57	5 48	7 34	113 79 134
	intestine and rectum (152-154)	F M	111	_	-	_	Ote Man	1	2	6	16 35	47 58	39	122 129
B19 <	larynx (161)	F	154 12	-	_	-		-	3 1	10 4	25	50	66	106 133
2.0	lung, bronchus (162)	F M	559	-	_	_	_	_	10	77	204	198	70	150 137
	breast (174)	F M F	90	-	-	-	- -	-	5	18	22	27	18	107 232
	uterus (180-182)	F	63	_	_	-	.1	1	12	30 15	35 17	47 17	36	92 93
	prostate (185)	М	60	-	-	-	~		-	3	10	20	27	92
	Leukaemia (204-207)	M	21 23	-	3 2	2	1 1	-	2	3 4	7 2	3 4	2	74 93
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M F	229 259	-	1	1 2	3 -	2 5	14 13	29 22	66 53	72 87	40 76	99 104
B20	Benign neoplasms and neoplasms of unspecified nature	M	12 18	1	-	-	-	-	5	- 2	4 4	1 6	1 5	108
B21	Diabetes mellitus	M	35 47	-	-	-	1 -	3 -	1	3 4	4 6	10	13 20	143 122 98
B22	Avitaminoses and other nutritional deficiency	MF	2	-	-	-	-	-	- 1	1	-	on 6m	1	163
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M F	10 8	3 -	-	1 1	-	-	1	-	2	2	2 3	55 112 45
B23	Anaemias	M	8	_	_	_	1	_	_		-	2	5	90
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F	11 3 2	-	-	1	1	-	-	-	2	2	5 7 1	61 147
	Total Totaling Organis (200-209)	F	Z	-	-	-]	-	-	-	-	-	-	2	87

						Tynesic	de Conur	bation					
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) M F	14 21	-	-	-	-	-	1	- 4	- 1	3 2	10 14	206
B24	Meningitis Mr F	2 3	1	1	3	-	=	1 -	-	-	- 2		155 56 110
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F	57 79	4 2	1 1	-	2	1	1 3	5	13	16 25	14 23	117 140
B25	Active rheumatic fever M F	-	-		1	-	1	-	-	-	-	-	-
B26	Chronic rheumatic heart disease MF	47 89	-		-	-	2 3	5 5	9 11	9 24	14 22	8 24	105 120
B27	Hypertensive disease MF	82 124	-	-	-	-	-	6	9 8	16 14	22 35	29 66	102 120
B28 B29	Ischaemic heart disease MF Other forms of heart disease M	1,387 1,048 201	- 1	-	-	-	3 2	49	121	391 129	419 319	404 568	103 109
	F	277	-	-	1	-	1	2	6 2	26 17	47 45	125 209	101 87
B30 B46 (pt.)	Cerebrovascular disease M F Other diseases of the circulatory M	563 784 184	1 -	-	1	- 1 1	2	8	30 27 4	110 60 17	170 209 67	244 476 95	107 100 104
B31	system (440-458) F	243	-	-	-	-	1	-	3	14	47	178	108
B32	Pneumonia F	46 274	15	1	2	-	-	1 - 3	3 1 6	3 2 26	8 7 69	19 36 152	111 103 92
B33 (pt.)	F Bronchitis, emphysema (490-492) M	339 523	5	2	_	_	-	3	5 22	9	65 226	252 146	92 134
B33 (Rem.)	Asthma (493) M	182 13	-	-	-	1 1	- - 1	5 1	11 2	25 5	46	95	138 117
B46 (pt.)	Other diseases of the respiratory M	18 57	19	1	_	-	1	1 -	3	3	11	14	129 98
B34	system (460-466, 500-519) F Peptic ulcer M F	54 47 20	9 -	3 -	-	1	=	2	4 4 1	8 9 2	6 19 7	24 12 10	119 104 80
B35	Appendicitis MF	5	-	-	-	-	-	-	_	-	4	1	141
B36	Intestinal obstruction and hernia M F	13 28	1 1	1 2		=	=	_	1	1 2	3 5	7	75 123
B37	Cirrhosis of liver M	32 25	-	1	1	-	- 3	2	3 2	12 6	9 8	4 5	249 205
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	40 55	1 -	-	-	-	1 -	2	4 2	10 6	9 19	15 26	114 103
B38	Nephritis and nephrosis M	25 30	-	-	1	-	_	3 2	4	2 8	5 8	10	110 159
B39 B46 (pt.)	Hyperplasia of prostate M Other diseases of the genito-urinary M system (590-599, 601-629) F	25 29 36	-	-	=	1 1	-	1	4	1 1 8	9 9 1 1	15 14 14	97 100 88
B40 B41	Abortion F Other complications of pregnancy,	1	-	-	-	-	1	-	-	-	-	-	115
	childbirth and puerperium F	1	-	-	-	-	-	1	-	-	- 3	- 2	38 261
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F	5	-	-	-	-	-	-	-	-	1	-	26
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) F Congenital anomalies M	13 22 37	25	- 2	5	- 2	=	1 - 1	1 -	2 3 -	6 10 2	3 9	117 80 89
B43	F	57	41	6	1 -	1	2	1	3	1	1		156 79
B44	Birth injury, difficult labour and Mother anoxic and hypoxic conditions For Other causes of perinatal mortality Mother cau	20 28	20 28	=	-	-	=	_	-	-	-	-	92 92
B45	F Symptoms and ill-defined conditions M	25 19	25	1	_	1	1	_	_	_	2	12	109
BE47	Motor vehicle accidents M	42	1	3	- 3	14	10	1 4	3	2	6	35	93 67
BE48	All other accidents M	25 103	5	2 2	1 5.	4 9	1 9	- 8	3 9	5 21	3 11	6 24	72 129
BE49	F Suicide and self-inflicted injuries M	101	8	3	1	1 4	6	10	13	10	10 5	69	113
BE50	All other external causes M F	35 18 14	- 2	-	- - 1	3	1 2 -	7 3	5 4 3	8 3 2	6 2 3	5 1 3	107 118 125
BN47								12	9	16	13	23	100
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M	124 104 6	1 -	2	6 1 1	24 5 -	18 1 1	12	7	6	14	66	106 123
BN49	Adverse effects of chemical M	53	-	1 2	1	4	4	9	17	1 8	3	- 6	50 125
BNSO	substances F All other injuries M F	47 37	4	1	1	3 2	1 4	9	7 3	10 9	6 7 2	11 2 6	106 87 105
	F	21	10	-	1	-	-		1	1	2	ь	105

TABLE 19 - continued

							Yorkshi	re and H	umbersid	е				
ICD B List	Cause of death		417					Age (ir	years)					S.M.R. (England
Number			All ges	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales z 100
	Numbers		,733 ,399	952 702	158 126	161 120	325 133	278 201	777 491	2,191 1,432	6,038 3,363	9,194 6,922	9,659 14,909	104 105
	ALL CAUSES Rates	M 12	,679 ,551	22,667 17,638	925 776	429 337	925 386	932 701	2,566 1,686	7,210	22,020	57,463	145,906	-
B1	Cholera	М	-	-	-	-	-	-	- 1,000	4,655	11,147	30,201	107,028	_
B2	Typhoid fever	F M F	-	-	-	-	_	-	-	-	-	-	-	-
B3	Bacillary dysentery and amoebiasis	M	2	2	_	-	-	_	_	_	_	-	_	225
B4	Enteritis and other diarrhoeal diseases	F M F	1 57 42	47 18	1 2 8	2 2	1	-	1 -	- 1	- 4	2 3	2 6	203 155 130
B5	Tuberculosis of respiratory system	M F	109	-		-	-	3	4	10	33 9	37 11	22 12	102
B6	Other tuberculosis, including late effects	M F	34 21		1	1	1	2	2	5 3	9	12	3 4	85 95
B7	Plague	M F	-	-	-	-	~	-	-		-	~	-	-
B8	Diphtheria	M F	-	-	-	=	_	_		-	~	-		-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	~	~	-	_
B10	Streptococcal sore throat and scarlet fever	F M F	1	-	-	- 1	-		-	= = =	=	-	-	249
B11	Meningococcal infection	M F	5	1 2	4	- 1		-	-			-	-	78 70
B12	Acute poliomyelitis	M F	-	-	-	-	_	-	-	-	-	-	-	
B13	Smallpox	M F	-	-	-	-	-	-		~	~	-	-	-
B14	Measles	M	3 5	1	3 3		-	-	-	-	-	-	-	130 178
B15	Typhus and other rickettsioses	M	-	-	-	-	_	_	-	-	-	-	_	-
B16	Malaria	F M F	-	-	-	-	-	-	-	-	-	-	-	=
B17	Syphilis and its sequelae	M	12	-	-	-	-	-	1	1	1	7	2 2	117
B18	All other infective and parasitic diseases	F M F	5 52 40	8 9	3	2 2	5 2	-	5 3	7	9 9	3 7 4	2 6 6	64 103 81
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	104	-	-	-	2	1	3	6 8	25 17	39 20	28 35	104 139
	oesophagus (150)	F	148	-	-	-	-	1	4	13 11	41	50 34	39 44	90 91
	stomach (151)		740 569	-	-	-		1 -	14 11	69 24	188 79	287 195	181 260	· 104 107
	intestine and rectum (152-154)		751 836	-	. =	-	1	6 2	19 13	55 7 5	149 164	278 260	243 322	106 99
B19	larynx (161)	M F	54 11	-	-	-	_	1	-	4	8 4	31 6	11	104 96
	lung, bronchus (162)		331 431	-	-	-	1 1	5	39 17	253 61	809 132	901 129	323 85	99 90
	breast (174)	M	961	-	-	-	and tree	11	51	201	275	1 224	199	27 97
	uterus (180-182)	F	447	~	-	-	1	9	25	104	113	105	90	116
	prostate (185)	М	330	-	-	1	1	-	-	5	40	116	167	87
	Leukaemia (204-207)	F	175	3 -	14	8	3 8	6 8	10	20 13	40 31	44	27 32	106 108
L	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M 1,	337 518	1	5 8	11 7	28 16	37 25	65 59	153 174	363 321	411	264 431	100 106
B20	Benign neoplasms and neoplasms of unspecified nature	M F	92 82	2	1 2	6 2	4 3	2	9	18	22	20	10	144 114
B21	Diabetes mellitus	M	155 265		2	1 1	1 1	1 1	5 2	7	28	45	67	93 95
B22	Avitaminoses and other nutritional deficiency	M	6 14	2	-	-	-	-	-	2			2	84
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	47 121	10	4 5	2	2	3	2	1 4 6	3 13 17	10 29	6 4 42	131 90 117
B23	Anaemias	M	49	-	2	1	1	1	1	3	5	8	27	94
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	103	1	1	3	1	1 1	4	1	9	26	58	97 85

						Yorkshir	e and Hu	mberside					
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65~	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) M F	30 80	-	1	1		-	-	1 2	4	7	17	76
B24	Meningitis M F	21 19	12	2 4	-	-	-	1 -	- 1	11 4 5	9 - 1	56 3 2	101 98 118
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M	287 330	11 9	6	9	15 7	14 13	19 14	31 24	52 48	65 76	65 121	102
B26	F	1 -	-	_	1 -	-	-			-	-	-	84
B27	Chronic rheumatic heart disease MF Hypertensive disease MF F	278 483 459 605		-	1	1 2 1 2	7 9 2 3	34 37 15	47 61 36 19	80 133 102	67 133 142	107 161	108 114 99 100
B28	Ischaemic heart disease MF	8,202	- 1	1	_	2	13	224	775	2,058	2,765	2,364	106
B29	Other forms of heart disease MF	6,302 1,119 1,763	4 5	-	3 2	1 4	6 4 4	23 11 11	154 32 20	695 113 90	1,867 323 329	3,555 628 1,298	112 93 93
B30 B46 (pt.)	Cerebrovascular disease MF Other diseases of the circulatory M	3,323 4,976	1 1	1	1 -	3 5	11 11	37 36	113 116	507 384	1,085	1,564	109 107
B31	system (440-458) F	1,142	2		_	3 1	5 2	10	51 32	133	289 270	651	111
B32	Influenza M F Pneumonia M F	143 180 1,746	1 3 135	2	1 1 9	2 - 14	3	22	4 3 55	14 8 171	48 38 452	68 127 871	80 68 100
B33 (pt.)	Bronchitis, emphysema (490-492) MF	2,621	112	3	14	6	5	16	126	113 552	1,016	903	90
B33 (Rem.)	Asthma (493) M	911 45 75	6 1 -	2 2	1 2 3	1 4 4	5	10 4 8	49 4 9	130 6 19	233 10 20	478 7 10	119 71 95
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M F	354 276 249 135	51 32 -	6 7 -	2 1 -	5 2 1	1 7 - 1	2 5 6 2	22 15 13 10	61 15 48 15	95 44 116 36	109 148 65 71	103 103 95 92
B35	Appendicitis M F	17 26	-	2	1 4	- 1	-	2	1 _	5 2	5 5	3 12	83 151
B36	Intestinal obstruction and hernia M F	82 117	7 7	2 -	-	1 -	1 2	2 1	5	10	21 23	33 67	81 87
B37 B46 (pt.)	Cirrhosis of liver M F Other diseases of the digestive system M	61 83 209	3	1 2 1	- 1	1 - 1	2	4 4 11	13 11 16	15 21 31	13 24 60	12 21 81	82 120 102
B38	(520-530, 534-537, 561-570, 572-577) F Nephritis and nephrosis M	287 153	2	2	5	2	2	7	10 25	43	78 35	141 29	92
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary M system (590-599, 601-629) F	134 144 183 236	7	2 -	3	5 2 2	9 1 3	9 - 4 7	13 - 10 16	14 5 30 37	42 41 44 51	40 98 85 117	124 96 108 99
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	18	-	-	-	5	7	- 5	1	-	-	-	122
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F	13 16	- 2	1 -	1	-	1 -	1	2	1 -	3 3	3 11	116
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) F Congenital anomalies M	54 155 252	- 174	- 19	- 19 14	1 10 9	2 7 5	4 3 3 8	6 7 1 8	12 28 9 6	13 37 4 3	19 77 6 5	84 97 99 93
B43	Birth injury, difficult labour and M other anoxic and hypoxic conditions F	207 233 137	233 137	15	-	-	-	-	-	_	-	-	103
B44	Other causes of perinatal mortality M	217 181	217	=	-	Ξ	=	-	=	-	-	-	112 124
B45	Symptoms and ill-defined conditions M	124 259	1	2 -	-	-	1	1 -	1 2	2	10	116 245	104 95
BE47 BE48	Motor vehicle accidents MF All other accidents M	487 206 487	1 1 15	28 9 23	46 14 22	129 22 45	48 8 36	34 5 47	46 24 54	61 38 59	42 45 50	52 40 136	115 104 105
BE49	Suicide and self-inflicted injuries M	595	13	16	12	7	9 29	13	23	31 57	80	391	113
BE50	All other external causes MF	265 201 127 81	- 1	2 2	2 3	6 16 2	12 10 6	25 24 13	38 15 12	54 18 12	47 26 16	19 14 14	109 144 127
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M F	832 672 26 50	2 3 -	34 13 3 1	55 20 2	154 25 2	76 15 3 2	66 17 2 3	93 31 2 9	101 56 3 5	79 104 3	172 388 6 19	115 117 91 143
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	268 255 240 106	1 1 13 11	6 12 7	2 3 11 5	16 9 32 2	24 15 20 3	52 27 27 9	49 49 21 8	46 52 45 22	50 55 33 20	24 38 26 19	109 102 97 91

TABLE 19 - continued

				m-		We	est York	shire Con	nurbation	1				
ICD B List	Cause of death		A11					Age (in	years)					S.M.R. (England
Number		_	ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	wales = 100)
	Numbers		1,161	402 308	64 53	64 48	124 48	107	295 181	819 559	2,312 1,331	3,558 2,955	3,416 5,936	110 110
	ALL CAUSES Rates	M 1:	3,354 2,862	26,275 21,241	1,027	481 378	1,005	1,015 851	2,757 1,762	7,528 5,063	23,377	60,000	152,500 110,130	
B1	Cholera	M	-		-	-	-		-	-	_	-	-	_
B2	Typhoid fever	F M F	-	=	-	-	-	-	-	-	-	-	-	-
B3	Bacillary dysentery and amoebiasis	м	2	2	-	_	-	-	-	_	_	_	_	633
B4	Enteritis and other diarrhoeal diseases	F M F	28 18	20	1 4	1	1	-	1	=	- 2	2 2	2	211 150
B5	Tuberculosis of respiratory system	M	33 15	-	~	-	-	1	-	6	7	14	5	86
B6	Other tuberculosis, including late effects	M	14 9	-	-	1	1 1	1	1 2	1 2 1	5	6 2 3	6 1 2	112 97 108
B7	Plague	M	-	-	~	-	-	-	-	-	-	_	_	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	=		=
B9	Whooping cough	M	-	-	-	-	~	-	_	-	-	~	100	~
B10	Streptococcal sore throat and scarlet fever	M F	-	-	-	-	-	_	-	-	-	-	-	-
B11	Meningococcal infection	M	1 1	- 1	1	-	-	-	-	-	~	-	-	43
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	. 64
B13	Smallpox	M	-	-	-	~	-	· -	~	-	-	~	-	-
B14	Measles	M F	1 3	1	1 2	-	-	-	-	-	-	-	-	120 294
B15	Typhus and other rickettsioses	M	-	-	-	-	-	-	-	-	-	***	_	-
B16	Malaria	M F	-	-	-		-	-	=	-	=	=	-	=
B17	Syphilis and its sequelae	М	5	-	-	100	-	-	-	-	1	3	1	135
B18	All other infective and parasitic diseases	F M F	1 11 20	5	1 1	-	1 1	-	- 2	1 1	4	3	1 1 5	33 61 108
	Malignant neoplasm of:												}	
	buccal cavity and pharynx (140-149)	M F	49 37	-	-	-	2	-	1 -	4 5	8 7	20	14 16	137 159
	oesophagus (150)	M	55 44		-1	-	-	-	1	7 6	16	17	14	94
	stomach (151)	M	275 228	-	-	-	-	-	9 2	30	59 37	10 115 82	21 62 99	97 108 111
	intestine and rectum (152-154)	M	283 332	-	-	-	-	4 2	12	22 29	55 62	104 109	86 122	112
B19	larynx (161)	M F	21 8	-	-	-	-	Ξ		3 -	3 3	11 5	4	102 113 181
	lung, bronchus (162)	M F	861 154	-	-	-	-	1 2	18	78 23	309 42	348 48	107	102 83
	breast (174)	M F	340	-	-	-	-	3	14	81	84	90	68	37 90
	uterus (180-182)	F	194	-	-	-	-	5	12	42	53	39	43	132
	prostate (185) Leukaemia (204-207)	М	124	-	-	-	1	-	-	1.	15	. 44	63	93
	Other malignant neoplasms, including	M F M	54 48 490	3	5 1 1	3 2 5	4 9	3 3 16	3 1 25	4 2 54	13	15	12	92 90
L	neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F	592	1	3	5	6	10	23	62	135 114	150 194	95 174	102 108
B20	Benign neoplasms and neoplasms of unspecified nature	MF	41 33	- 1	1	5 2	2	-	3	7 9	11 6	9 8	3	180 122
B21	Diabetes mellitus	M F	51	-	-	1 1	1	=	3 1	1 6	9	16 48	21 34	86 95
B22	Avitaminoses and other nutritional deficiency	M	1 6	-	-	-	-	-	-	1	-	-	-	39 145
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	18 45	5 7	2	2	-	2	1	3	6 3	1 4 10	4 3 15	96 . 114
B23	Anaemias	M	15	~	1		1	_	_	1	3	2	7	82
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	48 5 8	1 -	-	3 -	1	1	1		4	14	26	117 118

					W	est York	shire Co	nurbation	n				
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) MF Meningitis MMF	13 52 9 3	1 1 5	1	=		-	-	1 -	2 8 2 2	2 5	8 39 1	94 170 117 50
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M F F	129 143 1	66 -	3 2	3 3 1	7 2 -	8 8	7 5 -	14 9	22 23 -	27 32	32 53	128 126 237
B26	Chronic rheumatic heart disease M F Hypertensive disease M M	115 217 170 226	-	-	1 - 1	2	2 6 1 2	13 16 6 3	17 24 18 9	35 55 39 15	33 62 52 68	15 51 54 128	125 133 103 97
B28 B29	Ischaemic heart disease MF Other forms of heart disease MF	3,262 2,639 449 729	1 3	1 -	- - 1 1	2 1 1	6 2 2 2	91 3 6 3	294 69 16 6	847 301 54 35	1,131 815 124 143	890 1,448 244 535	118 121 106 99
B30 B46 (pt.)	Cerebrovascular disease M F Other diseases of the circulatory M system (440-458) F	1,207 2,059 398 626	1 1 - 1	1 1 -	1 -	2 4 2	3 4 3 1	8 16 1 3	47 44 18 14	203 177 52 27	417 531 106 117	524 1,281 216 463	112 115 110 122
B31 B32	Influenza M F Pneumonia M F	30 67 662 771	1 1 76 66	1 - 8 11	- - 4 4	- 8 1	1 -	1 1 9 5	1 15 7	1 2 54 41	8 17 177 138	18 46 311 497	48 65 108 92
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF Asthma (493) MF F	948 376 20 32	2	2	- - - 1	2	1 1 2	2 1 3 5	50 : 20 : 2 :	193 45 2 12	384 101 2	316 206 5 4	117 127 88 108
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M	107 92 82 50	16 8	1 -	-	1 1 1 -	- 2 - 1	2 3 1 -	10 4 4	18 5 14 9	25 21 41 15	34 48 21 21	87 90 88 88
B35 B36	Appendicitis MF Intestinal obstruction and hernia MF F	3 9 25 45	1 4	1	1 2 -	1 1 -	- 1 1	1 1	1 3	1 3 5	1 - 6 7	- 4 11 25	41 137 69 87
B37 B46 (pt.)	Cirrhosis of liver M F Other diseases of the digestive system M (520-530, 554-537, 561-570, 572-577) F	21 40 71 113	2	1 1	:	1	- - 2	1 1 3 3	2362	5 12 16 19	6 13 16 34	6 11 24 54	79 151 98 94
B38 B39 B46 (pt.)	Nephritis and nephrosis MF Hyperplasia of prostate MM Other diseases of the genito-urinary M system (590-599, 601-629) F	50 64 44 64 83	1 - 4 -		3 - - 1	- 4 - 1	4 4 - 1	3 4 - 3 3	7 3 - 5 8	13 6 2 9 7	12 19 11 16 15	7 24 31 26 48	106 155 84 107 90
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	7	-	-	-	1	3	3	-	-	- 2	- 2	135
B46 (pt.) B46 (Rem.)	Diseases of the skin and M subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M and connective tissue (710-738) F	6 10 26 71	2	1 - -	=	-	- 1	- 3 2	1 - 2 3	6 12	7 14	8 39	151 116 113 116
B42 B43	Congenital anomalies M F Birth injury, difficult labour and other anoxic and hypoxic conditions M Other anoxic and hypoxic conditions	85 80 101 55	101 55	7 7	5 3	6 3	1 -	- 4 - -	3	2	2 -	- - -	92 99 123 110
B44 B45	Other causes of perinatal mortality MF Symptoms and ill-defined conditions MF	91 74 32 84	91 74 - 1	1	=	-	- - 1	-	1 1	1	1 8	28 73	129 140 79 80
BE47 BE48	Motor vehicle accidents M F All other accidents M M	185 74 175	- 1 5	12 5 9	22 7 7 7	45 6 12 3	17 4 9 3	15 1 13	15 5 25 13	17 13 20	18 17 24 24	24 15 51 108	123 100 106 94
BE49 BE50	Suicide and self-inflicted injuries MF All other external causes MF	91 98 50 39		2	1	5 4 8	11 6 6 3	17 10 8 9	20 18 6 6	18 27 5 5	14 28 11 5	6 5 6 8	96 142 159 164
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M	306 208 7 25	1 1	15 7 - 1	25 10 - 1	52 7 - 1	22 8 1 1	23 6 1 2	36 8 1 7	28 20 2 4	35 33 - 2	69 108 2 6	120 95 69 190
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	112 136 76 32	1 1 3 3	2 6 4 3	2 4 2	8 4 10 1	13 7 7 -	19 15 10 2	24 23 5 4	17 27 13 7	18 33 14 6	10 18 6 4	128 145 86 74

TABLE 19 - continued

							Not	rth West				_		
ICD B List	Cause of death							Age (ir	n years)					S.M.R. (England
Number			All ges	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers ALL CAUSES Rates	F 42	,195 ,073 ,268 ,023	1,470 1,016 25,000 18,208	242 163 980 694	228 160 424 313	413 180 860 375	440 274 1,067 692	1,083 743 2,624 1,838	3,448 2,077 8,343 4,752	9,374 5,184 24,437 11,726	13,238 10,415 60,064		110 107
B1	Cholera	М		_	-	_	_	-	-,000	-,,,,,,	-	00,825		_
B2	Typhoid fever	F M F	1 -	-	-	=	-	-	-	-	1	-	-	365
B3	Bacillary dysentery and amoebiasis	M F	1	- 1	-		-	_	-	-	-	-	1	81 142
B4	Enteritis and other diarrhoeal diseases	M F	71 57	51 38	10 6	1	1 -	=	-	1 -	2 2	2 5	3 5	138 124
B5	Tuberculosis of respiratory system	M F	210 53	-	-	-	-	2 2	8 6	28	71	6 <u>4</u> 20	37 13	142 104
B6	Other tuberculosis, including late effects	M F	42	-	2 -	-	2 -	2	- 6	5 3	19 13	5 9	7 7	76 132
B7	Plague	M F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	MF	1	-	1			-	-	-	-	=	-	698
B9	Whooping cough	M	2	2 2	-	-	_	-	-	_	_	_	_	157
B10	Streptococcal sore throat and scarlet fever	F M F	2 -		-	-	=	-	=	-	=		-	235
B11	Meningococcal infection	M F	10	5 3	3	2	1	-	-	-	- 1	- 1	-	110 98
B12	Acute poliomyelitis	M F	-	-	-	-	=	-	-	-	2 -	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	_	-	-	_	~~
B14	Measles	M	5 7	2 2	2 3	1 2	-	-	-	-	-	-	-	152
B15	Typhus and other rickettsioses	M	-	_	-	-						_	-	174
B16	Malaria	F M F	=	=	-	-	-	-	-	-	-	-	-	-
B17	Syphilis and its sequelae	М	19	_		_		_			4	11	4	134
B18	All other infective and parasitic diseases	F M F	8 69 82	8 6	4 4	1 2	4 6	2 6	- 3 6	9 8	3 13 13	16 14	1 9 17	71 99 115
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)		156 100	-	-	1 -	1	-	3 1	11 13	40 22	59 26	42 36	114 114
	oesophagus (150)		266 210	-	-	-	-	1 1	6 5	24	72 40	87 76	76 73	118 122
	stomach (151)		158 940	-	-	-	1	3	36 11	100	328 152	442 317	248 413	119 122
	intestine and rectum (152-154)	F 1,	042 299	-	-	-	1	6 12	19 28	110	253 257	347 377	306 543	107 106
B19	larynx (161)	M F	87 25	-	-	-		-	1 -	3 2	21 8	38 11	24	122 150
	lung, bronchus (162)	F	603 664	-	1	-	1 2	7 4	77 23	438 107	1,237	1,365	478 142	111 95
	breast (174)	M F 1,	331	-	-	-	-	16	70	234	379	5 333	299	78 93
	uterus (180-182)	F	571	-	-	-	1	6	45	118	162	136	103	102
	prostate (185)	М	457	-	-	-	1	-	-	3	52	161	240	89
	Leukaemia (204-207)	F	227 190	1 -	8	16 19	9 8	11	10	18	46	65 3 2	43	100 93
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M 1,	788	3	22 8	14 8	18 20	40 35	85 79	207	486 448	580 594	333 504	97 93
B20	Benign neoplasms and neoplasms of unspecified nature		107	- 2	4 2	5	4	5 2	5	23	24	27	10	122
B21	Diabetes mellitus	M	224 423	1	1	3 - 2	2 - 3	7 7	7 11 6	19 16 22	22 51 58	27 68 150	15 70 173	97 98 104
B22	Avitaminoses and other nutritional deficiency	М	11	1	-	1	-	_	_	3	3	1	2	112
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F :	15 79 191	15 7	3 7	5 5	2	- 3 1	1 4	9 22	13 31	5 18 56	10 10 57	97 109 128
B23	Anaemias	M	92	2	-	1	-	2	1	1	14	32	39	130
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F :	12	1	1	1 1	2	1 _	2	5 2	17	42	130	131 73

TABLE 19 - continued

						Nor	th West				-		
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		A11 ages	Under 1	1-	5-	15-	25-	35-	45~	55-	65-	75 and over	and Wales # 100)
B46 (pt.)	Mental disorders (290-315) MF F Meningitis M	75 77 36 20	12 8	1 1 5 1	1111	1 2 2	1 1	2 1 1	2 4 3 3	5 6 3 3	16 18 6 4	49 47 3	139 67 121 87
B46 (pt.) B25	Other diseases of nervous system Mand sense organs (321-389) FActive rheumatic fever M	393 376 1	15 13 -	9 4 -	12 11 - 1	21 8 -	25 11 1	25 27	40 28	74 58	91 100 -	81 116	101 88 61 59
B26 B27	Chronic rheumatic heart disease MF F Hypertensive disease MF F	408 708 581 780		1	-	4 - 2 -	14 14 4 3	30 41 12 10	70 122 57 24	135 170 123 94	88 175 188 221	67 185 195 428	116 115 91 89
B28 B29	Ischaemic heart disease M Other forms of heart disease M F	11,927 8,971 1,851 2,958	1 3 2	- 4	1 1	2 1 3 2	36 7 4 2	318 63 25 16	1,240 257 62 41	3,140 1,050 227 173	3,981 2,728 491 509	3,210 4,865 1,035 2,208	112 110 113 108
B30 B46 (pt.)	Cerebrovascular disease M Other diseases of the circulatory M system (440-458) F	4,855 7,400 1,566 2,206	2 3 1	3 1 -	35-	6 6 4	18 16 5 12	62 52 18 10	214 209 66 50	801 702 199 139	1,588 1,827 430 377	2,158 4,579 843 1,618	116 110 111 114
B31 B32	Influenza M F Pneumonia M F	172 288 2,431 3,051	210 143	1 - 26 23	- 11 7	- 10 5	1 - 15 8	1 5 30 27	4 9 94 58	28 19 239 196	63 53 622 602	74 199 1,174	71 75 102 97
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF FASTHMA (493) MM	3,647 1,456 77 102	7 9 1	1 2 1 2	1 2	3 4 7	5 2 2 14	30 12 5 9	165 74 13	890 204 24 20	1,433 453 13	1,982 1,113 696 10	118 131 88 89
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) Feptic ulcer	448 358 391 203	54 43	14 14 -	3 4	6 1	7 4 3 1	11 10 12	18 22 14 34 12	70 37 91	135 63 140 56	9 126 168 111 111	95 92 109 95
B35	Appendicitis MF F Intestinal obstruction and hernia MF	26 26 155 188	24 12	2 2	1 1	1 - - 1	2 1 - 1	3 3 2	1 1 9 7	7 7 15 20	4 7 45 55	6 10 56 89	92 105 111 97
B37 B46 (pt.)	Cirrhosis of liver Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	103 94 305 515	5 3	1 3	3	- 4 3	- 1 5 4	6 3 13 8	23 12 27 19	35 22 72 76	24 32 94 154	15 23 82 245	101 93 109 114
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629) M F	221 169 210 213 375	- 3	1 - 2	3 2 1	9 3 - 2	12 2 - 3 5	12 12 - 9 18	35 17 2 14 20	60 28 13 32 45	39 53 42 56 97	53 51 153 90 184	122 108 103 92 109
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	6 16	-	-	-	5 5	1 9	2	-	-	-	-	88
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M	11 26 84	1 - -	-	1	2	1 3	2 1 2	4	24	24	2 13	72 80 95
B42 B43	and connective tissue (710-738) F Congenital anomalies M F Birth injury, difficult labour and M	261 351 327 363	249 211 363	1 29 24	3 18 25	13 8	3 2 3	10 10 8	15 9 16	35 15 11	73 3 13	119 3 8	113 98 104
B44	other anoxic and hypoxic conditions F Other causes of perinatal mortality M F	191 352 265	191 352 265	-	-	-	-	-	-	-	-	-	99 130 130
B45	Symptoms and ill-defined conditions M	235 619	2	-	-	5 -	2	1 2	3 -	1	10 21	208 592	146 158
BE48	Motor vehicle accidents MF All other accidents MF F	604 308 783 928	1 68 33	25 13 50 27	57 25 59 21	152 45 60 9	60 10 38 13	47 18 55 20	52 15 69 28	81 41 89 56	56 69 80 118	73 71 215 603	103 108 122 122
BE49 BE50	Suicide and self-inflicted injuries MF All other external causes MF	419 262 153 92	- 6 6	9 7	1 9 2	34 14 16 6	65 13 16 9	51 33 19 11	81 46 17 7	96 74 27 16	53 48 23 14	38 34 11 14	115 99 126 101
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M	1,076 945 48 78	7 5 2	41 21 9 6	72 32 2 2	193 47 3 3	91 10 2 4	85 25 2 8	92 20 6 4	146 70 5 9	106 149 5 7	243 566 12 35	108 115 122 155
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	432 382 403 185	1 1 65 34	7 6 27 14	15 7 37 7	30 16 36 8	56 23 30 8	59 33 26 16	76 56 45 16	82 82 60 26	62 70 39 23	44 88 38 33	128 106 117 111

					South	East Lar	cashire	Conurbat	ion				
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers ALL CAUSES Rates	M 15,509 F 15,246 M 13,153 F 12,087	26,267	968 718	89 56 463 307	145 60 826 347	151 97 1,022 684	409 285 2,698 1,955	1,329 741 8,726 4,649	3,450 1,923 24,347 11,892	4,687 3,845 61,997 32,149	4,591 7,766 155,101 110,469	114 109
B1	Cholera	м -	-	-	-	_	-	-	-	-	-		_
B2	Typhoid fever	F - M - F -	-	-	=	_	-	-	-	-	-	-	_
B3	Bacillary dysentery and amoebiasis	м -		_		_			_	_			_
B4	Enteritis and other diarrhoeal diseases	F 28 F 29		1 5	-	-	-	-	Ē	1 -	1 1	2 2	149 174
B5	Tuberculosis of respiratory system	M 82 F 20		-	-	-	1	3	13	32	20	13	157
B6	Other tuberculosis, including late effects	M 13 F 12	-	-	-	2	2 2 1	3 - 3	3	3 6 3	6 - 2	5	109 66 105
B7	Plague	M -	-	-	-	-	-	-		-	-	-	:
B8	Diphtheria	M -	-	-	-	-	-	-	-	~	-	-	_
B9	Whooping cough	M -		-	-	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M -	=	-	-	-	-	=	-	-	-	=	=
B11	Meningococcal infection	M 4 F 2	1 1	1 -	2	-	-	-	1	-	1	-	120
B12	Acute poliomyelitis	M -	-	-	-	-	-	-	-	-	-	-	=
B13	Smallpox	M -	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M 3 F 2	1	2 2	-	-	-	-	-	- 1	=	-	248 136
B15	Typhus and other rickettsioses	м _	-		_	_	_	_	_	_	_		100
B16	Malaria	F - M - F		-	-	-	-	-	-	-	-	-	
B17	Syphilis and its sequelae	M 11	-	_	_	_	_		_	3	6	2	221
B18	All other infective and parasitic diseases	F 4 M 22 F 35	1 4	2	1	2	1 3	2 3	3 3	3 5 5	1 3 10	2 5	99 88 137
٢	Malignant neoplasm of:												
	buccal cavity and pharynx (140-149)	M 54 39	-	-	-	-	-	2	6	9	24 13	13	113 124
	oesophagus (150)	M 95 F 72	-	-	-	-	-	2	6 8	33 17	28 18	26 28	121 118
	stomach (151)	M 416 F 358	-	-	-	1 -	2	14	38 20	125 55	149 123	87 154	122 131
B19	intestine and rectum (152-154) larynx (161)	M 342 F 482 M 41 F 9	-]	-	1 -	3 5 -	8 9 1	41 23 3	77 97 6	116 146 17	96 202 14	101 111 165
113	lung, bronchus (162)	F 9 M 1,350				-	2	32	154	489	510	163	151 118
	breast (174)	F 257 M 3 F 454	=	1 -	=	1 -	2 - 6	10	31 1 78	70	86 2 115	56	103 83 88
	uterus (180-182)	F 198	-	,-	-	-	2	16	32	56	57	35	99
	prostate (185)	M 178	-	-	-	-	-	-	2	16	62	98	101
	Leukaemia (204-207)	M 73 F 62	-	2	4 5	1 4	5	2 4	7 7	14 12	23	15 18	90 85
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M 680 F 704	3 1	8 2	6 2	11 6	15 13	26 33	89 98	187 167	210 209	125 173	105 95
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M 41 F 40 M 75 F 150	1 -	1 -	2 1 - 1	1 - 3	3 - 2	1 4 8 5	8 9 5 13	6 8 17 15	16 10 16 47	4 6 29 64	130 107 95 104
B22 B46 (pt.)	Avitaminoses and other nutritional deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M 5 7 M 26	7 1	3	1	2 -	1	-	2 - 5 7	1 5 17	- 3 3 17	2 4 2 22	144 128 100 128
B23	Anaemias	M 32 76	1 1	-	-	-	-	- 1	1 3	2 3	9	19 55	131 140
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M 2 4	-	-	- 1	-	- [= [-	1 1	-	1 2	34 59

TABLE 19 - continued

1					South	East La	ncashire	Conurba	tion				
ICD	Cause of death					1	Age (in	years)					S.M.R. (England
E List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) MF	13 26	-	-	_	-	- 1	1 1	1	2 2	1 7	8 15	70 64
B24	Meningitis M F	11 7	3 5	3 -	-	1 -	=	-	1	1 -	2	-	102 84
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F	152 173	4 5	6 2	5 3	5	5 -	10 14	18 11	30 25	38 54	31 53	111 113
B25	Active rheumatic fever M F	ī	-	-	1	-	-	-	-	=	-	-	165
B26	Chronic rheumatic heart disease M F	157 255	-	-	-	-	7 5	12 14	34 43	53 69	29 62	22 62	125 116
B27	Hypertensive disease MF	214 260	-	-	-	-	1	9	16 12	48	67 70	73 140	97 84
B28 B29	Ischaemic heart disease MF Other forms of heart disease M	4,102 3,158 599	- 1	-	-	2 - 2	12 1 1	119 16 12	458 94 27	1,105 391 76	1,336 1,004 162	1,070 1,652 318	110 110 107
	F	944	-	2	-	-	1	7	13	67	153	701	98
B30 B46 (pt.)	Cerebrovascular disease M P Other diseases of the circulatory M	1,814 2,722 561	1 1	1	3 1 -	1 1 1	7 8 -	20 23 7	88 76 21	320 262 75	589 666 148	786 1,683 308	127 115 117
B31	system (440-458) F Influenza M	856 80	-	-	-	-	4	3	18	52	152	627 35	126 97
B32	Pneumonia M	145 892	1 104	7	4	- 3	4	2 9	4 4 0	8 84	23 234	107 403	107 109
B33 (pt.)	F Bronchitis, emphysema (490-492) M	1,076	67	10	3	2	2	5	21	335	225 554	676 442	97 132
B33 (Rem.)	Asthma (493) M	648 26 31	1		-	1 2 -	1 4	7 - 4	23 5 5	84 8 4	220 6 10	313 3 3	164 83 76
B46 (pt.)	Other diseases of the respiratory M	141	15	6	2	2	_	4	8	19	41	44	85
B34	system (460-466, 500-519) F Peptic ulcer M F	134 149 77	14	4 -	1	1 -	1 - 1	7 7 2	13 6	12 42 10	23 49 21	68 38 37	97 120 103
B35	Appendicitis M	7 8	-	-	-	1	1	2	-	3 3	- 1	- 4	70 90
B36	Intestinal obstruction and hernia M F	59 61	12	-	-	-	-	1	5 3	5	17 19	20 26	122 89
B37	Cirrhosis of liver MF	43	-	-	-	-	_ 1	2 2	12 6	15 11	9	5 7	118 102
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	107 191	3 2	-	-	3 2	2	8	10	24 38	33 51	24 86	110 119
B38	Nephritis and nephrosis MF	78 54	-	1 -	- 1	4 1	2 -	5 4	18 7 1	17 10	19 16 14	12 15 37	97 80
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary M system (590-599, 601-629) F	55 65 125	1 1	-	1 -	1 -	3	2 5	6 8	3 11 15	14 29	29 64	82 102
B40 B41	Abortion F Other complications of pregnancy,		-	-	-	-	-	-	-	-		-	-
B46 (pt.)	childbirth and puerperium F Diseases of the skin and M	8 2	1	-	-	3 -	3 -	2	-	_	1	-	109 37
	subcutaneous tissue (680-709) F		~	-	-	-	-	_	1 5	1 9	10	2	100
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) F Congenital anomalies M	100 124	83	12	1 10	5	1	5 3	4	9 4	30	50 2 2	122 94
B43	Birth injury, difficult labour and M	140	79	9	12	5	_	4	5 -	3 -	4	_	107
B44	other anoxic and hypoxic conditions F Other causes of perinatal mortality M F	137	84 137 98	-	-	-	-	_	-	=	=	-	118 137 130
B45	Symptoms and ill-defined conditions MF		- 1	_	-	1	1 1	-	_	2	4 2	52 201	111 149
BE47	Motor vehicle accidents M	206	1	12	28	48	19	15	20	26 11	16	21 31	98
BE48	All other accidents M F	121 250 305	20 17	6 18 11	9 19 12	. 10 20 4	14 6	19	23 10	28 18	26 34	63 185	110 113
BE49	Suicide and self-inflicted injuries M		-	-	-	14	27	17	34 15	45 23	16 23	18	130 97
BE50	All other external causes M F	69	5 -	6 3	1 -	7 3	8 3	8 2	6 5	14 6	7 3	7 6	158 94
BN47	Fractures, intracranial and M		3	22	34 13	64 11	30	29 14	32 5	50 20	29 59	72 190	103
BN48	internal injuries F Burn M F	17	1 -	10 2 3	2	1 2	1 3	1 3	3 3	2 6	2	4 8	112 122 168
BN49	Adverse effects of chemical M substances F	180	- 1	1 1	4 3	16 7	26 10	19 11	35 18	37 26	20 31	22 25	148 103
BNSO	All other injuries M	134	22	11 6	10	8 3	11 3	10 2	13 6	24	14	11 7	108 101

							Mersey	side Con	urbation					
ICD B List	Cause of death							Age (i	n years)					S.M.R. (England
Number			All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers	M	7,818 7,498	284 206		43 29	71 30			664 433	1,801	2,347 1,700	2,250 3,888	110 100
	ALL CAUSES Rates	M F		23,866 18,393		372 261	696 293	1,353	2,642 1,892	8,459 5,058	25,189 11,588	60 490	144,231 100,987	
B1	Cholera	М	-		-	-	-		-	-	~ ~	21,001	100,987	
B2	Typhoid fever	F			-	-	_	_	-	-	_	-	-	-
B3	Bacillary dysentery and amoebiasis	M	-	_	_	_	_	-					_	
B4	Enteritis and other diarrhoeal diseases	M	14 9	11 7	1	J 1 1	1	-	-	-	1 1	-	-	137
B5	Tuberculosis of respiratory system	м	48	_	•	_	_	_	2	4	17	11	14	99 179
B6	Other tuberculosis, including late effects	F M F	12 16 14	-		~	-	- 2	2 - 2	1 1 2	2 9	5 3 2	3 2	123 157
B7	Plague	м	-	-	-	-		-	-	_	-	-	-	230
B8	Diphtheria	F M F	-	-	-	-	-	_	-	~	-			=
B9	Whooping cough	M	2	2	_	_	_		_	-	-	-	-	774
B10	Streptococcal sore throat and scarlet fever	F M F	1	1 -	-	-	-	-	-	-	-	-	-	586
B11	Meningococcal infection	M	1	1	-	***	-		_	-	_	-		54
B12	Acute poliomyelitis	F M F	1	-	-	-	-	-	-	-	1	-	-	. 80
B13	Smallpox	M	-	-	_			-	_	_	_		-	
B14	Measles	F M F	2	-	-	-	~	-	-	-	-	-	-	_
B15	Typhus and other rickettsioses	M		-	_	-	_	-			_		-	238
B16	Malaria	F M F	-	-	-		-	-	-	-	-		-	-
B17	Syphilis and its sequelae	M	4	_	_	_	_	_	-	-	-	- 4	-	-
B18	All other infective and parasitic diseases	F M F	1 11 14	1	- 2	-	-	- - 1	1	3 1	1	1 3	2	157 47 82
۲	Malignant neoplasm of:				-		7.	_	-	- 1	4	1	4	101
	buccal cavity and pharynx (140-149)	M F	24 20	-	-		-	-	-	2	8	8	6 9	97
	oesophagus (150)	M	54	-			-	1	1	5	10	21	16	12 0
	stomach (151)	F M F	217 176	-	-	-	- 1	- 1	3 9	16	6 65 35	20 89 57	13 38 73	136 124
	intestine and rectum (152-154)	M	198 258	_	-	-	-	3	2	19	52	50	72	121 113
B19 <	larynx (161)	M	18		-	-	-	4	6	27	45	65 8 4	111	111 141
	lung, bronchus (162)	MF	838 166	-	-	-	1	5	17	113	266	302	134	255 143
	breast (174)	M	2 257	-	-	-		- 4	18	31 - 45	72	54	46	126 108
	uterus (180-182)	F	122	-	-	-	_	2	5	30	39	60	58	94
	prostate (185)	M	84	-	-	-	- 1	to .	-	1	13	27	43	92
	Leukaemia (204-207)	MF	51 37	-	1	2 2	2	3	3	5	12	17	6	119
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M	341 395	-	4 3	4 3	1 4 6	7 5	1 21 19	4 46 42	10 91 84	108 123	14 56 110	93 101 100
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M	28	-	. 1	2	-	- 1	3 -	6	7 4	6	3 4	170 100
7000		F	29 69		1	1	-	3 3	1	3	3 8	10 24	10 30	71 90
B22 B46 (pt.)	Avitaminoses and other nutritional deficiency Other endocrine, nutritional and	M F M	-	-	-	-	-	~	-	-	-	-	-	-
	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F	10	1 4	-	1	-	1	1	1 6	3	11	3 14	73 144
B23	Anaemias	MF	18 42		-	1	-	1	-	-	4	4	8	140
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M	2 3	-	-	1 1	=	1	-	-	5	7 1 2	28	144 64 82
														02

TABLE 19 - continued

					Me	erseysid	e Conurb	ation					
ICD	Cause of death						Age (in	years)					S.M.R.
H List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	(England and Wales = 100)
B46 (pt.)	Mental disorders (290-315)	44 16	-	-	-	-	-	-	-	-	13	31 12	449 73
B24	Meningitis MF	9	4 2	1	-	1 -	-	1 -	1	1 -	1	-	154 88
B46 (pt.) B25	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M F	60 50 1	2 3 -	-	3 1 -	2 - - -	6 2 1	5 4 -	7 3 -	8 7 -	15 12 -	12 18 -	83 61 316
B26 B27	Chronic rheumatic heart disease M F Hypertensive disease M F	85 152 105 157	-	-	-	1	4 4 2	7 14 1 3	15 39 11 5	31 34 20	15 26 33 32	13 35 38 100	131 130 92 95
B28 B29	Ischaemic heart disease M F Other forms of heart disease M	2,070 1,497 319	-	-	=	Ē	12 2	48 15 5	233 48 11	602 207 35	672 420 86	503 805 182	108 97 109
B30	Cerebrovascular disease M	579 745	1	1	-	1	- 5	11	11	25 151	93 257	446 276	111
B46 (pt.)	Other diseases of the circulatory M system (440-458)	1,117 208 301	-	-	3 -	1 1 -	1 2	9 5 1	46 8 10	127 21 22	274 69 45	656 104 221	88 83 82
B31	Influenza M F	10 12	_	-	-	_	-	_	_	3 2	2	5 8	23 16
B32	Pneumonia M F	524 695	51 30	5	3 2	-	1 2	8	9	43	123 108	281 501	123 116
B33 (pt.)	Bronchitis, emphysema (490-492) M	663 246	6 8	1	_	- 1	2 2	2 2	32 14	191 34	241	188 122	120 117
B33 (Rem.)	Asthma (493) M	13 16	-	1	1	1	3	1	3	5 5	2	2	78 73
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M F	47 61 83 40	13 6	2	-	-	1 1 1	2 - 1 -	2 7 2	8 9 16 2	14 14 34 10	9 27 24 26	54 82 129 99
B35	Appendicitis M	3 5	-	-	-	-	1	-	- 1	1 1	- 1	1 2	57 105
B36	Intestinal obstruction and hernia M F	29 35	4 2	1 -	-	1	-	1 -	1	5	7	10 18	114 95
B37	Cirrhosis of liver M	23 22	-	-	-	_	-	3	5 3	10	5	- 6	123 115
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	59 99	1	- 2	2	1	2	1	3 6	11 10	21 28	22 49	116 116
B38 B39 B46 (pt.)	Nephritis and nephrosis M Hyperplasia of prostate M Other diseases of the genito-urinary M system (590-599, 601-629)	36 23 34 41 72	-	- - 1	- - 1	3 1 - 1	3 1 - 2	3 5 - 5 7	7 1 - 3	11 2 1 6	- 5 4 10 18	9 8 29 12 33	108 77 95 99 110
B40 B41	Abortion P Other complications of pregnancy, childbirth and puerperium F	1	-	-	-	1	1	-	-	-	-	-	72
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709)	- 3	_		- 1	_	-	-	-	-	-	- 2	- 48
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) F Congenital anomalies M	11 43 58 66	- 44 46	1 6 6	2 1 2	1 1 3	1 1 - 1	1 1	2 1	3 10 2	3 10 -	2 17 - 2	69 80 105
B43	Birth injury, difficult labour and M	64	64	-	-	_	_	_	-	-	~	-	100
B44	other anoxic and hypoxic conditions FOther causes of perinatal mortality MF	36 62 52	36 62 52	-	-	-	-	-	-	-	-	-	93 113 127
B45	Symptoms and ill-defined conditions M F	22 90	1 1	-	-	-	-	- 1	2	1	2	16 87	77 120
BE47	Motor vehicle accidents M	116 52		2	7 3	31	16	10	6	16	10	18	100 93
BE48	All other accidents M F	176 192	16	10	15 2	9	10	15	22 10	16 12	23 26	127	144 131
BE49	Suicide and self-inflicted injuries M	70 44	-	-	1 -	5 2	16 4	11 10	11	16	7 4	3 4	101 86
BE50	All other external causes M F	18	-	1	2 -	2	1	1 2	2	2	5 -	-	77 39
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M F	228 183 11 14	2 1	5 1 3	11 4 2	38 9 -	26	20 4 - 2	17 3 1	32 16 1	25 26 1 3	52 118 2 7	119 115 146 144
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	72 64 69 34	- 14 4	2 4 2 2	5 1 7	3 2 6	13 5 6 1	11 8 6 5	14 16 9 4	12 11 5 6	10 8 9 2	2 9 5 10	112 92 103 104

							Eas	t Midlan	ds					
ICD B List	Cause of death		A11					Age (in	years)					S.M.R. (England and
Number			ages	Under 1	1-	5-	15~	25-	35-	45-	55-	65-	75 and over	Wales = 100)
	Numbers ALL CAUSES Rates	M F M F	19,523 18,176 11,898 10,808	581 408 19,897 14,676	958 852	132 79 508 322	229 88 919 366	178 132 854 656	455 310 2,098	1,360 878 6,403	3,764 2,042 20,291	5,766 4,271 52,040	6,943 9,871 142,567	97 101
B1	Cholera	М	-	-	-	-	-	~	1,504	4,229	10,387	20,435	106,714	
B2	Typhoid fever	F M F	-	-	-	-	-	-	-	-	-	-	-	-
B3	Bacillary dysentery and amoebiasis	M	2	_	_	1	_	1	_	_	_		_	319
B4	Enteritis and other diarrhoeal diseases	F M F	28 18	17 12	4 2	1 1	1	-	-	-	3	2	- 2	109 82
B5	Tuberculosis of respiratory system	M	46	-	-	-	-	1	2	8	16	14	5	61
B6	Other tuberculosis, including late effects	F M F	21 21 11	-	1	-	-	-	1 2 1	7	3 7 4	2 9 4	8 1 2	89 75 75
B7	Plague	MF	-	-	-	-	-	-	- 1	-	-	~	-	_
B8	Diphtheria	M	-	-	-	-	-	=	-	-	=	_	-	Ξ
В9	Whooping cough	M	-		_	***	_	_	_	_	_	_ [_	_
B10	Streptococcal sore throat and scarlet fever	F M F	-	-	-	-			-	-	-	-	-	-
B11	Meningococcal infection	M F	5	1	2	-	1	-	-	-	1	_	-	112
B12	Acute poliomyelitis	M F	4	2 -	1 -	-	=	-	-	=	-	-	1 -	135
B13	Smallpox	MF	-	-	-	-	-	-	-	-		-	_	_
B14	Measles	M	- 3	- 1	_	- 2	-	-	-	-	=	-		-
B15	Typhus and other rickettsioses	М	-	-	-	_	_	_	_	_	-	_	_	153
B16	Malaria	F M F	-	-	-	-	-	-	-	-	-	-		-
B17	Syphilis and its sequelae	M	6	-	-	-	_	-	_	-	2	2	1	84
B18	All other infective and parasitic diseases	F M F	7 32 40	3 6	3	2	1 3	1 2	3 4	2 3 2	2 8	3 5 8	2 2 9 5	136 91 120
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	59 36	-	-	-	-	2 2	2 2	3 5	14 6	20	18 13	84 90
	oesophagus (150)	M	106 64	-	-	-	~	-	5	9	31 15	38 19	23 24	92 82
	stomach (151)	M	465 351	-	-	-	-	2 2	12 7	30 22	132	169	120	94 100
	intestine and rectum (152-154)	MF	511 577	-	-	-	1	2 5	10	34 33	115	163 177	186 253	102 103
B19	larynx (161)	M F	21 8	-	-	-	-	-	-	1 -	4 4	11 2	5 2	57 106
	lung, bronchus (162)	MF	1,475 255		-	-	1	2 3	29	165 28	515 82	537 87	226	90 80
	breast (174)	MF	657	~	-	-	-	6	38	1 117	3 173	184	139	77 100
	uterus (180-182)	F	273	-	1	-	-	1	16	55	57	86	57	106
	prostate (185)	M	275	-	-	-	-	-	1	1	25	91	157	102
	Leukaemia (204-207)	MF	108 107	- 1	4 8	10. 5	4 5	4 5	7 3	3 16	22 15	32 21	22 28	94 113
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F	854 923	1	8 7	7 6	16 14	19 18	26 33	92 116	215 212	266 268	205 248	91 97
B20	Benign neoplasms and neoplasms of unspecified nature	M	40	-	1	-	2	2	4	4	9	8	10	90
B21	Diabetes mellitus	M F	54 129 238	2 -	1 -	- 1	2 -	1 4 4	5 4 1	6 14 5	11 19 33	11 45 92	15 43 102	112 110 129
B22	Avitaminoses and other nutritional deficiency	M	10	1	-	-	1	1	-	-	3 2	2	2	199
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	15 37 87	4 1	1	1 3	1	1 2	5 3	3 6	2 7 12	3 9 23	9 7 35	211 102 127
B23	Anaemias	М	40	1	1	1	2	2	-	-	5	12	16	108
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	FM	87 5		-	1 1	_	1		3	5 3	25	52	124 60

						East	Midlands	5					
ICD	Cause of death						Age (in	years)					S.M.R. (England
N List Number		All ages	Under 1	1-	5=	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315)	58	- 5	- 5	1 -	1	-	- 1	2 2	3 4 2	5 11 2	12 41 1	74 110 128
B46 (pt.)	Other diseases of nervous system		2 6	1 6	7	15	- 4	11	29	1 41	56	56	73 116
B25	and sense organs (321-389) Active rheumatic fever	179	9	7 -	4	4 -	2 -	5	14	18	44	72	90 - 257
B26 B27	Chronic rheumatic heart disease	308		- 2	-	-	5 7	10 19 8	30 38 36	69 78 65	65 75 111	29 91 111	116 109 101
B28	Ischaemic heart disease	4,974	_	_	1	. 1	12	114	10 455	1,187	1,626	254 1,578	107 91
B29	Other forms of heart disease	1,013	2 4	1 2	-	1 4 1	2 1 -	18 10 5	78 28 17	327 80 52	979 221 231	2,063 666 1,122	93 117 114
B30	Cerebrovascular disease	3,096	-	-	3 -	3 4	8 7	24 20	84 87	315 270	719 715	1,098	104 101
B46 (pt.)	Other diseases of the circulatory system (440-458)	898	_	-	-	2 -	3 -	10	25 22	92 59	215 173	406 634	102 102
B31 B32	Influenza I	158	2 - 54	15	1 2	2 2 4	- 1 7	1 - 8	4 40	9 9	34 30 225	66 112 611	93 90 85
B33 (pt.)	Bronchitis, emphysema (490-492)	1,305	52	12	7	3	7 2	13	20 73	86 314	225 623	885 596	90
B33 (Rem.)	Asthma (493)	563	1 -	1 2 1	5	3 4	3 1	8 4 5	22 4 8	74 8 12	158 10 11	298 4 6	111 97 92
B46 (pt.)	Peptic ulcer	211	40 21 -	9 7 -	3 1 -	1 1 -	2 2 - 1	3 5 4	12 11 16 5	38 24 37 8	69 36 73 28	81 103 67 69	108 117 107 116
B35	Appendicitis	19 13	-	-	3 2	1 _	- 1	1	- 1	3	5	6	131 114
B36	Intestinal obstruction and hernia	69	5 6	1 -	1 -	-	2 -	2	5	9	25 25	21 51	95 11 0
B37 B46 (pt.)	Cirrhosis of liver Other diseases of the digestive system N	58 51 137	- 2	=	1 - 1	1 - 2	1 - 1	7 - 9	5 11 8	20 17 28	15 15 41	8 8 45	113 111 95
B38	(520-530, 534-537, 561-570, 572-577) Nephritis and nephrosis		2	1	1	2	3 2	5	12	31	63 19	127	119 97
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary 1 system (590-599, 601-629)	84 1 120 1 130	1 1 1	-	1 2	1 -	5 - 3 4	1 - 5 10	9 11 13	12 3 23 21	22 25 27 34	30 92 58 70	116 111 108 98
B40 B41	Abortion Other complications of pregnancy, childbirth and puerperium	9	-	-	-	1	3 5	- 2	- 1	-		-	116 87
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	8 8	2	-	-	-	-	2	_ :	1	- 2	3	101 53
B46 (Rem.)	Diseases of the musculoskeletal system mand connective tissue (710-738) Congenital anomalies	110	119	12 15	1 1 13 8	- 1 8 6	- - 5 1	2 5 8 8	5 8 9 5	7 6 6 5	10 31 6 10	17 58 1 3	92 104 105 105
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	1 161	161 78	-	-	_	_	-	-	-	-	-	103
B44	Other causes of perinatal mortality		116 86	-	_	_	-	-	-	-	-	-	86 85
B45	Symptoms and ill-defined conditions i	88 217	1 -	1	1 -	_	-	1 -	1 -	-	8 5	75 211	101 120
BE47	Motor vehicle accidents	144	1 -	13 9	31 18	100 21	30 8	26 10	27 10	49 20	27 22	32 26	113 108
BE48	All other accidents		33 15	24 19	25 9	24	26 2	18 10	31 11	44 20	35 53	98 300	109 126
BE49 BE50	Suicide and self-inflicted injuries	109	3 2	1	- - 5 1	9 2 5 1	10 12 7 4	30 15 8 1	34 16 6 8	28 27 8	25 21 9 5	19 16	83 88 94 88
BN47	Fractures, intracranial and internal injuries	545	6 2	17	34 23	114 22	49	42 13	46 13	73 29	52 57	112 288	107 123
BN48	Burn	39	3 -	7 5	3	1 1 11	1 1	3 2	3 1	3	5 7	7 16	159 167
BN49 BN50	Adverse effects of chemical substances I All other injuries	136 197	1 27 14	1 11 8	2 - 24 2	11 3 12 2	8 13 15 4	21 14 16 7	28 20 21 11	28 31 27 13	15 27 24 10	16 26 20 19	77 81 114 114

						Wes	t Midland	is					
ICD B List	Cause of death	All					Age (ir	years)					S.M.R. (England
Number		ages		1-	5=	15-	25-	35-	45~	55-	65-	75 and over	and Wales = 100)
	Numbers ALL CAUSES	M 28,50 F 25,73	997 773	175 145	158 98	352 163	296 192	784 559	2,444 1,389	6,127 3,019	8,299 6,072		103 102
	Rates	M 11,29 F 10,04		923 805	395 259	896 431	878 609	2,300 1,768	7,377 4,287	22,256 10,311	55,810 29,362	146,436 106,390	
B1	Cholera	M	- -	-	-	-	-	-	-	-	-	-	-
B2	Typhoid fever	M	1 -	- 1	-	-	1	-	-	-	_	-	475 910
В3	Bacillary dysentery and amoebiasis	M	- -	_	_	_	_	_			_	_	-
B4	Enteritis and other diarrhoeal diseases	F 4	4 21 2 22	9 6	1	-	=	2 -	- 1	5 2	5 3	2 7	111 125
B5	Tuberculosis of respiratory system	M 10		1	1	-	1 2	3 11	21 5	30 5	36 15	17	104 126
B6	Other tuberculosis, including late effects	M 5	1 -	2 -	=	1 -	4	7 3	3 3	15	14 3	5 2	128 128 79
B7	Plague	M F	- -	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	24		= [=	-	-	-	-	-	-	-	=
В9	Whooping cough		2 2	-	-	-	_	_ }	_	_	-	_	197
B10	Streptococcal sore throat and scarlet fever			-	-	-	=	-	-	- 1	-	-	237
B11	Meningococcal infection		3 7 3	2 3	- 1	-	_	- 1	_	-	1	-	43 150
B12	Acute poliomyelitis	M F		-	-	_	-	-	-	-	-	-	130
B13	Smallpox	M F	- -	-	-	-	-	-	-	-	~	_	_
B14	Measles	M	- 4 - 3 2	4	1	=	-	-	-		-	-	157
B15	Typhus and other rickettsioses	М		_	_	_	_	_	_		_	_	97 -
B16	Malaria	M		-	=	=	-	=	-	-	-	-	-
B17	Syphilis and its sequelae		3 -	940	-	-	-	1	1	2	3	1	81
B18	All other infective and parasitic diseases	F 5 5		5 4	5 2	3	1 2	- 2 5	1 6 5	6 14	8 8	11 7	42 111 119
-	Malignant neoplasm of:												
	buccal cavity and pharynx (140-149)	M 12 F 4		-	-	-	1 -	3	6 7	33 7	40 12	42 14	131 76
	oesophagus (150)	M 15		-	-	-	-	1 2	18 9	42 16	49 25	44	97 85
	stomach (151)	M 72: F 50:	2 -	-	-	-	7 4	20	83 30	224	230 132	158 227	105
	intestine and rectum (152-154)	M 770		-	-	1	- 8	27 19	69 61	172 149	242 264	259 329	113 106
B19 <	larynx (161)	M 60	-	-	-	-	-	2 -	5 -	15 7	25	13	120 140
	lung, bronchus (162)	M 2,289		-	-	1	3	45	281	835	853	271	100
	breast (174)	M F 99	3 -	=	- - 1	1 - 1	13	14 - 79	68 3 179	102 2 273	130 3 232	66 - 217	83 110 104
	uterus (180-182)	F 40:			-	_	4	41	85	110	87	74	104
	prostate (185)	М 359	-	-	-	-	-	1	4	51	119	184	102
	Leukaemia (204-207)	M 18:		11	15	8	7	10	15	40	54	22	111
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M 1,348 F 1,350	-	5 6 10	10 13 11	9 35 18	8 39 27	14 80 55	15 200 189	23 379 311	28 364 381	27 232 347	101 102 100
B20	Benign neoplasms and neoplasms of unspecified nature	M 69		2	3	4	-	7	19	20	3	11	106
B21	Diabetes mellitus	F 53 M 168 F 269	-	1 -	4 3 1	2	1 2 -	6 1 4	12 10 6	14 32 31	8 61 99	7 57 127	76 105 104
B22	Avitaminoses and other nutritional deficiency	M F		-	-	-	-	-	-	2	3	_	84
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M 55	11	7 2	6 4	1 1	1 3	4	8 16	8 20	1 4 36	7 5 35	91 103 126
B23	Anaemias	M 49		-	2	-	1	1	2	5	17	19	99
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F 108 M 11 F 14		3 1	1 -	1	2 1	3 2	3 1	5 2	20	71	111 90

						West	Midland	is					
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315)	46 21	11 7	1 4	1 1	2 - 1	1 -	1 1 -	3 3 2 2	4 7 2	4 8 1 4	12 26	73 63 93 90
B46 (pt.) B25	Other diseases of nervous system Mand sense organs (321-389) Active rheumatic fever	270 260 1	12 5	11 5	8 4	19 6	7 9 -	19 22	26 20	40 35 1	74 69	54 85	95 91 82 176
B26 B27	Chronic rheumatic heart disease	273 465 578	- 1		1	3 -	1 3 3 3 3	19 32 22 14	50 64 62 31	88 128 128 71	66 131 185 191	46 106 178 369	107 115 129 124
B28 B29	Ischaemic heart disease M Other forms of heart disease M	7,404 5,151 1,125	1 1 2 3	1	2	2 2 2 3	28 4 7	220 27 15 12	825 142 41 33	1,878 475 139 78	2,262 1,424 318 282	2,189 3,077 600 1,243	99 101 99 97
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (440-458)	3,087 4,375 913	2		2	3 6 3 2	13 5 3	35 51 12 12	136 108 34 35	530 407 133 84	980 1,121 255 202	1,390 2,673 472 809	107 104 94 95
B31 B32	Influenza M F Pneumonia M	148 201 1,806	2 100 79	3 2 19	11 5	2 1 10 8	22286	4 2 16 13	13 4 66 42	22 23 163 101	43 40 460 332	59 125 953 1,429	88 83 109 102
B33 (pt.)	Bronchitis, emphysema (490-492) M F Asthma (493)	2,374 795 57	2 1 1	1 1 1 2	4 - 2 1	1 8 6	4 1 4	18 12 4 9	141 41 9	559 108 13 18	912 234 10 24	732 398 6	111 113 88 119
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519) Feptic ulcer	375 289 286	66 42 1	15 16	1 3	2 1	3 2 2 1	5 3 5	27 12 23 6	68 24 55 20	99 34 98 46	91 151 101 91	111 113 114 122
B35 B36	Appendicitis MF Intestinal obstruction and hernia MF	19	17 15	1 1 2	2	2	1 2	- - 3 4	5 3 7 2	4 2 17 12	4 8 27 19	3 3 50 75	97 116 127 102
B37 B46 (pt.)	Cirrhosis of liver MF Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577)	86 76 215	a a 6 5	2 1 1 4	1	1 3 1	1 2 7 3	6 3 13	11 9 26	30 31 47 32	24 14 51 76	11 15 61 156	116 114 108 104
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629) M	90 148 135	1 - 1 1 1	1 1 - 2	2 - 112	8 4 2	9 1 - 1 3	14 5 - 3 6	28 8 10 19	39 10 8 23 29	28 16 41 38 62	33 45 99 56 111	124 87 107 84 106
B40 B41	Abortion FOR Other complications of pregnancy, childbirth and puerperium F		-	-	-	1	13	1	-	-	-	-	56 143
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709) Diseases of the musculoskeletal system M and connective tissue (710-738)	24	1	-	1	2 2	1 1 7	2 - 3	7 9	20	2 1 14 46	2 14 28 72	109 114 117 108
B42 B43	Congenital anomalies MF Birth injury, difficult labour and M	283 268 266	203 195 266 180	23 23	5 8	10 9	3	7 6	9 5	10 11	10 6	2 2 -	101 111 106
B44 B45	Other causes of perinatal mortality MF Symptoms and ill-defined conditions M	212 154 114	212 154	-	**		-	-	- 2	2	7	101	117 98 94 103
BE47 BE48	Motor vehicle accidents MF All other accidents M		2 35	12 9 23	46 23 23	144 37 44	1 46 6 38	45 11 38	37 14 35	65 25 55	10 41 49 61	49 39 121	97 108 109 99
BE49 BE50	Suicide and self-inflicted injuries MF All other external causes MF	548 211 129 81	23	23	7	10 14 10 13	10 24 4 7	33 16 6	15 42 26 11	31 44 29 16	94 37 29 11	330 17 15 5	111 76 70 87
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M	608	9 5 5 2	21 13 3	52 26	166 38 5	73 13 2	66 12 3	61 22 4	103 39 4	93 112 3	144 328 6	104 113 109
BN49 BN50	Adverse effects of chemical M substances F All other injuries M	185 183 249	1 2 1 32 27	4 9 12	1 4 3 14	2 14 12 30 12	20 9 20	35 16 18	31 30 29 8	37 34 36 17	5 23 42 31 18	11 15 27 27 20	92 72 74 95

							West Mi	dlands C	onurbati	on				
ICD B List	Cause of death							Age (1	n years)					S.M.R. (England
Number			All ages	Under 1	1-	5-	15-	25-	35~	45-	55-	65-	75 and over	Wales = 100)
	Numbers	M	13,820 12,410	523 390	83 71	68 52	152 72	134 96	385 287	1,288 685	3,164 1,483	4,001 2,948	4,022 6,326	107 102
	ALL CAUSES Rates	M	11,488 10,155	22,739 17,890	919 828	365 295	806 399	831 655	2,363 1,899	7,912 4,314	23,915	58,154	148,963 104,389	202
B1	Cholera	М	-	-	-	-	-	_	-	_		_		_
B2	Typhoid fever	F M F	1	-	-	-	-	1	-	-	-	-	-	991
B3	Bacillary dysentery and amoebiasis	М	w	-	_	-	_	-	-		-	-	_	_
B4	Enteritis and other diarrhoeal diseases	F M F	33 25	14 14	8 3	- 1	=	-	1	- 1	3 2	5	2 3	172 153
B5	Tuberculosis of respiratory system	M	55	-	_	1	-	1	3	12	12	20	6	111
B6	Other tuberculosis, including late effects	F M F	23 26 10	=	1 1 -	=	-	2 2 1	6 2 2	2 1 2	1 8 2	7 10 2	4 2 1	139 138 97
B7	Plague	MF	-	-	-	-	-	-		-	to .	-	-	
B8	Diphtheria	M F	-	=	-	-	-	-	-	-	-	-		-
B9 .	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	401
B10	Streptococcal sore throat and scarlet fever	MF	=	-	Ē	=	=	-	-	-	-	-	-	Ī
B11	Meningococcal infection	M	1 4	1	1 2	_	-	-	-	-	-	-	-	30
B12	Acute poliomyelitis	M F	-	-	-	-	-	-	-	-	-		-	. 179
B13	Smallpox	M	-	-	-	-	-	-		-		-	-	-
B14	Measles	M	1	1	2	-	-	-	-	-	-	-	~	164 68
B15	Typhus and other rickettsioses	M	-	~	-	-	-	-	-	_		-	_	_
B16	Malaria	M F	-	-	-	,	-	-	=	-	-	-	-	=
B17	Syphilis and its sequelae	M	4	-	-	**	_	-	1	eng.	1	2	_	86
B18	All other infective and parasitic diseases	F M F	1 23 26	4 4	1 2	4	2	1 1	1 2	2 2	- 6	1 4 4	6 2	29 93 109
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	F	60 15	-	-	-	-	1 -	3	5 2	20	16	15 7	134 55
	oesophagus (150)	MF	79 43	-			-	-	- 1	9 7	27	26	17	107
	stomach (151)	M	351 269	-	-	-	-	4 2	10 7	43 18	112 52	112	17 70 116	81 110 114
	intestine and rectum (152-154)	MF	391 400	-	-	-	1	- 4	17 12	35 28	93 82	120	125 154	123 106
B19	larynx (161)	M F	38 5	-	-	-	-	-	1 -	3	10	17	7	164 96
	lung, bronchus (162) breast (174)	M	1,242 186	-	-	-	-	. 3	22	152 33	486	452 66	127	115 84
	Dreast (174)	MF	499	-	-	-	-	5	40	95	146	112	101	117 108
	uterus (180-182)	F	184	-	~	-	-	3	18	44	41	46	32	102
ŀ	prostate (185)	M	154	-	~	~	-	-	-	3	23	48	80	96
	Leukaemia (204-207) Other malignant neoplasms, including	M F	81 71	1 -	6 2	7 5	3 4	4 5	6	7 8	19	21	7	104 107
	neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M F	672 657	-	5	5 8	25 10	20 14	37 30	103	202 145	170 185	108 176	108 100
B20	Benign neoplasms and neoplasms of unspecified nature	M	30 28	-	1	2 3	1	-	3	7	12	1	3	97
B21	Diabetes mellitus	M	78 114	-	-	2	-	1	5 2	8 5 3	5 16 16	3 26 37	3 28 55	83 105 92
B22	Avitaminoses and other nutritional deficiency	MF	4	1	-	-	-	-	-	-	2	1	-	119
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	34 59	8 4	5	4 4	1 1	2	2	7 8	4 12	1 12	3 2 15	84 134 124
B23	Anaemias	M	24	1	_	2	_	1	-	2	4	7	7	105
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	65 6 9	- 1	3 -	1 -	1 1	2	2 2 1	2	3 1 2	9 1 2	43	138 104 149
														7.42

TABLE 19 - continued

						West Mi	dlands C	onurbatio	on				
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315)	8 15	-	_	-	1	1	1	1	2	-	3 9	45 42
B24	Meningitis M	8 5	5 3	1 -	1	1	-	-	1 -	_	3 - 1	=	74 62
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389)	132 129	7	5	7	3 5	4 3	8	13 14	25 22	34 26	26 39	99 94
B25	Active rheumatic fever M F	2	-	_	-	-		_	-	1	-	1	368
B26	Chronic rheumatic heart disease MF	127 230	-	-	_	1	2	7 14	29 33	46 60	26 71	18 50	105 118
B27	Hypertensive disease MF	315 342	1	-	_	1	1 1	17	40 14	70 24	92 105	95 186	152 128
B28 B29	Ischaemic heart disease M	3,422 2,503	2	-	_	2	12	108	428 70	898 234	1,030	944	98 101
	Other forms of heart disease M F	507 740	2	-	2	1	2	8 7	22 11	67 46	164 133	242 536	98 89
B30 B46 (pt.)	Cerebrovascular disease M F Other diseases of the circulatory M	1,485 2,078 371	1		-	2	7 2 2	15 24 7	66 51 19	260 206 67	485 537 111	652 1,255 164	112 102 83
	system (440-458) F	490	1	-	-	-	4	9	18	35	91	332	84
B31 B32	Influenza M F Pneumonia M	65 101 968	1 57	2 2 7	- 2	1 1 6	1 5	3 2 6	8 2 37	14 17 94	15 18 257	21 58 497	85 87 127
B33 (pt.)	F Bronchitis, emphysema (490-492) M	1,085	43	7	1	3	5	9 10	27 77	309	180 467	763 386	113 126
B33 (Rem.)	Asthma (493) M	424	-	1 _	1	4	1 -	9 1	20	59 6	124 5	210	124 75
B46 (pt.)	F Other diseases of the respiratory M	161	39	1 5	1	2	3	5	13	9 26	36	7 36	117
B34	system (460-466, 500-519) F Peptic ulcer M F	140 139 82	24	6	1	2	1	2	7 11 2	10 37 7	15 39 23	74 47 50	113 120 126
B35	Appendicitis M	11 13	_	-	_	- 2	-	-	4	4 2	1 6	2 2	114 165
B36	Intestinal obstruction and hernia M	63 64	10 7	1 -	-	1	_	1	5	10	12	23	137 106
B37	Cirrhosis of liver MF	37 37	-	- 1	-	-	2	3	7 5	12 14	11 8	4 6	105 115
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	124 137	3 3	1 -	-	2 -	5 -	7	18	26 19	26 38	36 70	134 98
B38	Nephritis and nephrosis M	83 48	_	1 1	1 -	4 2	5 1	7 2	12 5	21	17	15 21	134 97
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary System (590-599, 601-629) Hyperplasia of prostate M System M F	76 53 102	- 1	- 1	- 1	-	3	1 1	5 9	7 13 14	25 13 22	44 21 50	121 71 95
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	13	-	-	_	- 4	7	- 2	-	-	-	-	- 171
B46 (pt.)	Diseases of the skin and M	5	_	_	-	_	_	1	1	2	1	en en	98
B46 (Rem.)	subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M	22	-	_	1	_	_	-	5	10	1	5	69 76
B42	and connective tissue (710-738) F Congenital anomalies M F	76 127 126	93 92	11 10	1 3	2 6 3	4 1 3	1 2 4	2 3 4	11 5 3	21 4 3	35 1 1	106 93 107
B43	Birth injury, difficult labour and M other anoxic and hypoxic conditions F	149	149 86	-	-	-	-	-	-	-	-	-	121 114
B44	Other causes of perinatal mortality M F	105 82	105	-	1	-	-	-	-	-	-	-	99 103
B45	Symptoms and ill-defined conditions M F	30 64	2 -	-	-	-	I	_	1	1	2 2	24 62	60 54
BE47	Motor vehicle accidents MF	197 89	_	3	15 12	55 12	13	18	18	26 11	21 25	28	92 94
BE48	All other accidents M F	234 284	14 10	15 15	10	20 5	16 6	22	17 5	26 15	25 43	69 180	104 119
BE49	Suicide and self-inflicted injuries M F	93 48	-	-	-	9	9	15 2	20 12	19 14	14	7 7	70 54
BE50	All other external causes MF	31 26	3 4	2	1	2	5 6	2 4	3	6	5	1	70 83
BN47	Fractures, intracranial and M internal injuries F	330 302	2	11 5	17 13	64 11	21 4	27 4	26 7	43 18	42 59	76 179	93 116
BN48	Burn M	14 19	2	3	1	2	1	2	1	1 3	1 2	3 6	101 117
BN49	Adverse effects of chemical M substances F	101 75	1 1	3 9	1 2	7 6	10 5 11	20	20 11 11	17 16 16	11 8 11	11 13 14	82 63 88
BN50	All other injuries MF	110 51	11 10	7 3	8	13	3	8 3	4	6	8	8	50

							E	ast Angl:	ia					
ICD B List	Cause of death		All					Age (in	n years)					S.M.R. (England
Number			ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers ALL CAUSES Rates	M F M	9,923 9,480 12,248 11,462	256 158 17,902 11,704	44 50 837 1,000	385 279	131 49 985 418	102 55 976	188 151 1,809	550 362 5,495	1,641 973 17,818	2,855 2,084 47,347	4,110 5,566 137,458	90 94
B1	Cholera	М	~	_	-,000	-	410	557	1,553	3,584	9,662	26,582	100,469	
B2	Typhoid fever	F M F	-	-	_	-	-	-	_	-	-	-	-	-
B3	Bacillary dysentery and amoebiasis	M	_	_	_	-	_		-	-		-	-	-
B4	Enteritis and other diarrhoeal diseases	F M F	8 10	6 3	- - 1	-	_	1	-	=	-	-		63
B5	Tuberculosis of respiratory system	М	11	_	Τ.	_	_		-	-	2	_	4	90
B6	Other tuberculosis, including late effects	F M F	16 7	-	-	-	=	-	1	2	1 7	3	3 - 5	28 32 109
B7	Plague	M	-	_	_	_	_	_			1	3	3	91
B8	Diphtheria	F M F	-	-	-	-	**************************************	-		1	_	-	-	-
В9	Whooping cough	М	1	1	_	_	_			-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	F M F	=	-	-	-	-		-	-	-	-	-	322
B11	Meningococcal infection	M	3	1	_	1	1	_	_	-	-	_	-	-
B12	Acute poliomyelitis	F M F	2 -	-	1 -	-	-	-	1	-	-	-	_	141 142
B13	Smallpox	M	-	0-1	_	-	_	_	~	_			-	-
B14	Measles	F M F	-	-	-	-	-	-	-	-	-	=	-	=
B15	Typhus and other rickettsioses	M	_	_	_	_ [_			_	-	-	-	-
B16	Malaria	F M F	-	-	-	-	-	-	-	-	-	-	-	-
B17	Syphilis and its sequelae	M	1	_	_	_	_			-	1	-	-	
B18	All other infective and parasitic diseases	F M F	1 26 27	7	1	- 3 1	3 1	1	1	- 3	3 7	1 4 3	3	26 36 144
	Malignant neoplasm of:	1								3	/	5	7	157
	buccal cavity and pharynx (140-149)	M	27 15	-	-	-	-	1	-	3 3	5 2	8 5	10	70
	oesophagus (150)	MF	48	-	- 1	-	-	_	-	4	11	12	21	69 77
	stomach (151)	MF	35 251 139	-	-	-	-	-	1 7 1	15 8	52 25	14 94 39	18 83 65	82 94 72
	intestine and rectum (152-154)	MF	249	-	-	411		1	9	14	49	76	100	91
B19	larynx (161)	MF	18	-	ma ma	-	-	3 -	6	12	50	88 8	125	93 90 75
	lung, bronchus (162)	MF	746 145	-	-	-	-	3	9	69	203	317	145	86
	breast (174)	MF	3 350	_	-	-	-	5	22	14 - 50	34	66	27	87 108
	uterus (180-182)	F	136	-	-	_	-	2	7	22	103	28	89	101
	prostate (185)	М	158	_	~	-	-	-	-	3	15	48	92	101
11	Leukaemia (204-207)	MF	53 53	- 1	4	6	3	3	3	3	11	10	10	88
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M F	501 504	1 1	7 4 3	5 6 4	3 12 2	21 6	3 24 21	5 58 48	8 103 118	11 147 142	9 125 159	107 101 100
	Benign neoplasms and neoplasms of unspecified nature	M	15 29	-	-	1 -	_	-	1 1	2 7	6	2	3	65
26.1	Diabetes mellitus	M F	63 92	1 -	-	2	- 1	-	1 3	5 2	7 5 13	3 13 34	11 36 39	116 97 90
	Avitaminoses and other nutritional deficiency	MF	3 2	-	-	-	-	-	-	-	2	_	1	112
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	22 35	6 2	1 2	-	-	1 -	1 1	1 2 4	4 3	2 13	1 5 10	50 118 95
B23	Anaemias	M	21	1	_	_	1	_	1	_	1	4	1.7	101
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	35 9 7	2	- 1	- 1	-	- 1	1 1	2 1 1	1 1 2	8 4	13 21 -	101 88 211 149

						Ea	st Angli	a					
ICD	Cause of death	477					Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales ≥ 100)
B46 (pt.)	Mental disorders (290-515) MF Meningitis MF	9 26 9 5	- 2 1	- - 1	- - 1	- 1 -	-	- - 1	1 - 1	2 2 3	1 7 2 1	6 16 -	56 87 121 92
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M	83 95 -	3 1 -	5 4 -	5	9 1 - -	4 4 -	4 7 -	7 6	16 19 -	24 21 -	11 27 -	79 90 -
B26 B27	Chronic rheumatic heart disease MF F Hypertensive disease MF F	68 104 139 179	-	1 1 1	-	1 -	- 2	2 5 3	9 8 8 7	20 19 36 10	23 30 41 48	14 41 51 111	72 69 77 80
B28 B29	Ischaemic heart disease MF Other forms of heart disease MF F	2,649 1,907 501 670	- - 1	1	-	2 2 1	4 3 1	52 8 4 3	175 20 12 8	568 145 26 27	845 504 109 92	1,003 1,221 347 536	89 91 100 92
B30 B46 (pt.)	Cerebrovascular disease M F Other diseases of the circulatory M system (440-458) F	1,127 1,707 395 442	1 -	-	-	2 3 - 1	6 4 4 2	6 14 2 3	30 29 13 15	132 111 49 25	336 350 114 79	615 1,196 212 317	91 98 94 87
B31 B32	Influenza MF Pneumonia MF	125 159 788 950	- 31 15	1 8 7	1 2 1	1 6 2	4	- 4 2	3 1 19 12	13 12 62 47	29 17 160 162	79 127 492 698	171 157 110 115
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF Asthma (493) MF	547 212 25 26	1 1	1 -	- 1 -	1 - 4 3	2	3 - 2 2	16 4 3 2	85 22 4 5	190 55 8 10	251 129 1 4	62 75 109 95
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M F	89 91 89 45	961-	4 3 - 1	3 -	1 1	2 3 -	1 - 1 -	7 4 4 1	9 4 13 6	19 19 32 5	37 48 39 32	68 92 87 82
B35	Appendicitis M F Intestinal obstruction and hernia M F	5 4 33 59	1136	-	-	-	-	- - 1	1 1 1	2 1 4 2	2 9 12	2 1 16 37	65 66 82 119
B37 B46 (pt.)	Cirrhosis of liver M F Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	19 14 86 95	1	1	- - 1	3 1	2 -	1 1 3 4	4 2 3 5	4 4 16 12	5 4 19 24	5 3 38 48	71 58 109 83
B38 B39 B46 (pt.)	Nephritis and nephrosis M F Hyperplasia of prostate M Other diseases of the genito-urinary M system (590-599, 601-629) F	52 36 74 71 75	1 2 1	-	1	3 - 2 -	5	3 2 - 1	3 - 4 1	7 7 3 16 16	14 9 22 18 17	17 14 49 29 40	106 93 115 105 86
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	3	-	-	-	1	1	1	-	-	-	-	60
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M and connective tissue (710-758) F	6 9 24 63	1 -	-	-	- 1	- - 1	- 2	1 2 5	2 2 5 8	2 3 9 15	2 2 8 31	138 107 96 108
B42 B43	Congenital anomalies M F Birth injury, difficult labour and other anoxic and hypoxic conditions F	87 63 50 28	62 37 50 28	6 10 -	6 4		-	2 -	1 -	2 5 -	2	2	100 84 65 60
B45	Other causes of perinatal mortality M F Symptoms and ill-defined conditions M F	56 37 61 94	56 37 2	1	-	-	-	1	1 1 1	1	2 4	54 89	85 75 116 88
BE47 BE48	Motor vehicle accidents M F All other accidents M F	151 63 138 232	1 - 6 12	3 2 6 3	10 5 6	51 18 12 2	15 4 14 -	8 1 13 9	11 8 7 6	22 11 11 10	15 7 22 35	15 7 41 155	98 91 80 118
BE49 BE50	Suicide and self-inflicted injuries MF F MM MF	95 50 19 21	1	-	1 -	9 4 1 1	6 6 1 1	10 7 3	22 9 3 8	16 11 5 5	22 7 4 2	10 5 2 3	100 79 61 96
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M M	255 223 5 13	2 1 - 2	3 3 1	11 6 -	53 16 1	25 4 1	19 5 -	19 11 -	31 14 1	39 28 1 4	53 135 - 5	96 105 48 103
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	64 68 79 62	1 5 9	2 5	1 5 -	8 5 11 3	7 6 3 1	10 10 5 2	11 9 13 10	10 14 12 9	12 9 11 10	6 12 9 18	73 78 90 155

		I					Sou	th East						
ICD B List	Cause of death		A11					Age (in	years)					S.M.R. (England
Number			ages	Under 1	1-	5-	15-	25-	35~	45-	55-	65-	75 and over	wales = 100)
	Numbers ALL CAUSES Rates	F 10	9,483 00,817 15,891 15,087	2,840 1,986 25,725 18,932	463 374 1,002 851	501 332 543 378	1,114 480 1,167 494	1,033 670 1,212 814	2,229 1,569 2,686	6,859 4,470 8,302	19,167 10,592 25,714	28,641 21,440 74,373	36,636 58,904 213,124	135 136
B1	Cholera	M	-	= 0,502	- 031	510	454	014	1,926	5,163	12,934	37,720	148,223	_
B2	Typhoid fever	F M F	-	-	-	-	=	_	-	-	-	-	-	-
B 3	Bacillary dysentery and amoebiasis	M	4		1	_	_	_	_	2	_	-	1	169
B4	Enteritis and other diarrhoeal diseases	F M F	88 86	48	9 5	5 1	1 1	1	- 2	1 5	6 5	7 7	1 10 29	76 91 100
B5	Tuberculosis of respiratory system	М	336	1	1	-	_	1	18	37	99	103	76	121
B6	Other tuberculosis, including late effects	F M F	134 147 87	1	1 1	1	3 -	5 4 3	14 6 6	21 21 16	28 43 19	29 43 18	36 24 24	139 140 145
B7	Plague	M F	-	-	-	-	-		-	-	-	_	-	
B8	Diphtheria	M	-	-		-	-	-	-	-	-		-	=
В9	Whooping cough	M	3 2	3 2	-	-		-	-	_	-	-	-	125
B10	Streptococcal sore throat and scarlet fever	MF	1 -		-	-	1	-	-	-	-	-	-	125 374
B11	Meningococcal infection	M	25 13	10	5 4	3	2	1	-	-	2	2	-	148
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	1	3 -	-	-	114
B13	Smallpox	M	-	-	-	-	_	-	-	-	-	-	-	-
B14	Measles	M F	4 4	1	1 2	1	-	-	2		-	-	-	65 54
B15	Typhus and other rickettsioses	MF	-	-	-	-	-	-	-	-	~	_	_	-
B16	Malaria	M	2	-	-		-	-	-	1	1	-	-	370 183
B17	Syphilis and its sequelae	MF	41 41	-	-	-	-	-	1	4	13	15	8	155
B18	All other infective and parasitic diseases	M F	164 163	19 11	10	10	8 8	7 9	13 11	19 15	33 28	18 28 26	15 17 41	199 124 121
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	317 198	-	2	-	3 -	2	5 7	36 13	74 45	101 58	96 73	123 121
	oesophagus (150)	M	593 436	-	- 1	- 1	-	2 2	10	56 27	145 85	219	161	140
	stomach (151)		2,233 1,733	-		-	1 -	8	41	178 82	609 237	832 505	196 564 878	136 122 121
	intestine and rectum (152-154)		2,415	-	-	- 1	1 1	13	65 71	195	521 544	776 871	844	132 139
B19	larynx (161)	M F	196 31	-	-	-	-	-	. 4	18	38	71 8	65	147 102
	lung, bronchus (162)	F 2	9,003 2,189	-	-	- 1	4 1	17	140	867 259	2,870	3,452 787	1,653	148 170
	breast (174)	F 3	32 3,933	-	-	-	2	41	221	5 685	1,038	992	954	166 146
	uterus (180-182)		,289	-	1	-	3	11	57	227	333	344	313	123
	prostate (185) Leukaemia (204-207)	M 1	602	-	~	-	-	-	1	21	151	476	881	159
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F M 5	520 5,060 5,547	3 7 2	26 19 34 33	37 27 44 43	39 19 84 60	13 123 76	25 248 201	52 50 549 603	127 73 1,338 1,230	143 127 1,468 1,551	122 164 1,165 1,748	140 136 145 144
B20	Benign neoplasms and neoplasms of unspecified nature	MF	214	5	3	8	5	9	16	33	57	48	30	127
B21	Diabetes mellitus	M F	274 588 944	5 -	3 1 1 1	8 2 7	9 3 3	8 11 9	14 20 17	37 31 31	59 103 110	58 192 305	73 225 461	140 137 125
B22	Avitaminoses and other nutritional deficiency	MF	19	- 2	-	-	-	-		-	5	5	9	102
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	169 310	26 12	7 10	13 7	1 5 7	6 6	13	9 20	1 34 44	8 29 65	25 27 128	129 124 111
B23	Anaemias	M F	164 350	2	4 2	6 2	1 3	3 5	3 4	5 8	19 28	36 70	85 227	123 120
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M F	51 53	5	4 -	4 -	3 -	4 -	1	4 3	8 11	3 18	12	164 149

TABLE 19 - continued

						Sou	th East						-
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65~	75 and over	and Wales = 100)
B46 (pt.) B24	Mental disorders (290-315) MF Meningitis MF	166 394 79 56	- 1 26	1 - 12 7	2 - 4 3	9 6 - 2	11 5 2	8 10 - 4	17 11 1 4	20 36 12 9	25 61 14 14	73 264 8 3	161 179 141 131
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M F	1,026 1,158 8 3	28 18 1	26 17 -	28 32 1	62 26 -	45 28	59 53 1	83 110	171 171 2	238 255 1	286 448 2	139 144 256 94
B26 B27	Chronic rheumatic heart disease MF Hypertensive disease MF FF	869 1,468 1,550 2,218	-			13 5 3	19 16 8 2	52 49 42 19	142 148 113 53	231 319 342 185	237 395 462 535	175 536 580 1,423	129 127 129 135
B28 B29	Ischaemic heart disease MF Other forms of heart disease MF F	26,576 20,079 4,236 7,333	8 8	3 5	- - 9 7	3 3 16 10	52 11 29 18	537 85 33 32	2,380 368 105 78	6,261 1,682 370 245	8,480 5,074 917 957	8,863 12,856 2,746 5,973	133 131 137 139
B30 B46 (pt.)	Cerebrovascular disease M F Other diseases of the circulatory M system (440-458) F	9,733 16,497 3,689 4,980	3 1 4 1	1	5 3 - 3	10 12 7 5	42 29 10 15	113 114 40 38	374 398 154 101	1,325 1,214 536 287	2,699 3,261 1,046 914	5,161 11,465 1,892 3,616	124 129 139 135
B31 B32	Influenza M. F. Pneumonia M. M. F. F.	834 1,365 6,927 9,457	3 2 318 218	1 49 52	2 35 24	9 5 3 0 8	5 7 23 23	11 8 40 40	19 17 151 124	66 63 565 405	204 199 1,458 1,334	517 1,061 4,258 7,229	182 185 154 157
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) M. F. Asthma (493) M.	7,726 2,655 256 280	18 17 -	4 6 3 2	5 1 23 6	4 2 11 18	9 1 15 17	33 15 31 24	273 82 30 44	1,406 263 59 68	2,884 664 56 53	3,090 1,604 28 48	134 127 153 131
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M	1,039 975 888 588	180 122 3	34 31 -	9 13 -	7 7 4	11 3 2 2	18 15 14 7	47 33 62 15	146 70 148 59	228 142 314 124	359 539 341 380	117 133 132 146
B35 B36	Appendicitis MF Intestinal obstruction and hernia MF F	73 56 369 520	- 36 32	6 1 5	4 1 1 3	7 2 4 1	1 4 2 3	3 2 10 7	6 5 17 17	10 9 40 40	15 16 82 97	21 16 172 320	136 121 141 142
B37 B46 (pt.)	Cirrhosis of liver MF Other diseases of the digestive system M (520-530, 554-537, 561-570, 572-577) F	240 219 713 1,185	18 15	1 - 3 5	1 5	5 1 9 6	2 2 11 14	21 5 23 19	46 34 42 62	85 71 129 125	58 61 209 286	22 43 268 648	124 117 135 139
B39 B46 (pt.)	Nephritis and nephrosis M F Hyperplasia of prostate M M Other diseases of the genito-urinary System (590-599, 601-629) F	382 334 504 617 894	31 85	1 1 2 2	2	12 10 - 2 5	18 12 - 6 7	24 19 - 10 21	46 24 3 31 45	83 67 34 86 107	87 71 101 168 211	104 129 366 302 491	110 113 131 142 137
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	31 47	-	-	-	10 5	14 27	7	1	-	-	-	223 113
B46 (pt.) B46 (Rem.)	Diseases of the skin and M subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M and connective tissue (710-738) F	249 603	4 1 - 1	-	1	1 1 5	1 1 3 10	2 2 5 13	1 7 17 33	4 9 61 68	10 18 75 140	21 75 86 333	152 183 149 139
B42 B43	Congenital anomalies MF Birth injury, difficult labour and M	878 705 713	573 439 713	72 59	47 29 -	22 28 -	18 7 -	20 17 -	29 31	42 30	33 36	22 29 -	130 120 120
B44	other anoxic and hypoxic conditions F Other causes of perinatal mortality M F Symptoms and ill-defined conditions M	456 660 484 300	455 660 484	1	-	- 2	2	- - - 4	- - - 7	7	19	257	126 130 125
BE47	Motor vehicle accidents MF	781 1,400 695	3 5	30 23	100	435 96	1 141 32 119	102 34 138	7 123 52 143	179 102 168	152 127 148	739 135 171 299	101 124 129 114
BE49	All other accidents M F Suicide and self-inflicted injuries M F	1,407 1,594 1,039 798	78 57	97 57	80 35 - 1	137 21 89 39	156 71	151 104	203 162	102 225 186	204 135 153	988 80 82	109 146 158
BE50	All other external causes M F	292 237	19 11	6 12	7 2	36 21	35 38	41 16	50 30	50 39	28 37	20 31	124 136 ———————————————————————————————————
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M F	2,303 1,770 83 93	22 18 - 1	52 40 5 4	128 63 3 3	499 106 8 1	225 51 9 7	211 51 9 5	222 80 6 2	319 149 10 8	250 243 17 12	375 969 16 50	112 111 97
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	985 1,107 767 354	4 5 74 49	35 23 41 25	9 11 47 14	100 50 90 20	137 87 80 23	136 117 76 22	184 193 107 31	187 214 106 58	106 210 90 56	87 197 56 56	150 161 116 113

TABLE 19 - continued

							Gre	eater Lon	don					
ICD B List	Cause of death		A11					Age (1	years)					S.M.R. (England
Number			ages	Under 1	1-	5=	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers ALL CAUSES	F	45,169 45,114	1,359	201 180	235 134	485 234	515 335	1,114 781	3,427 2,194	9,702 5,216	12,956 9,556	15,175 25,478	99 96
	Rates	M F	12,119 11,176	20,716	785 739	466 280	831 384	1,009	2,328 1,643	6,789 4,050	20,306 9,860	53,471 26,159	145,913 101,385	
B1 B2	Cholera	MF	-	-	000 000	-	-	-	-	_	-	-	-	-
DZ	Typhoid fever	F	-	-	_	-	_	-	_	-	-		-	-
B3 B4	Bacillary dysentery and amoebiasis	MF	3 1 38	111	1	700 500	-	-	-	1 -	-	-	1 1	215 128
104	Enteritis and other diarrhoeal diseases	F	35	25 14	2	des des	-	_	-	1 3	1 1	2	5 13	66 67
B5 B6	Tuberculosis of respiratory system	M	220 84	~	1 -	_	-	1 3	13 10	27 14	62 17	66 19	50 21	127 139
.00	Other tuberculosis, including late effects	M	76 50	1 -	1	_	3 -	3	5	13	22 12	19	12 14	116 132
B7	Plague	M F	-	-	-	_	-	-	-	_	-	-	-	
B8	Diphtheria	M F	-	-	-	-	_	-	-	_	-			-
B9	Whooping cough	MF	3 1	3 1	-	-	~	-	-	-	-	10	-	211 105
B10	Streptococcal sore throat and scarlet fever	M F	-	-	-	-	_	-	-	_	-	-	-	_
B11	Meningococcal infection	MF	13 6	5	3 3	1	1	1 1	-	- 1	1	1	-	132 89
B12	Acute poliomyelitis	M F	-	-	-	-	-			-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-		-
B14	Measles	M F	1 1	1 -	1	-	-	-	-	-	~	-	-	29 24
B15	Typhus and other rickettsioses	MF	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1 -	-	_	· -	-	-	-	1	=	-	-	295
B17	Syphilis and its sequelae	M	22 30	-	-	-	-	-	1	2	4	8	7	133
B18	All other infective and parasitic diseases	M	69 67	6	3 2	5 2	4 2	2 4	1 5 4	10	5 15 12	11 14 12	13 5 20	228 86 80
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	MF	164 90	-	-	-	2	2	3 5	21	42	54 21	40 35	102 86
	oesophagus (150)	M	295 191	-	_ (-	- 1	1	7	31	70	111	75	112
	stomach (151)	MF	1,088		-	= = =	1	4 7	2 23 10	14 82 48	38 322 129	56 412 255	80 245 412	94 96 94
	intestine and rectum (152-154)	M	1,059	-	-	-	1	8	25	90	250	332	353	93
B19 <	larynx (161)	MF	99	-	-	1 -	1 -	8 -	32	100	256 18 6	395 34	634 33	98 120 77
	lung, bronchus (162)	MF	4,601 1,140	-	-	_	-	8	72	464	1,506	1,732	819	121
	breast (174)	MF	11 1,798	-	-	-	- 2	17	103	132 2 330	340 2 500	378 6 423	258 1 423	139 92 105
	uterus (180-182)	F	603	-	1	-	3	8	23	117	167	145	139	91
ĺ	prostate (185)	M	650	-	-	-	-	-	-	13	79	206	352	109
	Leukaemia (204-207) Other malignant neoplasms, including	M F	264	1	8 7	18	24 11	9 5	15 11	24 24	53 36	60 56	52 78	101 100
	neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F	2,438 2,642	2	14	24 20	42 29	60 31	118 93	277	690	702 715	509 807	113 108
B20	Benign neoplasms and neoplasms of unspecified nature	M	110	4	1	3	2	5	5	15	35	19	21	107
B21	Diabetes mellitus	F M F	130 268 496	2	1	5 1 5	2 -	3 4	8 10 13	23 10 21	32 51 62	23 95	97	106 101
B22	Avitaminoses and other nutritional deficiency	M	8		-	-	-		-	-	2	159	231	104 69
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258.	F M F	17 80 155	9 5	1 7	. 9	1 2 4	5 2	3 8	7	16	5 15	13	91 97
B23	270-279) Anaemias						į		0		25	29	61	89
B46 (pt.)	Other diseases of blood and	F M	179 20	2 1 4	2 1 1	3 1 2	1 2 1	1 1 1	3 4 2	2 5	13	19 32	119	100 97
	blood-forming organs (286-289)	F	21	1	-	-	-	-	-	3 -	5	8	7	106 94

						Grea	ter Lond	on					
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages	Under	1	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) M	79 233	-	-	1 -	5 3	8 5	7 8	7 7	5 13	9 31	37 166	125 167
B24	Meningitis M F	36 29	8 5	6 4	3	2	2	1	1 3	8	5 4	3 3	107 111
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M	452 533	12 9	7 8	5 12	28 14	16 13	32 20	46 57	79 81	93 111	134 208	100 105 53
	F	2	-	-	-	-	1	-	_	-	_	1	101
B26 B27	Chronic rheumatic heart disease MF Hypertensive disease MF F	475 758 732 1,076	-	-	-	8 1 2	10 12 5 2	33 28 28 11	82 71 59 28	124 178 176 98	114 200 211 253	104 268 251	114 104 99 103
B28	Ischaemic heart disease M	11,921	-	-	_	1	30	2=7	1.174	3,120	3,721	684	96
B29	Other forms of heart disease M F	8,688 1,665 3,074	5 5	3 4	5 2	1 7 8	3 22 7	39 18 17	177 56 37	837 20 1.1	2,240 348 397	5,392 1,011 2,486	89 87 92
B30	Cerebrovascular disease M F	3,726 6,403	- 1	-	2 2	5 g,	24 17	62 64	188 203	623 536 277	1,024	1,798	77 79
B46 (pt.)	Other diseases of the circulatory M system (440-458)	1,629 2,393	1	-	2	2	7 5	21 20	75 47	277 129	470 420	774 1,767	100 102
B31 B32	Influenza M F Pneumonia M	234 418 3,183	3 1 169	1 22	- - 16	5 1 13	2 2 5	7 6 18	8 3 67	19 26 280	64 59 711	126 319 1,882	83 90 116
	F	4,560	125	31	6	3	13	21	46	202	618	3,495	120
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF Asthma (493) MF	3,854 1,503 114 139	7 8 -	2 2 1	14	2 1 6 10	5 1 6 7	19 6 15 12	120 43 16 21	765 134 25 36	1,393 369 22 22	1,538 939 9	107 113 111 104
B46 (pt.)	Other diseases of the respiratory M	462	77	15	6	1	5	6	25	69	112	146	85
B34	system (460-466, 500-519) F Peptic ulcer M F	415 428 281	64	7 - 1	4 -	1 -	2	8 8 5	13 25 11	26 84 27	57 148 52	233 159 183	90 103 110
B35	Appendicitis M F	31 23	-	3	1	2	1 2	1	3 3	4 4	9 4	7 7	95 79
B36	Intestinal obstruction and hernia M F	170 238	18 11	5 -	1 3	3	1	3	9, 5	18 22	30 43	83 148	106 103
B37 B46 (pt.)	Cirrhosis of liver M F Other diseases of the digestive system M	124 106 332	- 1 10	- - 3	- - 1	3 - 5	1 5	15 3 9	21 15 20	4.5 32 69	31 29 98	8 26 112	103 89 102
B38	(520-530, 534-537, 561-570, 572-577) F Nephritis and nephrosis M	584 182	9	3	3	4 5	4	9	27	68	144 39	313	108
B39 B46 (pt.)	Hyperplasia of prostate M Other diseases of the genito-urinary M	160 207	1 1	- - 1	- 1	3 -	6	11	16 1 19	31 17 52	37 41 75	55 148 120	86 88
	system (590-599, 601-629) F	285 409	5 3	-	-	1	3	8	24	47	88	235	106 99
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	25 26	_	-	-	9	11	5		_	_		300 105
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F	19 47	1	_	_	-	-	1	1 3	1 5	8 9	8 29	107 120
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738)	126 289		_	1	- 4	2	2 2	8 15	30 32	48	36 168	122 105
B42	Congenital anomalies M	416 323	268 205	29 28	27 14	11 11	6 2	8	16 13	26 8	15 19	10 19	104 92
B43 B44	Birth injury, difficult labour and Mother anoxic and hypoxic conditions Fother causes of perinatal mortality Mother causes of perinatal mortality Mother causes of perinatal mortality Mother Causes of Perinatal	369 259 311	369 259 311	-	-	-	-	-	-	-		-	105 120 103
B45	F	233	233	-	_	- 2	- 2	2	3	- 1	4	- 66	102
	Symptoms and ill-defined conditions M F	213	7	1	-	147	50	1 42	40	81	65	191	4 4
BE47 BE48	Motor vehicle accidents M F All other accidents M	545 304 603	1 4 18	10 9 53	45 21 36	34 62	13 60	10 62	70	44 87	60 62	85 93	91 81
BE49	Suicide and self-inflicted injuries M	550 541	13	29	12	12	17 93	21 81	108	105	75 65	289	60 124
BE50	All other external causes M F	422 154 120	10	- 3 9	1 1 1	24 20 11	43 22 21	57 25 7	74 29 13	98 29 22	78 9 16	47 6 16	134 108 111
BN47	Fractures, intracranial and M	958	10	19	61	181	95	107	91	155 70	106	133	82 64
BN48	internal injuries F Burn M F	632 36 45	9 -	20 3 4	25 2 2	43	27 2 5	19 4 2	2	70 C 4	12	2// 4 25	80 76
BN49	Adverse effects of chemical M substances F	544 601	4 1	27 17	5 5	60 32	86 51	66 67	107 94	96 118	50 105	43	136 140
BN50	All other injuries M F	305 118	15 10	17 6	14	39 6	42 11	33 7	47 10	4 6 22	33 19	19 24	77 61

TABLE 19 - continued

							Son	uth West						
ICD B List	Cause of death		All					Age (i	n years)					S.M.R. (England
Number			ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	wales
	ALL CAUSES Rates	F M	23,468	520 399 17,568	100 88 790	115 66 412	268 101 989	131	492 346 2,236	1,452 962 6,500	4,184 2,385 19,708	7,085 5,078	9,087 13,912	94 97
B1	Cholera	F	12,268	14,250	731	248	386	619	1,577	4,094	9,859	25,842	105,076	
B2	Typhoid fever	F	N F 5 5	-	_				-	=		-	-	-
B3	Bacillary dysentery and amoebiasis	M	-	-	_		_		-		-	1.700	-	-
B4	Enteritis and other diarrhoeal diseases	M	23 26	168	4	2	- 1	3 -	-	-	5	3	3	84
BS	Tuberculosis of respiratory system	M	67	-	-		_	1	5	8	13	6 24	5	104 74
B6	Other tuberculosis, including late effects	F M F	16 39 18	-	1	-	- 1	1 1	2	1 3 1	11 2	7 14 6	5 9 6	54 117 98
B7	Plague	M	0 60	_	-	_			_	75.1	- -	_	_	. 30
B8	Diphtheria	M			2. -	-	_	-	-	~ ~	_	-	-	-
В9	Whooping cough	M	-	-	-	-	No.	-	_		_	-		_
B10	Streptococcal sore throat and scarlet fever	F M F	1 - 2	1 -	-	1	-	-	-	-	-	-	-	234 - 656
B11	Meningococcal infection	MF	1 4	1 2	2	-	-	-	_	-	-	-	alia,	21
B12	Acute poliomyelitis	M	r g	2	. 5	- - -		1 2:		-			-	126
B13	Smallpox	MF	-	-	-	-	-	-	-	-	_	_	-	-
B14	Measles .	M	2 3	- 1	2 2	-	_	-	-	~	-	-	-	118
B15	Typhus and other rickettsioses	M	1	-	-	_	_	1	_	_	_	_	-	146 391
B16	Malaria	F M F	-	-		-	-	-	-	-	-	-	-	~ ~
B17	Syphilis and its sequelae	M	5	_	_	_	_	_	_	-	2	1	2	57
B18	All other infective and parasitic diseases	F M F	2 40 35	2 2	-	4	- 3 1	1 2	3	1 7 4	7 3	1 7 11	6	30 99 87
	Malignant neoplasm of:													01
	buccal cavity and pharynx (140-149)	M F	97 40	-	-		1	-	1	15	16 7	31 16	33 12	111 77
	oesophagus (150)	M	138 120	-	-	-		1 1	3 2	14	38 18	37	45	97
	stomach (151)	M F	585 398	-	-	-	1	1 1	10	48 15	135	38 234 112	54 157 203	116 96 85
	intestine and rectum (152-154) larynx (161)	M F	573 712		-	-	1	2	15 17	47	129	173 193	207	92 96
B19		M F	33 11	-	-	-	-	-	` -	6 2	4 2	11 5	12	72 114
	lung, bronchus (162)	M F	1,700 362	-	-	~	-	5	26	147	553 120	685 111	284	86
	breast (174)	F	838	-	-	-	2	7	58	130	237	202	202	89 95 101
	uterus (180-182)	F	342	-	-	-	-	2	20	69	87	81	83	106
	prostate (185)	M	390	-	-	-	-	**	-	1	45	138	206	111
	Leukaemia (204-207) Other malignant neonlasms including	M F M	108	-	3 7	8	2	7 2	8 2	15 11	30	32 24	32 34	100 91
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F	1,093 1,223	2 -	9	7 7	21	30	48	98	274 261	332 383	272 387	97 100
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M F	36 46 175 241	1 -	-	2 3 1	2 - 1 1	2 3 3 2	2 4 7 1	3 9 7 9	10 6 26	6 10 54	8 11 76	70 77 119
B22	Avitaminoses and other nutritional deficiency	M	8	-	-	-	-	-	1	2	33	82	113	98 133
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	30	8 43 65	5 5	2	5	1 -	3	1 1	2 4	1 7 9	1 12 15	6 8 27	83 . 103 . 74
B23 B46 (pt.)	Anaemias	MF	37 80	1 1	-	-	1 1	1 1	-	2 3	5 7	9	18	79
	Other diseases of blood and blood-forming organs (286-289)	M F	9	=	1 -	1 _	1	2	2	1	1	15 2 3	52 2 1	84 95 80

			11			Sou	th West						,
ICD B List	Cause of death	All					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	Wales = 1))
B46 (pt.) B24	Mental disorders (290-315) Meningitis Meningitis	58 13	3 7	- 1 1	- 2 1	2	-	2 2	1 1 2	2 5 1	17 2	11 34 - 1	62 81 79 112
B46 (pt.) B25	Other diseases of nervous system Mand sense organs (321-389) FActive rheumatic fever	266	2 3 -	3 7 -	10 3	12 5	10 9	13 14	32 17 -	39	F 3	92	93 105 105 105
B26 B27	Chronic rheumatic heart disease M Hypertensive disease M F	194 292 436	2	-	-	2 - 1	2 3 1	14 8 14	33 43 10	00 00 00 17	; č ; c 1 : ; ;	3. 100 158 303	91 61 1 7
B28 B29	Ischaemic heart disease M Other forms of heart disease M F	4,890 1,137	1 1 2	1	3 2	- 4	11 2 4 2	127 21 5 4	72 32 1;	1,432 388 33	2,241 1,182 2:2 2, 8:	2,412 3,221 712 1,170	965 965 1 1 104
B30 B46 (pt.)	Cerebrovascular disease MF Other diseases of the circulatory MF system (440-458) F	4,288 968	1 1	1 -	1 2 -	7 3 -	6935	36 22 7 4	97 115 3€ 22	356 293 116 66	840 906 274 233	1,430 2,330 30 865	1 0 1.2 1.2 1.2
B31 B32	Influenza M F Pneumonia M	210 1,400	2 63 46	10	1 8 8	1 5 5 3	4 1 6	5 10 11	5 4 32 20	11 10 122 86	26 36 291 291	P3 158 750 1,490	85 56 86
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF Asthma (493) M	474 68	1 -	2 1 1 1 1 1	1 1 2	1 1 2 3	1 1 4 2	2 2 5 10	: s 21 8	245 48 15 20	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	754 265 13	71 69 132 113
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer	240 216	26 22	991	2 2	1	2 2	5 2 3 1	10 11 17	27 24 23	77 76 20	80 130 98 (81 1 3 1 3
B35 B36	Appendicitis MF Intestinal obstruction and hernia MF F	19 9 92 129	1 8 5	1 - 1 -	1 -	3 - 1 -	1	1 - 1	1 1 2 7	3 . 1 6	2 27 27		11. 61 1 2 1 3
B37 B46 (pt.)	Cirrhosis of liver MF Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	63 53 164 273	- 1 1 1	1	1	1 1 2 2	2 - 1 2	1 4 2 12 12	15 12 12	20 17 40 27	22 12 42 62	4 10 0 10	104 91 32 39
B38 B39 B46 (pt.)	Nephritis and nephrosis M Hyperplasia of prostate M Other diseases of the genito-urinary M system (590-599, 601-629) M	87 80 146 152 200	1 - - 1	1 - 1 2	1 - 2 1	7 - 2 1	1 4 - 2	7 3 - 6 6	4 10 1 8	17 7 6 9	19 27 48 10	29 29 111 84 108	79 86 102 100 95
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	17	-	-	-	4	1 8	5	-	-	-	-	27
B46 (pt.) B46 (Rem.)	Diseases of the skin and subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M and competition tissue (710-732)	7 14 56	-	-		1 -	-	- 2	1 4	7	3 3 20	3 9	72 70
B42 B43	and connective tissue (710-738) F Congenital anomalies M F Birth injury, difficult labour and M	129 189 156	120 86 164	21 10	11 13	11 9	6	5 3 7	8	18 11 10	33 3 5	6: 3 2	92 102 96
B44	other anoxic and hypoxic conditions F Other causes of perinatal mortality M F Symptoms and ill-defined conditions M	103 75 70	103 75 70	-	-	-	-	-	-	-	7	111	106 55 68 105
BE47	F Motor vehicle accidents M F	317 327 161	- 1	10 9	22 11	116 26	28	21	27	2 33 28	3 = 3 = 24	309 32 34	124
BE48 BE49	All other accidents M F Suicide and self-inflicted injuries M F	349 388 202 154	31 26	14 10	16 2 1	35 5 9	29 2 19	26 6 33 22	32 10 41 30	50 21 40 45	39 50	2°¢ 2°¢ 2€ 11	92 83
BESO BN47	All other external causes MF	61 53	3	2 -	2 -	11 4	6 -	4 -	10	11 14	30 9	12	103 66 114
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M F	549 450 18 16	1 5 1	11 11 2	23 12 5	129 30 1	500, 1 1	39 8 - 1	60 19 1 2	70 41 - 1	65 59 3 2	101 256 5	94 89 77 53
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	149 185 223 105	29 25	1 1 12 7	3 - 10 1	9 8 32 4	13 8 19 2	26 18 19 4	23 26 25 10	24 46 40 20	2" 2: 2r 13	25 34 11 13	77 90 115 115

							Wales	I (South	h East)					
ICD B List	Cause of death		433					Age (in	years)					S.M.R. (England
Number			All ages	Under 1	1-	5-	15-	25-	35-	45	55-	65-	75 and over	and Wales = 100)
	Numbers	M F	12,933 11,390	375 280	73 47	70 38	131 47	120 68	326 234	966 628	2,585	4,047 2,822	4,240 5,825	110 108
	ALL CAUSES Rates	M		23,885 18,667	1,094 742	464 262	912 338	1,011	2,629 1,950	7,759 4,914		57,897	157,037 112,235	
B1	Cholera	M	eus	400	-	-	_	-		-	-	-		
B2	Typhoid fever	M	T 170	-		-		-	-		-	**		-
B3	Bacillary dysentery and amoebiasis	M	- 1	con .		- 1	-	-	-	_	-	600	_	_
B4	Enteritis and other diarrhoeal diseases	M	19 13	7 7	8 2	-	1	-	-		1	2	2 2	518 134 105
B5	Tuberculosis of respiratory system	M	66 20			-	- 1	1	5	5	19	28	8	148
B6	Other tuberculosis, including late effects	M	19 12	900 000	1 -	-	-	-	3 2	4 5 3	6 7 2	3 6 2	3 - 3	141 114 136
B7	Plague	MF	-	-	-	_	_	-	-	_	-	-	-	-
B8	Diphtheria	M	5 (S)	-	_		Ξ		_	-	-	-		-
B9	Whooping cough	M	n' - 3v	-	_	-	~	, se	-	_		_	_	-
B10	Streptococcal sore throat and scarlet fever	M	-	-	-	-					-	-	-	-
B11	Meningococcal infection	M	3 2	1 1	2	-	-	-	-	-	-	-	-	120
B12	Acute poliomyelitis	M		i i		=	-	_	-	-				· 120
B13	Smallpox	M	n =	-	tre .	=	-		-	-	-	-	_	-
B14	Measles	MF	2 2	1	- 2	1	-	-		-	-	_	-	223 182
B15	Typhus and other rickettsioses	M		b0	_	~	-	,			_ }	-	_	-
B16	Malaria	M			= -		- - -		-		-	-	-	
B17	Syphilis and its sequelae	M	6	-	-		-	_			4	2	_	140
B18	All other infective and parasitic diseases	M	5 22 23	2 3	2	-	1 2	1 2	2	5 4	6 4	1 2	1 4 3	161 108 117
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M	44 28	-	-		-	-	2	5 2	3 10	17 8	17	106 117
	oesophagus (150)	M	79 62	-	-	-	ter.	-	2 3	10	21	21	25	116
	stomach (151)	MF	313 283			-		1 -	4 8	23 13	96 48	18 111 83	28 78 131	. 134 106 137
	intestine and rectum (152-154)	M F	286 319	-	-	-	-	1 1	9 5	32 20	62 52	104	78 142	97 96
B19 <	larynx (161)	MF	16 5	-	-		-	-	1	2	2 3	4	8	74 109
	lung, bronchus (162)	MF	763 133	-	-	-	-	5 3	14	77 17	261 42	310	96	78 69
	breast (174)	M F	5 374	-	-	-	-	- 3	24	73	1 109	85	3 80	161 94
	uterus (180-182)	F	165		-	-	-	2	15	35	50	38	25	106
	prostate (185)	M	138	-	-	-	-	-	-	2	11	59	66	87
	Leukaemia (204-207)	M	57 60	-	3 2	9	2	3	5 2	5 8	11 10	15 17	7 13	84 106
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M F	547 527	-	3	7 3	12 4	13 10	36 26	53 79	153 109	164 162	105	99 93
B20	Benign neoplasms and neoplasms of unspecified nature	M	18 27	-	-	1	498	-	-	4	4	5	4	69
B21	Diabetes mellitus	M	62 148	-	-	1 1	1 1	-	2 3 4	5 3 3	7 15 22	7 18 50	5 22 67	94 90 13 5
B22	Avitaminoses and other nutritional deficiency	M	2 5	_	an 4	-	400	1	-	Pro	_	1		68
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	27 45	5	1 1 1	3	1	1 1	1 4	2	1 6 10	1 5 15	2 5 10	. 121 . 128 111
B23	Anaemias	M	22	_	_	-	1	-	-	3	5	6	7	102
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	56 6 7	-	1	1	-	- 1	-	2	4	15	31	137 125
							-	1		-	3	1	2	134

						Wales	I (Sout	h East)					
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) M F F F	22 47 9 10	- - 4 6	1 1	1 1 1	1 1	2 -	1	2 1 1	3 3 -	5 11 1	9 30 -	135 154 107 158
B46 (pt.)	Other diseases of nervous system Mand sense organs (321-389) FActive rheumatic fever M	113 120	8 8 +	4 4 -	1 3 -	11 2 -	7 4	8 7 -	12 10	18 16 - 3	23 27	21 39	97 102 -
B26 B27	Chronic rheumatic heart disease MF F Hypertensive disease MF F	108 208 305 342	-	-	-	1 -	2 1 2 1	2 17 12 2	22 39 27 12	35 55 68 37	30 58 99 105	16 38 97 185	102 123 186 147
B28 B29	Ischaemic heart disease MF Other forms of heart disease MF F	3,808 2,596 553 813	- 2		- - 1	1 2 1	7 2 4	25 3	402 77 13 16	891 296 59	1,296 782 145 132	1,111 1,414 324 610	118 119 111 113
B30 B46 (pt.)	Cerebrovascular disease MF Other diseases of the circulatory MF system (440-458) F	1,383 1,985 389 473	1 -		2 -	4 2 1	5 4 1 -	18 18 5 6	52 60 11 17	198 180 62 31	460 511 118 96	643 1,210 191 323	109 111 91 93
B31 B32	Influenza MFPneumonia MFFF	58 70 659 715	49	- 8 2	- - 4 2	-	- 2	1 5 2	4 2 14 14	4 3 53 28	14 11 161 127	35 54 363 518	79 69 92 86
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MFF MMFF MMFFF MMFFFF	1,181 288 24 30	1 1	1 - 1	- 1 2	- 3	1 3	6 1 6 2	38 13 2	234 36 3	450 84 3	451 152 5	125 97 92 94
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M	359 112 117 55	24 16 1	3 3 -	1 -	1 1 1 -	3 1 2	1 1 3 2	23 6 5	84 8 31 7	124 25 37	95 51 37 24	256 108 107 97
B35 B36	Appendicitis MF Intestinal obstruction and hernia MF F	10 9 39 50	3 4	1 2 1	-	1	1	-	1 1 1 3	3 2 4 7	3 2 6 15	2 2 22 21	118 133 93 97
B37 B46 (pt.)	Cirrhosis of liver MF Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	26 44 75 103	- 4		2	2 1 2	- 2	1 - 3 -	7 4 6 9	4 19 12 15	7 13 30 21	7 6 19 52	85 158 89 85
B38 B39 B46 (pt.)	Nephritis and nephrosis MF Hyperplasia of prostate M Other diseases of the genito-urinary M system (590-599, 601-629) F	75 52 82 87 89	1	1 - 2	2 1	1 1 - 1	3 2 - 1	3 3 - 3	11 6 - 5 11	23 9 4 16 13	21 18 22 27 19	10 13 56 35 40	138 121 132 124 96
B40 B41 B46 (pt.)	Abortion Other complications of pregnancy, childbirth and puerperium Diseases of the skin and	3 3	-	-	-	1	1 -	2	-		-	-	102 51
B46 (Rem.)	subcutaneous tissue (680-709) Diseases of the musculoskeletal system M and connective tissue (710-738) F Congenital anomalies M	24 64 119	74	9	1 10	- - 1 4	1 1 2	1 2 4 5	- 3 7 3	5 15 6	5 18 5	8 17 1	90 103 121
B43	Birth injury, difficult labour and M other anoxic and hypoxic conditions F Other causes of perinatal mortality M F	100 115 79 66 50	115 79 66 50	7	5	1	1		6	6	1	1	117 136 152 91 91
B45	Symptoms and ill-defined conditions M	82 140	- 2	-	-	_	-	-	-	2 3	5 8	75 127	168 138
BE47	Motor vehicle accidents M	159	1	10	9	44	23	12	13	12	23	12	92
BE48	All other accidents MF	72 244 255	8 9	9 9 4	5 14 5	13 22 7	21 2	3 25 7	35 9	13 33 22	12 27 24	12 50 166	91 129 126
BE49 BE50	Suicide and self-inflicted injuries MF All other external causes MF F	98 62 19 20	1 1	- 1 1	-	9 - 4 2	6 7 - 3	17 7 6 3	13 10 4 5	27 15 3 4	19	7 8 -	90 83 53 78
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M F	317 265 16 16	2 1 1	12 9 1	12 9 2	60 15 -	33 6 1	27 4 2 2	35 4 3 1	33 21 1 3	44 30 3	59 166 2 7	108 120 138 118
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	81 88 106 40	- 7 9	3 4 4	- 9 1	7 5 12 2	8 6 8 3	21 11 10 3	11 18 16 2	18 23 23 7	10 15 12 5	3 10 5 4	81 87 106 87

TABLE 19 - continued

							Wales 1	II (rema:	Inder)					
ICD B List	Cause of death							Age (ir	years)					S.M.R. (England
Number			All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and	and Wales = 100)
	Numbers	M	5,394 5,175	111 101	20 22	25 7	67 34	45 32	124 86	327 186	1,014 564	1,670 1,281	1,991	100
	ALL CAUSES Rates		14,403 12,800	17,903	800 924	433 126	1,184 624	1,039 764	2,672 1,866	6,855 3,742	21,948 10,292		144,275 103,696	
B1	Cholera	M	~	-	-	-			_	-	-	-	-	_
B2	Typhoid fever	F M F	-	-	-	-		-	-	-	-		-	=
B3	Bacillary dysentery and amoebiasis	M	1	-	-	-	_	-		- 1	_	-	to.	-
B4	Enteritis and other diarrhoeal diseases	M F	2 6	1	1	-	1 -	-	-	-	-	1	3	263 35 114
B5	Tuberculosis of respiratory system	M F	44	-	-	-	-	1	-	4	13	17 2	9 2	225 109
B6	Other tuberculosis, including late effects	M	9 5	-	-	Ξ	1 -	-	-	1	4	1 1	3 2	125 125
B7	Plague	M	-	-	-	an we	-	-	-	_	-	-	-	· · · · <u>-</u>
B8	Diphtheria	MF	-	-	-	_	-	_	-	-		~	=	_
B9	Whooping cough	MF	1 1	1	-	-	_	-	-	-	-	-	-	743 131
B10	Streptococcal sore throat and scarlet fever	M	=	-	100 100	_	-	_	-	-		-	-	-
B11	Meningococcal infection	M	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M F	-	-	-	_	-	-	-	-	-	-	-	·
B13	Smallpox	M	-		-	_	-	-	-	-	-	-	-	eu .
B14	Measles	M	-	-	-	-	-	-	-	-	-		-	=
B15	Typhus and other rickettsioses	M	-	~	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M		-	-	1 -	-	-		-	-	-	-	=
B17	Syphilis and its sequelae	MF	-	-	-	_	-	-	-	-	-			-
B18	All other infective and parasitic diseases	M	11 7	1	-	-	-	-	-	2	2	2 3	4	128 81
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	20 22	-	-	-	-	-	1	3 2	3 5	8	6 8	106 194
	oesophagus (150)	M	32 37	-	-	-	-	-	- 1	2	7 9	13	10	104 165
	stomach (151)	M F	172 130	-	-	-	=	e. e.	4	8 7	41 34	60 31	59 58	130 128
	intestine and rectum (152-154)	MF	132 155	-	-	-	-	2	1 5	10	35 29	41 51	43	98 96
B19 <	larynx (161)	M F	11	-	-	-	-	_	. 1	-	-	4	6	111 47
	lung, bronchus (162)	MF	343 60	-	-	-	-	2	12	33 6	102 17	130	64	7 9 67
	breast (174)	M	171	-	-	-	-	2	15	21	50	41	1 42	219 94
	uterus (180-182)	F	70	-	-	-	-	3	8	8	18	12	21	99
	prostate (185)	M	72	-	-	-	-	-	-	1	4	27	40	95
	Leukaemia (204-207)	M F M	36 30 213	-	3	6	1	1	1 1	5 3	5 4	10	7 11	123 118
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F	246	-	1	1	6 3	3	10	13 25	54 50	67 75	59 76	87 93
B20	Benign neoplasms and neoplasms of unspecified nature	M	9	~	-	-	2	. 1	- 2	2	2 4	3	- 1	81 101
B21	Diabetes mellitus	M	29 50	-	-		_	-	-	1 2	6 8	13	9 21	91 93
B22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-	-	-	- 1	-
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	14 23	2 2	1 -	2	1 -	1 -	-	2	2 4	2 9	1 7	49 157 121
B23	Anaemias	М	14	-	_	1	_	_	_	_	1	2	10	140
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M	18	-	1	-	1 -	-	1		1 -	4	10	88
	22004-101ming Organs (286-289)	F	1	m-		-	-	-		-		-	1	41

						Wales I	I (remai	nder)					
ICD B List	Cause of death						Age (in	years)					S.M.R. (England
Number		All ages	Under 1	1-	5=	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315)	5 3	_	DH-	-	-	-	-	-	3 1	-	2 2	66 20
B24	Meningitis M	-	-		-	-	-	-		-	-	-	-
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389)	47 61	-	1	1	7 2	3 4	3 5	6 8	7 11	12 14	7 17	93 112
B25	Active rheumatic fever MF	_	-	-	-	-	-	-	-	-	_	-	-
B26	Chronic rheumatic heart disease MF	46 71	-		-	- 1	_	2 2	8 11	12	13 23	11 23	100
B27	Hypertensive disease MF	115 152	-	_	-	-	1 -	3 3	7 6	28 20	38 41	38 82	131 130
B28 B29	Ischaemic heart disease MF Other forms of heart disease M	1,559	-	-	-	-	2	36 5	113 16	356 96	558 320	494 631	106 98
	F	268 423	-	-	1 -	2	2 -	1 -	7 4	25 16	47 70	183 332	112 114
B30 B46 (pt.)	Cerebrovascular disease MF Other diseases of the circulatory MF	684 1,049 169		-	1	4	2 3	8 5	20 20	89 70	214 284	351 662	114 116
	system (440-458) F	258	-	-	_	-		3	6 3	26 13	37 46	99 193	83 100
B31 B32	Influenza MF Pneumonia M	27 38 250	1 11	-	. 1	-	- 1 1	- 1	1 1 14	3 2 23	6	16 27	77 74 73
B33 (pt.)	F	268	15	2	Size .	1	1	1	5	11	65 47	135 185	64
B33 (Rem.)	Asthma (493) F	336 96 9	-	1	-	-	1 -	1 1 1	14 3	77 10 2	133 30 5	110 51 1	77 65 82
B46 (pt.)	Other diseases of the respiratory M	8 87	- 6	1	2	1	- 1	-	1	2	1	1	57
B34	system (460-466, 500-519) F Peptic ulcer M	48 54 32	1 1 0	1	1	1111	-	3	4 2 4 1	20 4 6 7	26 6 25 8	27 34 16 16	138 97 108 113
B35	Appendicitis MF	5 3	-	-	-	-	-	_	-	2	3	- 1	135 95
B36	Intestinal obstruction and hernia M F	17 12	3	_	-	1 -	_	-	-	1	6 4	7 7	88 47
B37 B46 (pt.)	Cirrhosis of liver MF	25 11	-	-	-	-	2	1 -	3 2	6	8 2	5 3	191 86
	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	37 53	2 -	-	-	-	1	3	3	5 7	10 15	12 27	97 89
B38 B39	Nephritis and nephrosis M F Hyperplasia of prostate . M	27 32 51	-	-	-	2	1 4	2 2	3 4	6	7	6 5	114 159
B46 (pt.)	Other diseases of the genito-urinary M system (590-599, 601-629)	43 75	-	~	-	1 1	-	1	3	6 7	9 9 20	42 23 45	167 132 165
B40 B41	Abortion F Other complications of pregnancy,	1 -		-	-	- Can	-	-	-	-	-	-	ens
B46 (pt.)	childbirth and puerperium F Diseases of the skin and M	4 2	-	-	-	1	2	1	-		-	-	. 179
	subcutaneous tissue (680-709) F	2	-	-	-	-	-	-	-	-	1	1	96 47
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) F Congenital anomalies M	14 33 36 38	26 25	- 4 3	2	1 2	1 - 2	1 -	1 1 1 1	2 3 1	13 1 2	6 15 2	115 109 93
B43	Birth injury, difficult labour and M	23	23	-	-	-	~	_	۳. ۳.	-	-	-	113 69
B44	other anoxic and hypoxic conditions F Other causes of perinatal mortality M F	19 32 31	19 32 31	-	-	-	-	-	=	-	-	-	95 112 146
B45	Symptoms and ill-defined conditions M	44 65	-		-	-		-	ma em	1	6	38 64	180 121
BE47	Motor vehicle accidents M	75 29	-	7 3	5	22	8 2	8	6 2	9	6	4 6	106 83
BE48	All other accidents M	95 99	3 5	4 6	5	17 2	6	8 2	8 3	11 5	9	24 64	119 100
BE49	Suicide and self-inflicted injuries M	31 27	-	-	-	3 2	3 2	5	7 4	5 12	7 6	1	69 83
BE50	All other external causes M	14 12	**	1 -	-	2	1	1	1	3 3	3 3	1	96 110
BN47	Fractures, intracranial and M internal injuries F	127 95	1 -	7	7	26	10	14	13	13	11	25 59	103
BN48	Burn M	6 7	-	1	-	-	1	2	, -	1 -	1	1 5	122 110
BN49	Adverse effects of chemical M substances F	25 38	1 -	1	-	2 4	2 3	3 4	1 5	10	3 6	3 4	61 86
BN50	All other injuries MF	57	1 5	3	3 -	14	6	6	8	6	10	3	139 136

TABLE 19 - continued

							Con	urbations	5					
ICD	Cause of death							Age (in	years)					S.M.R.
B List Number			All ages	Under 1	1-	5=	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers		3,879 3,611	3,283	492 416	524 330	1,025	1,068	2,566 1,785	7,966	21,668	29,171	31,116	105
	ALL CAUSES Rates	M 12	,360	22,783	849 755	437 290	831 368	1,009	2,483 1,770	7,512 4,386	11,491 22,343 10,584	56,886	51,869 148,313 104,196	101
B1	Cholera	М		-	-		-	-	-		20,504	20,000	-	_
B2	Typhoid fever	F M F	1	=	-	-	-	1	-	-	-	-	-	143
В3	Bacillary dysentery and amoebiasis	М	5	2	1			_	_	1	_	_	1	167
B4	Enteritis and other diarrhoeal diseases	F M F	1 153 119	100	14 14	1 1	3 -	-	2	2 4	6 6	14 7	1 11 23	59 123 107
B5	Tuberculosis of respiratory system	M	462 162	-	1	1	-	5 7	23 23	67 22	135 26	134	96	129 130
B6	Other tuberculosis, including late effects	M	150 97	1 -	1	1 -	6	6 8	8	22 14	51 22	36 16	18 22	111 125
B7	Plague	M F	-	-	-	- m		-	-		-	-	-	_
B8	Diphtheria	M F	-	-	-	***	-	-	-	_	-	-	, [_
B9	Whooping cough	M	7 2	7 2	-	-	_		-	-	~	-	-	224 96
B10	Streptococcal sore throat and scarlet fever	M F	-	-	-	_	_	-	-	=	-	-	-	50
B11	Meningococcal infection	M	22 14	9 3	6 5	3 2	1	1	-	- 1	1 1	1 1	_	101
B12	Acute poliomyelitis	M F	-	-	-	-	-	-	-	=	-	-	-	. =
B13	Smallpox	M	-	-	_	_	-	-	-	-	_	_	-	-
B14	Measles	M F	8	2 3	6 5	1	-	-	-	-	-	-	-	103 95
B15	Typhus and other rickettsioses	M	-	-	-	-	_	-	-	-	-	-	-	-
B16	Malaria	M F	1 -	-	-	-	=	-	-	1	_	-	-	143
B17	Syphilis and its sequelae	M	49 40	-		-	-	-	2	2 2	10	24 14	11 14	143 147
B18	All other infective and parasitic diseases	M	145 165	12 17	7 8	13 3	7 7	4 10	9	21 13	29 31	27 28	16 37	85 95
[Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	375 214	-	.=	-	1	3 -	9	40 25	91 45	132 53	96 81	113 100
	oesophagus (150)	M F	610 410	-		-	. 1	2	12	63 40	163 76	211 120	158 166	112 99
	stomach (151)		,512	-		-	1	11 11	70 27	229 109	740 324	925 638	536 893	107 107
	intestine and rectum (152-154)	F 3	,432	-	-	1	3 1	19 23	66 70	221 217	562 567	780 885	781 1,289	104 103
B19 <	larynx (161)	M F	229 48	-	-	_	-	-	6 -	24	17	88	7	134 120
	lung, bronchus (162) breast (174)	F 1	,451 ,993	-	1	-	1	19 8	171 62	1,038 268	3,260 554	3,542 659	1,420	120 118
		M F 3	,509	-	-	-	3	35	205	5 659	978	13 847	782	97 100
	uterus (180-182)		,364	-	1	-	4	21	77	280	373	326	282	100
	prostate (185) Leukaemia (204-207)	M 1.	,250 544	5	25	36	31	24	29	23 50	156 118	407 139	663	102 99
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F M 4	479 ,850 ,249	1 5 4	12 31 31	24 45 40	25 94 57	14 120 78	25 241 211	49 598 604	79 1,371 1,195	106 1,412 1,513	144 933 1,516	97 108 104
B20	Benign neoplasms and neoplasms of unspecified nature	M	262 269	5 4	5	14 12	5	8	20	43 55	7 5	52 55	35	121 106
B21	Diabetes mellitus	M	536 979	-	1	4 9	1 5	10	22	27 48	100 119	173 332	56 198 434	98 100
B22	Avitaminoses and other nutritional deficiency	M	20 35	1 2	-	~	1	-	- 1	4	5 2	3 10	7 19	83 93
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	178 376	33 21	6	15 12	5 5	6 7	11	20 35	35 61	27 81	25 130	102 104
B23	Anaemias	M F	179 421	4 3	3	6	3	3	3	6	19	43	89	106
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M F	38 47	3 4 2	1 1	6 4 2	2 4 1	3 -	7 5 1	10	30	77 5 13	278 6 18	112 95 102

						Conu	rbations						
ICD B List	Cause of death				-		Age (ir	years)					S.M.R. (England
Number		All ages	Under 1	1-	5-	15-	25-	35~	45~	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) Meningitis	363 75	26 15	12	1 - 4 1	6 3 2 3	9 6 2	9 10 2 1	10 12 3 5	11 25 12 8	28 52 8 9	97 255 4	131 129 104
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) FACTIVE rheumatic fever	982 1,100 3	35 29	22 14 -	23 20 1	47 27	40 26 1	63 60	103	177 167 1	223 260	249 394	92 104 105 75
B26 B27	Chronic rheumatic heart disease F Hypertensive disease F	1,006 1,701 1,618	1	-	1 1	9 3 2 1	25 32 10	77 91 67 32	186 221 153 76	298 420 369 201	231 443 477 563	180 490 540 1,304	122 116 113 106 103
B28 B29	Ischaemic heart disease M Other forms of heart disease M F	19,533	10	1 - 3 6	1 6 6	7 2 11 11	75 11 26 13	270 95 53 38	7.708 138 80		8,309 5,501 931 964	7,429 11,346 2,122	102 99 96
B30 B46 (pt.)	Cerebrovascular disease M Other diseases of the circulatory M system (440-458) F	15,163 3,351	3 4 2 3	2 2 -	6 7 - 2	11 18 10 2	50 34 12	120 144 41 36	459 447 145 110	1,667 1,368 509 279	2,942 3,520 971 872	280 2,619 1,661 3,588	95 96 93 100 104
B31 B32	Influenza MF Fneumonia MF	789 6,503	4 4 472 336	3 3 50 64	31 16	6 2 30 8	5 2 15 23	12 10 53 45	21 11 174 110	51 57 581 406	127 126 1,571 1,334	224 574 3,526	79 84 115
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF Asthma (493) M	3,379	17 18 2	5 3 3	15	4 3 16	12 5 9	52 30 21 28	367 131 34 41	1,918 381 51 69	3,265 923 39 59	3,016 1,885 19 45	117 125 97 101
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519) Feptic ulcer	928	179 125 4	28 22 -	8 6	4 6 4	10 6 2	17 18 21 7	58 33 64 26	149 70 202 57	239 136 330 128	283 474 301 327	86 95 108 106
B35 B36	Appendicitis MF Intestinal obstruction and hernia MF F	60 59 359 471	- 46 34	4 - 8 2	2 3 1 3	3 4 5 2	3 2 1 2	3 2 6 3	7 6 21 15	12 11 42 43	15 12 75 93	11 19 154 274	88 98 108 100
B37 B46 (pt.)	Cirrhosis of liver MF Other diseases of the digestive system MF (520-530, 534-537, 561-570, 572-577) F	280 267 733 1,179	1 19 16	2 1 5 3	1 1 5	3 - 11 7	1 6 17 7	26 8 27 22	50 34 61 47	99 82 156 160	71 74 203 314	27 61 233 598	112 109 109 107
B38 B39 B46 (pt.)	Nephritis and nephrosis M Hyperplasia of prostate M Other diseases of the genito-urinary system (590-599, 601-629) F	454 379 441 537 827	2 1 10 5	2 1 2 1	6 2 - 3 2	16 11 - 5 2	23 12 - 6 10	34 28 18 25	71 36 2 42 51	108 65 31 92 104	91 93 10 1:	100 130 304 222 444	102 99 92 97 98
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	27 56	-	60 En	-	10	12 28	5	-	-	٠,	-	156 109
B46 (pt.) B46 (Rem.)	Diseases of the skin and subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M	37 73 229	1 3	1 -	1	- 1	3	2 - 7	3 7 21	3 7 60	15 13	12 42 61	100 92 107
B42 B43	and connective tissue (710-738) FCongenital anomalies F	601 847 775	5 73 518	67 66	3 49 35	7 33 23	13 10 9	16 15 18	26 24 29	77 37 20	141 23 33	318 16 24	107 37 101
B44	Birth injury, difficult labour and other anoxic and hypoxic conditions of ther causes of perinatal mortality F	851 540 734 564	851 540 734 564	-	-		-	-		-	=	-	110 114 111 113
B45	Symptoms and ill-defined conditions M F	243 698	5 11	2	-	4	4 4	2 3	7 3	6	15 21	198	64 72
BE48	Motor vehicle accidents MF All other accidents MF F	1,298 665 1,541 1,622	2 6 78 56	42 26 107 74	120 53 92 38	340 74 132 26	125 23 118 33	104 29 139 40	102 40 166 74	168 93 198 111	136 153 171 212	159 168 340 958	90 96 99 87
BE49 BE50	Suicide and self-inflicted injuries MF All other external causes MF	1,016 740 340 237	18	13 17	1 1 5 4	90 43 42 17	162 61 47 34	151 97 47 24	206 133 50 31	213 181 59 39	121 149 39 27	72 76 20 34	112 113 113 105
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M F	2,311 1,755 91 136	20 13 3 2	74 47 9	154 66 5 7	423 86 5 5	212 45 7 9	218 47 8 10	211 68 8 12	324 150 14 18	250 295 17 8	425 938 15 52	95 87 95 111
BN49 BN50	Adverse effects of chemical Msubstances FAll other injuries MFF	1,062 1,056 731 317	6 4 69 53	37 37 42 20	15 13 44 10	98 54 78 15	152 79 81 18	144 114 71 19	217 169 88 29	187 208 113 48	112 191 80 46	94 187 57 59	127 119 87 78

									e conurba					
ICD B List	Cause of death								years)					S.M.R. (England
Number			All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers	M	40,846 39,012	1,231	202 153	185 132	429 169	316 247	1,019	3,021 1,924	8,301 4,519	12,513	13,629 21,215	103
	ALL CAUSES Rates	M	12,850 11,575	22,924 17,485	910 717	378 281	830 342	803 675	2,546 1,685	7,311 4,512	22,213 10,716	56.137	144,682 101,653	
B1	Cholera	М	-	-	-	-	~	_	-	-	-	-	_	_
B2	Typhoid fever	F M F	1	-	- 1	-	-	-	-	-	1	-		378 769
B3	Bacillary dysentery and amoebiasis	М	-	-	-		ens ens	-	-	_	_	_	_	-
B4	Enteritis and other diarrhoeal diseases	F M F	49 56	35 25	8 9	1	1	-	-	2	4.4	- 6	2 8	102 128
B5	Tuberculosis of respiratory system	М	170	-	-	-	-	1	7	18	62	55	27	115
B6	Other tuberculosis, including late effects	F M F	56 58 21	-	2	-	1 1 1	2 2 -	7 4 3	13 7 4	8 14 4	15 19 6	10 9 3	112 105 67
B7	Plague	M	~	-	-	-	-	-	-	-	_	0.0	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	_	-	-	-	=
В9	Whooping cough	М		_	-	-	-		-	_	_	-	_	_
B10	Streptococcal sore throat and scarlet fever	F M F	-	-	-	-	~	-	-	-	-	-	-	=
B11	Meningococcal infection	M	9	5 2	3 2	-	-	-	-	**	1	-	**	107
B12	Acute poliomyelitis	M	-	-	-	-	-	-	1	-	1 -	-	-	. 106
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	_
B14	Measles	M F	6	2	1 2	2	-	~~ ~~ !!!	1	-	~	_	-	201 82
B15	Typhus and other rickettsioses	M	~	-	-	-	-	-	-	-	-	_	-	-
B16	Malaria	F M F	1	-	-		1 1 1	-	- 1	-	-	-	-	- 368
B17	Syphilis and its sequelae	M	10	-	-	-	-	_	1	1	4	3	1	70
B18	All other infective and parasitic diseases	F M F	14 81 70	16 6	3 2	5	5 4	2 4	3 6	9	2 10 16	8 12 9	16 13	125 118 101
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	159 99	-	-	-	-	1 -	4 2	10 14	29 24	65 31	50 28	114 114
	oesophagus (150)	MF	209 167	-	-1	-		-	5	22 12	53	70	59	92
	stomach (151)	M F	1,089	-	-	=	. <u>-</u> 1	7 2	26 14	87	30 294 132	63 409 215	61 266 372	98 111 100
	intestine and rectum (152-154)	M F	998 1,220	-	-	-	1	2 3	27	88 74	222 206	329 367	329 552	101 100
B19	larynx (161)	M	73 17	-	-	-	-	1		6 2	17	28	22	101 104
	lung, bronchus (162)	M	3,499 672	-	-	-	<u>4</u> 2	7 6	60 26	379 81	1,182	1,373	494	108
	breast (174)	M F	1,419	-	-	-	-	11	78	1 254	8	357	143 3 315	98 136 100
	uterus (180-182)	F	569	-	1	-	-	1	41	117	149	149	111	104
	prostate (185)	M	491	-	1	-	-	-	1	4	52	176	257	92
	Leukaemia (204-207)	MF	222 200	-	9	16 15	10	5 5	16	19 22	45 33	58 53	44 50	98 100
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M F	1,892 2,031	-	13	16 7	38 12	38 29	91 64	224 230	490 482	599 598	383 598	102
B20	Benign neoplasms and neoplasms of unspecified nature	M	68	-	2	1	3	4	5	12	18	15	8	78
B21	Diabetes mellitus	F M F	101 222 381	2	2 -	3 1 1	2	2 4 3	8 8 5	17 15 9	23 46 52	17 60 144	23 86 166	99 96 94
B22 ·	Avitaminoses and other nutritional deficiency	M	15 16	-	-	-	-	-	1	2	4 2	5 2	3	152
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	67 150	15 6	6 5	4 3	1 2	1 2	2 3	1 3 12	2 13 21	9	11 13 54	102 95 102
B23	Anaemias	M	70	-	1	2	-	2	-	4	6	21	34	97
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	130 14 17	1 -	2 1 -	2 2	-	1 1 1	2	9 1 2	12 3 3	31 3 5	72 3 4	84 87 90

			,		Ur with	ban area	s outsid	e conurb	ations and over				
ICD B List	Cause of death	All					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) M F Meningitis M M	26 74 30 25	15 8	1 2 1	- 2	2 2 1	1	- 1	3 3 1 2	6 7 2 4	2 13 4 7	13 48 2 2	47 63 106 114
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M	380 366 3	14 13 -	7 8 -	11 11 1	22 5 -	9 16 -	19 16	36 36	78 50 2	91 91 -	93	98 86 187 61
B26 B27	Chronic rheumatic heart disease MF Fypertensive disease MF Fy	358 716 655 866			-	2 1 1 2	8 9 3 4	31 37 21	62 108 48 28	103 170 128 70	94 206 222 221	58 185 232 532	101 118 101 98
B28 B29	Ischaemic heart disease MF Other forms of heart disease MF F	11,316 8,510 1,598 2,499	- 3	2	1	1 1 4 4	21 8 5 6	284 53 14 12	1,060 195 49 32	2,775 828 164 118	3,764 2,326 422 387	3,411 5,099 936 1,935	105 103 94 89
B30 B46 (pt.)	Cerebrovascular disease MF Other diseases of the circulatory MF system (440-458) F	4,322 6,539 1,467 1,975	3 2	1 - -	2 1 1 -	11 4 2	13 16 4 4	66 56 11 17	182 176 60 54	658 519 205 125	1,363 1,521 410 371	2,025 4,246 771 1,402	101 96 102 101
B31 B32	Influenza MF Pneumonia MF F	221 324 2,516 3,106	148	28 21	7	2 - 8 7	1 1 10 12	2 2 20 19	7 3 75 56	24 22 239 154	55 46 598 508	129 250 1,383 2,202	88 83 103 97
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF Asthma (493) MF	3,464 1,152 77 118	2 4 -	2 1 - 1	2 2 5	2 2 6 8	2 1 6 3	19 13 11 8	155 55 12 21	695 145 14 26	1,326 306 15 32	1,259 625 11 14	110 103 88 106
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M	541 399 367 217	90 54	10 15	2 3 -	6 1 1	7 2 3	7 4 6	24 20 32 13	91 35 69 23	153 72 130 62	151 193 126 119	115 104 101 101
B35 B36	Appendicitis MF Intestinal obstruction and hernia MF F	37 22 131 204	1 15 16	1 1 1	3 - 1	1 -	1 1 -	3	1 1 10 3	8 3 12 14	6 8 32 50	13 8 55 119	130 90 93 105
B37 B46 (pt.)	Cirrhosis of liver MF Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	107 104 276 446	1 6 5	1 - 2	1 -	1 3 2	1 1 5 7	10 8 12 13	21 12 17 26	30 31 45 56	27 26 84 102	15 22 105 234	105 105 97 98
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629) F	170 161 191 237 334	1 - 4 1	1 1 - 2 1	1	6 4 - 4 2	3 12 - 1 5	18 7 - 3 10	22 15 10 20	38 24 7 42 52	45 39 53 59 77	36 58 131 111 166	93 104 90 100 96
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	7 21	-	-	-	6	11	3	1	-	-	-	106
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M and connective tissue (710-738) F	12 27 82 217	-	-	- 1	1	1 1 5	2 2 9	1 8 15	2 1 27 33	- 6 12 56	8 17 31 97	78 32 91 94
B42 B43	Congenital anomalies M F Birth injury, difficult labour and M	365 316 326	254 214 326	33 18	12 17	16 10	6	8	10 11 -	15 14	10 10	5 8	110 108 113
B44 B45	other anoxic and hypoxic conditions F Other causes of perinatal mortality M F Symptoms and ill-defined conditions M		198 220 175	-		1		3	3	1	9	108	111 89 93
BE47 BE48	Motor vehicle accidents MF All other accidents M	531 280	2	1 26 10 35	41 24	161 38	44	39 15	41 19	56 47	14 66 46	239 57 73 192	90 100
BE49	F Suicide and self-inflicted injuries M F	677 792 379 272	51 30	18	44 15 -	53 10 20 11	39 8 31 16	59 8 65 36	54 18 80 53	82 34 81 68	68 96 62 56	555 40 32	106 103 104 105
BESO BN47	All other external causes M F Fractures, intracranial and M	153 102 946	14	30	49	188	13 8	24 6	26 11 73	24 25	118	13 15	127 115
BN48	internal injuries F Burn M F	864 50 60	2 2 -	14 4 3	31 1 1	44 3 1	12 2 3	23 7 1	27 10 3	62 2 2	107 4 14	542 15 32	104 129 120
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	397 357 347 165	1 5 44 37	11 6 18 8	3 1 36 6	23 13 42 8	30 20 21 5	75 34 30 7	73 51 45 20	75 87 53 23	67 67 28 23	39 73 30 28	118 101 103 103

					1	With pop	rban are	as outside of 50,00	de conurl	ations der 100,	000			
ICD B List	Cause of death		A11					Age (i	n years)					S.M.R. (England
Number			ages	Under 1	1-	5-	15-	25-	35-	45-	55~	65-	75 and	and Wales = 100)
	Numbers	M	28,430 28,652	849 584	131	155 98				2,039 1,299	5,438 3,048	8,408 6,537	10,088	99
	ALL CAUSES Rates	M	12,382 11,600	21,714 15,956	779 622			934	2,372	6,935 4,248	21,135	53,554	140,111	
B1	Cholera	M	-	-	-	-	_	-	-	4,240	10,339	20,040	101,899	
B2	Typhoid fever	F M F	-	-	-	-	-	=	-	-	-	-	-	-
B3	Bacillary dysentery and amoebiasis	М	1	_	-	-	_	1				_	-	114
B4	Enteritis and other diarrhoeal diseases	F M F	39 36	24 17	6	1 1 1	-	-	- 1	- - 1	3 5	2	3	201 111
B5	Tuberculosis of respiratory system	М	91	-	_	_	_	2	3	13	28	32	13	113 86
B6	Other tuberculosis, including late effects	F M F	32 34 18	-	-	-	-	1	1 1	5 5 2	12 14 4	8 7 3	7 7	88 86
B7	Plague	M	-	_		_	-		_	-	~	2		79
188	Diphtheria	F M F	-	-	-	-	-	-	-	=	-	-	-	:
В9	Whooping cough	M	-	-	_	-	_	-	_					_
B10	Streptococcal sore throat and scarlet fever	F M F	1	2 -	-	-	-	-	-	~ ~	- 1	-	-	359 - 250
B11	Meningococcal infection	MF	7	2	3	-	2	_	-	-	-	an a	_	113
B12	Acute poliomyelitis	M	6 -	1 -	3 -	-	-	-	-	-	1	-	-	144
B13	Smallpox	M	-	-	_	-	-	-	_		-	_	_	-
B14	Measles	MF	2 2		2 2	-	-	-	-	-	-	-	-	89 73
B15.	Typhus and other rickettsioses	M	1		-	_	-	1	-	_	_	_		68
B16	Malaria	F M F	1	-		. =	-	-	-	-	1	-	-	527
B17	Syphilis and its sequelae	м	9		_	_	_	-	800	1	2	4	2	89
B18	All other infective and parasitic diseases	F M F	2 41 45	9 5	1 2	4	4 6	2 3	1 3	6	1 6 9	1 4 3	4	25 83 89
	Malignant neoplasm of:									-		3	10	03
	buccal cavity and pharynx (140-149)	M F	87 74	-	-	-	-	1 3	3 2	5	21	21	36 31	87 117
	oesophagus (150)	MF	169	-	_	_	_	1	4	13	41	62	48	103
	stomach (151)	M	135 682 505	-		-	-	1 3 3	2 15 9	9 66 23	24 177 77	36 264 157	63 157 236	109 97 90
	intestine and rectum (152-154)	M	707 864	ero -		-		3	13	64	140	240	247	99
B19	larynx (161)	M F	43	-	_	-	=	4 -	22	50	149 14 3	253 15 1	386 12 4	97 82 69
	lung, bronchus (162)	MF	2,237		~	-	1 1	8 4	44	227	737	813	407	97
	breast (174)	M F	1,070	-	~	-	-	14	17 1 69	68 2 182	144 2 295	177 2 268	99 1 242	104 108 105
	uterus (180-182)	F	392	-	tw.	-	-	4	21	86	101	99	81	99
	prostate (185)	M	374	-	-	-	-	-	-	5	34	123	212	96
	Leukaemia (204-207)	MF	160 140	- 1	10	12	5	4 7	12	17	32	30	38.	98
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M	1,284 1,429	3 -	7	10	6 25 14	19 16	7 81 48	18 143 170	17 344 304	39 364 414	35 289 443	96 97 97
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	MF	64 66	1 1	2	2	4 3	1	9	11	12	13	9	102 90
B22		M	179 266	-	-	-	1 -	4 2	10 2	12	32 30	49	71	106
B46 (pt.)	Avitaminoses and other nutritional deficiency Other endocrine, nutritional and	M F M	12	-	-	-	- -	-		1	-	2	10	28 104
	metabolic diseases (240-246, 251-258, 270-279)	F	113	6	2 5	3 5	1 1	3	5	4	5 19	28	8 39	78 105
B23	Anaemias	M	50 100	2	-	1	***	1	2	-	4	20	20	94
B46 (pt,)	Other diseases of blood and blood-forming organs (286-289)	M F	13	1	-	1 -	1	2 2	2	1 2 2	12 2 2	22	63 2 7	87 111 102

				wi				conurba		00			
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5=	15-	25~	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) MF	30 67	-	-	-	1 -	1 -	2	2	5 10	9	12 42	74 78
B24	Meningitis M F	18 13	5	1	1	1 -	-	-	2	3 2	1	1 3	87 83
B46 (pt.) B25	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M F	298 319 1	11 3 -	7 8 -	8 12 - 1	20 11 -	15 8 - -	17 14 -	28 21 -	39 35 -	87 83 -	66 124 1	106 103 86 83
B26	Chronic rheumatic heart disease MF	230 390	_	-	-	3	4 6	14	35 43	70 94	62	42 120	91 89
B27	Hypertensive disease MF	419 621	1 -	-	Ξ	-	1	10	34 12	104	125 175	144 369	90 96
B28 B29	Ischaemic heart disease MF Other forms of heart disease MF F	7,731 5,972 1,228 2,153	1 - 1	1	- 4 2	2 5 2	17 5 5	205 32 7	719 127 33 25	1,795 499 103 84	2,534 1,578 300 332	2,461 3,728 770 1,699	99 98 98 103
B30	Cerebrovascular disease M	3,098	1	-	3 -	2 6	12 6	35 36	130 105	411 342	950	1,554 3,340	99 98
B46 (pt.)	Other diseases of the circulatory M system (440-458)	1,026	1 -	-	_	1 2	8 7	16 11	39 32	149 87	264 262	548 999	97 96
B31 B32	Influenza MF Pneumonia M	209 336	1	-	1	2	2	2	8	21 14	51 53	127 257	113 115
	F	1,790 2,210	100	13	6 13	13	10	14 12	62 35	172 113	389 346	1,011	99 93
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF Asthma (493) FF	2,311 808 66 74	3 -	2	1 2 4	2 2 9 4	2 1 3 6	23 6 5 7	92 48 4 14	464 116 15 15	901 223 16 15	826 407 8 12	101 98 105 92
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M	382 297 298 152	64 39 -	20 9	1 5 -	1 1	2 4 1 1	6 4 6 3	15 17 24 2	52 19 45	102 44 120 39	116 155 101 92	112 104 113 96
B35	Appendicitis MF	23 17	_	1	1	2	- 2	1	2	3	7 4	6	112 95
B36	Intestinal obstruction and hernia M F	94 168	8	3 -	1	1	2	3 4	2	6	26 36	43 98	91 117
B37	Cirrhosis of liver MF	61 73	_	3	1	-	-	1 2	14 11	17 28	· 18	10 12	84 103
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	200 337	1 3	2 3	1 -	1	3 3	7 7	17	33 34	67 97	76 172	97 101
B38 B39 B46 (pt.)	Nephritis and nephrosis M F 		- 1	- 2	3 3 2	7 3 -	3 -	7 6 - 4	21 10 3 7	32 21 9 24	27 35 37 51	24 40 107 94	95 107 98 107
B40	system (590-599, 601-629) F Abortion F	275	2 -	1	2	1	2	8 :	14	32	76	137	108
B41	Other complications of pregnancy, childbirth and puerperium F	10	-	-	-	3	4	3	-	-m	-	en	68
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F	13 22	1	-	-	1 -		-	4	1 5	9 2	1 9	115 91
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) F Congenital anomalies M	50 162 222 213	154 131	- 11 13	- 14 9	- 3 5 11	4 2 1	1 4 5 11	5. 7 8 10	11 24 10 11	15 40 10 10	18 80 3 6	77 96 92 101
B43	Birth injury, difficult labour and Mother anoxic and hypoxic conditions For Content of the causes of perinatal mortality Mother causes of perinatal mortality M	125	206 124 211	1	-	-	-	-	-	-	-	-	98 99 117
B45	Symptoms and ill-defined conditions M	134	134	1			-	- 4	1	-	- 6	114	100
	F	297	1 -	-	-	-	1	1	2	2	8	283	96
BE48	Motor vehicle accidents M F All other accidents M	460 204 482	33	11 9 19	42 11 26	137 28 46	50 6 35	35 11 35	41 16 47	56 34 60	39 40 51	49 130	100 104
BE49	F Suicide and self-inflicted injuries M	616 279	31	9	5	6 25	30	14 35	15 51	39 62	82 42	412	108
BE50	All other external causes M F	211 75 66	2 5	3 2	4 3	7 9 3	13 6 10	25 11 4	42 7 9	60 14 8	42 13 15	22 6 7	113 87 102
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M	737 645 38 31	3 7 1	15 11 6 2	50 14 2	158 29 3	68 11 2 1	59 15 3 3	70 22 2 2	97 56 3	68 90 9 5	149 390 7 15	103 105 134 84
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	267 297 254 124	- 31 29	2 2 10 5	7 2 14 3	24 10 32 5	26 13 25 7	41 30 13 6	41 49 33 9	49 61 43 21	41 69 27 15	36 61 26 24	111 116 105 106

***************************************						Uri wi	an areas	outside	e conurba	ations ,000				
ICD B List	Cause of death							Age (1	n years)					S.M.R. (England
Number		age		Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and	and Wales = 100)
	Numbers	M 65,5		1,747	340 272	325 198	665 311	586 377	1,454 1,018	4,415	12,075 6,684			100
	ALL CAUSES Rates	M 12,5 F 11,5	86 1	19,875	915 773	402 257	901 420	918		6,919	20,755	53,775	145,851	101
B1	Cholera	М	-		-	-	420	351	1,582	4,193	10,080	28,304	107,783	_
B2	Typhoid fever	F M F	-	-	-	-	-	-	_	-	_	-	-	=
B3	Bacillary dysentery and amoebiasis	M	2	_	_	1	-	_	_	100	_	-	1	102
B4	Enteritis and other diarrhoeal diseases	F M F	2 69 58	1 39 24	1 11 6	5	1 1	-	=	-	6 4	4 10	3 12	184 88
B5	Tuberculosis of respiratory system		95	1	-	_	_	1	10	14	50	75	44	81
B6	Other tuberculosis, including late effects	M	61 91 50	-	1 2	1	1 1 -	1 2	3 2 3	12 9 5	12 29 13	13 34 14	19 12 13	76 102 100
B7	Plague	M	-	~	ton.		-	_	-	_		_	-	
B8	Diphtheria	M	1	-	1	-	-	-	-	-	-	-		464
B9	Whooping cough	M	-	-	-	-	_	_	-	_		_	_	_
B10	Streptococcal sore throat and scarlet fever	M F	2	-	-	2	-	-	-	-	-	-	-	229
B11	Meningococcal infection		15	3 8	8 3	2	- 1	-	-	_	~	2	-	109
B12	Acute poliomyelitis	M	-	-	3 -		~	-	_	-	-	-	-	140
B13	Smallpox	M	-	-		900	_	_	_	-	_		_	_
B14	Measles	MF	6 9	3	5 2	- 4	-	-	1	-	-	-	-	121
B15	Typhus and other rickettsioses	М	-	_	_		_	_	-	_	_	_	-	149
B16	Malaria	F M F	1	-	-	, -	-	-	-	-	- - 1	-	-	-
B17	Syphilis and its sequelae		21	-	-	_	ma		_	1	10	7	3	229 90
B18	All other infective and parasitic diseases	M 1	15 06 11	16 18	6 2	2 3	2 5	3 5	9 6	1 15 11	1 22 18	11 18 25	2 13 18	84 96 100
٢	Malignant neoplasm of:												10	200
	buccal cavity and pharynx (140-149)	M 2:	L1 28	-	1	_	2	1	3 4	18 11	39 25	80 37	69 49	92 92
	oesophagus (150)	M 3.		-	-	1 =	-	1	6	33	103	111	105	96
	stomach (151)	M 1,5	31	-	top.	Ę	=	5 2	3 30 22	14 123 62	46 427 189	76 574 376	125 422 624	96 98 103
	intestine and rectum (152-154)	M 1,63 F 1,90		-	-		- 1	5 8	44 31	133	352 330	569 608	529 868	100
B19 <	larynx (161)		22	-	_	-	-	-	- 1	7 -	17	40	28	77 85
	lung, bronchus (162)	M 4,5'	77	-	-	1 1	2	7 2	100	480 138	1,460	1,799	728 179	87 86
	breast (174)	M 2,2	7	-	-	-	1	21	143	3 357	566	576	557	101 99
	uterus (180-182)	F 90	9	-	-	-	2	9	58	153	223	242	222	104
	7 1 (0-1)	M 9:		-	Ban	1	1	-	2	6	99	305	518	103
	042	M 37 F 34 M 2,90 F 3,18	9	1 5 1	12 19 22 17	32 22 22 18	15 10 47 35	14 15 70 54	17 20 139 127	34 43 304 350	78 53 711 681	97 66 903 980	73 93 686 920	101 106 96 97
B20	Benign neoplasms and neoplasms of unspecified nature	M 13		3	2 2	6	6	4	13	25	31	26	18	93
B21	Diabetes mellitus	M 39 70	9	1 -	1	3 3	6 4 2	4 7 4	10 7 4	18 19 16	30 69 95	33 135 254	31 154 321	87 103 107
B22	deficiency	F 2	7	3	-	1	-	2	-	1	5 2	3	2	106
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	3.0	8	20	5 7	7 5	2 5	5 6	4 4	11 9	30 32	5 28 61	13 16 79	83 111 93
B23		M 12		1	-	2	2	1	2	4	21	31	59	101
B46 (pt.)	Other diseases of blood and		6 2 9	2	4	1 2 1	3 1 1	1 2 1	3 1	7 3 2	12 6 6	59 5 7	161	98 122 96

ICD B List Number B46 (pt.)	Cause of death					th popula							
Number		1					Age (in	years)					S.M.R. (England
B46 (pt.)		All ages	Under 1	1-	5-	15-	25-	35~	45-	55-	65~	75 and over	and Wales = 100)
B24	Mental disorders (290-315) MF F Meningitis M	90 138 59	1 27	10	- - 1	1 - 2	2	1 2	5 8 2	20 16 2	18 30 5	40 82 8	97 73 128
	F	41	13	5	2	2	***	1	3	4	9	2	116
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever F	608 692 2 1	22 14 1	17 16 -	12 13 -	9 -	32 17	33 40 -	60 55 -	88 104	153 179 1	147 245 - 1	96 101 77 38
B26	Chronic rheumatic heart disease M	546 861	-	-		7	8 10	34 54	90 121	156 188	173 218	78 269	95 89
B27	Hypertensive disease MF	1,078	-	-	-	2	7 2	19 15	83 42	222	360 404	385 845	101 102
B28	Ischaemic heart disease MF	18,432 13,658	-	-	1	3	42	436 69	1,642	4,155 1,244	6,102 3,785	6,051 8,252	103 103
B29	Other forms of heart disease M F	3,106 4,871	7 4	2 3	5 4	8 7	14 9	21 17	72 57	287 169	732 745	1,958 3,856	108 107
B30 B46 (pt.)	Cerebrovascular disease M F Other diseases of the circulatory M	7,775 11,946 2,480	3 2 2	2 -	3 2	10 14 4	17 20 9	83 62 25	243 263 92	1,015 875 276	2,404 2,601 696	3,995 8,107 1,376	108 109 102
B31	system (440-458) F Influenza M	3,109		-	-	3	7	25	72	180	571	2,251	98 120
B32	Pneumonia F	755 3,695	3 3 179	1 1 38	2 1 24	8 3 14	17	3 3 24	14 17 106	39 30 313	133 117 804	576 2,176	119 89
B33 (pt.)	Bronchitis, emphysema (490-492) M	4,625	10	32	12	11	14	28	207	912	759 2,000	3,378 1,786	94
B33 (Rem.)	Asthma (493) F	1,488 142 186	8 -	3 3	8	5 14	3 8 10	14 16 15	56 17 23	203 29 40	413 37 52	787 19 25	82 101 105
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519) FPeptic ulcer MF	855 635 614 334	85 56 -	22 25 - 1	5 7 -	8 5 1 1	9651	11 11 14 6	44 24 41 13	145 58 101 32	238 95 226 72	288 348 227 210	109 102 101 96
B35	Appendicitis MF	46	1	6 2	1 4	-	- 1	2	4 2	11 5	14 11	7 11	99 94
B36	Intestinal obstruction and hernia M F	246 309	26 23	2 -	1	1	2 2	1 5	7 7	22 34	67 67	117 171	104 98
B37	Cirrhosis of liver MF	164 167		1 -	1 -	2	6	7 5	32 23	49 51	42 55	24 31	100 106
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	703	8 4	1 2	3	8	9	21 19	37 33	88 68	140 178	157 381	98 96
B38	Nephritis and nephrosis M	307 255	2	2 2	4	11 5	16 10	10 5	34 26	75 32	64 77	89 96	103 102
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629) F	408 405 553	7 3	2 3	1 3	4.4	7 7	8 11	20	19 49 72	83 114 136	306 193 283	112 102 99
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	11 31	-	-	-	4	5 16	10	1	-	-	-	103 96
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709) F	30	5	_	- 1	-	- 1	3 1	_ 4	4 3	5 8	13 32	116 94
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) F	158	-	_ 2	3 -	3 2	3 6	5 9	12 24	23	46 98	63 188	107 98
B42	Congenital anomalies M F		380 298	55 43	31 23	16 19	7 6	18 14	12 23	25 23	12 14	9	104 99
B43	Birth injury, difficult labour and Mother anoxic and hypoxic conditions F	258	428 258	-	~	-	-	-	-	-	-	-	91 88 94
B44	Other causes of perinatal mortality M F	283	378 283	-	-	_	-	-	-	-	-	-	92
B45	Symptoms and ill-defined conditions M F		3 -	2 1	2 -	-	-	1	2 -	7 8	20 23	360 899	135 141
BE47	Motor vehicle accidents M	401	4 -	35 27	65 29	276 71	91 21	59 15 75	81 45 82	97 47 126	86 76 117	92 70 270	96 90 98
BE48	All other accidents M F	1,017	68 45	55 33	54 21	92 18	78 13	75 29	27	72	168	924	109
BE49 BE50	Suicide and self-inflicted injuries M F All other external causes M	389 171	- 6	5	1 7	37 19 19	53 25 14	82 47 22	103 69 28	124 101 29	98 83 28	38 44 13	92 94 89
	F		9	4	3	11	10	13	19	20	21	18	90
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M	1,394	10 7 1	45 34 10 3	78 38 4 1	324 77 3 2	157 27 3	110 25 3 4	143 52 3 1	173 81 8 5	173 184 8 8	320 869 10 41	96 104 83 81
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	503 586	1 - 66 47	8 1 32 26	3 6 41 9	34 26 63 14	40 27 36 15	79 52 46 23	81 90 67 17	95 103 100 51	57 101 91 55	39 97 44 49	82 89 109 118

							Ru	ral dist	ricts					
ICD B List	Cause of death							Age (i	n years)					S.M.R. (England
Number			All ages	Under 1	1-	5~	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers ALL CAUSES Rates	M F	59,501 54,854 11,650	1,595 1,147 17,742	327 253 872	356 245 431	798 290 1,057	662 374 988	1,342 962	3,846 2,547 6,083	10,657 6,054 18,746		22,776 30,557 137,370	91 99
B1	Cholera	F	10,628	13,574	717	315	417	579	2,020 1,525	4,054	10,026		106,507	
B2	Typhoid fever	F M	-	-	-	_	-	-	-	-	-	-		=
В3	Pand 11 ams descent and a 1	F	-	-	-	_	-	-	_	2	_	_	-	-
B4	Bacillary dysentery and amoebiasis Enteritis and other diarrhoeal	M F M	1 1 56	26	- 8		-	-	-	1	-	-	-	50 96
nc.	diseases	F	57	23	5	2	3	2 -	1	1	3 4	3 6	5 14	70 84
B5 B6	Tuberculosis of respiratory system Other tuberculosis, including late	M F M	174 53	-	-	-	-	1	9 8	24 3	51 11	51 13	35 17	73 73
	effects	F	75 41	-	3 -	-	1	1 -	6 2	7 6	23 10	20 14	15 8	85 91
B7 B8	Plague	MF	-	-	-	-	-	-	-	-	-	-	-	-
Do	Diphtheria	M F	-	-	-	-	-	-	-	_	-	-	-	-
B9	Whooping cough	M	2 2	2 2	- 1		_	Esp	-	-	-	_	-	103
B10	Streptococcal sore throat and scarlet fever	M	1	-	1	-	1	-	-	-	-	-	-	155 473 117
B11	Meningococcal infection	M	11 4	6 2	2	1	1	Mb	-	- }	1	-	-	79
B12	Acute poliomyelitis	M	-	-	-	-	Ī	-	-	-	1 -	-	1 -	44
B13	Smallpox	M	-	_	-	_	~	_	_	_	-	_	-	_
B14	Measles	F M F	1 5	- 1	1 2	2	-	-	-	-	-	-	-	20
B15	Typhus and other rickettsioses	м	-	_	-	_	_	_	_	_		-	-	82
B16	Malaria	F M F		-	-	-	-	-	-	-	-	-	-	=
B17	Syphilis and its sequelae	M	16	_	-	-	-	-	-	-	-	-	-	-
B18	All other infective and parasitic diseases	F M F	9 137 116	15	13	9	8	4	9	1 3 11	6 2 24	5 2 22	4 2 22	70 57 123
	Malignant neoplasm of:		110	8	5	5	4	4	9	17	19	18	27	113
	buccal cavity and pharynx (140-149)	M	195 111	-	1	1 -	-	1 1	3 5	19 15	46 25	52 29	73 35	86 90
	oesophagus (150)	M	330 248	-	-	••	-	1	5	32	69	113	110	89
	stomach (151)	M	1,378	-	-	-	2	3 1 5	6 24 9	11 113 44	46 341 140	75 490 297	107 407 456	104 87 89
	intestine and rectum (152-154)	M	1,531 1,662	-	-	-	1	8	33 43	107	328 316	504	550	95
B19	larynx (161)	M F	97 22	-	-	-	-	-	2	9 3	14	442 41 10	715	97 82 96
	lung, bronchus (162)	M	4,139	-	-	-	1 1	12	57	405	1,337	1,632	695	80
	breast (174)	M F	13 1,985	-	~	1	2	3 - 27	17 1 129	118 - 339	235 4 541	290 4 482	154 4 464	84 78
	uterus (180-182)	F	737	-	-	-	-	6	47	149	193	185	157	98 94
	prostate (185)	M	892	-	-	-	-	-	-	8	78	307	499	100
	Leukaemia (204-207)	MF	377 295	2	25 23	25 22	15 11	17	17 15	32 29	77 54	103	64	103
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F	2,713 2,838	3 2	23 22 14	27 23	47 34	98 43	123 127	279 318	671 633	63 796 815	65 647 829	101 91 98
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M	122 161 380	2 2 1	2	4 4	8 2	4 6	8 11	20 22	30 33	22 31	22 49	87 109
B22		F	574	1	3	2 2	2 4	9 5	10	26 17	59 95	134	137 249	99 101
B46 (pt.)	Avitaminoses and other nutritional deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M F M F	19 28 114 205	3 16 7	1 8 3	10 2	1 1 2 -	2 2	12 5	2 1 4 22	3 4 19 25	3 5 25 67	7 16 16 72	119 128 99 97
B23 B46 (pt.)	Anaemias Other diseases of blood and	M	116 216	3 -	4 2	1 -	4 3	3 4	1	4 8	11 21	25 51	60 126	96
	blood-forming organs (286-289)	F	23 29	1 -	1 -	2	2 -	-	3 2	2 4	6 4	2 10	4 8	100 88 108

						Rur	al distr	ricts					
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) MF F Meningitis MF	95 193 32 32	7	3 - 4 4	3 2 2 2 2	3 3 1	2 - 1	3 2 - 3	8 5 2 4	7 22 8 4	16 42 7 5	50 117 -	102 119 69 96
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) FActive rheumatic fever M	616 591 3 4	12 10	20 11 -	28 22 -	47 12 -	28 24 -	42 35 1	60 43	106 86 1 3	136 141 -	137 207 1	97 97 115 166
B26 B27	Chronic rheumatic heart disease MF F Hypertensive disease MF F F	472 718 1,004 1,184	1	1	1 -	3 3 2	9 3 4 4	23 33 24 8	72 87 72 34	146 180 212 129	121 183 315 331	98 227 374 677	83 83 95 97
B28 B29	Ischaemic heart disease MF Other forms of heart disease MF F	16,092 11,161 2,937 4,142	1 - 4 7	- 2 3	- - 4 3	3 2 11 4	26 12 10 8	336 68 24 21	1,317 213 70 55	3,517 1,011 212 178	5,246 3,054 651 631	5,646 6,801 1,949 3,232	91 98 102 107
B30 B46 (pt.)	Cerebrovascular disease MF Other diseases of the circulatory MF system (440-458) F	6,972 10,053 2,390 2,627	3 2 -	- 1 - 1	2 5 - 1	7 8 6 2	27 19 3 9	68 58 16 18	230 252 81 51	858 796 286 166	2,021 2,226 637 499	3,756 6,686 1,361 1,880	98 107 99 97
B31 B32	Influenza MF FPneumonia MF FF	465 593 3,643 4,413	1 4 156 124	2 31 31	2 2 20 19	2 2 22 11	5 3 22 11	8 1 35 27	12 11 93 76	46 34 304 252	120 107 778 743	267 429 2,182 3,119	110 109 88 99
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF FASTHMA (493) MM	3,916 1,184 152 152	9 4 -	4 6 4 3	1 1 8 6	4 1 10 6	2 - 11 9	22 9 16 19	163 56 11 27	764 127 38 29	1,474 328 34 35	1,473 652 20 18	75 76 108 94
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519) FPeptic ulcer M	758 563 487 282	81 54 1	23 26 -	5 9 -	5 5 3	8 9 1 2	13 6 13 5	43 21 35 9	128 50 77 27	197 92 183 61	255 291 174 177	97 102 81 94
B35 B36	Appendicitis M F Intestinal obstruction and hernia M F	44 42 220 244	21 15	2 1 1	5 - 1 -	3 - 2 -	1 3 2	2 1 5 6	3 4 9 11	7 9 30 21	7 13 61 53	15 13 87 136	95 120 93 89
B37 B46 (pt.)	Cirrhosis of liver MF Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	138 101 427 584	1 9 5	1 - 3 2	1 1 3	3 1 6 5	2 1 6 3	8 4 19 9	21 16 38 38	44 30 83 75	35 29 114 136	24 19 148 308	85 72 92 92
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629) F	292 204 384 386 495	1 1 3	3	4 - 1 3	14 4 4 2	15 2 - 1 5	22 16 - 6 20	31 21 1 24 33	60 39 14 47 65	62 54 82 98 127	79 67 287 204 237	99 92 106 98 102
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	32	-	-	-	1 5	1	2 9	1	-	-	-	38 100
B46 (pt.) B46 (Rem.)	Diseases of the skin and M subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M and connective tissue (710-738) F	23 64 144 314	1 2 -	1 -	1 - 2	1 - 2 2	1 1 2	3 4 5 8	1 3 10 19	4 4 28 45	3 8 43 99	7 42 55 136	90 139 98 97
B42 B43	Congenital anomalies MF Birth injury, difficult labour and M	541 437 417	348 267	45 41 -	33 27	19 12	19 12	19	16 22	19 22	16	7 9	98 93 86
B44	other anoxic and hypoxic conditions F Other causes of perinatal mortality M F	283	242 364 283	-	=	-	-	-	-	-	-	-	83 88 92
B45	Symptoms and ill-defined conditions M F	373 720	2 -	1 2	1	3 2	1 -	2	2 5	6 4	21 17	33 5 68 9	127 129
BE47 BE48	Motor vehicle accidents MF All other accidents MF F	1,140 484 1,022 1,146	2 4 67 51	34 22 50 37	80 52 62 19	363 98 110 16	127 34 93 12	89 28 97 35	102 37 100 42	165 73 111 64	101 71 102 160	77 65 230 710	122 118 98 106
BE49 BE50	Suicide and self-inflicted injuries M F F All other external causes M F	486 277 153 120	- 1 5 5	- 4 -	7	26 9 15 9	57 26 10 12	72 46 25 6	91 61 21 24	103 66 25 26	82 46 25 23	55 23 16 14	84 73 79 90
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M F	1,831 1,323 58 70	8 13 2 2	44 33 5 2	92 58 4 3	409 99 9	187 35 6 3	163 42 4 6	196 53 5 4	259 98 2 8	188 184 5 14	285 708 16 27	114 113 91 97
BN49 BN50	Adverse effects of chemical Msubstances FAll other injuries MFF	324 361 588 273	2 1 52 44	4 5 35 19	7 2 46 9	28 17 68 15	42 37 52 9	61 47 55 20	44 78 69 29	60 76 83 47	47 58 70 44	29 40 48 37	60 70 108 113

							Newcast	le Hospi	tal Regi	.on				
ICD B List	Cause of death							Age (ir	years)					S.M.R. (England
Number			All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers	M F	19,423 17,099	558 439	100 76	102 65	206 82	194 111	615 378	1,594 951	3,994 2,098	5,810 4,418	6,250 8,481	108 108
	ALL CAUSES Rates	M	12,786 10,870	20,667 17,148	883 705	388 251	916 369	1,031	3,058 1,953	8,420 4,963	23,563 11,225	57,073	151,332 109,151	
B1	Cholera	M	_	_	~	_	_	_			_		_	_
B2	Typhoid fever	F M F	-	-	=	-	=	-	-	-	-	-	-	-
B3	Bacillary dysentery and amoebiasis	M	_	-	_	_	_	_			-	-	-	_
B4	Enteritis and other diarrhoeal diseases	F M F	26 25	20	1	=	1	-	-	1	-	2	1	110
B5	Tuberculosis of respiratory system	м	88	_	40	_	_	2	7	1 12	5 28	5 18	21	124
B6	Other tuberculosis, including late effects	F M F	24 29 5	-	-	-	- - 1	-	2 1 1	9 7 1	8	3 9	6	112 115
B7	Plague	м	_	_	_	_	_		_	_ T	_	1		37
B8	Diphtheria	F	-	-	_	-	-	-	-	-	1	_	-	-
B9	Whooping cough	F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M F M	-	=	-		-	-	-	-	-	-	-	=
B11	Meningococcal infection	F	9	5	4	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	F	2 -	-	1 -	1	-	-		-	-	-	-	215 72
B13	Smallpox	F		-	-	-	-	-	-	-	-	-	-	-
B14	Measles	F M F	3	=	3	-	-	-	-	-	-	-	-	197
B15	Typhus and other rickettsioses	M	_	_	1	_	-	-	-	-	-	~	-	53
B16	Malaria	F M F	1	-	-	-	-	=	-		-	-	=	-
B17	Syphilis and its sequelae	M	7			-			1		~	-	-	785
B18	All other infective and parasitic diseases	F M F	8 33 29	3 3	2	6	1	1 3	1 3	2 4 3	3 5 10 4	2 - 4	2 1 1 7	108 175 103
	Malignant neoplasm of:									3	4	4	/	95
	buccal cavity and pharynx (140-149)	MF	67 54	-	-	-	-	- 1	1 4	3 7	11 9	25 16	27	107 151
	oesophagus (150)	M	101	-	-		1	-	1	13	20	33	33	98
	stomach (151)	F M F	50 563 442	-	-	_	1	4	17	5 61 28	9 168 67	14 183 158	129 179	73 127 143
	intestine and rectum (152-154)	M	524	-	-	-	-	4	7	45	109	199	160	117
B19	larynx (161)	M	516 37 7	-	-	-	-	2 -	9	50 7 2	96	158 8 3	201 10 2	105 113 103
	lung, bronchus (162)	M	1,560 275	-	-	1	1	4	39	191	566	569	189	106
	breast (174)	M	532	-	3	-	- 1	2 - 4	19	59 1 92	69 2 133	71	55 1 120	96 107 89
	uterus (180-182)	F	247	-	_	-	1	1	8	57	57	76	47	106
	prostate (185)	М	204	-	1	-	-	-	-	5	22	74	102	86
	Leukaemia (204-207)	MF	91 84	- 1	7 7	6 7	5	1	7	15	18	19	13	87
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M	840 886	2	3 4	8	3 17 5	18 11	7 50 42	13 115 96	10 208 215	16 254 270	18 165 235	97 100 104
B20	Benign neoplasms and neoplasms of	М	43	2	2	1	3	1	11	2	10	5	6	106
B21	unspecified nature Diabetes mellitus	F M F	53 106 214	1 -	-	3 - 2	1 2 1	6	4 4 1	9 5 6	9 18 41	13 36 80	13 35 83	121 101 132
B22	Avitaminoses and other nutritional deficiency	M	8	2	-	-	-	_	-	2		1	1	132
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F M F	30 57	6	1 3	2 3	1 -	- 1	1 2 1	2 2	2 2 7 8	18	1 5 20	65 90 93
B23	Anaemias	M	46	1	1	-	1	_ }	1	2	1	13	26	141
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M F	67 5 10	-	-	1 2	1 -	-	1	3 -	7 1 -	14 - 4	43	110 66 127

						Newcast	le Hospi	tal Regio	on				
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5~	15-	25-	35-	45-	55-	65-	75 and	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) M F	33 44	-	1	-	- 1	-	2	1 4	3 5	5 8	21 26	132 96
B24	Meningitis Mr	7 13	5 5	2	-	1 -	-	1 -	-	1	3	2	51 129
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F	201 211	8 3	2 5	5 2	8 3	5 7	13	21 21	37 27	51	51 65	112 119
B25	Active rheumatic fever M	-	-	-	-	-		-	-	-	-	-	-
B26	Chronic rheumatic heart disease M F	147 267	-	-	-	-	4 7	13 23	33 43	43 69	36 66	18 59	91 105
B27	Hypertensive disease M F	268 369	-	-	-	1	1	10	24 14	52 46	77 110	101 194	92 106
B28	Ischaemic heart disease MF	5,378 3,911	-	-	-	1 -	15 6	200 42	548 116	1,333 486	1,737	1,544	110 121
B29	Other forms of heart disease M F	737 1,015	2 1	1	2	3	3 2	12 7	30 17	81 58	195 185	408	97 95
B30	Cerebrovascular disease M	2,263	3 1	_	1 2	2 5	8 7	31 22	118 88	326 251	697 742	1,077	118 110
B46 (pt.)	Other diseases of the circulatory M system (440-458)	678 844	2 1	1	-	3 -	2 2	8	18 22	76 53	182	387 587	105 111
B31 B32	Influenza M F Pneumonia M	82 116 1,005	1 81	11	- 6	2 - 7	- - 5	2 1 10	4 1 24	11 7	15	48 88	73 77 92
	F	1,094	47	10	6	2	3	11	19	105	224	532 719	88
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) M F Asthma (493) M	1,729 521 38	2 -	1	-	1 - 4	1 2	16 10 7	86 33 4	375 72 12	708 143	541 261	122 117 94
	F	71	-	-	2	6	3	8	15	10	20	7	146
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M F	250 180 191 78	40 23 -	7 6 -	1 -	3 2 1 -	3 3 3	6 1 8 3	10 6 16 6	42 20 40 5	64 32 68 23	75 86 55 41	115 114 116 92
B35	Appendicitis M	16 9	- 1	1	1 -	-	_	-	1 2	2 2	6	5	122 88
B36	Intestinal obstruction and hernia M F	60 93	10 8	1 3	1 -	1	1 -	1	2	7 8	10 22	27 48	94 120
B37	Cirrhosis of liver MF	66 62	- 2	1 -	2 -	1 -	3	3 5	12	19 14	17 24	11 13	142 149
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	144 179	1	1	-	3	1	6 7	14	22 23	49 46	47 87	112 99
B38	Nephritis and nephrosis M	93 105	1	2 -	2	1	2 -	6 6	16 14	21 20	21 27	22 35	112 163
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary M system (590-599, 601-629) F	90 108 138	1	1 -	-	2	1 4	1 1	7	10 24	24 28 40	62 58 57	96 102 99
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	10	-	-	-	_	1	1 6	_	-	-		63 105
B46 (pt.)	Diseases of the skin and M	9	_	1	-	_	_	-	_		6	2	127
B46 (Rem.)	subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M	16	-	_	_	1	_	2	3	6	16	10	122
B42	and connective tissue (710-738) F Congenital anomalies M F	75 142 178	96 129	1 15 13	8	2 8 3	2 2 5	1 2 2	1 2 13	13 4 5	25 4 3	30	81 86 125
B43	Birth injury, difficult labour and M	132	132	-	-	-	_	-	-	_	_	_	91
B44	other anoxic and hypoxic conditions F Other causes of perinatal mortality M F	91 111 77	91 111 77	-	-	-	-	-	-	-	-	-	103 89 82
B45	Symptoms and ill-defined conditions M	90 158	2	2	1 _	1 1	1 1	1 2	- 1	3 2	5 6	74 143	121 104
BE47	Motor vehicle accidents M	268 130	-	10	21 13	76 · 21	36 10	21 11	22	29 14	27 23	26 17	99 106
BE48	All other accidents M	384 402	19 20	16	26	33	34	37 13	33	55 21	36 47	95 275	130 131
BE49	Suicide and self-inflicted injuries M	170 88	_ :	-	:	7 5	14 5	32 20	37 15	43 22	23 15	14	101 77
BESO	All other external causes M	67 41	9	2	1 2	5 1	7 2	14	15 7	10	13	2 3	119 103
BN47	Fractures, intracranial and M	535	1	10	28	99	63	53	47	73	55	106	116
BN48	internal injuries F Burn M F	439 22 18	2 -	11 2 1	14 1 2	23	11	15 2 1	16 3	22 3 3	63 2 2	262 7	131 121 86
BN49	Adverse effects of chemical M substances F	161 121	-	5	-	10	14 6	37 26	42	23 27	17 15	13	103 79
BN50	All other injuries M	171 83	18 27	9	19	11 3	13	12	15	38	25	11 12	108 115

TABLE 19 - continued

				_			Lee	ds Hospi	tal Regi	on				
ICD B List	Cause of death		477					Age (ir	years)					S.M.R. (England
Number			All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers	s M F	20,224 20,485	640 473	101 89	109 81	221 97	196 138	518 329	1,450	4,023	6,347 4,981	6,619 10,932	105 107
	Rates	MF	12,977 12,355	23,105 18,123	896 836	435 341	946 428	1,004 726	2,595 1,697	7,196 4,833	21,972 11,365	58,176	147.416	
B1	Cholera	М	-	-		_	-	-	2,001	-,000	-	30,403	110,536	
B2	Typhoid fever	F M F	-	-	-	-	-	-	-		_	-	-	=
В3	Bacillary dysentery and amoebiasis	M	2	2	~		_	_	_		_	-	_	770
B4	Enteritis and other diarrhoeal diseases	F M F	39 27	30 8	1 2 5	1 1	1 1	-	1	-	-	2	2	338 303 160
B5	Tuberculosis of respiratory system	М	67	-	_	-		1	2	9	2	3 27	6	124
B6	Other tuberculosis, including late effects	F M F	27 26 14	_	1 -	1	1 1	1	2 2 1	1 4 2	5 9 2	9 6 5	14 9 2 2	93 110 96 91
B7	Plague	MF	-	-	-		-	_	-	_	_	_	_	- -
B8	Diphtheria	MF	-	-	-	-	-	-	-	-		-	-	
B9	Whooping cough	M	-	_	_	_	_	_	_	_	_		_	_
B10	Streptococcal sore throat and scarlet fever	F M F	-	-	-	-	-	-	-	-	-	1	-	-
B11	Meningococcal infection	M	3	-	3	-	_	-	-	_	-	_	-	71
B12	Acute poliomyelitis	F M F	-	1 -	-	-	-	-	-	-	-	-	-	35
B13	Smallpox	М	-	-	-	-	-	_	-	_	_	_	_	_
B14	Measles	F M F	2 4	- 1	2 2	- - 1	-	-	-	-	-	-	-	132
B15	Typhus and other rickettsioses	М	-	-	-	_	_	-	_	-	-	-	-	216
B16	Malaria	F M F		_	-	-	-	-	-	-	-	-	-	-
B17	Syphilis and its sequelae	M	6	_	_	_	_	_	_	-	1	4	1	-
B18	All other infective and parasitic diseases	F M F	1 26 29	3 6	2	-	3 2	-	2 3	2 2	5	5 4	1 4 5	86 18 7 7 85
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	81 64	-	-	-	2 -	1	3 2	5 8	19 12	29 16	23 25	120 151
	oesophagus (150)	MF	110 83	-	-	-	-	-	3	11 7	32 15	40 26	24	100
	stomach (151)	M F	502 389	-	-	-	-	-	11	13	117	208	124	100 105 104
	intestine and rectum (152-154)	M	519 613	-	-	-	-	4 2	17	39 56	103	198	158 228	108 103
B19	larynx (161)	M F	37 9	-	-	-	-	-	-	3	4 4	22	8	105 105 113
	lung, bronchus (162)	M F	1,537	-	-	-	1 1	2 5	30	148 51	524 94	618	214	97 95
	breast (174)	M F	667	-	-	-	-	5	32	137	180	157	156	20 97
	uterus (180-182)	F	328	-	-	-	1	7	22	72	86	67	73	122
	prostate (185) Leukaemia (204-207)	M	230	-	-	1	1	-	-	2	26	78	122	90
	Other malignant neoplasms, including	M F M	115 109 907	3 1	11 4 1	4 4 7	7	5 4	9 4	11 7	25	30 34	15 26	104 111
	neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F	1,075	1	5	5	18	25 16	43	103	246 221	285 324	179 335	101 108
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M	66 58	- 2	1 -	5 2	2	2	4 3	14	16 14	16 12	6	154 117
		M F	110	-	2	2	1	1 -	5	2 9	16	32 76	52 67	98 91
B22 B46 (pt.)	Avitaminoses and other nutritional deficiency	M F	10	1 -	-	-	-	-	-	1	- 3	-	- 6	42 133
(80.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F	33 77	6	3	1 3	2	1 2	2	3 3	10	17	29	95 107
B23	Anaemias	M	32	-	1	-	1	_	-	2	4	6	18	91
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	88 7 13	1 -	- 1	3	1 2	2	2	2	6	23 2 2	50	118 89

						Leed	s Hospit	al Regio	n				
ICD B List	Cause of death	All					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315)		-	-	-	-	_	- 1	1 2	3 10	4	11	71 120
B24	Meningitis		6	1	_	-	-	~	-	2 4	6 - 2	47 2 1	77
B46 (pt.)	Other diseases of nervous system and sense organs (321-389)		9 7	3 2	6	12	11 10	14 10	19 14	40 36	48 49	46 86	110 109
B25	Active rheumatic fever		-	-	. 1	-	-	-	-	-	-	-	126
B26	Chronic rheumatic heart disease		-	-	- 1	- 2	4 8	20	27 38	51 82	45 94	28 83	101 111
B27	Hypertensive disease		-	-	1	-	2	9 5	29 14	56 33	90	99 216	91 89
B28	Ischaemic heart disease	4,775	-	1	-	2	10	143 12	528 121	1,432	1,981 1,396	1,720 2,739	111 120
B29	Other forms of heart disease		3 4	-	1	3	5	7 5	20	79 65	223 229	437 950	95 95
B30 B46 (pt.)	Cerebrovascular disease	3,649	1 1	1 1	1	4	6 8	20 26	76 87	341 271	749 867	1,069 2,384	110 111
	Other diseases of the circulatory system (440-458)		1	-	-	3 -	5 2	11	32 20	85 58	196 192	396 727	103 107
B31 B32	Influenza M Fneumonia M	128	1 1	1	1	1	1 -	1 -	3 4	3 6	25 29	41 88	65 68
	F	1,456	113	11 19	8	12 2	3 4	18 10	43 14	117 85	329 251	674 964	113 95
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) Asthma (493)	613	3 3 1	2 - 2	- 2	- 10	1 2	8	86 36	348 95	626 150	532 323	105 113
	F	55	-	1	1	2 4	3 -	3 6	6	17	12	8	77 101
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519) Peptic ulcer	170 153	24 15 -	2 3 -	1	2 1 1 -	1 4 - 1	2 3 5 3	14 8 7 8	35 10 31 14	64 33 71 23	69 92 38 61	92 91 86 106
B35	Appendicitis M	11 18	-	1	1 3	- 1	_	_	1	3	3	2	80
B36	Intestinal obstruction and hernia	52 76	3 5	2		1	1	2 1	2 5	2 6 7	3 10 15	7 26 43	150 76 81
B37	Cirrhosis of liver	40 65	-	1	- 1	-	1	4	6	9 20	9	10	81
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	144	3 2	1 -		1 2	4	7 5	12	25 30	20 40 53	15 51 102	134 105 91
B38	Nephritis and nephrosis M	97	1	1	3	2	5 5	9 5	15	27	24	23 31	123 128
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629) F	99 122 159	6 -	 	3	1	1 2	3 4	8	20 16	28 33 39	69 50 81	97 107 95
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	13	-	-	-	- 3	- 6	- 4	-	-	-	-	477
B46 (pt.)	Diseases of the skin and M	9		1	60	-	-	1	1	1	2	3	1133
B46 (Rem.)	subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M	39	2	-	-	1	-	3	4	10	10	8	76 90
B42	and connective tissue (710-738) F Congenital anomalies M	120 164 140	115 91	10	9 7	1 7 5	1 6 5	2 2	6 1	23	27	60	107 97
B43	Birth injury, difficult labour and M	151	151	-	-	5 -	-	4	5	7	3	3 -	95 101
B44	other anoxic and hypoxic conditions F Other causes of perinatal mortality M F	88 143 112	88 143 112	-	-	-	-	=	-	-	-	-	97 112 117
B45	Symptoms and ill-defined conditions MF	84 188	- 1	2	-	-	- 1	-	1	1 2	2 8	78	104
BE47	Motor vehicle accidents M	324	1	17	36	85	34	26	32	30	28	175 35	98
BE48	All other accidents M F	149 334 411	1 11 8	8 17 16	12 16 13	17 30 6	8 22 5	6 35 9	15 34 16	27 36 21	28 38 46	27 95 271	109 108 111
BE49	Suicide and self-inflicted injuries M	170	_	-		9	21	27	31	37	32	13	96
BE50	All other external causes M F	153 76 53	-	2	2 2	5 9 -	7 7 4	19 12 10	33 12 8	35 11 8	40 14 10	14 9 9	121 129 122
BN47	Fractures, intracranial and M	548	2	21	43	99	48	49	63	52	55	116	114
BN48	internal injuries F Burn M F	460 18 35	1 -	12	17 2	19	12	14 2 3	19 2 7	40	61	265	115 95
BN49	Adverse effects of chemical M	177	1	4	1	10	20	30	33	28	35	15	145
BN50	substances F All other injuries M F	198 161 73	1 9 7	7 9 6	3 8	6 23 2	10	21 19 6	41 11 5	34 31 12	44 20 15	31 16 13	115 97 92

							Sheffi	eld Hos	pital Reg	ion:				
ICD B List	Cause of death							Age (:	in years)					S.M.R. (England
Number			All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and	and Wales = 100)
	Numbers ALL CAUSES	s M	27,449 24,810	841 573	150 117						5,475 2,913	8,223 5,947	9,337 13,140	100
	Rates	M F	12,016 10,619	20,562 14,617	896 731	469 318				6,745	21,237 10,702	55,262	143,425	
B1	Cholera	М	_	-	_	-	_			4,507	10,702	29,017	106,916	
B2	Typhoid fever	F M F	-	=	=	-	-	-		-	-	-	-	=
B3	Bacillary dysentery and amoebiasis	М	2	_	_	1		1		_	-	-	-	-
B4	Enteritis and other diarrhoeal diseases	F M F	40 29	31 17	2 5	2 2	1	-	_	-	2	2	-	230
B5	Tuberculosis of respiratory system	M	92	_	_	-		3	4	12	3 33	26	2	95
B6	Other tuberculosis, including late effects	F M F	31 27 17	-	1	-	-	1	3 2	7 2 1	7 8 5	5 12	14 9 2	90 96 70 85
B7	Plague	M	-	_	400	-	-	_	_		5	4	4	
B8	Diphtheria	F M F	-	_	-	-	_		-	-	-	in —	-	-
B9	Whooping cough	М	-	date	_			_			_	~		_
Bio	Streptococcal sore throat and scarlet fever	F M F	- - 1	-	-	- 1	-	-	=	-	-	_	-	259
B11	Meningococcal infection	M	7	2	3	_	1		_		1			112
B12	Acute poliomyelitis	F M F	6 -	3 -	1 -	1 -	-	-	=	-	-	-	1 ~	144
B13	Smallpox	M	-	_	-	-	_	_	_	_	_	_		_
B14	Measles	F M F	1 4	- - 1	1 1	- 2	-	=	-	-	ma m	-	-	44
B15	Typhus and other rickettsioses	м	_	_	_	_	_		_	_	-		-	145
B16	Malaria	F M F	-	-	-	, -	-	-	-	-		-	-	-
B17	Syphilis and its sequelae	М	11	-		_	_		1	1	1	5	-	447
B18	All other infective and parasitic diseases	F M F	11 53 44	- 8 7	4	4 3	3 2	1 2	6	8	4 9	6 8 7	3 3 7 6	113 159 109
	Malignant neoplasm of:									-				96
	buccal cavity and pharynx (140-149)	M F	75 52	-		_	_	2 2	3 2	5 5	21	24 11	20	. 79 96
	oesophagus (150)	MF	136	-	-	-	_	1	5	7	37	49	37	87
	stomach (151)	M	79 677 477	-	-	-	1 -1 -1	3 2	14 14	7 58 28	17 191 78	26 244 137	29 167 218	75 100 101
	intestine and rectum (152-154)	M	703 751	-	-		2	4	13	49	151	236	248	104
B19	larynx (161)	M F	36	-		-	-	1	12	52	138	224 18 3	321	100 73 78
	lung, bronchus (162)	MF	2,115	-	-	-	1	5	34	251	764	767	293	95
	breast (174)	M F	917	_	=	~	-	12	13 - 58	41 1 171	107 4 256	121	179	81 70
	uterus (180-182)	F	374		1	_	-	2	19	85	86	112	69	102
	prostate (185)	M	341	-	-	-	-	-	1	4	38	121	177	94
	Leukaemia (204-207)	MF	159 144	- 1	6 9	14	4	6	8	13	35	42	31	101
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M F	1,213	1	11 9	8 10 8	5 23 15	7 31 24	50 50	19 141 162	27 313 304	30 361 383	34 273 330	111 95 100
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M	65 73	2	1 3	1 -	4 5	2	9	9 8	17	11 9	11 18	106 111
POO		F	303	-	1	1	1 -	4	5	18 7	31 48	58 113	54 128	107 122
B22 B46 (pt.)	Avitaminoses and other nutritional deficiency Other endocrine, nutritional and	M F M	12 18	1	-	-	1 1	1 -	0-0	1 1	3 2	2 5	3 9	175 189
	metabolic diseases (240-246, 251-258, 270-279)	F	50 120	8 3	3 4	2 4	1	1 2	5	9	10 21	11 31	6	100 · 129
B23	Anaemias	M	54 100	1	1	2	2	2	1	1 5	5 8	14	25	108
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M F	10	-	1 -	1 -	1	-	2 -	1	3	1	56 1 6	106 79 84

TABLE 19 - continued

						Sheffie	eld Hospi	tal Regi	.on				
ICD B List	Cause of death	411					Age (in	years)					S.M.R. (England
Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) Meningitis Meningitis	30 72 29	-		2	-		-	2	4 5	7 14	17 51	78 102
	Meningitis M F	19	11 6	6 4	1	1 -	-	1 -	2 2	4 2	2	2 3	141 125
B46 (pt.) B25	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M	282 270	9 9	7 7 -	10 10 -	16 7	6 4	14 8 -	36 23	47 29	66 67	71 106	104 100
B26	Chronic rheumatic heart disease M	2 294	-	_	_	1	- 8	24	45	93	81	2	187 120
B27	Hypertensive disease MF	435 466 622	-	-	-	1 2	8 - 3	30 13 11	58 39 16	127 101 51	107 154 169	105 158 370	114 105 116
B28	Ischaemic heart disease M	7,015 4,857	- 1	-	1	1 1	13 6	181 27	665 105	1,732	2,297	2,125	95 98
B29	Other forms of heart disease MF	1,247	2 5	1 2	2	4 2	1	11	35 26	100	304 308	788 1,372	107 108
B30	Cerebrovascular disease M	3,194 4,249	-	-	1 -	2 5	12 10	40 29	115 112	463 365	1,038	1,523 2,718	109 104
B46 (pt.)	Other diseases of the circulatory M system (440-458)	1,101	1	-	-	1	3 -	11 14	44 29	125 72	294 239	623 931	111 109
B31 B32	Influenza M F Pneumonia M	176 197 1,380	2 2 72	1 15	1 2	3 1 6	1 6	2 -	6 4 49	19 11 142	54 39 33 3	89 138 744	102 84 82
B33 (pt.)	F Bronchitis, emphysema (490-492) M	1,712	61	15	10	7	6	14	30	110	299	1,160	89
B33 (Rem.)	Asthma (493) Asthma (493) F	825 55 64	4	1 2 2	2 5 3	1 5 3	2 1 5 1	22 14 5 4	111 37 5 12	493 103 11 15	973 228 14 18	892 434 3	116 121 90 88
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F	387 309	64 35	13 11	5 2	7 2	3 5	3 7	19 19	60	97 45	116 155	117 127
B34	Peptic ulcer MF	272 135	1	-	-	1 -	1	6 -	21	52	113 39	79 79	109
B35	Appendicitis MF	20 18	-	1 -	2 2	-	1	-	- 1	4	6 5	7 9	101 116
B36	Intestinal obstruction and hernia MF	88 129	7 8	1 -	-	-	1	3	8 5	11 14	33 29	26 69	90 108
B37 B46 (pt.)	Cirrhosis of liver MF Other diseases of the digestive system M	71 69 182	- 2	2	1 - 2	2 - 2	2 - 1	7 2 11	11 16	22 19 32	17	9	101 110 93
B38	(520-530, 534-537, 561-570, 572-577) F	308	2	2	-	1	5	7	16	43	55 86	69 146	111
B39	Nephritis and nephrosis MF F Hyperplasia of prostate M	128 112 152	1 1 -	1	2	8 3 -	5 9	11 4 -	17 12	27 14 5	29 33 38	28 34 109	101 115 104
B46 (pt.)	Other diseases of the genito-urinary M system (590-599, 601-629)	176 221	2 -	-	1 2	2	2 4	6 12	12 17	33 40	36 46	82 99	108 104
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	11	_	-	-	1 3	3 5	- 2	1	-	_	-	84 7 7
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F	10	- 1	-	1	_	1	2	1	1 1	1 3	3 5	93 54
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) F	52	-	-	1	_	_	2	6	8	14	21	84
B42	Congenital anomalies M	132 263 203	172 126	21 14	23 14	1 11 10	1 7 2	5 7 11	8 7 7	12 7 5	41 5 9	64 3 5	93 106 94
B43	Birth injury, difficult labour and Mother anoxic and hypoxic conditions F	235 113	235 113	-	-	-	-	-	-	-	-	-	107 83
B44	Other causes of perinatal mortality M	170 142	170 142	-	-	-	-	-	-	-	-	-	90 99
B45	Symptoms and ill-defined conditions M F	119 285	1 -	1	-	-	-	2	1	1 -	6 7	108 277	102 119
BE47	Motor vehicle accidents MF	474 195	1 -	22 6	38 20	136 26	41 7	30 11	41 18	77 31	40 39	48	115 106
BE48	All other accidents MF	485 584	34 17	22 16	30	43 5	40 5	29 14	49 17	62 26	46 77	130 398	107 123
BE49 BE50	Suicide and self-inflicted injuries MF All other external causes M	240 153 105	- 3	- - 3	- 5	13 3 12	19 17 10	42 21 19	49 23 10	45 41 14	41 31 18	31 17 11	93 90 123
	F	59	3	-	2	3	5	4	10	11	9	12	99
BN47	Fractures, intracranial and M internal injuries F	791 652	6 3	28 11	43 26	162 28	74 10	55 18	76 25	116 45	73 93	158 393	113 126
BN48	Burn M	36 49	2 -	6 3	1 2	3	3	3 2	3 3	1 3	12	8 22	130 154
BN49 BN50	Adverse effects of chemical M substances F All other injuries M	217 183 260	1 - 29	1 1 12	3 - 26	16 5 23	13 17 20	42 21 20	40 29 30	44 43 37	31 39 35	26 28 28	91 79 108
	F	107	17	7	3	3	6	9	11	18	12	21	98

							East Ang	glian Hos	spital Re	gion				
ICD B List	Cause of death							Age (i	n years)	·				S.M.R. (England
Number			All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Number:	s M F	10,372 9,892	268 163	46 55	50 37		104	195 158	580 375	1,706	2,960 2,171	4,332 5,812	89 94
	Rates	M F	12,254 11,404	17,070 11,014	796 1,007	386 299				5,566 3,578	17,845 9,732		137,089	
B1	Cholera	M	-	-	-	-	-	***	-	-	-	20,202	33,003	_
B2	Typhoid fever	M F	-	-	-	-	-	-	-	-	-	-	-	Ξ
B3	Bacillary dysentery and amoebiasis	M	-	-	-	-	-	-	-	-	_	_	_	_
B4	Enteritis and other diarrhoeal diseases	M	8	6 3	- 1	-	-	1	-	-	- 2	_	1 4	58
B5	Tuberculosis of respiratory system	M	12	-	-	-	-	_	_	1	4	4	3	83 29
B6	Other tuberculosis, including late effects	F M F	17 7	-	-	-	=	-	1	3 -	7	4 3	5	46 111
B7	Plague	M	-	-	dep	_	-	-		_	_	-	3	87
B8	Diphtheria	F M F	-	-	-	-		-	-	_	_		-	=
B9	Whooping cough	М	. 1	1	00	-		-	_	-	_	_	-	294
B10	Streptococcal sore throat and scarlet fever	F M F	-	-	-	=	-	_	-	-	-	_	-	≥34 ~ ~
B11	Meningococcal infection	М	3	1	_	1	1	_		- 2	_	_	-	130
B12	Acute poliomyelitis	F M F	2 -	-	1	-	-	-	1 -	-	-	-	-	131
B13	Smallpox	M	-	_	~	_	_	_	_		_	_	-	-
B14	Measles	F M F	-	-	-	_	_	-	-	-	-	-	-	-
B15	Typhus and other rickettsioses	М	_	_	_		_	_	_	_	-	÷-	-	-
B16	Malaria	F M F	-	-	-		-	-	-	-	-	=	-	-
B17	Syphilis and its sequelae	M	1	_	_	_	_	_	-	_	-	-	-	-
B18	All other infective and parasitic diseases	F M F	1 27 28	7	1	- 3 1	3	1	1		1 4	1 4	3	25 35 1 <u>4</u> 2
	Malignant neoplasm of:					_	_	-	-	3	8	3	7	155
	buccal cavity and pharynx (140-149)	M F	28 19	-	-	-	-	1	1	3 3	6 2	8 5	10	69 84
	oesophagus (150)	M	53 36		-	-	-	-	1	5	12	13	22	81
	stomach (151)	M	261 150	-	= [-	-	1	1 7 1	2 16 9	1 54 26	14 96 44	18 88 69	80 93 74
	intestine and rectum (152-154)	M	262 300	-		-	-	1 3	9	14	53	81	104	91
B19	larynx (161)	M	19	-	-	***	-	-	-	14	51	95 9 2	130	93 90 72
	lung, bronchus (162)	MF	781 149	-	-	-	-	3	10	72	212	328	156	86
	breast (174)	M F	3 367	-	-	-	-	. 5	22	53	35 1 108	69 1 85	27 1 94	85 103
	uterus (180-182)	F	147	-	-	-	-	2	8	22	47	32	36	101
	prostate (185)	M	169	-	-	~	~	-	-	3	15	50	101	103
	Leukaemia (204-207) Other malignant neoplasms, including	M F	56 57	1	4 8	6 5	3 4	3	3 3	3 6	11 8	13 12	10	88
	neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M F	517 527	1	5	6 4	12 2	21 6	24 21	59 49	106 124	149	134 168	109 99 100
B20 B21	Benign neoplasms and neoplasms of unspecified nature	M	15 29	-	-	1	-	-	1 1	2 7	6	2	3	62
	Diabetes mellitus	M F	65 97	1	-	2 -	1	-	1 3	5 2	5	14 35	11 37 43	111 95 91
B22 B46 (pt.)	Avitaminoses and other nutritional deficiency	MF	4 2	-	-	-	-	~	-	-	2	-	2	142
540 (pt.)	Other endorrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M F	22 35	6 2	1 2	-	-	1 -	1 1	2 4	4 3	2	5 10	48 111 91
B23	Anaemias	М	21	1	-	_	1		1		1	4	}	
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	35 9 7	2	-	-	-	-	1	2	1 2	8	13 21 -	96 84 201
				-	1	1		1	1	1	2	-	-	142

					E	ast Angl	ian Hosp	ital Reg	ion				
ICD	Cause of death						Age (in	years)			, ,, 		S.M.R. (England
B List Number		All ages	Under	1-	5-	15~	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) MF	26	-	-	-	-	-	-	- 1	2 2	1 7	6 16	54 83
B24	Meningitis Mr	9 5	2	1	1 -	1 -	1	1	1	3	2	-	113 86
B46 (pt.) B25	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M F	86 101 - -	4 1 -	5 -	5 - 1	9 1 -	4	5 7 - -	7 6 -	16 20 -	24 23 -	12 29 -	78 91 -
B26	Chronic rheumatic heart disease M	69 109	-	-	-	- 1	-	2	10	20	23 33	14 43	70 69
B27	Hypertensive disease M F	144 183	-	-	_	-	2	3	10 7	36 10	41 49	54 114	76 78
B28 B29	Ischaemic heart disease M	2,769 1,985	-	-	_	2	4 3	53 10	187 26	591 157	878 522	1,054 1,267	88 90
	Other forms of heart disease MF	534 712	1	1	-	2	1	3	13	31 27	115	368 571	101 93
B30 B46 (pt.)	Cerebrovascular disease MF Other diseases of the circulatory MSystem (440-458) F	1,162 1,779 405 454	1 -	-	-	2 3 -	6 4 2	7 15 2 3	30 32 13 16	135 114 49 26	350 356 119 84	632 1,255 217 322	89 97 92 85
B31	Influenza M F	134 165	-	- 1	2	- 1	_	-	3	14 12	31 17	84 133	174 155
B32	Pneumonia M F	844 989	35 16	8 7	2 3	6 2	5	4 2	20 12	69 48	167 168	529 726	112 114
B33 (pt.)	Bronchitis, emphysema (490-492) MF Asthma (493) M	571 217	1 1	1	1 -	1 -		3	17	88 23	190 57	270 131	61 73
B33 (Rem.)	F	26 27	-	-	1 -	3	2	2	3 2	5	10	5	108 95
B46 (pt.) B34	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer F	92 93 99 49	9,61	4 3 - 1	3	1 1 - -	2 3 -	1 2 -	7 4 5	9 4 14 6	20 19 35 5	39 50 43 36	66 89 92 85
B35	Appendicitis MF	5 5	-	_	- 1	-	-	-	1	2	2	2	62 78
B36	Intestinal obstruction and hernia MF	34 60	3 6	-	-	_	-	1	1	4 2	9	17 38	80 115
B37 B46 (pt.)	Cirrhosis of liver MF	19 15	-	-	-	7		1	4 2	4	5	5	68 59
	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	87 96	1 -	1 -	1	3 1	2	3 4	3 5	16 12	19 25	39 48	105 80
B38 B39	Nephritis and nephrosis M F Hyperplasia of prostate M	58 37 78	-	-	1 1 -	3 -	5 -	3	3	7 7 3	15 9 23	21 14 52	113 91 115
B46 (pt.)	Other diseases of the genito-urinary M system (590-599, 601-629) F Abortion F	74 76	2 -	-	-	2 -	-	1	1	16 16	18	32 41	104 83 58
B41	Other complications of pregnancy, childbirth and puerperium F	3	_	-	_	1	1	1	-	-	-	-	58
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F	6 9	- 1	-	1	-	-	_	- 1	2 2	2 3	2 2	131 102
B46 (Rem.) B42	Diseases of the musculoskeletal system M and connective tissue (710-738) F Congenital anomalies M	24 66 89 70		6 12	6 5	1 2	1	2 3 2	2 5 4 1	5 8 2 5	9 15 2	8 34 1 2	92 108 94 87
B43	Birth injury, difficult labour and M other anoxic and hypoxic conditions F	52 29	52 29	_	-	-	-	-	-	-	-	-	62 57
B44	Other causes of perinatal mortality M	59 38	59 38	-			-	-	-	-	-	-	82 70
B45	Symptoms and ill-defined conditions M F	64 102	2	1	-	-	-	1 -	-	1	3 4	56 96	115 91
BE47	Motor vehicle accidents M	158 63	1	3 2	11 5	51 18	16	9	13	22	17	15	99 87
BE48	All other accidents M F	141 240	7 12	7 3	6	12 2	14	13	7 6	11	22 36	42 161	78 116
BE49	Suicide and self-inflicted injuries M	98 52	-	-	<u>-</u> 1	9 4	7 6	10	23 9	17 13	22	10 5 2	100 79
BE50	All other external causes MF	19 22	1		-	1 1	1	3 -	3 8	5	2	3	58 96
BN47	Fractures, intracranial and M internal injuries F	263 229	2	3 3	12 6	53 16	27	20 5	21 11	31 14	41 29	53 140	95 103 46
BN48	Burn M F	5 13		1 -	-	1	1	-	1	1	4	5	98
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F	66 68 82 67	1 6 9	2 6	- 5 1	5 11 3	7 6 3 1	10 10 5 2	12 9 13 10	10 14 13 12	12 9 11 10	7 12 9 19	73 75 89 158

					North 1	West Met	ropolitar	n Hospita	al Region	n			
ICD	Cause of death						Age (in	years)			-		S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25~	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers	M 22,71 F 22,57		118 105	128 74	290 115	282 192	606 410	1,753 1,150	4,866 2,694	6,300 4,826	7,604 12,487	97 96
	ALL CAUSES Rates	м 11,15	4 22,434	830 771	441 266	926 358	972 709	2,201 1,547	6,454 4,081	19,845 10,022	52,676	139,267 100,702	
B1	Cholera	F 10,47	- -	-		-	-	-,041		-	21,200	-	-
B2	Typhoid fever	F M F		=	-	-	-	-	-		-	=	=
B3	Bacillary dysentery and amoebiasis	M	2 -	1		-	-	-		-	-	1	265
B4	Enteritis and other diarrhoeal diseases	M 2	1 1 9 7	2	1	1	-	-	- 4	2 2	2 2	4 9	240 70 92
B5	Tuberculosis of respiratory system	M 10		-	-	-	-	6 3	11 5	38 9	25 9	21 8	113 111
B6	Other tuberculosis, including late effects	M 4	2 -	1	1 -	-	2	2	10	11 6	10 4	6 5	124 125
B7	Plague	M F		-	-	-	-	-	-	_	-	-	
B8	Diphtheria	M F	- -	-	-	_	-	-		_	-		Ī
В9	Whooping cough	M F	2 2 1	_	-	-	-	-		_	-	-	270 201
B10	Streptococcal sore throat and scarlet fever	M F	- -	-	-	-	-	-		_	-	-	:
B11	Meningococcal infection	M F	4 1 -	2	1 -	-	1	-	1	_	-	-	76 83
B12	Acute poliomyelitis	M F		-		-	_	-	-	-	-	~	1.5
B13	Smallpox	M	- -	-	-	-	-	-	_	00- 000	-	-	_
B14	Measles	M F	2 -	1	-	-	-	1 -	-	_	-	-	52 87
B15	Typhus and other rickettsioses	M F	- -	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M F		-	-	-	-	-	-	-	-	-	-
B17	Syphilis and its sequelae	F 1	0 -	-	-	-	-	_	1	5	2 5	2	118 230
B18	All other infective and parasitic diseases		9 1 6 2	1 -	3 2	3 1	2 3	2	5	7	5 8	6 11	92 95
	Malignant neoplasm of:		4			2	1	2		18	27	20	00
	buccal cavity and pharynx (140-149)		6 -	_	_	-		3	11	9	8	11	98 6 9
	oesophagus (150)	M 12 F 10	1 -		-	1	- 10	1	10	36 14	50 29 200	28 47 126	92 100
	stomach (151)	M 52 F 42		-	-	1 -	2 4	12 2	40 12	142 68	139	201	90 94
	intestine and rectum (152-154)	M 55	0 -	-	-	1.	3	14 20	51 63	132 129	167 179	187 337	95 101
B19 <	larynx (161)	M 4	9 -	~	~	-	-		3	10	18	12	104 93
	lung, bronchus (162)	M 2,16	8 -		- 1	1 1	1	36 15	224 65	714 179	783 184	403 122	111 138 32
	breast (174)	M F 94	2 -	_	-	-	13	64	178	265	213	208	109
	uterus (180-182)	F 33	11	-	-	2	3	12	57	99	76	86	100 116
	prostate (185) Leukaemia (204-207)	M 35	H	4	8	15	9	7	15	42	123	184	104
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F 1,21 F 1,30	1 1 2	6	9 11	6 21 15	3 34 22	6 65 45	10 143 151	17 358 311	28 320 348	28 249 395	93 108 106
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus			1 -	2 3 1 1	2 1 - 1	4 3 3 4	4 4 6 6	11 10 4 12	16 20 27 36	8 14 53 93	8 14 53 117	107 112 107 114
B22 B46 (pt.)	Avitaminoses and other nutritional deficiency Other endorrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M F M	4 9 3 7 4	1 2	3 2	1 3	- 4 2	6 5	355	2 - 14 8	2 5 15	2 6 9 28	67 97 122 84
B23 B46 (pt.)	Anaemias Other diseases of blood and blood-forming organs (286-289)	F 7	2 3 1 2 4	1	1 1 1 -	1 -	1 1 1 -	2 1	2	4 6 2 2	5 16 -	19 44 3 3	75 80 120 124

TABLE 19 - continued

					North We	st Metro	politan	Hospital	Region				
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25~	35~	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) M	44 67	-	1		3	5	2	4 4	5	6 14	18 33	133 97
B24	Meningitis M F	15 13	4 4	1 2	2	1	1 -	2	-	6	1 2	1	85 96
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389)	232 283	6 2	8	6 9	21 5	5 9	17 17	24 34	40	43 55	62 105	98 111
B25	Active rheumatic fever MF	1 2	-	-	_	-	1	1	_	-	-	1	99 196
B26	Chronic rheumatic heart disease M F Hypertensive disease M	251 360 347	-	-		3 2 -	8 7 5	16 8 21	44 41 35	72 75 78	62 85 97	46 142 111	115 98 91
B28	F Ischaemic heart disease M	506 6,016	-	-	-	-	13	138	8 601	1,575	128	316 1,836	98 94
B29	Other forms of heart disease M F	4,285 871 1,668	1 2	-	4 2	4 5	1 14 2	20 9 10	95 25 18	414 88 64	1,131 195 222	2,624 531 1,343	89 88 101
B30	Cerebrovascular disease MF	2,063 3,480	- 1	-	1 2	3	13	23 24	103	325 286	577 716	1,018	83 87
B46 (pt.)	Other diseases of the circulatory M system (440-458)	808 1,157	- 1	-	-	1 3	1 4	10	44 24	127	244	381 830	96 100
B31	Influenza M F	108 174	1	-	-	3	1 - 7	3 4	1 4	9	20 23	70 132	74 75
B32	Pneumonia M	1,480 2,015		16 17	9	15 2	8	11 9	34 22	125 111	301 278	859 1,509	104 107
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) M F Asthma (493) M	1,766 583 67	3 -	2 4 1	3 10	1 1 5	1 6		63 17 9	374 64 12	641 141 12	668 348 6	96 88 124
B46 (pt.)	Other diseases of the respiratory M	265		1	3	1	3	2	9	25 47	12 62	10	99
B34	system (460-466, 500-519) F Peptic ulcer M F	227 195 127	36	4	6-	1	=	5 2 3	6 11 6	19 49 11	26 66 32	124 66 75	98 91 100
B35	Appendicitis MF	15 15	-	2	-	2	_	1	3	2	1 4	4 5	88 102
B36	Intestinal obstruction and hernia M	87 122	7 7	2	1	-	1	2	3 4	10	17 27	45 73	104 106
B37	Cirrhosis of liver MF	66 63	1	- 2	-	3	1 3	10 1 6	11 9	24 22 34	13 20 51	4 10 65	105 105
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	175 288	3	2	3	2	6	7	21	31	57	156	104
B38	Nephritis and nephrosis M F Hyperplasia of prostate M	97 79 95		1	-	3	7 4 -	5 5 -	13 10 -	10	21 14 16	27 32 69	87 84 78
B46 (pt.)	Other diseases of the genito-urinary M system (590-599, 601-629)	137 205	2	1	un 0-	1	3		10 10		33 48	60 112	99 100
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	13		-	-	21	10		_	-	-	-	175 95
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F	14 30	2	_	-	pin d	1	_ 1	1	2 2	4 6	4 19	152 153
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738)	64 143	-	-	-	- 4	- 3	2 5	6 9	16 15	18 38	22 69	120 104
B42	Congenital anomalies MF	238 186		15 16		8	6 4	5	11 4	12	8 10	8	113 100
B43 B44	Birth injury, difficult labour and Mother anoxic and hypoxic conditions Fother causes of perinatal mortality Mother causes	197 118 179	118	-	-	-	-	-	-	-	- - -	-	108 104 114
B45	Symptoms and ill-defined conditions M	137	137	_	-	1	-	-	2	-	7	57	115 68
BE47	F	132		1		-	31	2 35	25	2 48	3 39	120	55 92
BE48	All other accidents M	152 340	25	6 30	11 18	18 30	7 36	9 41	11 39 19	24 42 29	39 23 25 51	41 54 205	88 86 78
BE49	Suicide and self-inflicted injuries M	360 246	_	18	3	19	35	11	46	59	24	22	105
BE50	All other external causes MF	228 96 66	3	3 2	2 2	11 6 3	19 15 10	34 15 5	42 19 10	59 19 10	44 7 13	19 7 9	140 125 117
BN47	Fractures, intracranial and M	542	1	12	26	117	53	69	58	80	54	69	87
BN48	internal injuries F Burn M F	378 26 26	6 -	13 4 1	13 1 1	20 3 -	12 4 2	13 3 1	18 1 1	38 3 2	55 3 3	190 4 15	76 108 85
BN49	Adverse effects of chemical M substances F	267 314	1	1 1	3 1	20 13	37 24	401	4.6 5.4	56 66	22 53	31 54	124 142
BN50	All other injuries M F	188 88	23	12	9	22	23 6	20	24	29 16	16 20	10 15	88 88

TABLE 19 - continued

				N	orth Eas	t Metrop	oolitan H	Hospital	Region				0 10 7
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England and
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	Wales = 100)
	Numbers	M 18,762 F 17,960	545 425	85 69	96 62	190 81	21 7 106	441 307	1,342 865	3,704 1,973	5,541 4,052	6,601	94 92
	ALL CAUSES Rates	M 11,323 F 10,321	18,924 15,568	710 607	379 263	753 325	986 500	2,026 1,455	6,256 3,902	18,783 9,267		137,235 95,157	
B1	Cholera	M -	-		-	-	-	-	-	-	-	-	-
B2	Typhoid fever	F -	-	-	-	-	-	-	-	=	-	-	-
B3	Bacillary dysentery and amoebiasis	м -	-	-	-	-	-	-	-	-	-	-	-
B4	Enteritis and other diarrhoeal diseases	F 11 18	8 10	- 1	1	-	-	-	-	1 2	1 1	4	43 80
B5	Tuberculosis of respiratory system	M 65 F 23		1	-	-	1	5	6	13	22	17	87 91
B6	Other tuberculosis, including late effects	F 23 M 24 F 16	-		=	-	1 1	1	4 3	3 8 1	8 4	3 6	85 102
B7	Plague	M -	-	-	-	-	-	-	-	-	_		-
B8	Diphtheria	F -		-	-	-	-	~	-	-	-	1	-
B9	Whooping cough	M 1	1	-	-	-	-	-	-	-	-	-	160
B10	Streptococcal sore throat and scarlet fever	F -	-	-	=	-	-	-	10	-	-	-	-
B11	Meningococcal infection	M 6 F 3		3	- 1	-	_	-		_	1	-	135 101
B12	Acute poliomyelitis	M -	-	-	-	-	-	-	, =	-	-		
B13	Smallpox	M -	-	en		-	_	_	-	~	-	-	-
B14	Measles	M 3		1 -	_	-	-	1 -	-	-	_	-	187
B15	Typhus and other rickettsioses	M -	-		-	***	_		-		-	es	_
B16	Malaria	M -	-	_	, _	-	-	-	-	-	_	-	=
B17	Syphilis and its sequelae	M 3 2				_	-	1	-	-	1	1	42 37
B18	All other infective and parasitic diseases	M 25 F 23	3	3 2	2 2	1	2	1 3	4	4 4	4 3	5	71 65
	Malignant neoplasm of:												
	buccal cavity and pharynx (140-149)	M 58 F 25		-		1 -	1 -	1 -	7 2	11 8	21 5	16 10	83 58
	oesophagus (150)	M 139 71		_	·	-	1	2	16 2	34 13	53 26	33 30	122 84
	stomach (151)	M 500 F 384	-	-	-	-	3 3	10	50 20	147 49	170 111	120 195	101 101
	intestine and rectum (152-154)	M 450 F 568		-	- 1	- 1	4	14 13	34 35	96 101	137 171	165 245	91 94
B19 <	larynx (161)	M 34 F 4		-	_	-	-	. 1	2	8 2	11	12	94 50
	lung, bronchus (162)	M 1,780 F 382	-	-	_	_	4	31 10	173 52	566 104	690 145	316 71	109 113
	breast (174)	M 729		-	_	_	7	36	141	196	186	163	135 104
	uterus (180-182)	F 220		-	-	-	1	9	48	59	57	46	80
	prostate (185) Leukaemia (204-207)	M 252	1	6	7	7	2	10	13	29	86 32	136	95 103
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F 84 M 1,003 F 1,009	2	1 2 8	2 7 10	1 14 12	6 22 9	3 52 33	13 109 114	13 283 236	16 304 310	29 208 277	84 107 100
B20	Benign neoplasms and neoplasms of unspecified nature	M 49 F 54		1 2	- 2	1 3	1 -	1	9	17 11	12 11	6	109 106
B21	Diabetes mellitus	M 115 F 229	-	1	5	2 2	2 3	6	6 7	22 21	42 77	38 108	99 11 5
B22	Avitaminoses and other nutritional deficiency	M 4 7	1	_	60s 600	_	-	-		-	2 3	. 3	80 90
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M 25 F 79	3	3 4	2	3 2	2 -	2	3 5	1 12	6 15	2 35	69 108
B23	Anaemias	M 36 F 88		_	2	-	- 1	1	2	3 7	10	18 62	99 114
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M 7 9	1	-	-	1	-	2	-	1 3	2	2	84 96

				N	orth Eas	t Metrop	olitan H	lospital	Region				
ICD	Cause of death	477					Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) MF Meningitis MF FF	38 106 18 13	- 7 3	- 3 1	- 2	1 -	1 1	1 2 - 1	3 2 1	4 5 1 3	5 13 4 1	23 84 1	135 183 122 117
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M F	212 211 1	4 4 -	5 2	7 5 - 1	10 7	11 3	8 9	17 26 -	37 39 -	50 43	63 73 1	107 100 119 120
B26 B27	Chronic rheumatic heart disease MF Hypertensive disease MF FF	161 323 276 414	-	-	-	1 1 2	1 3 1 1	8 13 5 6	25 23 24	45 82 59 43	42 95 72 95	39 106 113 263	89 107 85 95
B28 B29	Ischaemic heart disease MF Other forms of heart disease MF F	4,962 3,511 702 1,074	3 3	- - 1 2	-	- 1 3 2	18 3 7 4	117 18 4 8	475 73 16 18	1,188 336 68 41	1,624 938 177 161	1,540 2,142 423 835	91 87 82 77
B30 B46 (pt.)	Cerebrovascular disease MF Other diseases of the circulatory MF system (440-458) F	1,781 2,874 644 808	1	-	1 - 1	1 4 - 1	11 4 5 2	28 28 9 7	71 75 29 18	268 209 109 36	486 611 174 152	915 1,943 317 591	83 85 89 83
B31 B32	Influenza M F Pneumonia M F	155 243 1,309 1,671	1 1 62 55	- 7 11	86	1 3 2	2 2 4 4	1 - 9 14	6 4 28 25	10 11: 116 69	51 42 276 237	83 183 796 1,248	123 125 106 105
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF Asthma (493) MF F	1,522 549 49 55	5 -	- 2	2 - 3	- 1 4	5 2 3	5 3 7 5	50 15 4 10	260 45 12 13	577 144 11 11	621 337 7 9	97 99 109 98
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M	192 171 188 120	35 27	10 6 -	2 2	2	1 1 1	4 3 3 1	6 10 9 4	21 10 29 15	48 21 71 26	65 91 73 73	80 88 103 113
B35 B36	Appendicitis M F Intestinal obstruction and hernia M F	14 11 76 101	- 7 11	1	2	1 - 2 1	2	1	1 5 5	2 1 7 8	6 3 19 18	3 4 34 58	97 90 106 105
B37 B46 (pt.)	Cirrhosis of liver M F Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	36 30 114 224	1 3 2	2	-	- - 1 1	- - 2 1	1 - 2 6	4 6 7 10	12 6 25 25	12 7 36 59	7 10 38 118	69 61 80 100
B38 B39 B46 (pt.)	Nephritis and nephrosis M F Hyperplasia of prostate M Other diseases of the genito-urinary M system (590-599, 601-629) F	77 59 108 106 156	- - 4 1		2	3 3 - -	1 - 2 1	9 7 - 3 5	3 7 1 4 9	22 17 6 11 14	12 12 24 30 38	25 13 77 52 88	83 76 101 69 91
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	7	-	-	-	-	3	4	-	-	-	-	65
B46 (pt.) B46 (Rem.) B42	Diseases of the skin and M subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M and connective tissue (710-738) F Congenital anomalies M	9 22 45 144 176	1 -	- - - 14	- - - 7	- 1	1 232	1 2 5	3 4	1 7 15	5 15 37	5 14 17 82	115 134 99 126
B43 B44	Birth injury, difficult labour and other anoxic and hypoxic conditions F Other causes of perinatal mortality M F	135 118 86 138	89 118 85 138	11 - 1	5	5	2	3	8	3	6	3	76 31 104 100
B45	Symptoms and ill-defined conditions M F	100 61 158	_	-	-	-	2	1	1	2	6	49 150	71 77
BE47 BE48	Motor vehicle accidents MF F All other accidents MF F F	268 125 254 258	1 - 6	3 3 18 9	26 11 14 5	10 22	31 6 25 6	13 5 25 11	25 7 30 6	27 28 33 17	29 23 28 49	29 32 53 136	89 89 77 67
BE49 BE50	Suicide and self-inflicted injuries MF F All other external causes MF F	199 132 37 41		- 2	- - 1	11 6 8 5	30 9 3 7	30 20 6 2	45 29 5 5	43 30 6 5	28 25 5 7	12 13 -	105 101 59 90
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M F	450 293 14 18	3 -	7 4 1	34 13 -	97 14 -	50 11 1 2	33 13 2 3	49 8 2	59 33 2 3	43 56 5 2	74 138 1 8	88 70 70 71
BN49 BN50	Adverse effects of chemical M substances F All other injuries M F F	173 187 121 58	2 6 12	8 5 5 5	1 - 6 3	15 10 13 1	27 11 11 4	23 18 16 4	38 33 16 6	25 38 23 6	23 35 19 11	13 35 6 6	99 1 05 69 71

TABLE 19 - continued

					S	outh Eas	t Metrop	olitan H	ospital	Region			
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers	M 22,321 F 22,899	550 343	88 71	97 69	209 95	170 131	397 299	1,420 856	3,946 2,268	6,640 4,865	8,804 13,902	94 93
	ALL CAUSES Rates	M 13,281 F 12 342	19,097 12,428	733	386 285	840 385	825 630	1,923 1,421	6,484 3,657	19,353 9,529	49,295 24.758	142,922	
B1	Cholera	м -	-			-	-	-, -		-	-	-	-
B2	Typhoid fever	F -	-	-	-	-	-	-	~	-	-	-	-
B3	Bacillary dysentery and amoebiasis	M 1	-	-	_	~	-	-	1	-	_	-	151
B4	Enteritis and other diarrhoeal diseases	F 26 F 13	14 5	5	1	1	_	-	1	1	3 1	2	99 52
B5	Tuberculosis of respiratory system	M 67 25	-	-	-	-	1	4	4	21	25 6	13:	78 84
B6	Other tuberculosis, including late effects	M 29 11	-	1	-	1 -	1 -	1	2	8	11 3	5 3	92 60
B7	Plague	M -	-	-	-	-	-	-	-	-	-	~	_
B8	Diphtheria	M -	-	_		-	_	-	_	-	_	-	-
B9	Whooping cough	M -	-	-	_	-	_	-	-	_	_	-	-
B10	Streptococcal sore throat and scarlet fever	M -	-	-	_	-	-	-	-	~	_	900 900	-
B11	Meningococcal infection	M 4 1	3	-	_	1	-	-	-	- 1	-	-	. 32
B12	Acute poliomyelitis	M - F -	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M -	-	_	-	-	-	-	-	-	-	-	-
B14	Measles	M -	-	-	1	-	-		_	-	-	-	51
B15	Typhus and other rickettsioses	м -	-	-	-	-	-	-	-	-	-		-
B16	Malaria	F 1		-			-	-	-	1	-		686
B17	Syphilis and its sequelae	M 4 8	-	-	-	-	-	-	1	1	1	1	48 118
B18	All other infective and parasitic diseases	F 8 37 F 30	4 2	2	3 2	3 1	2 2	2	2 4	2 10 4	3 5 5	3 4 9	97 75
	Malignant neoplasm of:												
	buccal cavity and pharynx (140-149)	M 76 52	-	1	~	-	-	1 3	7	15 11	27 17	26 16	92 99
	oesophagus (150)	M 129 F 110	-	-	-	_	- 1	1 3	11	30 28	52 24	35 48	96 105
	stomach (151)	M 490 F 381		-	-	<u>-</u>	1 5	8	37 15	128	190 108	126 211	84 80
	intestine and rectum (152-154)	M 534 F 726	-	-	-	_	2	8	38 29	114 116	179 220	193 347	90 97
B19	larynx (161)	M 47 F 8	-	-	-	-	-		4	8	16	19	108 83
	lung, bronchus (162)	M 1,998 F 460		-	_	2	3 2	18 15	184 47	609 126	787 170	395 100	106 113
	breast (174)	M 10 F 849	-	-	-	1	8	10	137	221	219	223	166 102
	uterus (180-182)	F 271	-	1	-	1	4	16	43	69	76	61	84
	prostate (185)	м 390	li i		-	-	- [-	6	32	118	234	118
	Leukaemia (204-207)	M 125 F 124	- i	5	6 5	7	2	3 9	11	26 13	27 32	34	97 105
Į	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M 1,070 F 1,219		10	10	19 15	27	37 46	107 114	250 248	316 369	298 394	100 100
B20	Benign neoplasms and neoplasms of unspecified nature	M 40 F 61		-	2	1	1 2	5	4	8	10	8 20	81 103
B21	Diabetes mellitus	M 128 F 165	-	1	1	- 1	1	2	7 3	22	50 59	46	92 66
B22	Avitaminoses and other nutritional deficiency	M 6 7	_	-	-	-		-	-	1	2	3 7	105 72
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258,	M 34	7	1 2	3 2	-	2	3	1	5 8	5	9 22	86 · 53
B23	270-279) Anaemias	M 32			1		1		1	2	10	17	72
B46 (pt.)	Other diseases of blood and	F 68 13	_	1 3	3	2	1	1	2	2	14	46	70 145
	blood-forming organs (286-289)	F 15		-		-	-	-	2	2	5	6	133

Age (in years) Age (in years) Age (in years) Age (in years) Age (in years)	45- 55- 1 2 1 2 30 19 34	8 3 3 61 55 1 - 52 70	75 and over 9 39 2 2 - 79 119	S.M.R. (England and Wales = 100) 65 79 89 81
Number ages Under 1 1- 5- 15- 25- 35- B46 (pt.) Mental disorders (290-315) M 22	1 2 1 7 3 1 2 1 2 3 0 1 9 3 4 6 4 6 4 1 8 7 7 1 5 3 8	6 61 55 1 55 1 52	9 39 2 - 79 119 -	Wales = 100) 65 79 89 81 99 103
B24 Meningitis F 58 2 1 1 B46 (pt.) Other diseases of nervous system M 222 6 4 5 8 6 11 B25 Active rheumatic fever M 2 1	1 7 1 2 12 3C 19 34 1	8 3 3 61 55 1 - 52 70	79 119	79 89 81 99 103
B24 Meningitis M 14 2 - - - 1	1 2 3C 19 34	61 55 1 52 70	79 119	89 81 99 103
and sense organs (321-389) F 263 6 3 6 6 5 10	19 34 	55 1 - 52 70	119	103
E26 Chronic rheumatic heart disease M 169 - - 2 3 11 5 5 5 5 5 5 5 5	23 35 24 64 18 77 15 38	52 70	-	
F 256 9	24 64 18 77 15 38	70		224
	15 38	100	43 89	83 70 95
F 493 1 - 3		123	145 313	89
E28	501 1,316 68 360 21 86	1,174	2,058 3,092 715	92 91 101
F 1,739 2 2 4 1 6 5	11 52 76 274	211	1,445	97 89
B46 (pt.) Other diseases of the circulatory M 840 1 2 1 9	76 286 34 104	765 242	1,315 2,827 447	93 94
system (440-458) F 1,110 - - 1 3 11	20 72 5 16		794	89 162
B32 Pneumonia F 444 - 1 1 - 3 1 1 1 5 6 5 6 5 2,096 31 11 6 1 3 7	4 21 35 122 34 89	339	353 966 1,648	178 102 103
B33 (pt.) Bronchitis, emphysema (490-492) M 1,780 9 - 1 1 7	62 307	664	729	93 85
B33 (Rem.) Asthma (493) F 593 3 - 1 - 4 6 56 - 3 1 1 6 5 5 5 - 2 2 5 5 3	20 55 5 8 6 14	20	353 4 10	98 87
B46 (pt.) Other diseases of the respiratory M 245 44 5 1 5 2 4 system (460-466, 500-519) F 209 25 8 - 3 1	12 30 7 16		92 113	88 89
B34 Peptic ulcer M 209 1 - 2 - 3 F 133 2	23 21 - 16	. 77	82 88	95 99
B35 Appendicitis . M 18 - 3 1 1 1 - 1	2 5	. 4	3 3	110 82
B36 Intestinal obstruction and hernia M	5 10 4 11		36 66	100 92
B37 Cirrhosis of liver M 40 - - - 2 2 3 46 (pt.) Other diseases of the digestive system M 166 5 - 1 2 1 10 2 3 3 3 3 3 3 3 3 3	13 15 9 18 10 29	9	5 12 57	69 88 98
(520-530, 534-537, 561-570, 572-577) F 240 3 1 - 1 1 1	12 26	69	126	86
B38 Nephritis and nephrosis M 76 1 - 1 3 2	14 11 3 20 2 3	20	20 38 76	72 90 76
B46 (pt.) Other diseases of the genito-urinary M 161 1 - 1 - 1 1 system (590-599, 601-629) F 255 1 1 - 2 - 2	7 14 13 35		83 146	112 119
B40 Abortion F 6 4 2 Other complications of pregnancy, childbirth and puerperium F 12 2 8 2	-		-	170 113
B46 (pt.) Diseases of the skin and M 8 2	- 1	_	. 5	87
subcutaneous tissue (680-709) F 17	4 13	1 1	13	83 105
B42 and connective tissue (710-738) F 104 2 1 Congenital anomalies F 121 76 9 3 6 - 3	6 15 5 8 7 4	11	52 3 5	73 90 76
B43 Birth injury, difficult labour and M 127 127	_	-	-	82 93
Other anoxic and hypoxic conditions F 89 89	-	_	-	100 78
B45 Symptoms and ill-defined conditions M 56 1 - 2	2 1	3	47 175	52 6 9
BE47 Motor vehicle accidents M 272 1 8 27 76 28 17	15 31 12 13	33	36 42	86 88
BE48 All other accidents M 289 17 14 12 24 25 25 F 375 11 7 13 3 4 7	26 29 13 18	40	77 258	81 78
BE49 Suicide and self-inflicted injuries M 211 22 25 33 14 24	47 42 30 40		14 20	106 115
BE50 All other external causes M 52 7 1 3 7 5 5 5 F 40 4 4 - 5 3 2	8 10 4 2	3	3 8	79 79
BN47 Fractures, intracranial and M 480 6 12 32 98 44 41 internal inturies F 427 4 10 9 20 8 5	33 55 23 28	62 54	97 266	8 7 84
BN48 internal injuries F 427 4 10 9 20 8 5 Burn F 20 - 1 - 1 1 1	- 1	4	5	50 66
EN49 Adverse effects of chemical M 183 - 7 2 16 19 25 substances F 209 2 5 6 7 12 20	40 38 31 39	47	15 40	100 102
BNSO All other injuries M 150 19 4 8 15 19 14 F, 70 10 2 5 6 5 9	23 18 5 5		13	82 76

					S	outh Wes	t Metrop	olitan H	ospital	Region			
ICD B List	Cause of death	A1:					Age (in	years)					S.M.R. (England
Number		age		1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers ALL CAUSES	M 19,6 F 21,5	70 373	70	98 67	230 114	209 134	462 336	1,365 920	3,891 2,185		13,013	97 99
	Rates	M 12,7 F 12,5	72 21,516 17 16,078	906 722	452 318	968 462	1,033 671	2,386 1,696	6,601 4,055	20,319 9,750	50,000 25,278	142,648 108,171	
B1	Cholera	M F	-11 -	60- 900	-	-	-	00 00	100 T	-	-	-	-
B2	Typhoid fever	M F	- -		-	_	-	-		-	-	-	_
B3	Bacillary dysentery and amoebiasis	M F	1 -	-		-	_	-	1	-	_	-	172
B4	Enteritis and other diarrhoeal diseases		18 11 19 6		1 -	-	1 -	1	-	1 -	1 1	3 9	80 88
B5	Tuberculosis of respiratory system		56 - 38 -	-	_		- 2	2	11 8	16	19	18	88 141
B6	Other tuberculosis, including late effects	M	34 1 26 -	-	-	2	2	2 2	3	12 7	8 5	4 9	122 155
B7	Plague	M			-	-	_	-	-	-	-	-	
B8	Diphtheria	M F	-11 -	-	-	_	-	-	-	-	-	-	_
B9	Whooping cough	M	- -	-	- 1		~	-			-	Site .	-
B10	Streptococcal sore throat and scarlet fever	F M F	-	-	-	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	6 2		-	1	1	-	-	1	1	-	155
B12	Acute poliomyelitis	F M F	5 1	3 -	~	-	-	-	_	1	-	-	187
B13	Smallpox	М	- -	-	-	_	_	-	-	_	_	-	_
B14	Measles	F M F		-	-	-	=	=	-	-	-	**	_
B15	Typhus and other rickettsioses .	M	_ _	-	_	_	_	_	_	_	_		-
B16	Malaria	F M F	1 -	-	, -	-	-	-	1	- - 1	-	-	729
B17	Syphilis and its sequelae		20 -	_	_	_	_	_	2	5	9	4	708
B18	All other infective and parasitic diseases	M	3 - 31 2 33 1		2 2	- - 3	- 1	1 3 5	5	7 6	7 9 6	5 1 6	215 92 91
	Malignant neoplasm of:												0.2
	buccal cavity and pharynx (140-149)		- 14 -	-	_	-	-	-	5 2	14	18 15	19 18	79 93
	oesophagus (150)	M 1	.8 -		, -	-	1	5	11	24	40	37	101
	stomach (151)	M 3	93 -	-	_	-	=	5 7	8 27 25	17 113 51	23 150 100	45 99 157	99 79 80
	intestine and rectum (152-154)	M 4	59 -	_	~	_	3	14	40	99	147	156	91
B19	larynx (161)		16 - 15 - 5 -	-	-	-	4	13	42 5	119	161 16	307 13	96 121
	lung, bronchus (162)	M 1,7	H	_	_	_	6	31	177	563	688	310	57 108
	breast (174)	M	95 - 8 - 11 -	-	-	- 1	1 - 7	3 1 52	58 1 135	127 3 206	184 2 224	122 1 216	134 153
	uterus (180-182)		66 -	_	_	_	3	10	43	53	79	68	110 87
	prostate (185)	M 3	3 -	-			-	-	5	29	86	183	110
	Leukaemia (204-207)		-5 1	5 2	12	6	5	8	9	28 19	22 29	21	103 108
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)		7 1	6	12	20	18 15	57 37	112 126	263 264	273 297	215	104 105
B20	Benign neoplasms and neoplasms of			-	3	1	1	3	5	9	10	7	89
B21	unspecified nature Diabetes mellitus	M 1:		-	2	1 1 -	1 5 1	3 6 4	8 5	11 24 22	14 30 45	12 46 93	92 101 76
B22	Avitaminoses and other nutritional	М	1 -	-		-		-	None	-	-	1	20
B46 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M :	10 - 12 3 13 1	1 1	3 2	1		2 2	1 2 1	1 9 8	3 8 14	23	115 92 67
B23	Anaemias		2	2	1	- 1	1	2 2	1 2	4 8	8	18 49	105 88
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M	9 -	-	-	-	1	1	2	8 2 2	1	3 2	113 69

					\$	South Wes	t Metrop	oolitan H	ospital	Region			
ICD	Cause of death	433					Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) MF Meningitis MF	38 124 16 10	1 3 2	4	- 1	2 1	3 3 -	4:	7 3 -	7 9 1 2	6 20 2 3	9 83 5	132 191 118 92
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F Active rheumatic fever M F F	216 248 1	5 2	5 2	4 6 -	15 4	15 5	19 12 -	16 20	41 38 1	45 67	51 92	110 108 126
B26 B27	Chronic rheumatic heart disease M F Hypertensive disease M F F	191 320 308 468	-	- - -	 	4 2	5 5 1	12 13 8 1	38 42 21 15	51 62 84 31	47 80 79 104	34 116 115 316	106 97 93 95
B28	Ischaemic heart disease MF Other forms of heart disease MF F	5,293 4,247 834 1,586	-	- 1 -	3	2 - 3	6 16 3	97 18 7 3	469 71 31 21	1,247 331 70 57	1,651 1,007 146 200	1,821 2,819 567 1,301	96 93 94 100
B30 B46 (pt.)	Cerebrovascular disease MF Other diseases of the circulatory M system (440-458) F	1,825 3,346 770 1,140	-	-	3 1 - 2	1 4	4 5 3 3	30 23 6	70 69 22 23	276 251 111 63	493 627 210 175	948 2,370 414 865	82 88 103 103
B31 B32	Influenza MF FPneumonia MF F	183 311 1,424 2,239	1 1 60 46	- 8	- 1 6 5		1 1 4 7	5 2 10	4 4 30 27	16 13 131 92	32 41 331 322	121 246 838 1,726	141 141 113 125
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF FASTHMA (493) MF F	1,519 592 51 68	1 3 -	1 1 - 1	- - 6 1	2 1 3 9	2 - 3	7 3 5 9	52 21 7 10	283 63 18	581 139 4 10	590 361 5	94 96 117 115
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M	167 197 184 126	26 11 1	10 5 -	1 2 -	2	3 1 1	5 3 5 1	9 4 6 3	24 15 36 11	34 28 63 23	55 127 72 86	70 94 98 106
B35 B36	Appendicitis M F Intestinal obstruction and hernia M F	9 14 70 105	7 6	2	- - - 1	1	1 1 - 1	1 2	1 1 3 1	- 3 6 9	3 5 15 16	3; 35 35 71	63 106 97 98
B37 B46 (pt.)	Cirrhosis of liver M F Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	63 50 132 276	5 5	- 1 -	- - 2	2 - 1 2	1 3 2	4 1 3 5	9 6 10 9	27 18 21 25	18 15 36 69	2 10 52 157	123 94 91 110
B38 B39 B46 (pt.)	Nephritis and nephrosis M F Hyperplasia of prostate M Other diseases of the genito-urinary M system (590-599, 601-629) F	70 65 106 107 166	1 - 1	- - 1	- - 1	3 2 -	3 1 - 3 1	2 6 4 6	11 2 - 7 9	17 12 8 20 17	18 14 19 27 46	14 27 79 43 86	76 77 95 88 87
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	15 9	-	-	-	2	3	4	-	-	-	-	437 88
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M and connective tissue (710-738) F	10 25 54 125	-	-	- - -		1 1	1 3	- 4 3 10	1 2 15 13	2 2 17 16	7 16 17 82	127 138 117 98
B42 B43	Congenital anomalies MF Birth injury, difficult labour and MF other anoxic and hypoxic conditions F	165 142 154 96	80	15 11	9 5	7	1 -	4 7 -	6 7 -	9 5	7 9 -	7 12	107 103 117 119
B44 B45	Other causes of perinatal mortality MF Symptoms and ill-defined conditions M	117 93 61	117 93	-	- -	-	-	1	1	-	- 2	58 191	104 110 68 86
BE47 BE48	Motor vehicle accidents MF All other accidents M	199 240 151 278	- 1	1 8 3 20	13 12 16	71 29 37	22 8 21	19 9 21	22 8 27	38 21 41	29 28 28	18 32 55	84 103 88
BE49 BE50	Suicide and self-inflicted injuries M F All other external causes M	230 160 61	8	16	6 - - 1	6 29 11 8	7 42 19 8	12 27 14 11	17 40 36 10	27 45 31 10	30 31 26	184 16 23 4	74 126 117 103
BN47	Fractures, intracranial and Minternal injuries F	407 330	4 2	10 8	18	84 32	38 14	39 11	34 14	73 30	49 43	58 162	101 82 72
BN49 BN50	Burn M F Adverse effects of chemical M substances F All other injuries M	21 19 210 258 171	3	7 5 11	2 2 2 8	33 14	35 27 18	23 25 13	1 - 36 47 28	34 44 24 16	20 43 19	3 12 17 51 15	109 70 126 137 104 77

						Wess	ex Hospi	tal Regi	on				
ICD B List	Cause of death	All					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15~	25-	35-	45-	55-	65-	75 and over	wales = 100)
	Numbers	M 12,211 F 12,072	310 236	56 38	55 37	117 53	109 68	231 149	699 481	2,023 1,132	3,651 2,569	4,960 7,309	91 91
	ALL CAUSES Rates		18,902 15,128	816 584	366 262	816 390	941 602	2,039 1,287	6,068 3,867	18,577 8,899		138,547 98,637	
B1	Cholera	м -	-	-	on-	-	-	-	-	_	-	-	-
B2	Typhoid fever	F -	-	=	=	-	-	-	_	=	-	-	-
B3	Bacillary dysentery and amoebiasis	м -	-	-	-	-	-	-	-	-	-	-	
B4	Enteritis and other diarrhoeal diseases	F 12 F 6	5	4	-		=	-	-	2	1	- 3	80 43
B5	Tuberculosis of respiratory system	M 39 F 12	1	-	-	-	-	1 2	4 3	11	12	10	81 75
B6	Other tuberculosis, including late effects	M 18 7	-	-	01 01	-	-	-	2 4	5	7	1	102 70
B7	Plague	M -	-		-	-	~	-	-	-	-	-	- 1 E
B8	Diphtheria	M -	-	-	-	_	-	-	-	-	-	-	-
B9	Whooping cough	M - 1	1	-	-	-	-	-	-	-	-	-	421
B10	Streptococcal sore throat and scarlet fever	M -	-	-	-	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M 4	2	-	1	-	-	-		1	-	-	156
B12	Acute poliomyelitis	M -	-	-	-	_	_	_	-	_	-	_	1-
B13	Smallpox	M -	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M -		n-	-	_	-	-	-	-	-	-	_
B15	Typhus and other rickettsioses	M -	-	- }	-	-	-	-	-	-	-		-
B16	Malaria	F - M	-	-	\	-	-	-		-	-		=
B17 .	Syphilis and its sequelae	м з	-		- }	60	-	-	-	1	2	-	63
B18	All other infective and parasitic . diseases	F 3 M 20 F 23	2 3	1 2	-	1 2	1 2	2	4 2	1 2 5	2 4 2	3 5	82 93 106
٢	Malignant neoplasm of:												
	buccal cavity and pharynx (140-149)	M 36 F 34	-	-	-	-	-	1	4 2	11 7	6 13	15 11	77 120
	oesophagus (150)	M 65 F 52	-	-	-	-	-	1	3	17 10	18 17	26 24	85
	stomach (151)	F 52 M 241 F 162	-	-	-	-	1	2	21	50 25	105	62	92 74 63
	intestine and rectum (152-154)	M 325 F 401	-	-	-	-	1	14 12	24 25	59 62	119 116	108	97 99
B19 <	larynx (161)	M 22 F 5	-	-	-	-	-	- , -	5	1	7 2	9	89 96
	lung, bronchus (162)	M 946 F 215	-	-	-	1	2	17	76 23	291 59	380 78	179	89 98
	breast (174)	M 4 F 440	-	-	=	=	- 2	1 23	73	109	125	108	118 98
	uterus (180-182)	F 165	-	-	-	-	-	9	28	44	44	40	95
	prostate (185)	M 172	-	-	-	-	-	1	2	16	45	108	90
	Leukaemia (204-207)	M 71 65	-	3	2	2	3	2	4 7	16	21 17	18 23	97 102
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M 598 F 660		6 2	7 5	6 8	18 5	26 19	58 74	118 126	210 190	147 231	100
B20	Benign neoplasms and neoplasms of unspecified nature	M 21 F 21	1	1	1	- 1	1 2	3	- 3	4 3	8	2	77
B21	Diabetes mellitus	M 57 F 83	-	-	1	1	1	3	4 4	5 8	14 24	29	65 72 61
B22	Avitaminoses and other nutritional deficiency	M 5	-	-	-	-		-	-	2	1	2 2	155
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M 26	2 4	2	4	1	2	2 2	4	5 6	6 9	13	38 116 90
B23	Anaemias	M 21 31	-	-	1	-	-	-	1 2	5 2	2	12	83 59
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M 4 F 8		-	-	=	1		1	3	1 3	1 2	79 131

						Wes	sex Hosp	oital Reg	ion				
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5=	15-	25~	35-	45-	55=	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) M F Meningitis M	21 23 14	- 7	- 2	1 - 1	2 1	-	2 -	1 -	2 4 1	2 4 3	11 14 -	110 58 158
B46 (pt.)	Other diseases of nervous system M	115	3	1	3	4	1 9	4	12	17	4 36	26	118 91
B25	and sense organs (321-389) F Active rheumatic fever M F	109	2 -	4 -	1	3 -	6	4 -	5 -	16	28	39 1 -	79 595 -
B26 B27	Chronic rheumatic heart disease M Hypertensive disease M	83 161 216	-	-	-	1	2	6 3	11 16 14	22 31 39	26 53 71	15 58 85	73 82 99
B28	F	280	-	-	-	-	-	3	7	25	77	168	94
B29	Ischaemic heart disease MF Other forms of heart disease MF F	3,440 2,527 625 1,035	1 1 2	- - 1	- 2 1	3	6 - - 3	46 8 2 6	234 35 10 8	719 177 41 25	1,134 602 140 125	1,300 1,705 426 863	95 90 102 107
B30	Cerebrovascular disease M F	1,407	-	-	_ 1	1	4	10	35 48	133 147	410	814 1,563	93 95
B46 (pt.)	Other diseases of the circulatory M system (440-458)	510 598	-	-	-	-	1	3 2	19 12	73 33	140 111	274 439	100 89
B31 B32	Influenza M F Pneumonia M	106 148 769	30	- - 4	- 1 5	2 1 3	1 1 3	-	1 17	12 5 44	29 31 141	60 109 521	119 110 89
	F	981	19	4	1	1	2	4	13	26	151	760	89
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) MF Asthma (493) MF	820 240 27 26	1 2 -	1 -	1 2	1 1	1 1 1	3 1 4 3	36 8 4 6	130 21 8 3	328 64 5 7	321 143 3 3	75 64 99 75
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F Peptic ulcer M	128 130 83 62	25 19 -	1	4	1	4 1 -	3 2 -	5 5 8 2	21 11 5 6	28 24 29 8	40 63 41 45	81 101 66 85
B35	Appendicitis M	13	-	1	1	4	-	-	_	~ 1	1	6	140
B36	Intestinal obstruction and hernia MF	36 66	5 6	-	-	-	-	1	1 3	3	10	16 44	38 74 101
B37	Cirrhosis of liver	21 17	-	-	-	- 1	-	4	3 2	4 3	81	2 2	65 54
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	100 126	1 1	-	-	-	1 4	1	5	20	30 24	42 71	105 83
B38	Nephritis and nephrosis MF	43 33	-	-	2	2	2	3	3	5: 7	12 11	14 10	73 65
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary M system (590-599, 601-629) F	69 77 90	1	1	1	2	. 2	1 4	3	7 9 13	16 15 18	46 48 48	88 94 78
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	3	-	-	-	1	2	-	-	-	-		52 52
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F	2 7	-	-	- 1	1 -	-	-	-	-	1	5	38 63
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) F Congenital anomalies M	26 59 101 93	- 73 59	- 14 8	- 2 5	- 1 4	- 1 2 2	1 2 2 2	1 2 - 3	5 12 3 8	9 15 2 2	10 27 2	86 77 100 105
B43	Birth injury, difficult labour and Mother anoxic and hypoxic conditions	87 45	87 45	-	-	-	=	-	-	-	_	_	99 83
B44	Other causes of perinatal mortality M F	49 56	49 56	-	-	-	-	_	-	-	-	-	65 98
B45	Symptoms and ill-defined conditions M F	35 101	-	-	-	-	-	-	1 2	1 3	3	30 93	56 71
BE47 BE48	Motor vehicle accidents MF All other accidents M	168 83	1	3 4	9 6	55 13	19	13	18	23 14 20	14	14 15 36	94 95
	F	162 214	11 12	11 5	10	15	7 -	17	14	11	21	147	80 82
BE50	Suicide and self-inflicted injuries MF All other external causes MFF	118 82 27 24	2	- 1 -	-	7 3 2 4	15 6 2 2	21 8 2 1	23 20 7 2	28 23 4 6	13 18 5 4	11 4 4 3	107 103 74 87
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M	269 240 7	1 4	6	11 7	61 13 1	25 7 1	19 3 1	31	37 18	30 27	48 149 2	87 87 56
	F	4	-	- 1	-	-	12	20	20	27	11	1 9	109
BN49 BN50	Adverse effects of chemical M substances F All other injuries M	111 103 88	10	1 8 4	1 2 7 1	10 5 7 3	5 5 3	7 13 2	20	24 10 11	27	12 6	93 85 111

TABLE 19 - continued

						Oxi	ford Hosp	ital Reg	ion				
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers	M 9,778 F 9,275	312 225	67 51	67 38	149 43	98 76	211 144	636 446	1,769 913		3,776 5,417	88 92
	ALL CAUSES Rates	M 10,315	17,333	891	439	980	759	1,699	5,782			138,315 100,315	
B1	Cholera	F 9,735	13,235	716	265	307	644	1,224	4,084	8,728	24,800	100,315	400
B2	Typhoid fever	F -	-	-	-	_	_	_	-	_	-	-	_
B3	Bacillary dysentery and amoebiasis	F -	_	-	-	_	_	_	_	_	_	_	_
B4	Enteritis and other diarrhoeal diseases	F 10 11	4 7	2	1	-	-	-		1	- 2	2	- 65 84
B5	Tuberculosis of respiratory system	M 14		-	-	-	-	1	2	4	3	4	34
B6	Other tuberculosis, including late effects	F 8	-	-	=	1 -	1	-	1 - 3	1 1	3 3	2 4	54 52 99
B7	Plague	м -	-	-	_	-	_	_	_	_	-	-	_
B8	Diphtheria	F - M -	_	-	=	=	-	-	_	-	-		=
В9	Whooping cough	м -	_	-	-	-	-	-	-	-	-		-
B10	Streptococcal sore throat and scarlet fever	F 1	-	-	-	1	-	-	=	-	-	-	349
B11	Meningococcal infection	M 1	-	~	1	-	-	-	-	-	-	~	37
B12	Acute poliomyelitis	F 1 1 - F -	-	-	-	-	-	=	-		-	-	.56
B13	Smallpox	м -	-	-	-	-	-	-	-	-	-	_	-
B14	Measles	F - 1	-	1			-	-	=	=	_	-	83
B15	Typhus and other rickettsioses	м -	-	-	-	-	-	-	-	-	-		-
B16	Malaria	F		-	-	_	-	-	_	=	-	-	-
B17	Syphilis and its sequelae	м 2	-	-	-	_		-	-	2	-	-	51
B18	All other infective and parasitic diseases	F 23 F 25		1 1	1	- 2	=	1	3 4	4 4	2 3	7 7	115 133
٢	Malignant neoplasm of:												
	buccal cavity and pharynx (140-149)	M 39		1	-	-	_	1	5 1	9		12 9	102 87
	oesophagus (150)	M 53		-		_	- 2	- 1	8	13	16	16 15	8 5 93
	stomach (151)	M 202 F 156	-	-		_	1 -	5	12 13		59	64 72	75 81
	intestine and rectum (152-154)	M 247	-	-	-	-	- 3	3.	19 23			90 126	91 90
B19 <	larynx (161)	M 12 F 6	-	-	-	-	=	1 -	1	1 4		3	60
	lung, bronchus (162)	M 770		-		_	2	13	75 19			134 29	87 92
	breast (174)	M 1 320	-	_	-	_	4	15	- 59	-	1	-	35
	uterus (180-182)	F 129	-	~	-	-	1	5	22	30	39	.32	93
	prostate (185)	M 150	11	-	-	-	-	-	1			93	
	Leukaemia (204-207) Other malignant neoplasms, including	M 60 F 52 M 490	1 1	2 3	4 3 4	4 2 10	3	.2	1 6 46		10	13 14 112	99
	neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F 512		2	4	4			62			153	99
B20	Benign neoplasms and neoplasms of unspecified nature	M 21 F 33		- 1	2	1		3	5 5	4.4	10	3 8	85 125
B21	Diabetes mellitus	M 52 F 89	-	=	1 -	-	-	2	3 2	6 13	12	28 46	81 88
B22	Avitaminoses and other nutritional deficiency	M 2 F 5		_	-	-		-	-	-	1	. 4	72 125
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M 12	4	-	-	_		-	1 2	1 8	13	2 19	58
B23	Anaemias	M 15	_	2			1	-	_	3			73
B46 (pt.)	Other diseases of blood and	F 29	-	-	-	1 1		-	1	4 2		19 2 2	73 128

TABLE 19 - continued

						0:	cford Hos	pital Re	egion				
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25~	35-	45-	55-	65~	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) M	11 23	-	-	no.	- 1	1	-	1	- 3	3 3	6 15	70
B24	Meningitis M		1	_	-	**	-	-	1	-	2	-	77 34 48
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389)	103	5	6	8 5	9	3	3 6	10	16	21 19	22 34	93 82
B25	Active rheumatic fever MF		-	-	-	-	-	-	-	-	-	-	-
B26	Chronic rheumatic heart disease MF	68 112	-	-	-	2	- 1	4 7	10 12	21 16	24	7 51	70 73
B27	Hypertensive disease M F	136 167	-	-	-	1 -	-	4	8	32 16	43 47	48 100	76 75
B28 B29	Ischaemic heart disease M	2,573 1,893	-	_		1 -	7 5	64 9	230 45	545 147	822 477	904	87 91
	Other forms of heart disease MF	474 681	2 -	-	-	1 -	2	1	10	25	104 103	307 545	99 95
B30 B46 (pt.)	Cerebrovascular disease MF Other diseases of the circulatory M	997 1,600 376	2	1	2	3 1 1	5 4	11	41	132 105	273 303	529	84 93
	system (440-458) F	462	***	-	-		2	5 2	12 14	56 27	102 90	198 327	93 93
B31 B32	Influenza M F Pneumonia M	100 699	23	- - 6	- 7	2	1 - 2	1	2 2 11	3 7 51	17 11 126	38 77 468	87 100 101
B33 (pt.)	Bronchitis, emphysema (490-492) M	869 734	24	5	4		1	3	7	34	133	658	106
B33 (Rem.)	Asthma (493)	232	1	-	- 1	1	3	1 4	22 6 2	125 32 4	261 53 10	321 139 3	84 82 109
B46 (pt.)	Cther diseases of the respiratory M	108	19	. ~	2	2	2	3	4	17	21	38	72 80
B34	system (460-466, 500-519) F Peptic ulcer M F	94 80 46	14	8	-	2	-	-	3	5 12 1	16 25 13	46 36 31	92 79 85
B35	Appendicitis M	10	-	- 1	1	1	-	1	_	3	2	2 2	124 95
B36	Intestinal obstruction and hernia MF	41 50	. 2	-	1	-	1	1 2	_	6	9	17	101
B37	Cirrhosis of liver MF	33 17	-	1	1	-	1	1	9	12 5	7 4	3 2	118 68
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	74 106	1 1	-	-1	3	1 -	3	8	13	18 19	70	93 92
B38 B39	Nephritis and nephrosis MF FHyperplasia of prostate MF	34 35	_	1	1	5 i	2 3	3	3 5	10	4 7	15	67 88
B46 (pt.)	Other diseases of the genito-urinary M system (590-599, 601-629)	57 71 74	1	-	1	1 2	1	4	2	2 8 7	13 18 19	42 40 36	95 107 84
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	7	-	-	-	-	2	3	2	-	-	-	50 117
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F	5 15	3	-	-	1	-	-	1	1	1 3	10	113 177
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738)	20 57	- 1	-	- 1	-	- 1	1	1!	7 3	3	8	80 97
B42	Congenital anomalies M	102 72	61	8	6	2	4	2	4	7 3	3	3	95 78
B43	Birth injury, difficult labour and Mother anoxic and hypoxic conditions F	67 55	67 55	-	-	-	-	_	-	-	-	-	69 93
B44	Other causes of perinatal mortality MF	84 47	84	-	-	800	-	-	-	-	-	-	101 76
B45	Symptoms and ill-defined conditions M F	44 56	1	1	1 -	-	-	-	-	3	4	34 55	90 53
BE47	Motor vehicle accidents MF	206 81	1	8 6	11	75 12	22	15 6	23 10	23	14	14 16	119 108
BE48	All other accidents MF	174	18	15 9	12	14	11	13	15	13	17 21	46 121	93 93
BE49 BE50	Suicide and self-inflicted injuries MF FAll other external causes M	86 58 29	- 2	- 1	-	3 2 7	11 6 2	10 7 3	17 9 2	19 14 2	16 12	10	83 86 83
	F	33	-	1	-1	3	5	1	8	7	4	4	136
BN47	Fractures, intracranial and M internal injuries F	308 216	3 1	11 8	12 10	78 12	31	23	33 11	34 14	28 24	55 127	106 99
BN48	Burn M	12 12	1 -	5 2	1	2	2	-	1	-	2	5	105
BN49 BN50	Adverse effects of chemical M substances F All other injuries M	74 79 101	2 17	3 1 5	11	9 4 10	9 11 6	12 6 6	12 14 11	13 16 10	11 12 15	5 13 10	77 85 102
	F	52	9	5	3	4	1	2	6	10	8	4	116

TABLE 19 - continued

						South	Western	Hospital	Region				0 ***
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	Wales = 100)
	Numbers	M 19,963 F 20,188	425 326	79 76	89 58	226 88	161 110	423 297	1,240	3,578 2,034	6,056 4,394	7,686 11,977	95 97
	ALL CAUSES Rates		17,347 14,236	754 770	389 266	1,030 406	893 621	2,311 1,621	6,554 4,155	19,889 9,879	50,216 25,847	137,989 105,061	
B1	Cholera	м -	-	-	-	-	-	-	-	-		~	_
B2	Typhoid fever	F - M - F -	-	-	-	-	=	-	-	=	-	-	-
B3	Bacillary dysentery and amoebiasis	м -	-	-	-	-	-	_		-	_	-	-
B4	Enteritis and other diarrhoeal diseases	F - 19 F 25	6 8	2	2	-	-	-	-	5 2	2 5	2	84 119
B5	Tuberculosis of respiratory system	M 52	-	ton	_	-	1	4	6	11	21	9	68
B6 .	Other tuberculosis, including late effects	F 14 M 33 F 15	-	1	-	1	1 - 1	2	3	9 2	7 12 5	7 5	55 117 95
B7	Plague	м -	-		no.	_	-		-	_	_	-	-
B8	Diphtheria	F - M -	-	-	-	=	-	-	-	_	-	-	Ξ
В9	Whooping cough	м -	-	_	·	_		_	ma (_	40	-	_
B10	Streptococcal sore throat and scarlet fever	F 1 2 F 2	1 -	-	- - 1	-	-	-	-	=	_	-	287 792
B11	Meningococcal infection	M 1	1	_	-	_	-	_	_	-	_	-	26
B12	Acute poliomyelitis	F 4 4 - F -	2 -	2	-	_	=	-	-	_	-	-	152
B13	Smallpox	м -	-	-		_	_	-	-		-	-	_
B14	Measles	F 2 F 3	- 1	2 2	-	_	=	-	-	-	-	-	143 178
B15	Typhus and other rickettsioses	M 1	-		-	_	1	60	-		_	-	681
B16	Malaria	F - M - F -	-	-	, [-	_	-	_	-	-	-	=
B17	Syphilis and its sequelae	M 5		_	_		_	-	-	2	1	2	67
B18	All other infective and parasitic diseases	F 2 M 36 F 30		-	3	3	1 2	3	6	7 3	1 6 11	6	35 106 88
٢	Malignant neoplasm of:		-				_						
	buccal cavity and pharynx (140-149)	M 82 F 33	-	-	-	1		1	12	12	29 12	27 12	111 74
	oesophagus (150)	M 114	-	-		_	1	3	14	32	31	33	95
	stomach (151)	F 105 M 516 F 338	-	-	_	1	1 1	1 10 5	40 12	17 118 47	33 209 94	47 138 178	118 100 84
	intestine and rectum (152-154)	M 483	-	-	-	_	2	14	39	112	138	178	91
B19 <	larynx (161)	F 616 M 27 F 7	_	-	~	1 -	-	14	37 4 1	101	167 10	296 9	97 70 84
	lung, bronchus (162)	M 1,460 F 311		_	-	_	4	24	125	469	597	241	87
	breast (174)	F 311 M 6 F 721		-	-	2	7	6 - 52	108	101 1 214	96 3 167	66 2 171	89 112 101
	uterus (180-182)	F 284		_	-	den	2	17	59	69	67	70	103
	prostate (185)	M 338	-	-	-	-	610	-	1	42	122	173	113
	Leukaemia (204-207)	M 117 F 88	-	3 6	6	2 2	6 2	7 2	14	24 17	30 20	25 24	102 87
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M 908 F 1,030		8	5 7	20 8	9	37 37	80 94	234 215	273 326	227 329	9 5 9 9
B20	Benign neoplasms and neoplasms of	M 27		-	_	1	2 2	2	2	9	4	7	62
B21	unspecified nature Diabetes mellitus	F 40 M 158 F 207	- 1	-	3 -	- 1	3 1	3 6 1	8 7 7	25 29	9 49 73	11 68 95	79 1 27 98
B22	Avitaminoses and other nutritional	M 6	-	-	-	-	-	1	2	_	2	1	118
B46 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258,	F 8 M 33 F 49	5	1	3	1	- - 1	1 1	2	1 6 5	1 8 12	· 6	97 94 · 65
202	270-279)												
B23 B46 (pt.)	Anaemias Other diseases of blood and	M 31 F 73 M 9	1	- - 1	- 1	1 1	1 1	- 2	2	6	9 15 2	13 47 2	78 89 113
	blood-forming organs (286-289)	F 7		-	_	1	2	-	1		2	1	73

			1			South We	estern H	ospital I	Region			· · · · · · · · · · · · · · · · · · ·	
ICD B List	Cause of death	All					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales * 100)
B46 (pt.)	Mental disorders (290-315) M	16 52	-	-	-	-	-	1 2	1	2 3	3 16	9 31	53 84
B24	Meningitis M F	12 14	3 7	1	2	2	-	1	1 2	1 1	1	1	88 134
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389) F	183 235	- 2	2 5	6	10 5	7	11	29 17	28 35	44	46 82	92 108
B25	Active rheumatic fever M	1	-	-	-	-	-	-	-	1 1	-	-	126 121
B26	Chronic rheumatic heart disease MF	166 257	-	-	-	2	2	10	29 38	49	45 61	29 87	92 83
B27	Hypertensive disease MF	378 466	2 -	-	-	1	1 -	10	15 12	74 39	139 123	136 290	109 100
B28	Ischaemic heart disease MF	5,746 4,272	-	-	-	-	9	113 18	417 66	1,233 337	1,927	2,047 2,821	100 98
B29	Other forms of heart disease M F	939 1,551	1 1	1	2	2	2	5	28	76 47	205 221	1,262	98 103
B30 B46 (pt.)	Cerebrovascular disease MF Other diseases of the circulatory MF	2,362 3,689 812	1 1	1	1	7 3	6 9 2	33 20	86 101 32	308 253 90	715 792	1,205	100 102 101
	system (440-458) F	1,044	-	-	-	-	5	4	16	61	232 204	450 754	100
B31 B32	Influenza M F Pneumonia M	114 172 1,207	55	- 9	- 5	- - 4	3 1 5	-	5 4 31	11 7 107	22 28 261	67 132 720	82 82 89
	F	1,683	38	9	8	3	6	10	17	77	261	1,254	99
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) M F Asthma (493) M	405 58	1 1	2 1 1	1 1	1 2	1 1 3	2 2 4	41 18 7	206 41 12	478 116 15	464 224 13	70 69 134
B46 (pt.)	F Other diseases of the respiratory M	66 194	21	1	2	3	1	9	8	19	13 57	10 78	120 78
B34	system (460-466, 500-519) F Peptic ulcer M F	200 188 93	18	8 -	1 -	-	2 - 1	1 3	9 16	20 21 8	32 70 18	109 78 66	101 96 82
B35	Appendicitis MF	18 7	1	1	1	3		1	1	2	4	4 4	123 56
B36	Intestinal obstruction and hernia M F	83 106	6 3	1 -	-	1 -	- 1	1	2 3	6	25 23	42 66	109 104
B37	Cirrhosis of liver MF	55 47	- 1	_	-	1	2	1 3	12 7	16 16	19 11	4 8	107 94
B46 (pt.)	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	144 233	1 1	1	1 -	1 2	1 2	9	11 10	31 23	38 54	57 132	96 98
B38 B39	Nephritis and nephrosis M	77 71	1 -	1	1 -	5	1 4	7 2	4 9	16	15 22	26 28	82 89
B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629) F	129 131 166	- 1	1 2	1 -	2	2	5	1 7 11	5 7 21	23 37 34	100 71 91	106 102 92
B40 B41	Abortion F Other complications of pregnancy, childbirth and puerperium F	16	-	-	-	3	1 8	5	-	-	-	-	33 175
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F	5 13	-	-	-	-	-	-	_ 1	- 1	2	3 8	61 76
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) F Congenital anomalies M	47 114 147	93	17	- - 7	- 9	2 2	1 5 1	4 5 4	6 14 9	15 30 2	21 58 3	98 94 96
B43	F Birth injury, difficult labour and M	135	74 140	10	12	8	4	7	7	6	5	2	101
B44	other anoxic and hypoxic conditions F Other causes of perinatal mortality M F	84 60 56	84 60 56	-	-	-	-	-	-	-	-	-	106 53 67
345	Symptoms and ill-defined conditions M F	105 276	-	- 1	-	- 2	-	2	1 -	1	4 2	98 270	107 125
BE47	Motor vehicle accidents M	263 136	- 1	6	20	95 22	19	15	22	27 22	31 20	28	94 99
BE48	All other accidents M	301 337	23 17	10	16	3 0 5	25	3 23 6	28	46	31 46	30 69 228	95 84
BE49	Suicide and self-inflicted injuries M	167 132	-	-	1 -	9	16	26 20	30 26	33 37	30 25	22	95 104
BE50	All other external causes M F	56 45	2	2	2	9 3	6	4	8 9	11 12	8 9	6	97 104
BN47	Fractures, intracranial and M internal injuries F	452 387	1 4	7 8	21	105 26	37 6	31	47 18	61	52 51	90 225	93 90
BN48	Burn M.	16 16	1	1	5	1	-	1	1 2	1	3 2	4 10	82 63
BN49	Adverse effects of chemical M substances F	124 160	-	1	3	7	11	20	18	20	23 29	21	77 92
BN50	All other injuries M	195	21	9	10	30 4	18	17	31 22 8	36 16	22	32 10 12	121

TABLE 19 - continued

						MeT		tal Regio					
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	Wales = 100
	Numbers	M 18,327 F 16,565		93 69	95 45	198 81	165 100	450 320	1,293	3,599 1,965	5,717 4,103	6,231 8,687	107 105
	ALL CAUSES Rates		22,192 18,317	1,014	456 225	989 418	1,019 647	2,641 1,927	7,509 4,586	23,085 11,052	56,325 29 840	152,721 109,270	
1	Cholera	м -	-	-	-	-	_	-,02.	.,000	-		-	_
2	Typhoid fever	F - M -	-	-		=		=	-	-	=	-	-
3	Bacillary dysentery and amoebiasis	м -	_	_	-	_	_	_	_	_	_	_	_
4	Enteritis and other diarrhoeal diseases	F 2 M 21 F 19		- 8 3	1 -	2	-	-	1 -	1	3	2 5	735 106 108
5	Tuberculosis of respiratory system	M 110 F 27		-	-	- 1	2	5 3	9	32	45	17	172
6	Other tuberculosis, including late effects	F 27 M 28 F 17	- - -	1 -	-	1 -	-	2	5 4	11	7	3 5	131 118 133
7	Plague	M -	-	-	-	_	-	-	_	-	-	-	-
8	Diphtheria	M -	-	-	-	-	-	-	- :	~	_	-	-
9	Whooping cough	M 1 1 1		-	_	-	-	-	-	- 1	-		210 315
10	Streptococcal sore throat and scarlet fever	M -		-	-	-	-	-	-	-	-	-	-
11	Meningococcal infection	M 3 2		2	-	-	-	-	-	-	-	-	87 86
12	Acute poliomyelitis	M -	-	-	-	-	-	_	=	-	-	_	-
13	Smallpox	M -	-	-	-	-	-	-	_	-	~	-	-
14	Measles	F 2 F 2		- - 2	1	-		-	-	-	-	-	162 132
15	Typhus and other rickettsioses	м -	_	-	_	_	-	-	-	~	u-	-	_
16	Malaria	F - M - F -	-	-		-	-	-	-	-	-	-	-
17	Syphilis and its sequelae	M 6		-	_	-	-	-	-	4	2	-	96
18	All other infective and parasitic diseases	F 5 M 33 F 30	3	2	-	1 2	1 2	2	7 5	- 8 5	4 3 5	1 8 4	109 114 106
	Malignant neoplasm of:												
	buccal cavity and pharynx (140-149)	M 64 F 50	-	-	-	-	-	2 2	8	6 15	25 14	23 15	106 142
	oesophagus (150)	M 111	-	-	-	-	-	2	12	28	34 27	35	112
	stomach (151)	F 99 M 485 F 413		-	-	-	1	8 8	31 20	18 137 82	171 114	46 137 189	144 113 134
	intestine and rectum (152-154)	M 418	-	-	-	-	3	10	42	97	145	121	97
19	larynx (161)	F 474 M 27 F 6	-	-	-	-	1	10	23	81	150	209	96 85 89
	lung, bronchus (162)	M 1,106	-	_	_	-	. 7	26	110	363	440	160	78
	breast (174)	F 193 M 8 F 545	-	=	-	-	3 - 5	10 - 39	23	59 1 159	67 3 126	31 4 122	68 179 94
	uterus (180-182)	F 235		_	_	_	5	23	43	68	50	46	104
	prostate (185)	M 210	-	-	-	-	-	-	3	15	86	106	90
	Leukaemia (204-207)	M 93 F 90		4 5	15 4	2 2	1 4	6	10	16 14	25 23	14 24	96 110
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M 760 F 773	-	4 4	8 4	18	16 11	46	66	207	231 237	164 207	95 93
20	Benign neoplasms and neoplasms of unspecified nature	M 27		-	1	2	-	-	6	6	8	4	72
21	Diabetes mellitus	F 40 M 51 F 198	-	-	1 - 1	1 1 1	1	3	8 4 5	11 21 30	8 31 69	6 31 88	96 90 121
122	Avitaminoses and other nutritional	M 2	_	_	_	_	1	_	-	- 1	1	-	47
346 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F 6 41 F 68	7	1 2 1	5	1 1	- 2 1	1 5	2 2	1 8 14	1 7 24	3 6 17	97 137 114
323	Anaemias	M 36	-	-	1	1	-	-	3	6	8	17	114
346 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F 74 M 6 F 8	-	2	1	1 -	- - 1	1 -	2	5	19	41	121 88 105

			TT			We	lsh Hosp	ital Reg	ion				
ICD B List	Cause of death	All					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	Wales = 100)
B46 (pt.)	Mental disorders (290-315) Meningitis	50	4	1	1 1 1	1 1 -	2	- 1	2 1 1	6	5 11 1	11 32	113 109 76 111
B46 (pt.)	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	1 160 181	8 8 -	5 4	2 3	18	10	11 12	18	25 27 - 3	35 41 -	28 56	96 105 - 449
B26 B27	Chronic rheumatic heart disease Hypertensive disease	154 279 420	-	-	-	1 1 -	2 1 3 1	19 15 5	30 50 34 18	47	43 81 137 146	27 51 135	131 112 15: 141
B28 B29	Ischaemic heart disease Other forms of heart disease	3,664	2	-	2	1 4 2	9 2 6	136 30 4	515 93 20 20	1,247 392 84	1,854 1,102 192 202	1,605 2,045 507 942	114 112 111
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (440-458)	2,067 3,034 558	1 -	-	2 1 -	4 6 1	7 7 1	26 23 6	72 80 17 20	287 250 88	674 795 155 142	394 1,872 290 E16	111 113 83 35
B31 B32	Influenza Pneumonia	108	1 60 35	8 4	1 - 4 2	1	1 3 3	1 6 3	5 3 28 19		20 17 226 174	£1 81 498 703	78 71 86 1 79
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492)	384		1 1 1 -	- 1 4	31	11 1 2	7 2 7 2	52 16 2 6	311 46, 5	5.83 114 8 11	581 203 6	110 96 89 83
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519) Peptic ulcer	160 171		4 4 -	1 1	1 1 1	1 2	3 1 6 2	27 8 9	104 12 37 14	150 31 62 23	122 85 53 40	220 105 107 102
B35 B36	Appendicitis Intestinal obstruction and hernia	12 56	- 6	1 2 1	-	2	- - 1	-	1 1 1 3	5 4 4	6 2 12 19	2 3 29 28	123 121 92 81
B37 B46 (pt.)	Cirrhosis of liver Other diseases of the digestive system (520-530, 534-537, 581-570, 572-577)	55 112	- 2	-	2	2 1 2	2	2 6 1	10 6 10 12	10 23 17 22	15 15 40 36	12 9 31 79	117 135 91 86
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	84 133 130	-	1 - 2	2	3 2 2 1	4 6 - 1	55 - 1	14 10 - 8 12	29 15 4 22 20	28 28 31 36 39	16 18 98 58 65	131 134 143 127 119
B40 B41	Abortion I Other complications of pregnancy, childbirth and puerperium		-	-	-	2	2	3	-	-	-	-	74 86
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	9	-	-	-	-	_	1	-	-	2 3	3 0	75 69
B46 (Rem.) B42	Diseases of the musculoskeletal system Mand connective tissue (710-738) Congenital anomalies	97	100	13	1 12 6	1 5 .3	1 2 2 3	3 4 5 4	4 8 4 7	18 7 6	31 6 3	14 32 1 3	98 105 113 116
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions of the causes of perinatal mortality of I	98	98	-	-	-	-	- - - -	-	- - -	- - -	-	117 136 97 107
B45	Symptoms and ill-defined conditions	126 205		_	-	-	-	-	-	2	11	113 191	172 132
BE47 BE48	Motor vehicle accidents	101 339	11	17 12 13 10	14 6 19 5	66 20 39 9	31 6 27 3	20 31 33 9	19 3 43 12	21 14: 44 27	29 19 36 35	16 18 71 230	96 89 126 117
BE50	Suicide and self-inflicted injuries M All other external causes M E	89	1	- 2 1		12 2 4 4	91 11 41	22 8 10 4	20 14 5 6	32 27 6 7	26 21 3 3	6 8 1 2	84 83 65 88
BN47 BN48	Fractures, intracranial and internal injuries Burn	360	1 1	19 13 2 2	19 10 2	86 24	43 8 1 2	41 4 4 2	48 8 3 1	46 25 2 3	55 42 4 1	84 225 3 12	106 110 133 115
BN49 BN50	Adverse effects of chemical substances All other injuries	106 126 163	1 - 8	3 1 8 7	12	9 9 26 2	10 9 14 3	24 15 16 3	12 23 24 3	28 34 27 13	13 21 22 14	6 14 6 7	75 87 115 102

						Birming	cham Hosp	ital Reg	ion				
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages		1-	5-	15-	25-	35-	45-	55-	65-	75 and over	wales = 100)
	Numbers	M 28,50 F 25,73			158 98	352 163	296 192	784 559	2,444	6,127 3,019	8,299 6,072		103 102
	ALL CAUSES Rates	M 11,29	7 21,258	923	395	896	878		7,377	22,256	55,810	146,436	
B1	Cholera	F 10,04	17,332	805	259	431	609	1,768	4,287	10,311	25,302	106,390	-
B2	Typhoid fever	M F	1 -	1	100 600 600	-	1		_		-	-	475 910
B3	Bacillary dysentery and amoebiasis	M		-	-		_		~		-	-	-
B4	Enteritis and other diarrhoeal	M	21 22	9	1	_	=	2	- 1	5	5 3	2	111 125
B5	diseases Tuberculosis of respiratory system	- 1	9	_	1		1	3	21	30	36	17	104
B6	Other tuberculosis, including late	M :	13 51 	2	-	1	2 4	11 7 3	5 3 3	5 15 5	15 14 3	5 2	126 128 79
B7	effects Plague	F :	-	_	_	_	_		-	-	-	-	-
B8	Diphtheria	F	-	_	-	-	-	-	-	-	-	-	-
B9	Whooping cough	F	2 2	_	_	_	_	_	40	-	~	_	197
B10	Streptococcal sore throat and	F M	1	_	-	-	-	-	-	-	-	-	237
B11	scarlet fever Meningococcal infection	F M	3	2	April 1	_	_	_	_	-	1	-	43
B12	Acute poliomyelitis	F M	7 3	3 -	1 -	-		-	-	-	-	-	.150
B13	Smallpox	F M		_	_	_	_		_	_	_	-	_
B14	Measles	F	4 3	4	- 1	_	-	-	-	-	-	-	157 97
B15	Typhus and other rickettsioses	F M		_	_		_		_	_	_	_	51
B16	Malaria	F M		-		-	-	-	~	-	-	-	-
B17	Syphilis and its sequelae	F M	8	_	-	_	_	1	1	2	3	1	81
B18	All other infective and parasitic	F M	3 58 14		5 2	3	1 2	2 5	1 6 5	6 14	8 8	11 7	42 111 119
	diseases Malignant neoplasm of:	F	59 5	4	-	3	-	5	5	1.4			113
	buccal cavity and pharynx		26 -	-	-	-	1		6	33	40 12	42 14	131 76
	(140-149) oesophagus (150)	_	54		_	-	_	3	18	42	49	44	97
	stomach (151)	F M 7	93	-	_	-	7	20	9 83	16 224	25 230 132	158	85 105
	intestine and rectum (152-154)		70		_	1	4	10	30 69	98	242	259	102
	larynx (161)	F 8	30 -		-	-	8 -		61 5	149	264 25	329 13	106 120
B19	lung, bronchus (162)	F M 2,2	89	_	_	1	3	45	281	835	853	271	140
	breast (174)	F 3	81	1	-	1 -	_	14	68 3	102	130	66	83 110
	uterus (180-182)		95 -	_	1	1	13		179 85				104
	prostate (185)	I	59		-	-		1	4	51	119		102
	Leukaemia (204-207)		83			8 9	7 8		15 15	40 23	54 28	22 27	111 101
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M 1,3 F 1,3	48 .	10	13	35	39	80	200 189	379	364 381	232 347	102
B20	Benign neoplasms and neoplasms of unspecified nature	F	69 53	2	4	4-2	1		19 12	20 14 32	3 8 61		106 . 76
B21	Diabetes mellitus		68		3	1		1 4	10	31	99	127	105 104
B22 B46 (pt.)	Avitaminoses and other nutritional deficiency other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)		9 : 55 1:				1		- 8 16	2 8 20	3 1 4 36	· 7 5 35	84 91 103 . 126
B23	Anaemias			2				1	2	5	17	19	99
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)		11 :	3 1 1		1 1	1		3	5 2 2	20	71	111 90

TABLE 19 - continued

						Birming	ham Hosp	oital Reg	ion				
ICD	Cause of death					4	Age (in	years)					S.M.R. (England
B List Number		All ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)		M 28		1	-	2	1		3	4	4	12	73
B24		M 21 F 15	11	4	1	-	-	1	3 2 2	7 2 1	8 1 4	26	63 93 90
B46 (pt.)		M 270		11 5	8	19	7	19	26	40	74	54	95
B25	Active rheumatic fever	M 1 F 2	-	-	-	6 -	9	22	20	35 1 1	69	85	91 82 176
B26		M 273		-	-	3	1 3	19 32	50	88	66	46	107
B27	Hypertensive disease	M 578		-	-	1	3	22	64 62 31	128 128 71	131 185 191	106 178 369	115 129 124
B28		M 7,404 F 5,151	-	~	-	2	28	220 27	825 142	1,878 475	2,262 1,424	2,189 3,077	99 101
B29		M 1,125 F 1,664	2	1	2	2	7	15 12	41	139	318	600	99 97
B30		M 3,087 F 4,375	- 2	-	2	3 6	13 5	35 51	136 108	530 407	980	1,390 2,673	107 104
B46 (pt.)		913 F 1,151	1	-	1	3 2	3 6	12	34 35	133 84	255 202	472 809	94 95
B31 B32		M 148 F 201	2	3 2	-	2	2	4 2	13 4	22	43 40	59 125	88 83
		1,806 F 2,031	, 100 79	19 16	11 5	10	8	16 13	66 42	163 101	460 332	953	109 102
B33 (pt.) B33 (Rem.)		M 2,374 F 795 M 57	2 -	1 1 1	4 - 2	1 -	4 1	18 12	141	559 108	912 234	732 398	111 113
		F 93	1	2	1	8	4	9	9 14	13	10 24	15	88 119
B46 (pt.)	system (460-466, 500-519) Peptic ulcer	M 375 289 M 286 F 164	66 42 1	15 16 -	1 3	2	3 2 2	5 3 5 -	27 12 23 6	68 24 55 20	99 34 98 46	91 151 101 91	111 113 114 122
B35		4 20 7 19	-	1	2	- 2	1	-	5	4	4	3	97
B36		126 127	17 15	2	-	1	2	3 4	3 7 2	2 17 12	8 27 19	50 75	116 127 102
B37	Cirrhosis of liver	86 7 76	-	2	1	, 1	1 2	6	11	30 31	24 14	11	116
B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	1 215	6 5	1 4	-	3	7 3	13	26 17	47	51 76	15 61 156	114 108 104
B38		163	1	1	2	8	9	14	28	39 10	28 16	33 45	124 87
B39 B46 (pt.)	Other diseases of the genito-urinary	148 135 235	1 1	2	1 2	2	1 3	3 6	10	8 23 29	41 38 62	99 56 111	107 84 106
B40 B41	Other complications of pregnancy,	3	-	-	-	6	13	1 4	-	40	-	-	56 · 143
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)		1 1	-	-	1	- 1	1 2	1 4	4	2	2 14	109 114
B46 (Rem.) B42	Diseases of the musculoskeletal system mand connective tissue (710-738) Congenital anomalies	160 283	203	23	1 1 5	2 2 10	1 .7 4	3 7	7 9 9	20 20 10	14 46 10	28 72 2	117 108 101
B43	Birth injury, difficult labour and		195	23	8	9	3		5	11	6	2	111
B44	other anoxic and hypoxic conditions of the causes of perinatal mortality of the causes of perinatal mortality of the causes of perinatal mortality of the causes of the ca	212	180 212 154	-	-	-	-	-	-	-	-	~	117 98
B45	Symptoms and ill-defined conditions	114	2	-	-	-	- 1		2	2	7 10	101	94 103 97
BE47	Motor vehicle accidents		- 2	12	46 23	144	46	45 11	37 14	65 25	41 49	49	108 109
BE48	All other accidents	473	35 23	23 23	23	44	38 10	38	35 15	55 31	61 94	121 330	99 11 1
BE49	Suicide and self-inflicted injuries	129	-	-	-	14 10	24	33 16	42 26	44	37 29	17 15	76 70
BE50	All other external causes		6 9	5 2	1	13	7 9	6 5	11 6	16	11	5 2	87 85
BN47	Fractures, intracranial and Minternal injuries		5	21	52	166	73	66	61	103	93	144	104
BN48	internal injuries F Burn M	32	2	13 3 4	26	38 5 2	13	12 3 2	22	39 4 4	112 3 5	328 6 11	113 109 92
BN49	Adverse effects of chemical substances	183	2	4 9	4 3	14 12	20	35 16	31 30	37 34	23	15 27	72 74
BN50	All other injuries	249	32 27	12	14	30	20	18	29	36 17	31 18	27	95

		-	- 11				ranches		ital Reg					S.M.R.
ICD B List	Cause of death	Δ.	11					Age (in	years)					(England
Number		age		Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	Wales = 100)
	Numbers		469 861	998 680	174 120	154 104	283 127	279 186	732 502	2,358	6,524 3,619	9,440 7,556	9,527 15,565	112 109
	ALL CAUSES Rates	м 13,	902	25,656 18,478	1,076 785	452 320	873 396	1,015 702	2,624 1,843	8,242 4,655	24,289 11,746	60,903 31,775	152,676 111,179	
31	Cholera	M	-	-	-	_	-	-	-	-	-	-	-	-
32	Typhoid fever	F M F	1	-	-	-		-	-		1	-	-	534
33	Bacillary dysentery and amoebiasis	M	1	-	-	-	_	_	-	_	_	-	1	121 214
34	Enteritis and other diarrhoeal diseases	F M F	1 48 41	36 29	4 6	1 -	=	-	-	1	1 -	2	3 4	140 132
35	Tuberculosis of respiratory system	M F	145	_	-	-	-	1 2	6	20 2	49 5	47 15	22 8	141 102
B6	Other tuberculosis, including late effects	M F	22	-	2		2 -	2 2	3	3	8 7	2 5	3 5	57 104
B7	Plague	M F	-	-	-	-	-	-	-	_	-	-	-	-
B8	Diphtheria	M F	1	-	1	_	-	-	-	-	-	-	-	66
В9	Whooping cough	M F	-	-	-	_	-	-	-	-	-	_	_	-
B10	Streptococcal sore throat and scarlet fever	M F	-	-	-	-	-	-	-	-	-	-	_	_
B11	Meningococcal infection	M F	6	2	2	2	-	-	-	-	_	1	_	100 99
B12	Acute poliomyelitis	M F	-	-	-	_	_	-	_	-	_	_	-	-
B13	Smallpox	M F	-	-	_	_	-	-	-	-	-	-	-	-
B14	Measles	M	3 4	1	2 2	1	-	-	-	_	_	_	_	139 153
B15	Typhus and other rickettsioses	M F	-	-	-	_	-	-	-	-	-	-	-	-
B16	Malaria	M F	-	-	_	_	_	_	-	-	-	-	-	-
B17	Syphilis and its sequelae	MF	15	-	-	-	_	_	_	-	4 3	7 2	4	151 63
B18	All other infective and parasitic diseases	M F	49 65	5	4 2	1 2	3	2 5		4 7	10 10	12	5 12	103 133
ſ	- Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	109 68	-	-	-	_	_	2	8 12	28 13		30 22	114 111
	oesophagus (150)	M F	181 145	-	_	_	_	- 1	4 2	14 11	56 30	46		115 121
	stomach (151)	M	803 653	-	-	-	1 -	2 -	24	67 32	226 99		183 290	118 121
	intestine and rectum (152-154)	M	734 892	-	_	-	1 1	3 6		79 41	173 173	270		108 104
B19 <	larynx (161)	M F	55 15	-	1	-	-		1 -	3 2	13	20		110 129
	lung, bronchus (162)	M 2	,372 448	_	- 1	-	2	2 3		284 65	835 136		292 87	105 92
	breast (174)	M F	5 908	_	_	_	_		39	1 154	270	234	202	70 91
	uterus (180-182)	F	392	-	-	-	1	3	35	75	102	108	68	
	prostate (185)	M	337	-	-	-	1		-	2	36			93
	Leukaemia (204-207)	M F	146	-	5	13	5	2	6	12 15 145		21	24	
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)		,308	1	15 4			30 25	50	161				
B20	Benign neoplasms and neoplasms of unspecified nature	MF	69 76	- 2	3 1	3 2				15 13			7 10	114 106
B21	Diabetes mellitus	M F	154 309	1	-		-	-	10	8	39	48	49	97
B22	Avitaminoses and other nutritional	M	9	1	-	-	-	_	-	3	2	1		93
B46 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M F	60 127	14	2 5			3	-	7 11		14	6	122
B23	Anaemias	М	60	2	-	-				1	8 7			121 128
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	137 9 8	1 -	1 -	1	-	-	1	4 1 2	7 4 2		2 3	81

						Manche	ster Hos	pital Re	gion				
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) M	23 52	-	-	-	1	- 1	2	2 4	5.	3 12	10 29	61 65
B24	Meningitis M F	25 15	8	4	-	1 2	1 -	-	3 2		4 3	2	124 96
B46 (pt.)	Other diseases of nervous system M and sense organs (321-389)	279 292	12	9	7 7	12 7	16 4	17 21	23 25	58 45	66 80	59 92	104 98
B25	Active rheumatic fever MF	1	-	-	1	-	-	-	-	-	-	~	87
B26 B27	Chronic rheumatic heart disease MF Hypertensive disease M	280 482 408	-	1	-	4 - 1	9.9	18 21	49 74	96 120	61 133	43 124	114 112
	F	519	-	-	-	-	2 2	6	36 19	85 66	138 159	137 267	92 85
B28 B29	Ischaemic heart disease M F Other forms of heart disease M	8,470 6,481 1,326		-	- 1	2	21 3 4	223 39 18	854 180 45	2,180 737 165	2,852 2,037 359	2,338 3,485 728	114 114 115
B30	F Cerebrovascular disease M	2,020 3,632	1	3	1	1	10	12	23	118	349	1,510	106
B46 (pt.)	Other diseases of the circulatory M	5,509 1,181		1	1 -	3 3	15	36 12	141 145 49	577 496 147	1,189 1,346 323	1,668 3,463 643	124 118 120
B31	system (440-458) F Influenza M	1,647	1	1	-	_	9	8	35	100 23	294	1,201	123 87
B32	Pneumonia F	253 1,602 1,960	3 141 96	17 19	7 3	10	- 13 6	15 19	8 68 47	14 165 129	46 425 409	178 741 1,227	95 97 90
B33 (pt.)	Bronchitis, emphysema (490-492) M	2,543	3	_	-	3	3	26	105	592	1,021	790	117
B33 (Rem.)	Asthma (493) F	1,063 57 73		1 1	1	5	1 9	10 4 7	50 8 13	145 17 11	340 13 24	513 8 7	137 94 93
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F	355 258	36 27	12	3 3	5	6	8	19 11	52 24	111	103	109 97
B34	Peptic ulcer M	277 145	-	-	-	-	1	10	26	71	90	79 78	110 98
B35	Appendicitis M	15 21	-	1	-	1	1	2	1	4 5	2 7	3 8	77 122
B36	Intestinal obstruction and hernia M F	114 131	19	1 -	1	-	1	1 2	8	9: 16	35 40	40 56	118 97
B37 B46 (pt.)	Cirrhosis of liver	71 66	-	1	-	-	1	3	17	24 16	15 24	12 13	100 94
	Other diseases of the digestive system M (520-530, 534-537, 561-570, 572-577) F	214 365	5 2	1	-	2	3	9 7	20	54 63	67 106	51 171	110 116
B38 B39	Nephritis and nephrosis M F Hyperplasia of prostate M	163 118 149	-	1	2	6 2	6	9	26 11 2	43 22	35 41 33	37 33 105	130 108 104
B46 (pt.)	Other diseases of the genito-urinary M system (590-599, 601-629)	141 256	2 2	1	1	1	1 4	10	9	22 30	36 66	64	87 106
B40 B41	Abortion Other complications of pregnancy,	5	-	-	-	4	1	-	-	-	-	-	110
B46 (pt.)	childbirth and puerperium F Diseases of the skin and M	13	- 1	-	-	4	7	2	-	1	- 2	1	95
B46 (Rem.)	subcutaneous tissue (680-709) F Diseases of the musculoskeletal system M	15 63	-	-	-	-	1	-	2	2	1	9	56 66 102
B42	and connective tissue (710-738) F Congenital anomalies M	187 247	172	20	1 13	1 10	2 2 2	8 9	7 6	17 20 9	18 55 3	93	116 104
B43	Birth injury, difficult labour and M	227	142	18	19	7	1 -	7	13	6	9	5	109
B44	other anoxic and hypoxic conditions FO Other causes of perinatal mortality Mortality F	126 231 173	126 231 173	-	-	-	-		-	-	-	-	99 129 129
B45	Symptoms and ill-defined conditions M	197 498	1	-	-	1	1	-	-	3	8	183	175 182
BE47	Motor vehicle accidents M	411	1	20	46	100	38	31	37	51	17 34	478	103
BE48	All other accidents M	219 515 615	47 27	11 37 21	20 37 17	32 37 8	9 25 10	11 35 13	9 37 13	23 61 34	51 53 71	53 146 401	112 118 117
BE49	Suicide and self-inflicted injuries M	306 195	-	-	-	25	44	35 21	63 33	70 57	39 39	30 27	122 106
BE50	All other external causes MF	118	6 4	9:	5	12	11 7	15	15	19	15	11	142 109
BN47	Fractures, intracranial and M	712	5	32	52	129	59	54	58	90	67	166	105
BN48	internal injuries F Burn M	641 33 52	3	19 6 5	24	33 3 2	10	17 2 5	12 5 3	39	99	385 9 22	112 123 151
BN49	Adverse effects of chemical M	316 271	1	4	10	24	38	42	55	63	44	35	136 109
BN50	substances F All other injuries M F	289 133	1 47 27	24 12	5 26	10 18 8	15 20 6	22 18 9	36 34 9	62 45 17	51 27 19	68 30 19	109 124 117

						Liverpo	ool Hospi	tal Regi	on				
ICD	Cause of death						Age (in	years)					S.M.R. (England
B List Number		All ages		1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
	Numbers	M 13,00			76 57	135 56	163 89	355 246	1,113 694	2,914 1,603	3,902 2,934		109 104
		M 11,98 F 10,78	23,430	759	388	810 336	1,147	2,618 1,822	8,522 4,947	24,570 11,667	59,301	146,038 104,879	
B1	Cholera	M	- 17,011	-		-	-	-,011	-	-	-		-
B2	Typhoid fever	F M F		-	-	-	-	-	-	-	-	-	=
B3	Bacillary dysentery and amoebiasis	м	- -	_	-	-	-	-	-	-	-	-	_
B4	Enteritis and other diarrhoeal		15		- 1	1	-	-	-	1 2	3	1	130 104
B5	Tuberculosis of respiratory system	М	-	3	-	-	1	2	8	22	17	15 5	144 107
В6	Other tuberculosis, including late	M	7 -	-	=	-	2	3	5 2	11 7	3 4	4 2	117 201
B7	Plague	M		-	-	-	-	-	-	-	-	-	-
B8		M		-	-	-	-	-	-	-	-	, _	=
B9	Whooping cough	M	2 2 2	-	-	_	-	-	-	_	-	-	445 676
B10	Streptococcal sore throat and scarlet fever	M F		-	-	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	4 3	1	-	- 1	-	-	_	1	-	-	125 94
B12	Acute poliomyelitis	M F		-	_	_	-	-	-		_	-	-
B13	Smallpox	M		-		-	-	-	-	-	-	_	_
B14	Measles	M F	3 1		1 1	-	-	-	_	-	-	-	170 209
B15	Typhus and other rickettsioses	M	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M F	-	-	-	-	-	-	-	-	-	-	=
B17	Syphilis and its sequelae	M F	4 3	-	-	-	-	-	-		4 2	1	93 87
B18	All other infective and parasitic diseases	M	20 3 18 -	2	=	3	1	1 -	5 1	3 4	2	5	88 79
[Malignant neoplasm of:												
	buccal cavity and pharynx (140-149)		33 -	: :	1 -	1	1	1	3	12	18	14 14	118 122
	oesophagus (150)	F	38 -		-	-	1	2	10 4	16 10	35 30	24 20	129 128
	stomach (151)		95	-	-	1	1 1	12	33 13	103 54	147 101	67 125	123 126
A CAPACITATION OF THE PROPERTY	intestine and rectum (152-154)	F 4	21	-	=	-	3 6	5 10	31 41	82 87	94 108	102 169	107 112 148
В19	larynx (161)		10	-	-	-	-		-	8	18 5	6	197
	lung, bronchus (162)	M 1,2 F 2	30 -	1	-	1 -	5	26 5	158 46	407 48	464 73 2	191 57	127 107 96
	breast (174)	M F 4	32	-	-	_	7	32	80	113	102	98	97
	uterus (180-182)		37		-	-	3	10	46	60	31	37 64	108 84
	prostate (185) Leukaemia (204-207)			5	7	2	6	3	6	17	26	12	114
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F 5	73 -	1 7	6	3 5	1 11 10	36 29	11 64 64	14 144 140	11 162 198		113 95 99
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	F	38 27 74	- 1	1 -	2 -	1 1 7 7	1 1	8 6 8	11 4 13 14	6 7 21 41	3 6 23 53	137 83 107 95
B22	Avitaminoses and other nutritional	F 1	2		1 1	-	3 -	1	4	1	_	-	65
B46 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-245, 251-258, 270-279)	F M	5	1 1 2	3	=	1	1 3	2 11	4 5	1 4 18	5 19	105 90 140
B23	Anaemias	F		-	1 1	-	2	- 1	- 1	6 10	12 12	13 40	157 140
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M F		-	1 -	-	-	-	1 -	1	2	00 g	76 50

						Liverpo	ol Hospi	tal Regi	on				
ICD B List	Cause of death	A11					Age (in	years)					S.M.R. (England
Number		ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 and over	and Wales = 100)
B46 (pt.)	Mental disorders (290-315) M	53 25	-	-	-	-	-	_	1	- 1	13		320 71
B24	Meningitis M	11 5	3	1	-	1 -	-	1	1	1 -	2		110 66
B46 (pt.)	Other diseases of nervous system Mand sense organs (321-389)	115 89	3 5	- 1	5 4	9	9 7	8	17 3	16 13	26 22	22 27	94 66
B25	Active rheumatic fever MF	1 -	-	-	-	-	1	-	-	-	-	-	187
B26 B27	Chronic rheumatic heart disease M Hypertensive disease M	131 230 176		-	-	-	5 5 2	12 20	21 49 21	40 51	28 44	25 61	120 121
	F	268	-	-]	-	1	3	6	38 28	51 65	60 164	91 100
B28 B29	Ischaemic heart disease M F Other forms of heart disease M	3,582 2,563 536	-	=	-	1	15 4 -	96 24 7	397 77 17	989 318 62	1,168 714 134	917 1,425 316	111 103 109
B30	F Cerebrovascular disease M	957	1 1	1	-	1 5	- 8	5 22	18 74	56 234	162 407	713 513	114
B46 (pt.)	Other diseases of the circulatory M system (440-458)	1,955 397 576		-	4 -	3	2	17	67 18	209 52	493 110	1,161 208	95 94
B31	Influenza M	27	_	_	-	-	-	3	15	41	12	427 10	98 37
B32	Pneumonia M F	37 842 1,101	70 47	9	4 4	-	2 2	15 15 8	26 11	5 76 67	201 193	23 439 765	31 116 114
B33 (pt.)	Bronchitis, emphysema (490-492) M	1,126	6 8	1	-	2	2 2	4 2	60 24	3 02	423 113	328 188	120 117
B33 (Rem.)	Asthma (493) M	20 29	-	1	1 1	2	1 5	1 2	5	7 9	4	2 2	72 81
B46 (pt.)	Other diseases of the respiratory M system (460-466, 500-519) F	94 103	16	2	1	1 -	1	3	3	18 14	24 21	24 40	64 85
B34	Peptic ulcer MF	118 60		-	-	-	2	2	9	21 5	51 15	33 35	109 92
B35 B36	Appendicitis M F Intestinal obstruction and hernia M	11 7 42	5	1	-	-	1	1 - 2	1	3 2 6	2 1 11	3 3 16	123 90 97
B37	Cirrhosis of liver M	57 32	2	-	1	1	-	-	1	4	15	33	95
B46 (pt.)	F Other diseases of the digestive system M	29 94	-	2	-	-	- 2	3 - 4	6 4 8	11 7 19	9 8 27	3 10 32	102 93 110
B38	(520-530, 534-537, 561-570, 572-577) F Nephritis and nephrosis M	151	1 -	-	3	3	1	3	9	13	48	74 16	109
B39 B46 (pt.)	Hyperplasia of prostate M Other diseases of the genito-urinary M	51 65 74	- 1	- - 1	1	1	1 - 2	6	6	6 4 10	12 9 21	18 52 27	105 107 106
B40	system (590-599, 601-629) F Abortion F	123	2	-	-	1	1	8	6	16	32	57	116
B41	Other complications of pregnancy, childbirth and puerperium F	3	-	-	-	1	2	-	-	-	-	-	43 43
B46 (pt.)	Diseases of the skin and M subcutaneous tissue (680-709) F	5 11	-	-	_ 1	-	-	1	2	1 2	2	1 4	105 109
B46 (Rem.)	Diseases of the musculoskeletal system M and connective tissue (710-738) F	21 78	-		- 2	1	1	2 2	1 8	7	6	3 28	78 110
B42	Congenital anomalies M F	108 104	81 71	9 7	5	3 1	2	1	3 4	6 5	4	3	87 97
B43	Birth injury, difficult labour and Mother anoxic and hypoxic conditions For Other causes of perinatal mortality Mother causes of perinatal mortality Mother Causes of Perinatal Mother	123 65 124		-	-	-		-	-	-	-	-	111 97 130
	F	94	94	-	-	-	-	~			-		133
B45	Symptoms and ill-defined conditions M F	42 125	1	-	-	4	1 -	1	3	1	2	29 118	87 103
BE47 BE48	Motor vehicle accidents MF All other accidents M	203 93 270	1	5 2 13	11 5 23	56 15 23	23 1 13	17 7 20	16 7 32	30 18 29	23 18 27	22 19 69	105 101 131
BE49	Suicide and self-inflicted injuries M	328	6	6	5	2	3	7	15	22	48	214	138
BE50	All other external causes M	68	-		1	9 5 4	21 4 5	16 12 4	18 13 2	18	9	7	81 89
	F	27		2	20	2	3	32	2	6	40	79	91
BN47 BN48	Fractures, intracranial and M internal injuries F Burn M	373 321 15	2 1	9 2 3	8 2	68 17	33 1 1	8	34 9 1	56 31 2	51	192 3 13	124 118
BN49	Adverse effects of chemical M	26 117	_	1	5 2	1 6	18	17	21	20	5 18	9	163
BN50	substances F All other injuries M F	114 117 55	18	3 5 3 2	12 12	6 18	8 10 2	11 8	20 12	21 15 10	19 13	22 8 14	100 104 102

TABLE 20. Suspended

Note. Publication of Table 20 has been suspended. Instead, Table 21 now includes an enlarged cause analysis based on the ICD 'B' list of 50 causes, but with no age details. A similar cause analysis by detail of age is given for England and Wales, standard regions, hospital regions, conurbations and national aggregates by type of area in Table 19.

Details, which prior to this change appeared in Table 20, for administrative areas not separately shown in Table 21 are available at the General Register Office.

ENGLAND AND WALES, GREATER LONDON, CITY OF LONDON, LONDON BOROUGHS

ICD B List Number	Cause of death		ENGLAND AND WALES	Greater London	City of London	Barking	Barnet	Bexley	Brent	Bromley	Camden	Croydon	Ealing	Enfleld
	ALL CAUSES	M 29 F 28	3,213 3,541	45,169 45,114	29 11	1,027 830	1,728 2,004	1,225 1,037	1,494 1,420	1,817 1,892	1,261 1,242	1,837 2,323	1,780	1,594 1,630
B1	Cholera	M	-	-		-	-	-	-	-	-		-	-
B2	Typho1d fever	F	2	-	-	~	-	-	-	-		-	-	-
В3	Bacillary dysentery and amoebiasis	F M	9	3	_	_	1	_	-	-	_	_	_	_
B4	Enteritis and other diarrhoeal diseases	F M F	366 326	1 38 35	-	- - 1	- 3 1	- 1 1	3	2	2	-	-	1 1
B5	Tuberculosis of respiratory system		1,092	220	2	6	7	2	9	6	9	6	8	7
B6	Other tuberculosis, including late effects	F M F	364 408 227	84 76 50	-	1 2 -	4	-	2 4	2	4 4 5	6 2	2 5 4	
B7	Plague	M	-	50		_	_	_	~	-	-	-	-	_
B8	Diphtheria	F M F	1	-	-		-	-	-	-	-	-	-	-
B9	Whooping cough	M	9	3	_	40	-	-		-	-	-	2	_
B10	Streptococcal sore throat and scarlet fever	F M F	6 1 4	1 -	-	-	-	-	-	-	-	-	-	
B11	Meningococcal infection	M	64	13	600	2	-	-	-	1	-	2	-	1
B12	Acute poliomyelitis	F M F	43	6	-	-	-	-	1	-	-	-	-	-
B13	Smallpox	М	-	-	-		-	-	-	~	-	-	-	
B14	Measles	F M F	23 28	1	-	, -	-	_	-	-	1	-	-	-
B15	Typhus and other rickettsioses	MF	1	_	-	-	-	-	-	-	-		-	-
B16	Malaria	M F	2 2	1	-	-	-	-	-	-	_	-	-	-
B17	Syphilis and its sequelae	M	105	22	-	_	on 4	-	2	-	- 2	3	-	1
B18	All other infective and parasitic diseases	F M F	510 507	30 69 67	-	1	4 2 6	4 2	4 3	2	4	2 3 5	3	4 1
ſ	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	1,027 626	164 90	-	4	6	4	8	9 10	5 2	7	9 3	9
	oesophagus (150)	MF	1,677 1,224	295 1 91	-	11 5	11 13	10 5	8	11 10	10	7 7	8	8 3
	stomach (151)	M	7,242 5,507	1,088	2	35 26	37 38	22 11	31 33	53 39	33 23	33 32	54 21	53 42
	intestine and rectum (152-154)	M	7,300 8,761	1,059 1,427	1	30 41	57 63	27 41	22 48	52 95	28 45	46 58	36 67	40 45
B19 <	larynx (161)	M F	534 117	99 15	-	2	2	1	1	6 1	1	7	3 -	3 -
	lung, bronchus (162)	F	23,903 4,933	4,601 1,140	1	125 31	150 51	108 30	148 31	221 54	142 46	143 35	168 41	141 33
	breast (174)	M F	76 10,204	1,798	-	38	85	40	51	114	52	86	66	71
	uterus (180-182)		3,971	603	-	12	30	15	35	39	18	29	20	18
	prostate (185) Leukaemia (204-207)	1	3,939 1,676	650 264	-	12	28	19	18	32 17	13	26	28	18
		F M 1	1,456 13,648 14,730	238 2,438	3 1	65 69	11 85 132	6 65 62	6 74 86	9 111 140	11 73 86	11 84 111	96 103	7
B20	Benign neoplasms and neoplasms of unspecified nature	MF	647 738	110 130	1	5	2	4.	4	3	2	6	5	4 7
B21	Diabetes mellitus	M	1,716 2,900	268 496	-	5 18	11 15	4 9	9 21	10	16	9	8 27	12 14
B22	Avitaminoses and other nutritional deficiency	MF	73 112	8 17	-	2	-	-		-	en.	1	-	. =
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-245, 251-258, 270-279)	M	527 1,063	80 155	-	5	4 5	3	3 8	3	3 8	3 6	6	1 9
B23	Anaemias	M F	538 1,113	82 179	-	5	4 5	1	2 8	2 8	5	7 7	2	<u>4</u> 8
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F	120 136	20 21	-	-	1		1 2	2 -	1	-	1	-

						ZHOLIND	NUD WALE	o, uneni	ER LORDO	N, CITY	OF L'ONDO	N, LONDO	N BOROUG	нs
ICD B List Number	Cause of death		ENGLAND AND WALES	Greater London	City of London	Barking	Barnet	Bexley	Brent	Bromley	Camden	Croydon	Ealing	Enfleld
B46 (pt.)	Mental disorders (290-315)	М	412	79		4	2	1,	1	2	3	4	4	
B24	Meningitis	F M F	835 214 162	233 36 29	=	4 - 1	2 2 2	2	1 2	3 -	3 2 1	40 2	7	2
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever		,884 ,068 12 12	452 533 1 2	1 1 -	17 11 -	13 31 -	7 14 -	9 20 - 1	20	14 11 -	19	29 21	21 29
B26 B27	Chronic rheumatic heart disease Hypertensive disease	F 4 M 4	,612 ,386 ,774 ,309	475 758 732 1,076	1 1 - 3	16 21 25 28	9 23 36 48	6 17 26 30	20 26 36 33	12 12 21 37	17 31 20 23	18 27 25 59	21 30 26 40	17 25 23 44
B28 B29	Ischaemic heart disease Other forms of heart disease	F 58 M 12	,735 ,834 ,617 ,008	11,921 8,688 1,665 3,074	63	268 140 27 32	521 406 72 177	365 220 55 52	396 259 56 101	500 333 82 108	344 241 37 47	505 373 88 191	482 374 42 121	480 338 58 102
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (440-458)	F 48 M 10	,707 ,645 ,714 ,020	3,726 6,403 1,629 2,393	2	74 102 25 33	155 320 65 105	106 160 54 60	123 178 59 80	116 236 67 105	77 181 39 59	174 350 69 109	149 215 62 98	139 246 68 106
B31 B32	Influenza Pneumonia	F 2 M 18	,855 ,797 ,147 ,880	234 418 3,183 4,560	3	11 4 62 61	12 18 121 174	5 18 78 95	7 10 95 128	16 32 142 247	6 6 84 97	8 20 162 391	6 16 147 219	14 16 91 160
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) Asthma (493)	M 23 F 8	,299 ,011 646 810	3,854 1,503 114 139	- - -	78 37 - 2	103 37 2 3	104 31 6 3	120 42 3 4	109 37 2 5	89 32 3 5	139 52 3 3	167 54 4 4	111 54 1 1
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519) Peptic ulcer	F 2 M 2	,511 ,790 ,694 ,535	462 415 428 281	1 - 1 -	5 5 8 7	15 20 11 8	14 8 9 6	23 10 12 7	26 16 15 13	26 12 11 6	15 24 18 17	16 18 16 13	11 11 10 10
B35	Appendicitis	M	210	31	-	1	1	1	-	1	-	3		2
B36	Intestinal obstruction and hernia	M 1	177 ,050 ,396	23 170 238	1	2	1 5 16	1 7 4	4 7	2 8	5 9	6 13	4 8	2 5 11
B37 B46 (pt.)	Cirrhosis of liver Other diseases of the digestive system	M F M 2.	750 712 ,097	124 106 332	-	2 - 8	5 7 17	2	2 5 15	2 1 11	9 5 7	3 8 12	3 8 10	2 1 14
B38	(520-530, 534-537, 561-570, 572-577)		,249	584	1	19	17	8	23	21	20	30	20	16
B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	F 1, M 1, M 1,	,348 ,120 ,580 ,750 ,484	182 160 207 285 409	-	4 3 2 9 9	11 5 10 13 21	9 6 4 7 16	5 3 8 5 11	4 12 8 19	10 8 4 6 14	7 6 15 13	4 9 6 16 18	6 5 9 4 20
B40 B41	Abortion Other complications of pregnancy, childbirth and puerperium	F	50 150	25 26	-	-	- 3	- 3	2	-	1	1	1	- 1
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)		115 236	19 47	-	<u>-</u> 1	1 2	1	-	- 2	2	1 5	2 7	2 2
B46 (Rem.) B42	Diseases of the musculoskeletal system and connective tissue (710-738) Congenital anomalies	F 1, M 2,	663 ,661 ,540 ,212	126 289 416 323	-	4 4 6 8	7 11 10 11	5 7 12 9	6 8 20 13	3 6 11 6	8 17 12	8 11 13 13	3 8 14 16	2 11 8 4
B43 B44	Birth injury, difficult labour and other anoxic and hypoxic conditions Other causes of perinatal mortality	F 1,	,228 ,363 ,907 ,439	369 259 311 233	1 -	5 3 7 4	8 10 13 4	11 5 6 3	20 18 19 18	12 9 8 12	11 5 9	17 13 13 12	14 14 11 10	6 7 12 6
B45	Symptoms and ill-defined conditions		265	80 213	-	2 4	4 1	1 6	1 3	4 10	4 4	4 14	4 8	2
BE47	Motor vehicle accidents	M 4,	315	545	-	17	14	12	23	30	12	28	22	28
BE48	All other accidents	M 4,	739	603 550	1 -	13	14	8	25	17 15	29	23	21	11 11 13
BE49	Suicide and self-inflicted injuries		695	541 422	1	7 8	16 13	6	17	18	22	16	20	20
BE50	All other external causes	M	892 653	154 120	=	2	10	1	19 2 7	19 4 3	21 7 5	20	23 5 5	13 4 8
BN47 BN48	Fractures, intracranial and internal injuries Burn	F 5,	358 981 290 362	958 632 36 45	1 -	24 14 -	24 23 - 3	23 7 -	33 20 2	48 22 1 3	35 22 -	45 33 1 2	37 15 3 2	36 22 - 1
BN49 BN50	Adverse effects of chemical substances All other injuries	F 2, M 2,	487 574 506 185	544 601 305 118	1	8 11 5	24 20 6 2	3 11 1 1	23 27 9 6	14 20 6 4	25 27 10 4	12 27 10 3	16 25 12 5	17 19 10 3

	•													
ICD B List Number	Cause of death		Greenwich	Hackney	Hammersmith	Haringey	Harrow	Havering	Hillingdon	Hounslow	Islington	Kensington and Chelsea	Kingston upon Thames	Lambeth
	ALL CAUSES	M F	1,343 1,217	1,452 1,505	1,252 1,153	1,456 1,511	1,059	1,229 1,027	1,147	1,238 1,124	1,413 1,350	1,022	791 899	2,016 1,881
B1	Cholera	M	- ,221	- 1,505	-	-		-	-	-,121	-,000	-,	-	-
B2	Typhoid fever	F	-	-	-	-	-	-	-	-	-	-	-	-
B3	Bacillary dysentery and amoebiasis	F M	_	_	-	-	_	_	1		-	_	_	1
B4	Enteritis and other diarrhoeal diseases	F M F	3	1	- 1	1 2	-	- 4	1	- - 1	1 1 3	1 2	2	1 3
B5	Tuberculosis of respiratory system	М	4	1	9	4	5	5	2	6	14	7	1	15
B6	Other tuberculosis, including late effects	F M F	2 1 -	1 4 -	3 6 3	1 2 -	1 -	1 1 -	1	1 -	7 2 2	4 3 4	1	4 3 2
B7	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	F M F	-	-		-	-	-	-	-	-	-	-	-
В9	Whooping cough	M	-	-	-	-	-	-	_	_	-	-	-	_
B10	Streptococcal sore throat and scarlet fever	F M F	-	-	-	-	-	-	-	-	1 -	-	-	-
B11	Meningococcal infection	M	-	-	1	1	-	-	-	1	-	_	- 1	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-		-	-	-	-	-	-	-	_	_	-
B14	Measles	F M F	=	-	-	-	-	-	-		-	-	-	-
B15	Typhus and other rickettsioses	M	_	-	-	_	-	-	-	_	_	_	_	_
B16	Malaria	F M F	-	-	1	-	-	-	-	-	-	-	-	-
B17	Syphilis and its sequelae	M	_	_	2	_	_	1	_	1	_	3	_	_
B18	All other infective and parasitic diseases	F M F	1	2 3	3	- 4 2	1 1 2	2	1 2	3 2	2 2	5 2	3 1 1	2 4 5
[Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	1 4	2 4	4 2	5 4	4 -	4 2	4 5	4 6	5 3	6 5	2	10 4
	oesophagus (150)	MF	12	9	8	7 8	5 3	11	6	10	5 5	14	3	14
	stomach (151)	M F	35 21	41 37	37 21	38 29	19 18	37 21	31 19	21 24	32 32	19 19	10 19	49 41
	intestine and rectum (152-154)	M	35 35	22	22 38	41	30 41	30 27	30 27	29 40	32 34	26 43	13 46	39 49
B19 <	larynx (161)	M	3	5	1	2	2	1 -	2	5	4	3	3	5 -
	lung, bronchus (162)	M F	141 21	160	147 48	148 43	117 35	119 20	102 34	130 29	145 28	95 35	80 27	209 51
	breast (174)	MF	1 44	60	43	57	52	43	1 42	49	42	44	1 49	71
	uterus (180-182)	F	15	19	18	21	14	20	14	16	15	18	7	22
	prostate (185)	M	14	17	22	21	18	12	16	23	16	9	22	29
	Leukaemia (204-207) Other malignant neoplasms, including	M F	6 5	10	6 4	7 7	7 4	10	6 3	5	8	7	5	12 11
	neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F	85 70	72 82	74 81	71 85	64 71	65 68	62 57	73 71	72 60	73 56	35 61	106 95
B20	Benign neoplasms and neoplasms of unspecified nature	M	3	4 6	1	3	1	2	7	3 2	4	1 3	1	7 6
B21	Diabetes mellitus	M F	10	12 23	7	14 26	8	7 14	10 13	10 16	11	6 8	4 8	13 16
B22	Avitaminoses and other nutritional deficiency	MF	1	1	- 1	- 1	-	- 1	1	2	- 1	-	-	-
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	2	11	1	3 5	4	3	4	1 2	4 4	3	2	3 6
B23	Anaemias	MF	4	5	2	7	1	1	2	1	3	-	2	3
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M	8 - 2	5	5 - 2	11	4 1 1	5	2	2	1 1 2	1	2	10

			,		1000100				LONDO	N BOROUGI	HS			
ICD B List Number	Cause of death		Greenwich	Hackney	Hammersmith	Haringey	Harrow	Havering	Hillingdon	Hounslow	Islington	Kensington and Chelsea	Kingston upon Thames	Lambeth
B46 (pt.)	Mental disorders (290-315)	M	1	4	2 2	4	1	10	2	_	2	2	1.	3
B24	Meningitis	F M F	2	20	2 - 2	1	-	34 3 1	3	-	4 2	5	-	5 1
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	M F M	7 6 -	20 24 -	8 7 -	17 25.	8 13	21 23 - -	9 15 -	13 8	9 14 -	10 14 -	7 5 -	31 28 -
B26	Chronic rheumatic heart disease	M	18 14	19	18 34	14 17	19	7	7	9	17	20	9	21
B27	Hypertensive disease	M	20 26	19	22	21 33	25 34	16 14 . 19	26 17 35	18 22 20	33 18 30	19 13 20	12 24 24	31 35 35
B28	Ischaemic heart disease	M	363 269	358 296	325 217	380 310	305 231	319 191	325 207	356	332	231	225	482
B29	Other forms of heart disease	M	42 60	46	33 73	52 90	47 74	31 42	45 56	237 52 127	207 90 209	224 58 71	161 29 53	337 65 132
B30	Cerebrovascular disease	M	102 192	123	79 135	112 233	110 191	142 171	106	109	100	84	73	142
B46 (pt.)	Other diseases of the circulatory system (440-458)	M	34 66	60	43 58	59 79	33 57	41 43	48	145 56 60	171 37 71	165 43 81	141 33 51	231 76 102
B31	Influenza	M F	5 5	11	1 5	5 22	14	3 2	2 3	4	7	9	6	10
B32	Pneumonia	M F	96 136	100	86 116	76 114	55 72	85 95	67 87	6 47 85	5 121 119	17 50 116	14 39 79	23 162 214
B33 (pt.)	Bronchitis, emphysema (490-492)	M	147 47	131 75	110 44	134	64 30	96 22	97	101	114	70	68	190
B33 (Rem.)	Asthma (493)	M F	1 4	3 2	3 2	4 8	4	5	3	33 2 5	61 8 3	41 2 6	28 2 6	80 7 8
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519)	M F	15 15	13 19	13 10	19 26	11	9	13	9	20	6	7	19 17
B34	Peptic ulcer	M F	13 10	20 14	11	15 12	7 8	11 6	13 12	6	20	12	5 2 3	21
B35	Appendicitis	M	-	1	1	1	4	-		1	1 1	1 3	-	- 1
B36	Intestinal obstruction and hernia	M	7	5	6	3 11	, 5	4	2	7	9	4	1 7	9
B37	Cirrhosis of liver	M F	3 2	1	9	5	- 1	1 2	2	1 4	7 3	4 2	3 2	9
B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M F	8	10 19	9	8 21	9	10	9 15	8	10	8	5	15 27
B38	Nephritis and nephrosis	MF	8	8	5 12	7	4 3	7 2	3	2	7 5	1	2	7 5
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	M M F	2 11 12	7 8 10	5 12 12	11 11	4 3 11	3 6 6	5 4 12	10 7	8 12	5 9 4	7 5 5	5 12 18
B40 B41	Abortion Other complications of pregnancy,	P	1	-	3	-	-	-	1	1	2	1	-	4
B46 (pt.)	childbirth and puerperium Diseases of the skin and	F	_	2	2	2	_				2	1	-	3
D40 (D)	subcutaneous tissue (680-709)	F	-	6	1	4.	-	1	1	2	-	3	-	1
B46 (Rem.) B42	Diseases of the musculoskeletal system and connective tissue (710-738) Congenital anomalies	M F M F	1 6 12 5	3 13 20 16	9 8 12 6	7 12 22 10	3 10 10 6	12 16 13	1 5 10 9	13 10 8	3 5 17 11	1 7 11 3	1 4 9	7 20 18 18
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M F	12	17 18	18	25	4 5	10	16	13	23	11	2	23 12
B44	Other causes of perinatal mortalfty	M F	6	16 11	9	12 10	4 8	7 8	2 4	11	13	8 7	4 2	16 12
B45	Symptoms and ill-defined conditions	M	3 8	3 2	2 4	- 4	4	5	2	- 2	3 5	2	1 6	4 7
BE47	Motor vehicle accidents	M	14	13 12	13	17	19	17	18	22	14	11	10	24
BE48	All other accidents	F M F	8 16 20	20	6 16 19	22 20	7 8 12	3 14 16	13	8 16 8	9 18 20	15 18 23	8 15 14	10 36 41
BE49	Suicide and self-inflicted injuries	М	16	16	12	13	7	14	13	12	11	32	10	25
BE50	All other external causes	F M F	12	12 6 2	6 5 7	13 7 3	11 2	6 2 1	7 6 2	13 2 3	9 6 3	20 8 10	3 3	24 10 7
BN47	Fractures, intracranial and	M	25	29	20	24	21	32	29	27	27	26	16	49
BN48	internal injuries Burn	F	25	16	14	15	14	15	13	12	27	26	11	35 1
BN49	Adverse effects of chemical	F M	12	13	16	25	6	10	12	16	12	33	1 6	27
BN50	substances All other injuries	F M	13	12 12	17	21	13	9	9 7	16 8	7 6	34 10	15	36 18
		F	3	3	5	2	3	2	1	3	4	4	5	9

	Titota az (2101	,		710001000			ZOMDOM L	UNUUGRS	AND COUR	III BOROL	ORIO		
ICD B List Number	Cause of death		Lewisham	Merton	Newham	Redbridge	Richmond upon Thames	Southwark	Sutton	Tower Hamlets	Waltham Porest	Wandsworth	Westminster, City of	Barnsley
	ALL CAUSES	М	1,786	1,044	1,498	1,397	1,137	1,704	967	1,346	1,529	2,105	1,446	490
B1	Cholera	F	1,648	994	1,398	1,472	1,151	1,740	1,075	1,036	1,560	2,466	1,376	386
B2	Typhoid fever	F	00 000	_	-	-	-	-	-	-	-	-	-	-
B3	Bacillary dysentery and amoebiasis	F		_	_	-	_	-	_	-	_	_	_	_
B4	Enteritis and other diarrhoeal	F	1	-	-	1	-	4	2	2	-	4	1	2
B5	diseases Tuberculosis of respiratory system	F	1 14	3	5	6	6	12	1	10	7	12	1 9	3
B6	Other tuberculosis, including late	M F M	2	2 2	4 5	2	2 6	8 2	4 2	2	2 2	6 2	4	1
	effects	F	-	3	4	1	3	3	2	5	-	3	1	1
B7 B8	Plague Diphtheria	F M	-	-	-	-	-	-	-	-	-	-	- +	-
	Dipitorella	F	-	100	-	-	-	-	~	-	-	60	-	-
B9	Whooping cough	M F	_	-	1 -	-	-	-	-	_	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M F	-	-	-	-	-	-	-	-	-	-	-	_
B11	Meningococcal infection	M	-	~	-	1 -	-	1	1 -	1	-	-	1	-
B12	Acute poliomyelitis	M F	-	-	-	~	-	~	~	-	-	-	-	-
B13	Smallpox	M	-	-	-		-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	100	1 -	-	-	-	-
B15	Typhus and other rickettsioses	M	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-		-	-	-	-	-	-	-	-
B17	Syphilis and its sequelae	М	-	-	-	-	1	-	2	_	-	3	3	-
B18	All other infective and parasitic diseases	F M F	1 2 1	1	3	1 1	4 -	4 1 2	1 1 -	2	1 1 1	3 3 4	2 1 2	1
	Malignant neoplasm of:							:						
	buccal cavity and pharynx (140-149)	MF	4	4 3	4 3	3 2	7 2	8 3	5 2	5	6	4 5	2	-
	oesophagus (150)	M F	9	9	13	8 4	3	6 11	4 5	14	14	12	15 7	4
	stomach (151)	M	33 32	25 10	42 32	37 32	21 18	38 41	20 18	30 30	51 23	43 32	26 27	9
	intestine and rectum (152-154)	MF	42 50	26 30	32 46	30 51	30 31	35 46	25 32	33 25	36 43	46 69	36 39	11 12
B19 <	larynx (161)	M F	6	4 -	2	3 -	6	1	1 -	1	1 -	3	1	3 -
	lung, bronchus (162)	M	171 43	109 28	155 39	150 23	112 34	194 44	92 21	160 30	160 27	207 50	151 48	43 5
	breast (174)	M F	- 53	38	1 44	1 59	1 43	57	1 51	31	80	81	62	15
	uterus (180-182)	F	16	17	13	17	20	19	11	13	15	24	23	6
	prostate (185)	M	29	15	17	17	16	24	16	10	28	35	26	3
	Leukaemia (204-207) Other malignant neoplasms, including	M F	9	9	11 7	15	6 7	13	6	4	5	15	14	3
	neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F :	87 87	43 56	95 82	72 86	56 68	89 91	63 60	· 68	78 86	100	92 99	23 21
B20	Benign neoplasms and neoplasms of	М	3	5	2	5	3	3	-	7	4	2	3	-
B21	unspecified nature Diabetes mellitus	F M F	6 6 19	2 4 9	13 21	4 7 23	4 8 16	5 4 6	1 6 11	3 7 18	1 9 18	10 13 25	5 13 20	5 4 7
B22	Avitaminoses and other nutritional deficiency	M :	-	- 1	3	- 1	- 1	- 1	-	-	-	1 2	-	~
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	5 4	2 4	4	2 4	2	4	- 4	4 5	13	6	5 4	. 4
B23	Anaemias	M	3	1	2	5	_	2	1	6	_	3	1	
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	4 -	5	8	4	6	9	5	10	7	10	3	3
	2204-101HIII 0184H2 (500-503)	T _k	*	-	-	2	1	3	-	**	1	/ 1		

											- Dono	1		
ICD B List Number	Cause of death		Lewisham	Merton	Newham	Redbridge	Richmond upon Thames	Southwark	Sutton	Tower Hamlets	Waltham Forest	Wandsworth	Westminster, City of	Barnsley
B46 (pt.)	Mental disorders (290-315)	MF	2 6	1 6	1	6 21	1	3 14	10	3 2	- 4	5 15	4 7	1
B24	Meningitis	M F	2 2	2	3	3	1 -	2	1	1 1	1 -	2	3	1
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	M F M F	16 22 -	9 4 -	11 14 - -	13 7 -	9 10 - -	11 18 -	3 13 - -	5911	30 23	21 30 1	14 15 - 1	381
B26	Chronic rheumatic heart disease	MF	17 22	12 17	19 33	13 28	12 9	14 27	2	15 34	9 24	19 37	28	4 9
B27	Hypertensive disease	MF	29 33	18 26	23 39	39 39	11 29	29 59	9 24	15 17	25 42	22 47	24 37	11
B28	Ischaemic heart disease	MF	459 368	315 200	349 255	356 253	319 257	402 281	290 233	287 212	381 279	556 520	339 256	108 79
B29	Other forms of heart disease	M F	55 78	42 59	43 87	47 109	40 76	70 161	49 83	39 52	67 128	73 190	33 71	19 36
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (440-458)	M F M	151 275 63 85	100 155 31 61	108 209 48 61	127 217 46 56	121 160 42 86	122 195 51 80	109 198 34	94 123 49	125 231 41	173 314 79	99 185 74	56 58 20
B31	Influenza	М	3	3	6	10	8	8	54	40	73	172	72	18
B32	Pneumonia	F M F	9 135 149	3 53 85	11 111 122	26 113 163	10 84 105	20 152 234	9 42 81	3 120 113	23 146 177	32 164 278	9 94 100	2 31 17
B33 (pt.)	Bronchitis, emphysema (490-492)	M	221 74	103	138 58	98 45	89 36	184 75	70 24	164 68	129 53	218 88	98 32	61 20
B33 (Rem.)	Asthma (493)	MF	2 4	4 5	4 8	5 6	1 3	4 2	3	4 3	7 6	9	3	-
B46 (pt.) B34	Other diseases of the respiratory system (460-466, 500-519) Peptic ulcer	M F M F	20 28 20 10	8 7 9 4	27 15 25 11	11 9 13 6	6 10 11 4	18 16 20 11	3 6 9 5	15 10 14 9	12 11 13	18 17 16 15	18 10 16 9	9 - 5 -
B35	Appendicitis	M	2	2	2 2	2	-	- 1	_	1	1	- 2	2	-
B36	Intestinal obstruction and hernia	MF	9	2 9	7 7	8	12	7 7	6	9	4:	9	8 8	1 4
B37	Cirrhosis of liver	MF	2 2	2	7	5 3	2	4 8	2	4 2	2 2	8	1 1	- 1
B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M F	17 15	7	9 25	8	6 7	12 27	11	10 12	11 14	16 34	19 27	4
B38	Nephritis and nephrosis	MF	2	3 7	7	12 4	2 2	5 13	3	6 5	5 5	8	8	1 2
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	M M F	11 15 19	6 9 7	8 8 8	9 12 11	6 8	14 21	8 6 9	5 7 8	14 15 21	7 4 19	4 9 13	3 2 3
B40 B41	Abortion Other complications of pregnancy, childbirth and puerperium	F	2		-	-	-	1	-		1	4 2	-	- 1
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	M	1	- 1	-	1	1	-	-	- 1	-	1 2	1 2	-
.B46 (Rem.)	Diseases of the musculoskeletal system	M	3	4	5	3	3	8	2	5	3	6	4	-
B42	and connective tissue (710-738) Congenital anomalies	F M F	8 10 13	7 11 7	8 11 17	12 8 9	10 9 6	8 20 9	8 3	14	13 12 9	19 19 20	7 16 18	- 3 1
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	MF	16 10	5	9	4	5	12	12	7 8	4 7	13	3 7	7 2 2
B44	Other causes of perinatal mortality	MF	9 9	3	23 13	6 5	4 6	11 5	5	15	8	16	5 2	2 2
B45	Symptoms and ill-defined conditions	M F	2 5	1 3	3 10	2 17	2 7	1 8	3 8	3 6	5 15	6	1 7	1 2
BE47	Motor vehicle accidents	MF	15	5	20	20	10	22	8	11	19	15 17	22	12
BE48	All other accidents	MF	25 23	10	34 24	17	12	31	10	23	11 20	28	28	11 11
BE49	Suicide and self-inflicted injuries	MF	22	6	22 10	17 13	18	17 14	13	18	15	38	31 29	4 2
BESO	All other external causes	M	4	3	2	5	6	12	1	6	1 5	10 7	16	1 1
BN47	Fractures, intracranial and internal injuries	M	34	9	42	32	23	41	13	26	30	33	44	19
BN48	Burn	M F	27 - 2	10 2 -	21 1 5	31	9	34	18 2	14	18 2 1	23 3 5	26	10
BN49	Adverse effects of chemical substances	M	22 15	6	24 17	21	17 15	23	10	18	10	36	26 47	2 3
BN50	All other injuries	M F	10	6	11	6	6	17	6 2	13	4 3	19	27	7 2

	TABLE 41		,		10001000				COUN	Y BOROUG	M2			
ICD B List Number	Cause of death		Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol
	ALL CAUSES	М	462 421	551 662	889 822	6,482 6,092	820 798	1,376 1,373	1,091	393 362	1,241	2,005	1,221	2,681 2,647
B1	Cholera	F M	-	-	-	-	-	-	- 1,004	- 302	1,100	23021	1,510	2,017
B2	Typhoid fever	F	-	-	_	_	-	- 1	-	-	-	-	-	-
B3	Bacillary dysentery and amoebiasis	F M	-	-	_	_		-	_	-	-	1	Ī	-
B4	Enteritis and other diarrhoeal	F	- 1	- 1	2	20	-	-	- 6	-	- 1	- 6	=	- 6
DE	diseases	F	1	-	-	18	-	-	2	1	-	4	1	5
B5 B6	Tuberculosis of respiratory system Other tuberculosis, including late	M F M	1	-	7 1 2	23 8 10	5 3 1	6	5 2 3	3 -	3 - 2	6 1 4	1	8 - 5
	effects	F	2	-	1	4	1	3 2	3	-	-	-	1	5 2
B7 B8	Plague Diphtheria	M F	-	-	-	-	-	-	-	-	-	-	-	_
Do	Diphoneria	M F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	MF	-	-	-	2 -	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M F	-	-	_	1	_	-	-	-	-	-	-	_
B11	Meningococcal infection	M F	-	-	- 1	1 2	-	-	-	-	-	1	_ 1	- 1
B12	Acute poliomyelitis	M F	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	MF	-	-	-	-	-	-	-	-	-	-	-	~
B14	Measles	M F	-	-	-	2	-	-	-	-		-	-	=
B15	Typhus and other rickettsioses	М	-	-	-	-	-	-	-	-	_	-	-	_
B16	Malaria	F M F	-	-	-	-	-	-	-	-	-	-	-	-
B17	Syphilis and its sequelae	M	_	_	_	3	_	_	1	_	_	-	_	_
B18	All other infective and parasitic diseases	F M F	-	-	1	13	- 3 2	- 6	2	=	1	3	2	2
_	Malignant neoplasm of:	P	-	2	3	12	-	4	1	1	-	-	3	1
	buccal cavity and pharynx	М	-	2	4	30	3	10	5	-	4	8	7	10
	(140-149) oesophagus (150)	F	1 2	2	6 5	41	- 4	6	5	1	2	13	3	6
	stomach (151)	F	13	10	5 34	17 162	6 27	5 33	5 25	2 8	3 5 30	6	6 6 29	16 11 80
	intestine and rectum (152-154)	F	8	10	20	126	16	26	16	6	24	29	23	44
	larynx (161)	F M	18	23	20 22 2	176 200 16	26 20	35 39	23 37	8	36 45	49 61 8	36 68 6	63 83 3
B19		F	-	-	•	3	-	1	-	1	1	1	-	2
	lung, bronchus (162) breast (174)	M F M	28	55 16	92 23	625 96	58 14	127 19	75 21	38	88	167 23	109 31 4	225 46
		F	6	22	25	238	27	46	31	9	59	64	56	97
	uterus (180-182) prostate (185)	F	1	6	12	95	10	22	6	6	19	37	23	31
	Leukaemia (204-207)	M M	7	8 3	13	74	5	14	19	5	20	10	24	3 5
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F M F	15 14	34	6 44 46	32 306 333	2 26 39	58 62	5 33 45	3 18 16	7 64 76	7 70 92	59 88	15 135 137
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M	1 2 1	1 2	2 3 4	11 16 26	2 2 2 5	1 4 13	2 3 5	1 - 2	2 - 9	4 4 8	3 3 11	2 3 24
B22	Avitaminoses and other nutritional	F	8	4	8	55	5	10	12	6	5	9	5	20
B46 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F	1 3	1	- 8	13 33	3	2 4	3	- 2	1 1 3	1 6	2	4 1 3 7
B23	Anaemias	MF	-	1	3	9	1	3	6	1	2	1	2	5
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M F	=	-	3 -	38 1 4	2 -	3 1 1	12	2 -	2 1	8 1	4 -	9 1 1

									0001	TI BOROU	Olib			
ICD B List Number	Cause of death		Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol
B46 (pt.)	Mental disorders (290-315)	М	-	-	2	4		-	1	2	1	3	1	3
B24	Meningitis	F M F	-	2	1 2	9 5 3		2	1	2	1 2	2	1	6 2 2
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	M F M F	3	7 9 -	7 7 -	84 65 -	3 4	10 9	9 13 -	1 3 -	5 11 1	17 21 1	20 21 -	21 19 -
B26 B27	Chronic rheumatic heart disease Hypertensive disease	M F M F	6 3 6	5 10 9 12	12 23 8 22	65 121 157 176	9 13 14 8	17 28 15 25	15 19 12 23	6 8 2 12	6 22 22 23	17 41 30 31	4 8 16 31	22 53 40 72
B28 B29	Ischaemic heart disease Other forms of heart disease	M F M F	161 116 26 39	133 133 21 42	203 140 44 74	1,583 1,166 227 355	236 207 36 63	392 338 86 103	285 191 45 55	114 71 10 23	402 373 54 131	630 510 59 102	308 335 59	757 591 74 138
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (440-458)	M F M F	49 73 14 12	60 122 26 35	90 117 30 48	719 999 168 233	83 101 17 29	162 263 68 89	136 172 50 85	31 58 9 11	142 292 51 73	256 358 69 131	149 269 39 59	302 447 116 151
B31 B32	Influenza Pneumonia	M F M F	3 27 25	2 3 50 92	1 2 74 59	26 48 461 590	- 3 76 87	10 52 48	8 5 56 85	30 35	6 8 84 120	22 125 141	30 72 74 91	17 31 186 283
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) Asthma (493)	M F M F	21 11 -	39 12 2 1	58 26 1 2	535 198 11 24	71 40 - 2	101 29 3 1	104 40 2 1	43 18 - -	80 20 2	126 47 3 4	95 31 3	225 68 4 11
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519) Peptic ulcer	M F M F	5 2 4 3	3 6 12 2	7 9 12 2	74 86 67 40	11 12 4 6	16 16 8 5	9 11 10 3	5 4 2 3	10 14 9 9	21 15 16 11	10 11 12 5	24 27 23 13
B35 B36	Appendicitis Intestinal obstruction and hernia	M F M F	1 2 5	1 1 2 5	- 3 7	6 6 31 28	2	228	1 1 3 2	- 1 3 -	2139	3 5 8	1 5 2	2 2 13 15
B37	Cirrhosis of liver	M	1	-	4	17 16	2	1 2	6	1	3 2	2 11	3	9 5
B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M F	3 6	5 9	6 16	60 71	3 7	10 17	6 19	3 2	10 23	10	8	21 32
B38	Nephritis and nephrosis	M F	3	1 2	5 7	41 19	2 2 1	7 3	5 7	3 5	3	10 16	4	11 4
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	M M F	10	7 3 3	5 4 11	40 30 51	7	14 4 12	1 3 6	2 4	7 7 6	6 14 16	5 6 17	8 14 20
B41	Abortion Other complications of pregnancy, childbirth and puerperium	F	-1	-	_	5	1		_	_	-	2	1	3
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	M	1	1 -	_ 1	2 5	1	- 1	-	-	2	5 4	1	1 2
B46 (Rem.) B42	Diseases of the musculoskeletal system and connective tissue (710-738) Congenital anomalies	M F M F	1 1 5	- 4 3 2	- 2 6 7	15 38 59 57	2 2 8 5	4 9 10 2	'2 8 12 6	4 4 3	7 4 5	5 9 10 19	4 10 6 7	6 14 23 19
B43 B44	Birth injury, difficult labour and other anoxic and hypoxic conditions Other causes of perinatal mortality	M F M F	5 2 4 2	3 2 8	11 6 3 4	67 43 44 48	4 1 9	7 5 4 5	8 7 8 7	4 1 2 2	8256	35 17 15 8	4 8 3 5	22 15 6 7
B45	Symptoms and ill-defined conditions	M	2	2 2	5 14	13 27	8	7 31	4 8	1 3	2	8 26	3	3
BE47	Motor vehicle accidents	MF	7 3	5	13	94 48	13 3	7 8	13	10	15 7	34 16	7 10	34 19
BE48	All other accidents	M F	13 15	16	27 12	122 159	21 11	21 24	21 28	10 11	11 16	30	25 59	28 31
BE49	Suicide and self-inflicted injuries	M	6	3 5	6	43 15	5 3	16 16	18 9	4 3	5	10	11	22 16
BE50	All other external causes	M F	-	1 2	2	16 4	7	3 2	7	1 -	5	12	3	7
BN47 BN48	Fractures, intracranial and internal injuries Burn	M F M F	14 15 -	7 14 -	31 8 - 3	165 172 8 12	19 10 3	15 24 1 4	33 29 1 4	14 11 -	21 19 -	52 32 2 4	22 57 2 4	47 42 2 2
BN49 BN50	Adverse effects of chemical substances All other injuries	M F M F	, 8 7 . 4 2	21 11 4 1	7 8 10 2	53 25 49 17	7 9 17 3	15 18 16 4	17 11 8 4	6 5 1	8 13 7 3	25 28 7 4	14 14 7 7	21 19 21 9

	TABLE 21	(1101			77000100				COUN	TY BOROU	IGHS			
ICD B List Number	Cause of death		Burnley	Burton upon Trent	Bury	Canterbury	Carlisle	Chester	Coventry	Darlington	Derby	Dewsbury	Doncaster	Dudley
	ALL CAUSES	M	568 637	291 310	444 461	191	452	398	1,646	600	1,198	365	522	1,048
B1	Cholera	M	-	310	401	225	415	365	1,375	577	1,125	375	413	835
B2	Typhoid fever	F	-	-		-	_	_	-	-	-	-	-	-
B3	Bacillary dysentery and amoebiasis	F	_		_	-	_	_	1	1	-	-	-	-
B4	Enteritis and other diarrhoeal	F	1	1	1	-	-	1	4	1	1	- 1	-	3
B5	diseases Tuberculosis of respiratory system	F M	4	1	1	_	1	3	6	1	1	-	2	1
B6	Other tuberculosis, including late	F	-	1	-	- 2	1	2	2	-	3	2 -	1 2	2 2 1
B7	effects	F	-	-	-	-	-	1	1	-	2	-	1	-
B8	Plague Diphtheria	M F M	-	-	-	-	-	-	-	-	-	-	-	_
		F	-	-	-	-	-	-	-	-	-	-	-	_
B9 B10	Whooping cough	MF	-	-	-	-	-	-	-	-	-	-	-	_
D10	Streptococcal sore throat and scarlet fever	M F	-	1	-	-	-	-	-	-	-	-	_	_
B11	Meningococcal infection	M F	-	-	-	-	_	-	- 2	-	-	-	-	-
B12	Acute poliomyelitis	M F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	_	-	-	-
B14	Measles	M	-	-	-	-	-	-	- 1		-	-	-	-
B15	Typhus and other rickettsioses	M	-	-	-	-	-	-	-	-		-	-	_
B16	Malaria	F M F	-	-	-	-	-	-	-	-	=	-	-	-
B17	Syphilis and its sequelae	М	-	_	1	-	_	-	1	_	_	_		1
B18	All other infective and parasitic diseases	F M F	1	2	1 2 1	-	- - 1	1	2	1	1	- 1	-	2
(Malignant neoplasm of:								-					1
	buccal cavity and pharynx (140-149)	MF	2	1	2 2	-	-	2	7	2	3	-	2	4
	oesophagus (150)	M	2	2	4	_	3	3	10	2	11	2	1 4	3
İ	stomach (151)	F	5 25	11	1 8	1 5	12	1 6	5 37	10	22	2 8	18	5 28
	intestine and rectum (152-154)	F	13	10	6	2	7	4 8	32 54	14	18	12	16	17 30
B19 <	larynx (161)	F	8	9 2	9	4	10	12	36	15	42	13	10	27
PIS	lung, bronchus (162)	F	44	22	31	1	-	-	1	-	-	-	-	1
	breast (174)	F	8	2	5	21 2	29	39 8	125 33	48	99	26	30 13	92
	uterus (180-182)	F	15	16	14	6	4	23	64	14	36	9	15	32
	prostate (185)	F	12	6	6	3	14	5	19	8	11	5	6	10
	Leukaemia (204-207)	М	2	2	-	1	4	-	14	1	10	1	1	14
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F M F	3 24 19	19	1 19 12	2 9 7	2 21 20	1 16 17	9 77 81	2 27 35	59 64	1 16 20	19 22	4 44 35
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M	2 2 3	1	1	- 2	2	1 - 3	2 3 11	2 2 5	3 3 9	3	1 2 2	1 3 6
B22	Avitaminoses and other nutritional	F	5	2	2	1	4	2	27	8	20	5	5	12
B46 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F	1 2	-	1 2	1 -	1	1 1	4 8	3	2 6	- 2	- 3	1 8
B23	Anaemias	MF	-	3	-	-	-	2	1	1	1	-	1	1
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M F	1 1	1 -	2	=	2	3	2 2 -	2 -	3 1 -	-	-	5 2 1

	********		,	00,	0001000	J W			COUNT	TY BOROUG	GHS			
ICD B List Number	Cause of death		Burnley	Burton upon Trent	Bury	Canterbury	Carlisle	Chester	Coventry	Darlington	Derby	Dewsbury	Doncaster	Dudley
B46 (pt.)	Mental disorders (290-315) Meningitis	M F M	1	3	3 2	1 - 1	1	1	2 1 2	- 1	1 2	- 1	1 -	-
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	F M F M	1 8 5	4 4 4	1 3	1	3 6	2 5	16 13	4 6	12 10	4	5 11	10
B26 B27	Chronic rheumatic heart disease Hypertensive disease	M F M F	2 8 3 10	3 4 3 10	4 5 11.	2 4 2 3	4 9 3 8	6 6 5 15	14 36 24 28	4 6 13 15	14 27 15 24	2 14 8 10	4 3 10 15	
B28 B29	Ischaemic heart disease Other forms of heart disease	M F M	138 149 24 37	79 57 20 34	123 99 13 26		150 110 16 30	109 69 15 26	486 322 68 60	181 131 15 40	348 297 30 40	99 76 16 32	140 91 23	256 158 35 22
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (440-458)	M F M F	69 133 25 44	24 45 9 13	53 99 38 60	21 44 12 14	53 81 19 22	38 59 8 21	146 180 50 51	92 101 30 33	122 161 44 59	40 73 14 18	57 68 21 24	107 158 32 43
B31 B32	Influenza Pneumonia	M F M F	3 3 24 36	1 1 23 11	3 6 23 27	4 4 17 23	2 18 9	4 29 32	5 6 70 95	1 2 25 25	1 2 74 90	4 1 19 19	2 4 22 22	1 4 67 66
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) Asthma (493)	M F M F	56 32 1 3	20 4 1 2	38 19 -	9511	29 7 2 1	41 8 - 1	129 55 3 7	53 18 2 4	117 35 1 3	42 17 1	56 11 -	130 33 - 1
B46 (pt.)	Other diseases of the respiratory system (460-456, 500-519) Peptic ulcer	M F M F	8 2 8 1	1 3 5 3	2 1 9 1	3 2 2 1	7 4 7 6	1 2 4 1	44 15 18 15	10 12 1 2	17 10 7 6	1 2 5 1	17 10 8 2	15 5 12 10
B35 B36	Appendicitis Intestinal obstruction and hernia	M F M F	1 3 2	- 3	3 3	1	2	2	1 2 6 6	2 1 3 4	3 3 12	1 2	1 3	- 4 9
B37 B46 (pt.)	Cirrhosis of liver Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M F M	1 1 3 6	1 1 3	1 - 5 10	- 2	3 4 5	1 - 5	7 3 10 20	2 1 1 5	3 4 12 18	2 1 1 1 1	2 4 5 3	4 - 12 6
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	M F M M F	5 5 3 8 7	2 1 2 - 4	2 1 - 5	1 4 - 2 5	8 1 3 2 3	2 3 2 4 5	13 8 6 7 11	2 2 1 4	10 14 4 11 12	1 2 -	3 1 1 5	4 6 5 6 12
B40 B41	Abortion Other complications of pregnancy, childbirth and puerperium	F	1	-	-	-	-	-	1 2	-	-	-	1	-
B46 (pt.) B46 (Rem.)	Diseases of the skin and subcutaneous tissue (680-709) Diseases of the musculoskeletal system and connective tissue (710-738)	M F M F	1 2 10	1 3	3	- 4	1 3	1 - 3	7 6	1 1 6	2 2	3 2	2	- 1 - 1 - 1
B42	Congenital anomalies Birth injury, difficult labour and other anoxic and hypoxic conditions	M F M F	3 4 2 3	3 2 2 1 2	3 1	4 2 2 1 2	4 4	2	20 28 19 16	3 3	11 7 12 4	2 2 5	5 1 7 -	5 7 8 17 12
B44 B45	Other causes of perinatal mortality Symptoms and ill-defined conditions	M F M F	5	6 20	5	2 1 -	2 2	3 1 1 1 1	12 4 5	9 12	5 3 5 7	5 5 3 3	7 4 -	7 3 2 8
BE47	Motor vehicle accidents	М	8	4	4	_	3	14	32	7	12	6	10	11
BE48	All other accidents	F	5 12	6	4 8	3	4 9	1 6	11 16	5	12	3	2 6	2
DE40	0.4.44	F	21	4	11	2	7	4	13	8	28	5	8	30
BE49 BE50	Suicide and self-inflicted injuries All other external causes	M F M F	7 10 2 2	2	4 1 2 1	3 2 1 2	3 3 -	5 3 -	12 6 5 3	5 2 2	9 4 1 3	2 1 1 3	2 2 -	8 4 - 2
BN47 BN48	Fractures, intracranial and internal injuries Burn	M F M F	12 19 -	5 6 1	5 8 1 4	1 5 -	8 12 -	19 3	42 23 1	12 10 1	23 34 3 2	11 8 -	13 7 2	22 25 2
BN49 _BN50	Adverse effects of chemical substances All other injuries	M F M F	9 14 · 8 4	2 1 4 4 4	5 1 7 4	2 3 1 1 1	2 2 5 1	2 3 3 2	11 6 11 3	5 2 2 2	13 7 5 4	2 1 2 2	1 3 2 1	8 5 6 7

ICD B List Number	Cause of death		Eastbourne	Exeter	Gateshead	Gloucester	Great Yarmouth	Grimsby	Hallfax	Hartlepool	Hastings	Huddersfield	Ipswich	Kingston upon Hull
	ALL CAUSES	M	603 724	578 607	614 562	508 541	386 378	530 522	656 725	570 489	622 877	828 886	745 702	1,661 1,628
B1	Cholera	M	_	-	-	-	-	-	-	- 403	-	-	702	1,020
B2	Typhoid fever	F	-	-	-	-	-	-	-	-	-	-	-	
В3	Bacillary dysentery and amoebiasis	F		-	_	-	-	_	_	-	-	-	-	_
B4	Enteritis and other diarrhoeal	F	-	-	1	-	- - 2	-	1	1	2 2	3	1 2	5
B5	diseases Tuberculosis of respiratory system	F		2	6	1	1	2	1 6	5	3	1 2	1	5
B6	Other tuberculosis, including late effects	F M F	=	- 1	1	2	1	1 1 1	1	1	2	1	2	3 2 2
B7	Plague	M		_	_	_	_	_	_	_	-	_	_	_
B8	Diphtheria	FM	-	-	-	-	-	-	-	-	-	-	-	-
20		F	-	-	-	-	-	-	-	-	-	-	-	-
B9 B10	Whooping cough Streptococcal sore throat and	M F M	-	-	-	-	-	-	-	-	-	-	-	_
210	scarlet fever	F	-	-	-	-	-	-	-	-	_	-	-	-
B11	Meningococcal infection	M	-	-	-	-	1	1	-	1	-	-	-	1
B12	Acute poliomyelitis	M F	-	-	-	-	-	-	-	-	_	-	40	_
B13	Smallpox	MF	_	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	MF	-	-	-	1	-	1	-	1	-	-		-
B15	Typhus and other rickettsioses	М	-	1	-	-	-	-	_	-	_	-		_
B16	Malaria	F	-	-	-	-	-	-	-	-	_	-		-
B17	Syphilis and its sequelae	F		1	_	_	_	_				1	-	
B18	All other infective and parasitic	F	2	_	1	= = = = = = = = = = = = = = = = = = = =	- 2	2	-	2	1	-	_	2
	diseases Malignant neoplasm of:	F	-	-	-	1	_	2	-	-	-	2	3	1
	buccal cavity and pharynx	M	2	3	3 2	2	2	2	2	00	2	6	2	5
	(140-149) oesophagus (150)	F	3	1		1	1	4	1	2	2	3	2	8
	stomach (151)	M F M	8 5 11	2 8 14	2 3 21	5 3 21	3	4 21	15	2 1 18	3 7 13	3 8 14	5 1 19	9 6 60
		F	8	10	16	10	6	10	15	16	9	21	9	29
	intestine and rectum (152-154) larynx (161)	M F	19 21	18 25	15	13 18	10	14 19	19 28	17	10 27	16	22 19	49 51
B19	Taryin (101)	M F	-	1	1	-	-	1	2	-	2	2	-	4
	lung, bronchus (162)	MF	52 10	48	85	50 7	30 6	38 14	44	60	41	69 10	64	182 39
	breast (174)	M F	31	20	11	22	16	16	13	12	32	27	24	57
	uterus (180-182)	F	8	7	9	6	3	12	12	8	7	19	8	29
	prostate (185)	М	. 11	9	4	3	5	6	6	. 8	15	11	12	8
	Leukaemia (204-207)	M	4 5	4 3	3	- 1	2 1	1 4	7 2	4	6	8 4	7 2	10 7
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M F	32	25 28	16	26 19	22 21	20	23 38	31 18	22 42	33 37	42	72 86
B20	Benign neoplasms and neoplasms of unspecified nature	M	1	1	2	2	1	7	3	1	3	2	1	5
B21	Diabetes mellitus	F M F	1 2 1	1 8 5	4 6	3 5	4 2	1 3	2 4 7	2	2	3	3 9 7	4 4
B22	Avitaminoses and other nutritional	М	_	_	-	5	-	-	_	4	5	5	_	13
B46 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F M F	1	2 - 2	1	-	- 2	2	1 1 2	1	4	2	1 3 1	- 2 6
B23	Anaemias	M	-	-	_	1	1	-	_	2	3	1	1	5
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	-	2 2	1	1 -	2	1	5	2	2	8	2	11
	(200 200)			1	1	1				-	-	1		

	7				0001000				COUNT	Y BOROUGH	IS			
ICD B List Number	Cause of death		Eastbourne	Exeter	Gateshead	Gloucester	Great Yarmouth	Grimsby	Halifax	Hartlepool	Hastings	Huddersfleld	Ipswich	Kingston upon Hull
B46 (pt.)	Mental disorders (290-315)	М	-	1	-	_	94	1	site	-	2	-	1	1
B24	Meningitis	F M F	-	2	2	1	1	2	1	1	4 -	1 2	6	3
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	M F M	3 10	6 10	1 7 -	6 11 -	3 5	3 2	6	3 6	9	12 20	8	12
B26	Chronic rheumatic heart disease	M	3	4	7	-		-	~	-	-	-	-	-
B27	Hypertensive disease	F M F	10 6 9	6 8 15	11 8 16	11 4 5 9	3 4 6 10	12 14 11	7 12 6 9	1 7 10 10	4 8 9 12	5 16 13 18	3 10 16 15	15
B28	Ischaemic heart disease	MF	170 159	181 134	156 146		97 85	127 93	202 170	133	156 170	236	194 134	402 354
B29	Other forms of heart disease	M F	36 80	30 47	18 29		10 22	28	26 42	18	27	30	25 39	51 91
B30	Cerebrovascular disease	M	91	57	49	49	47	42	72	66	96	83	71	162
B46 (pt.)	Other diseases of the circulatory system (440-458)	F M F	148 13 31	84 29 43	85 17 21	84 13 23	58 17 24	77 19 29	153 46 64	81	201	144	131 23	246
B31	Influenza	M	7	40	14	23	4	7	2	11	42	51	33 5	92
B32	Pneumonia	F	15 34	6 30	13 42	2 43	10	25	1 45	2	9	64	11 69	, 14 169
D33 (n+)	Proposition and the control of the c	F	67	40	45	100	41	34	45	39	65	55	72	15 5
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) Asthma (493)	M F M	41 12 4	30 13	60 20	33 14 3	21 14 1	51 19	21	59 20	40 28	59 33	43	139 62
		F	-	2	1	2	-	2	2	3	3	3	5	5
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519)	M F	2	3 7	6 5	8 9	3 2	11	5	10	15	13	11	21 14
B34	Peptic ulcer	M F	7 4	4 5	6	6	5 2	7 2	6	6	9	6	10	18 15
B35	Appendicitis	M	-	-	-	- 1	-	-	-	1	1	2	3	2 2
B36	Intestinal obstruction and hernia	MF	2 4	1 5	4 2	2	2	3 5	4 3	1	3	5	3	5
B37	Cirrhosis of liver	M	7	-	5	-	-	-	-	1	4	1	-	2
B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M F	1 5 12	3 8	3	1 3 4	1	6 9	1 5 4	1 3 8	2 6 12	3	2 3 9	14
B38	Nephritis and nephrosis	M	1	1	3	3		2	3	2	1	11	1	14
B39 B46 (pt.)	Hyperplasia of prostate	F	- 5	2 5	2 5	2	1 2 3	3	1 2	4 3	4 2	6	3	6 10
D40 (pt.)	Other diseases of the genito-urinary system (590-599, 601-629)	M F	3 7	11	3 7	6	2	7 5	5	3 7	8	3	10	10 16
B40 B41	Abortion Other complications of pregnancy,	F	-	-	~	-	-	-		-	-	-	-	-
D4C (-4.)	childbirth and puerperium	F	-	-	-	-	-	-	-	1	Man	1	1	2
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	M F	-	1	-	-	1	-	-	2	2	-	-	1
B46 (Rem.)	Diseases of the musculoskeletal system and connective tissue (710-738)	MF	1	1	1	4	- 2	3	2	3	1 3	1	2	2 14
B42	Congenital anomalies	M F	3 5 2	5 4	3	6 3	· 2	4	4 8	4 7	3	7	5	15 14
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	MF	3	2 2	5 2	5 2	-	3	8	4	1	10	2	12 6
B44	Other causes of perinatal mortality	M	3	2	2	1	6	9	2	4	2	9	3	2
B45	Symptoms and ill-defined conditions	MF	1 7	-	1 6	- 2	3	1 9	11	-	2	1 15	4 10	3 5
BE47	Motor vehicle accidents	MF	5	9	5	10	3	10	8 2	7	3	14	9 5	21 14
BE48	All other accidents	MF	12	15 17	13 10	13	5	9	6 14	10	11	21	7 14	32 37
BE49	Suicide and self-inflicted injuries	M	3	5	6	2	3	5	4	5 7	8	9	13	2 5
BE50	All other external causes	F M F	6	5	1 3 3	2	1 3 1	1 2	5	7.	6	14 2 3	7 2 3	8 5
T) 1 4 7			-		3	1	7.	-	-	-	-			-
BN47 BN48	Fractures, intracranial and internal injuries Burn	M F	12 10	20	14 10	15 21	7 8	15	10 10	15 19	11	26 21	15 12,	11
DITTO	1	M F	1 -	1	1	1 -	1	2	4	-	1	3 3	_	- N
BN49	Adverse effects of chemical substances	H F	4 4	4	5 4	3 5	3	5 2	6	1 9	6	16	12	21
BN50	All other injuries	H F	. 3	81	7 3	6 2	1 3 2	5	1	6	4 2	7	41	1;

					0001000				COUN	TY BOROU	GMS			
ICD B List Number	Cause of death		Leeds	Leicester	Lincoln	Liverpool	Luton	Manchester	Newcastle upon Tyne	Northampton	Norwich	Nottingham	Oldham	Oxford
	ALL CAUSES	М	3,072	1,763	474	4,091	742	3,901	1,683	785	796	1,948	811	589
B1	Cholera	F	3,122	1,736	462	3,871	712	3,745	1,532	798	732	1,898	818	601
B2	Typhoid fever	F	-	-	1	-		-	-	-	-	_	-	-
70.7		F	-	-	-	-	-	-	-	-	-	-	-	-
B3 B4	Bacillary dysentery and amoebiasis Enteritis and other diarrhoeal	M F M	2 - 8	- 3	1 - 2	- 9	- - 1	- 6	5	- 2	0	-	-	-
	diseases	F	6	1	1	7	1	7	1	-	2	6 5	-	1
B5	Tuberculosis of respiratory system	M F	9	5	2	29	1 2	30 6	11	1 1		9 4	8	1 -
B6	Other tuberculosis, including late effects	M F	7	2	-	10	-	3	2	1 -	1 -	4 1	2	
B7	Plague	MF	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-		-
B9	Whooping cough	M	-	-	-	2	~	-	-	~	-	_	-	_
B10	Streptococcal sore throat and scarlet fever	F M F	_		-	-	-	-		-	-	-	-	-
B11	Meningococcal infection	М	-	1	-	1	_	1	2	-	_ [_	_	_
B12	Acute poliomyelitis	FM	-	-	-	-	-	1 -	-	-	1 -	-	1 -	-
B13	Smallpox	F M	_	-	_	-	_	-	_	-	-	-	-	-
B14	Measles	F	1	-	-	-	- 1	- 1	-	-	-	-	-	-
B15	Typhus and other rickettsioses	F	2	-	-	1	-	1	-	-	-	-	-	-
B16	Malaria	M F M	-	-	-	-	-	-	-	-	-	-	-	-
Dan		F	-	-	-	-	-	~	-	-	-	-	-	-
B17 B18	Syphilis and its sequelae All other infective and parasitic	M F	4 1 4	- 2	- 1	3	-	1 1	1	-	-	2 2	1 _	-
	diseases	M F	5	3	-	6	1 1	13	3 1	3 2	2	3	3	3
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	14 7	6 4	4 -	14	3	11 12	7 2	4 -	3 4	6 5	-	2 2
	oesophagus (150)	MF	22 12	10	2	28	3	26 23	16	3 4	3 4	8	2	2
	stomach (151)	MF	80 69	41 21	13	121 104	10	92	50 33	21	28	46	20	16
	intestine and rectum (152-154)	MF	77 97	41	13	111	18 26	86 129	48	24	19	49	20	13
B19 <	larynx (161)	MF	3 3	3 1	-	9	1	13	54 3 2	34	18 2	61	19	23
	lung, bronchus (162)	MF	279 54	143	40	486	69	415	160	55	76	184	45	46
	breast (174)	M F	101	1 71	7 17	85 1 129	16 - 29	77 1 125	30 1 49	11 - 35	25	36 - 69	7 1 16	6 - 20
	uterus (180-182)	F	60	30	6	67	12	44	24	11	10	39	15	5
	prostate (185)	М	31	28	3	34	16	37	21	10	5	18	10	4
	Leukaemia (204-207)	MF	15 16	10 13	3	24	6 3	18	8	3	1	12	2	3
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M	168 169	77 81	16 19	164 193	33 42	176 179	90 84	37 35	38 58	93 97	32 31	5 28 26
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M	20 13 14 31	7 6 11 15	1 4 5	14 9 13 32	2 4 6	15 13 17 37	4 6 15 8	2 3 2 10	1 2 2 1	4 6 8 20	1 5 3 8	1 1 3
B22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	1	-	-	1	1	- 8	7
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F M F	5 21	4 9	2 4	6 19	5	10 21	1 3 3	1 3	1 4 6	4 3 12	1 - 6	1 2
B23	Anaemias	M F	10	5	1 3	11	3	6	1	1	4	1	1	-
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M F	4	1 1	3 - 1	22	1	18 2 2	4 1 1	2	6	13	3 -	1 - -

ICD B List Number	Cause of death		Leeds	Leicester	Lincoln	Liverpool	Luton	Manchester	Newcastle upon Tyne	Northampton	Norwich	Nottingham	Oldham	Oxford
B46 (pt.)	Mental disorders (290-315)	M	8 28	2 3	1 5	35 13	2	1 2	_	-	-	_	-	-
B24	Meningitis	M	3	3 -	-	5 2		6	5 1 1		-	3 2 1	2 -	3 -
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	M F M F	40 43 -	18 16 -	8 2 -	31 24 1	12 11 -	46 42 - 1	11 17 -	991	8 6	21 14	8 7 -	4 6 -
B26	Chronic rheumatic heart disease	MF	41 75	22 42	2 7	46 84	12 7	34 58	20 37	6 11	12	26 27	10 15	6
B27	Hypertensive disease	M	53	29 47	9 7	63 74	8	4 4 52	20 30	11 12	18 15	31 40	22 23	7 5
B28	Ischaemic heart disease	MF	839 675	441 325	132 122	1,047 772	177 119	954 729	415 313	214 164	211 145	441 295	202 161	185 160
B29	Other forms of heart disease	M	133 180	94 158	26 32	166 323	25 37	175 253	46 66	56 77	36 78	90 130	35 58	21 24
B30	Cerebrovascular disease	M	271 530	217 306	54 72	377 521	86 139	395 679	197 255	100 169	87 136	234 290	87 143	61 94
B46 (pt.)	Other diseases of the circulatory system (440-458)	M	97 149	48 88	14 17	89 132	23 33	111 174	59 83	31 34	20 24	105	30 42	22 30
B31 B32	Influenza Pneumonia	M F M F	19 157 205	6 8 116 134	1 3 30 43	2 3 266 389	2 5 40 73	22 53 207 211	5 7 81 92	1 2 37 43	9 8 56 46	9 15 85 160	2 6 75 87	5 4 35 71
B33 (pt.)	Bronchitis, emphysema (490-492)	MF	321 110	142 28	32 14	344 126	68 23	402 182	169 73	45 25	54 22	205 76	81 56	45 17
B33 (Rem.)	Asthma (493)	M F	11	3 4	1 2	7 9	2	5	7 5	3	5	2 4	-	2
B46 (pt.) B34	Other diseases of the respiratory system (460-466, 500-519) Peptic ulcer	M F M F	31 24 16 11	26 22 14 14	3 3 4 3	26 31 45 19	11 11 6 2	37 33 41 17	25 22 16 5	7 5 9 4	10 11 3	30 27 29 12	9 5 10 3	6 8 6 3
B35	Appendicitis	MF	3	- 1	1	3 2	1	3 2	2	1	-	3	- 1	-
B36	Intestinal obstruction and hernia	M	17	6	1	13 22	6	22 13	9	5 5	3	5 10	4 3	1 2
B37	Cirrhosis of liver	M F	6 11	5 4	- 1	12 14	2	9 14	10 . 12	6	2	4	2 2	5 4
B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M F	22 37	11 27	2 4	30 48	12	28 48	9 23	9 5	9	11 31	12 8	6 8
B38	Nephritis and nephrosis	MF	12 16	10	3	17	2	23 15	12	2 5	3	7	6 2	2 5
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629) Abortion	M M F	13 15 19	9 14 18	6 2 6	18 20 31	5 9 3	15 23 31	5 12 12	5 5 1	8 3 9	8 7 21	1 5 10	3 3 4
B41	Other complications of pregnancy, childbirth and puerperium	F	3	-	-	1	1	_	_	1	_	1	-	1
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	M	- 3	-	-	- 2	_ 1	- 1	1	- 1	1	2 2	-	- 3
B46 (Rem.)	Diseases of the musculoskeletal system	M	10	2	-	8	1	10	6	1	1	6	1	-
B42	and connective tissue (710-738) Congenital anomalies	F M F	18 23 17	12 13 15	2 2	20 31 33	3 14 5	20 27 45	11 14 17	2 6 1	8 7	14 30 15	3 6 2	4 4 3
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	М	22 13	20	3	31 20	6	41	7	4	6	26	8 2	3 2 2
B44	Other causes of perinatal mortality	F M F	14 25	8 7 7	2 2	40	5 11 11	23 38 24	7 3 4	2 7 5	1 1 1 1	15 9 7	10	2 4
B45	Symptoms and ill-defined conditions	M	10 13	2	4 8	8 43	3	18 56	10 14	6 2	4 4	3 25	4 17	-
BE47 BE48	Motor vehicle accidents All other accidents	MF	48 15	36 11	9 5	58 29	8 2	28	20	6 2	11 4 9	29 21 38	6 7 10	11 3 11
		M	55 67	33 47	8	105 128	12 18	78 71	30 40	14 24	14	59	10	13
BE49 BE50	Suicide and self-inflicted injuries All other external causes	M F M	23 26 14	10 9 5	3 5 2	39 25 11	8 8 2	46 20 21	20 21 5	10	12 5 4	22 23 13	11	6 2 4
	The Control of Carrier Causes	F	8	7	-	3	1	8	4	4	-	5	1	1
BN47	Fractures, intracranial and internal injuries	M	90 67	57 50	11	128 129	15 13	95 79	40 46	15 19	21 14	49	13	17 13
BN48	Burn	M	- 4	2 4	<u>-</u>	4 5	3 3	8	2	1	1	7 8	1	1
BN49	Adverse effects of chemical substances	M	27 32	12	- 6	42 35	7 12	52 27	24 27	7 16	8 4	24 31	12	8 2
BN50	All other injuries	M F	· 23	13	11	39 16	5	34	9 2	9 3	7 4	22	6	7 3

			,		,									
ICD B List Number	Cause of death		Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Solihull	Southampton	Southend-on-Sea
	ALL CAUSES	M F	1,474 1,437	1,443 1,365	666 687	725 703	609 564	486 416	719 591	966 956	3,524 3,145	431 426	1,201	1,220 1,322
B1	Cholera	M	-	-	-	_	_	- 1	-	_	_	**	-	-
B2	Typhoid fever	M	-	-		Dec.	-	-	-	-	_	-	-	-
B3	Bacillary dysentery and amoebiasis	М	60	-	-	-	80	_	~	_	_	_	_	_
B4	Enteritis and other diarrhoeal diseases	F M F	1 3	-	2	- 1	- 4	2	1 1	1 1	2 4	-	- 2	- 1
B5	Tuberculosis of respiratory system	M	3 2	7	3	1 3	2	3 2	4 2	7 3	15 3	-	4	1 4
B6	Other tuberculosis, including late effects	M	2	3	1	1 -	1	-	-	201	1 1 6	1 -	2 5 1	1 1
B7	Plague	MF	-	-	-	~	-	~	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	_	-	-	_	_
B10	Streptococcal sore throat and scarlet fever	M F	-		-	-	-	-	-	-	-	-	-	=
B11	Meningococcal infection	M	1	1	1		-	~	1	-	2	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-		-	-	-	-		-
B13	Smallpox	M	-	-	-	~	-		-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	2	-	- 1		-	-
B15	Typhus and other rickettsioses	M	-	-	_	és	_	_	_	_	_			_
B16	Malaria	F M F	-	-	-	-	-	-	-	-	-	-	-	-
B17	Syphilis and its sequelae	M	-	-	-	_	1	1	_	_		_	1	_
B18	All other infective and parasitic diseases	F M F	5	1 5 1	1 2	2 2	-	-	-	- 4 1	2 2 9 5		1 6	- - 4
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	8 2	6	4 2	1	3 -	2 2	8	3 4	14	4 -	3 2	4 1
	oesophagus (150)	M	9	8 7	7 8	3 3	4 6	1	2	7 5	16	3 2	7 10	6 10
	stomach (151)	M	40 20	26 23	20	13	12	12	22 23	31 33	95 59	9	25 18	33 22
	intestine and rectum (152-154) larynx (161)	MF	32 42	35 36	13 18	12 19	9 15	9	19 16	23 29	86 98	18	32 36	32 46
B19 <	Tarylix (161)	M F	1	2	2	1 -	3	-	1	2	5	2	4 ~	4 -
	lung, bronchus (162)	M F	114	135	70 15	46	53	29	67 10	103	347 51	27	106	106 29
	breast (174)	M F	53	50	17	28	16	17	21	30	121	26	39	1 49
	uterus (180-182)	F	21	10	8	9	6	9	5	13	49	9	18	11
	prostate (185)	M	30	24	4	9	11	5	4	12	34	9	21	10
	Leukaemia (204-207)	M	3 12	12	6 2	2	1	4	5	3 2	14	4 5	6	3 5
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	MF	71 74	51 77	27 33	36	26 23	22	24 29	34 38	156 162	26	6 65 59	70 58
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M F	5 3 15 19	- 3 8 11	1 2 2 4	4 3 5	3 1 4 6	2 2 2 8	1 - 5 8	1 1 4 10	8 8 18 30	2 1 2 2	5 5 6	2 3 8 14
B22	Avitaminoses and other nutritional	M	-	1	-	-	2	-	1	10	1	-	2	14
B46 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F M F	7	2 4	3 4	1 2	1 2	3	1	3	1 5 14	-	5 6	1 2
B23	Anaemias	M	1	1	3	1	2	_	2	3	3	-	1	_
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	2	1	3 -	5	2	1 1	3	2	5	-	3 1 -	4 - 1

	211222 /-													
ICD B List Number	Cause of death		Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Solihull	Southampton	Southend-on-Sea
B46 (pt.)	Mental disorders (290-315)	M	_	3	_	1	1	1	_	2	2	_	2	2
B24	Meningitis	F	4	3	1	3 1	2	1	-	3	5 4	-	4 2	2
/		F	2	1	-	2	-	-	-	1	6	-	1	-
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	M F M F	15 13 -	11 12 -	6 4 -	7 4 -	6 9 -	1 4 -	6 4 -	8 5 -	37 36 -	4 7 -	7 9 1	7 11 -
B26	Chronic rheumatic heart disease	M	17	13	4	6	11	6	4	10	51	3	8	4
B27	Hypertensive disease	F M F	17 37 37	25 29 37	13 4 9	17 8 9	11 6 8	5 9 16	15 9 7	6 11 9	71 56 72	10 10 6	24 17 23	11 24 27
B28	Ischaemic heart disease	MF	433 289	386 276	170 175	194 139	161 119	111	198 117	238 226	964 683	128 82	352 208	378 316
B29	Other forms of heart disease	M	57 89	70 122	36 42	32 65	21 43	9	28 28	24 58	108 166	15	34	58 72
B30	Cerebrovascular disease	M	176 269	162 250	86 122	68 91	81 75	58 71	63 87	95 139	388 534	46 68	87 156	145 284
B46 (pt.)	Other diseases of the circulatory system (440-458)	M F	47 86	65 66	30	21 32	24 25	21 25	23 26	23 35	197 229	16 21	52 47	50
B31	Influenza	MF	7 9	7	4 6	4 5	1 4	2 3	7 5	8	15	2 3	19 13	8 15
B32	Pneumonia	F	98 140	70 128	27 36	75 94	49 64	22 26	46 65	66 88	155 201	30 42	94 77	45 74
B33 (pt.)	Bronchitis, emphysema (490-492)	MF	94 35	118 40	62 25	77 17	36 18	84 26	62 27	110 46	342 127	23 11	86 29	105 29
B33 (Rem.)	Asthma (493)	M F	4 7	3	1 4	1 2	1 1	1	2 2	4 3	5	1 4	2 3	5 4
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519)	M	9	27 22	6	7 6	10	7	12 4	12 10	41 24	5 7	12	6 14
B34	Peptic ulcer	MF	8 7	8	6	2 7	1 2	8 2	3 4		30	2	9 6	10
B35	Appendicitis	M	3		-	_		-	2	-	4	1	1	1
B36	Intestinal obstruction and hernia	F M F	5 9	3 5	1 3	5 7	2 2	2	2	1 5 5	5 10 14	- 1 2	- 3 5	6 11
B37	Cirrhosis of liver	M	4	3	1	-	4	3.	-	2	11	1	4	2
B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M F	2 9 17	14 14 9	5	1 6 5	3 10	6 4	1 5 6	3 11	7 22 33	5 8	3 12 16	7 11
B38	Nephritis and nephrosis	M F	7	4	-	3	2	5	2	2	11	2	4	3 2
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	M M F	4 7 9 15	3 5 10 7	4 2 2 3	3 8 5	3 4 1 7	1 2 5	3 1 2 8	2 2 3 6	15 14 17 27	1 2 4	3 5 7 7	3 5 10
B40 B41	Abortion Other complications of pregnancy,	F	-	-		1	_	-	-	-	-	~	-	
	childbirth and puerperium	F	2	-	1	1	-	-	-	2	1	-	-	1
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	M F	-		-	_	-	-	1	1	1	-	1	2
B46 (Rem.)	Diseases of the musculoskeletal system and connective tissue (710-738)	MF	4 9	3 7	- 3	2 2	1 5	1	1 4	1 5	7 14	- 2	4 5	2 14
B42	Congenital anomalies	MF	13 10	15 13	5 7		5 4	1 5 5	7 4	14 7	30 23	2 6 3	8 7	10
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	MF	13 6	10	8	4 3	1 3	6	7 8	15	19 19	3	10	5 2
B44	Other causes of perinatal mortality	MF	5 4	7	2 6	6 3	4 9	3 -	10	11	22 18	1 3	6 8	7 3
B45	Symptoms and ill-defined conditions	M F	8 15	3 3	2 2	2 3	3 7	- 2	3 11	2 13	6	7	1 3	1 2
BE47	Motor vehicle accidents	MF	8	14	9	15	9	5	16	15	32	6	16	12
BE48	All other accidents	M F	6 11 12	6 27 27	8 13 16		8 10 15	10 10	3 16 11	7 22 29	26 47 71	4 5 14	8 20 15	11 16 27
BE49	Suicide and self-inflicted injuries	M	15	16	9	7	6	8	6	9	23	2	15	7
BE50	All other external causes	FMF	9 7 7	10 7 1	8 - 4	9 3 7	4 5 1	5 1 1	2 5 1	8 1 2	21 19 8	5 3 -	13 2 2	16 2 3
BN47	Fractures, intracranial and	М	13	33	15	21	15	14	29	31	72	11	24	22
BN48	internal injuries Burn	F	12	28	18	12	21	11	9	34	89	17	11 2	22 31
		F	1	1	1	1	- 1	-	1	1	5	-	-	1
BN49	Adverse effects of chemical substances	M	13 14	19 9	9	6 14	10	6	6	6	30 19	1 4	20 19	9
BN50	All other injuries	M F	15 7	12	6 3	11 5	5 3	4 2	7 2	7 2	18 13	2	7 8	6 11

	TABLE 21 (Numbers					ea			COUN	TY BOROU	GHS			
ICD B List Number			Southport	South Shields	Stockport	Stoke-on-Trent	Sunderland	Teesside	Torbay	Tynemouth	Wakefield	Wallasey	Walsall	Warley
	ALL CAUSES	м	699	735	935	1,658	1,335	2,196	801	487	466	626	1,022	1,048
734	Ch a Z a a a	F	915	624	896	1,533	1,150		913	400	504	658	918	882
B1 B2	Cholera	M	E -:			-	-	-		-		-	-	_
1.0C	Typhoid fever	M	n A		100	ū	ļ D		. <u>-</u> ,	-		-		_
B3 ,	Bacillary dysentery and amoebiasis	M	-		-	-	_	_		_	-	-	-	-
B4	Enteritis and other diarrhoeal diseases	M F	1	1	2	1 1	3		- 1	1	2	-	3	2 4
B5	Tuberculosis of respiratory system	M	-	4	5	-16	8	22	2		-	5	7	7
.B6	Other tuberculosis, including late effects	F M F	-	2	2	7 3 2	3 2 2	4 3 1	1	2 - 1	2 1 1	2 - 3	3 1 1	3
B7	Plague	M	-		-	-	-	-		-		_	_	~
B8	Diphtheria	M		-			-			. 1		-		-
B9	Whooping cough	M	_	-	_	-		7'	_	_	-	_		_
B10	Streptococcal sore throat and scarlet fever	M F	-	-			-	-		-	-	-	-	-
B11	Meningococcal infection	M	_	and .	1	-	_	_		-	_	-	_	-
B12	Acute poliomyelitis	M		-		-		-	_	-		-	-	
B13	Smallpox	M	-	-	_	-	-	_	-	_	- 1	_	***	_
B14	Measles	M		-	.2.	-	1	-	-		-	-	-1	-
B15	Typhus and other rickettsioses			-	_	_	ю. - Л	=-7	-			~	-	_
B16	Malaria	M M	E	-	_	_					2	-	-	
B17	Combdide and the	F	-		.4		£3	130		-	-	-	-	_
B18	Syphilis and its sequelae All other infective and parasitic	M F M	-	- 10	-	1	-	1 3	-	1	-	-	-	-
	diseases	F	-	2	5	5	3 4	5 2	1	-	1	1	6	3
	Malignant neoplasm of: buccal cavity and pharynx	Tur.											1	
	(140-149)	M	2	3	3	9 7	7 4	6	2	1	1	1	3 -	7 2
	oesophagus (150)	M F	3	4	7 3	5 3	8 2	15	6 5	2	4	6	8	5 7
	stomach (151)	M F	19 11	26 13	38 15	71 44	39	69	24	14	9	16	22	26
	intestine and rectum (152-154)	M F	18	26	21	41	29	50	13	14	10	13	28	26
B19 <	larynx (161)	MF	27	21 2	24	32 1 2	36	56 5	35	14	9	27	. 4	30 3
	lung, bronchus (162)	М	49	67	79	137	117	198	69	56	33	59	88	102
	breast (174)	F M F	6	. 9	7	22	11	28	11	14	3	11	14	17
	uterus (180-182)	F	24	21	28	51 31	39	65	33	12	11	20	39	30
	prostate (185)	M	11	13	17	15	13	39	11	7	5	12	15	13
	Leukaemia (204-207)	M	7	2	6	12	6	11	3	1	3	8	3	15 12
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F M F	2 25 36	1 30 36	7 42 49	6 77 77	6 65 48	14 88 100	24 55	1 25 22	17 21	36 33	6 46 38	6 50 54
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M	2	- 5	2	3	5 6	2	3	1	2	3 -	3 3	3 2
200		F	10	6	5	12	19	23	10	3	9	5	5	5 10
B22 B46 (pt.)	Avitaminoses and other nutritional deficiency	M	1	-	- 1	1	- 2	-	-	-	1	-	1	-
220 (90.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M F	3	2	2	2 7	2 4	8	3	1	1	3	4 6	4
B23	Anaemias	М	1	3	2	2	. 8	5	2		_	1.	. 7	1
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M	1	2	4	4	8	7	5	2	1	6	4	5
	(200-203)	-				1	1	1	1	-	1	600	3	-

	INDUE 21 (216231	1001137		10001000	<i>-</i>			COUN	ry Borouc	HS			
ICD B List Number	Cause of death		Southport	South Shields	Stockport	Stoke-on-Trent	Sunderland	Teesside	Torbay	Tynemouth	Wakefield	Wallasey	Walsall	Warley
B46 (pt.)	Mental disorders (290-315)	M	-	-	1	3	_	_	_	2	_	-	_	1
B24	Meningitis	F M F	1 - -	1 1	5 - 1	1 1	1 2 1	3 1 3	1	4 -	2 -	1 -	- 1	1 - -
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	M F M	7 8 - -	3 10 -	5 9 -	10 9 1	14 13 - -	23 27 -	7 7 -	9 17 -	6 4 -	5 4 -	5 9	1 4 - -
B26 B27	Chronic rheumatic heart disease Hypertensive disease	M F M F	3 3 4 24	3 10 17 20	12 18 7 14	20 46 20 45	13 10 14 25	8 34 23 33	3 11 17 16	5 7 11 12	3 7 4 11	6 8 8	2 16 23 26	8 10 26 24
B28	Ischaemic heart disease	M	212	170	231	457	338	650	256	127	145	168	255	269
B29	Other forms of heart disease	F M F	244 38 80	126 50 45	154 38 83	310 42 82	265 42 48	384 103 158	186 52 103	97 24 29	98 19 46	162 28 42	196 37 72	200 38 55
B30	Cerebrovascular disease	MF	80 172	82 114	125 199	146	115	212	89	48	56	66	104	85
B46 (pt.)	Other diseases of the circulatory system (440-458)	M F	29	15 31	36 28	256 69 97	168 26 47	293 54 86	173 35 50	52 19 16	74 12 32	99 26 34	139 33 32	134 24 28
B31	Influenza	M	1 5	1 3	1 7	7 8	5	6	5	2	3 2	1 3	6 9	6 15
B32	Pneumonia	M F	39 54	43 31	56 70	104 110	119 106	113	33 33	21 33	42 76	41 57	93	82 60
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) Asthma (493)	M F M	59 20 2 3	76 27 - 1	85 29 3 2	162 59 5	135 51 4 13	182 55 3	48 20 1	38 2	42 18	50 10 2	100 36 2	116 39 2
B46 (pt.)	Other diseases of the respiratory	M	3	6	6	38	16	17	4	5	-	2	3	2
B34	system (460-466, 500-519) Peptic ulcer	F M F	6 4 5	8 3	8 9	18 16 7	10 15 4	11 21 9	10 8 2	3 7 1 1	3 4 2 4	4 6 7 9	14 4 14 8	8 6 12 4
B35	Appendicitis	M	1	1	2	1	_	1		1	_	_	-	2
B36	Intestinal obstruction and hernia	F M F	- 6	2 7	- 5	2 6 7	1 - 8	1 13 13	2 2	- 2	1 1	1 3 3	1 7 2	2 4 5
B37	Cirrhosis of liver	M	1	3	2	6	4	2	1	3	1	3	3	1
B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M	6 8	5 6 6	1 9 13	5 5 13	4 9 11	5 18 26	4 6 7	7 4	4 5 8	1 2 14	3 4 6	5 10 13
B38	Nephritis and nephrosis	M	3 7	3	2 2	8 5	6 13	6 17	2 9	3 2	2 3	4	6	2
B39 B46 (pt.)	Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	M M F	7 2 4	4 2 5	1 4 6	8 5 19	7 11 9	9 8 18	6 7 6	2 1 1	1 3 6	5 7	6 3 1	5 3 8
B40 B41	Abortion Other complications of pregnancy,	F		-		-	-	1	-	-	-	1	-	-
	childbirth and puerperium	F	1	1	-	1	1	1	-	-	-	-	2	2
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	M F	2	1	1	1	- 1	- 3	-	-	1	-	1 -	1
B46 (Rem.)	Diseases of the musculoskeletal system and connective tissue (710-738) Congenital anomalies	F	1 5 3	1 4 8	4 10 8	2 14 14	2 5 9	2 4 21	4 7 7	2 2	1 1 1	3 8	5 9	1 4 12
B43	Birth injury, difficult labour and	F	5	5 4	9	13	16	27	2	5	2	3	12	7
B44	other anoxic and hypoxic conditions Other causes of perinatal mortality	F M F	5 4 3	1 3 6	6 3 5	6 11 10	6 8	12 26 15	1 3 1	3 8 3	2 2 4	3 2	18	3 4 4
B45	Symptoms and ill-defined conditions	MF	- 3	2	1 5	3 8	<u>-</u> 4	10 11	7 28	7	1 -	3 16	2 2	1 4
BE47	Motor vehicle accidents	M	6	7 1	16	26 15	23 13	35 17	6	2 2	7 5	3 3	10	10
BE48	All other accidents	M	14 46	15	9	34 23	34 22	58	13	11 5	8 2	6	12 16	18 20
BE49	Suicide and self-inflicted injuries	M	10	7	8	8	24	17	7	2	5	8	10	8
BE50	All other external causes	F M F	6 4 2	3 2 -	8 4 2	10 8 7	3 5 3	9 18 7	12 1 3	1 1 -	5 2	2	5 3 3	4 1 1
BN47	Fractures, intracranial and	М	14	19	21	4.4	47	77	13	11	11	7	16	20
BN48	internal injuries Burn	M F M F	43	8 - 2	10 2 3	35 5 1	34	44	10	5	6 1 1	6 3	15	16
BN49	Adverse effects of chemical	M	14	4	6	8	20	26	9	3	7	3	6	8
BN50	substances All other injuries	F M F	12 5 2	8 3	10 8 6	12 19 7	2 19 4	16 21 15	12 5 4	2 2 1	6	3 4	7 12 8	5 8 6
						1								

	TABLE 21 (NUI	nbers)	- 001	nttnue	100	COUNT	ry BOROUG	HS AND A	ADMINISTR	RATIVE CO	DUNTIES		
ICD B List Number	Cause of death		Warrington	West Bromwich	Wigan	Wolverhampton	Worcester	York	Cardiff	Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire
	ALL CAUSES	M	496 461	982 834	514 528	1,516 1,294	442 433	682 660	1,659	435 376	654 618	1,169	1,447 1,312	2,138 2,253
B1	Cholera	M	-	_	-	-	-	-		-	-	- 1,012		2,200
B2	Typhoid fever	F	-	1	-	-	-	-	-	-	1	-	-	-
B3	Bacillary dysentery and amoebiasis	F	-	_	_	-	_		-	_	-		_	_
B4	Enteritis and other diarrhoeal	F	1	1	-	2	_	1	4	1	-	2	1	4
B5	diseases Tuberculosis of respiratory system	F	3	1 6	2	1 9	2	4	2	6	3	1 9	3	7
B6	Other tuberculosis, including late	F	-	2	- 1	2	3	1	2 5	1	2	2	1	2 2
	effects	F	-	-	-	3	-	-	-	-	2	-	-	2
B7 B8	Plague	MF	-	-	-	-	-	-		-	-	-	-	-
Do	Diphtheria	M	-	-	-	1	-	-	-	-	-	-	-	-
В9	Whooping cough	MF	-	-	-	1	-	-	-	-	-	-	_	-
B10	Streptococcal sore throat and scarlet fever	M F	-	-	-	-	-	-	-	_	~	-	-	-
B11	Meningococcal infection	MF	1	2	-	-	-	-	-	1	1	-	1	-
B12	Acute poliomyelitis	MF	-	-	-	-	-	-	-	-	-	-	-	1
B13	Smallpox	M	_	-		~	_	_	-	_	_	_	_	_
B14	Measles	F	-	-	-	-	-	-	1	-	-	1	-	-
B15	Typhus and other rickettsioses	F M	_	-	_	-	-	-	-	-	-	-	-	-
B16	Malaria	F	-	-	-	-	-	-	-	-	-	=	-	-
		F	-	-	-	-	~	-	-	-	-	-	-	-
B17 B18	Syphilis and its sequelae	M	-	=	-	- - 4	-	- 2	3	-	- 70	-	-	1
220	All other infective and parasitic diseases	M F	1	4	1 2	-	-	-	6	-	2	1	1 2	3 2
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	1	3 3	1	6	2	2	3 4	3 2	2	3	6	6 4
	oesophagus (150)	MF	11 2	5	2	8 2	2 3	3 2	10 13	1 3	4 3	7 6	8	9 7
	stomach (151)	M	18 10	29 26	8	45 32	12	20	41 37	5 7	14 15	35 35	41 20	48 40
	intestine and rectum (152-154)	M	12	32	14	34	12	20	32	10	13	22	39	52
B19 <	larynx (161)	F M F	18	24	15	41	16	27	44 3	17	15	40	38	67 7 1
	lung, bronchus (162)	M	41	85	32	129	28	56	141	18	42	71	114	164
	breast (174)	F M	2	18	9	10	6	8	31	5	10	20	18	38
	uterus (180-182)	F	17	34 16	20	53	9	25	58	12	24	27	67	92 36
	prostate (185)	M	1	6	7	12	6	9.	21	4	7	12	24	46
	Leukaemia (204-207)	М	4	5	2	7	2	5	11	2	5	5	8	10
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F M F	2 12 25	4 49 47	1 17 13	7 73 57	1 19 22	35 29	10 81 85	2 9 15	42	54 44	10 59 60	11 121 117
B20	Benign neoplasms and neoplasms of unspecified nature	MF	1 4	4	1	3	2	1	1	-	1 2	1	4	5
B21	Diabetes mellitus	M F	3	8	- 6	3 18 6	4 2	4 5 11	1 7 19	3 3	3 1 9	1 9	2 9 15	10 8 15
B22	Avitaminoses and other nutritional	M	_	_	1	3	-	_	1	-	_	-	1	_
B46 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F M F	2 1 2	4 2	2 3	5 3	1 2	1 2	1 8	2	- 2	2 5	4 4	4 6 9
B23	Anaemias	M F	1	6	-	3	2	1	2	1	3	1	1	1
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M F	1	1 1	5	8 1	2	-	6 - 2	2 -	3	1 1 1	4 - 1	10 2 1
-		- 1								1		1		1

	211222 42 (10001000			i bonooc				701111111		
ICD B List Number	Cause of death		Warrington	West Bromwich	Wigan	Wolverhampton	Worcester	York	Cardiff	Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire
B46 (pt.) B24	Mental disorders (290-315) Meningitis	M F M	- - -	- 2 1	- - 1	2 1 2	1	-	- 8 1	2 - 1	3	1	7 10	- 6
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	F M F M	1 2 -	6 13	4 1 -	9 12	56	95	22 27 -	3 6	7 5	8 6 -	19 16	1 16 23
B26 B27	Chronic rheumatic heart disease Hypertensive disease	M F M	5 8 10 14	11 19 30 20	6 16 4 12	18 18 26 25	4 . 4 9 16	3 12 10 7	14 42 56 58	4 6 5 3	5 10 16 16	9 23 31 46	16 17 14 14	17 24 24 40
B28 B29	Ischaemic heart disease Other forms of heart disease	M F M	148 94 16 20	207 170 39 57	136 105 24 29	375 284 68 83	113 81 24 39	190 162 4 25	490 397 41 98	117 82 23 29	186 138 37 39	379 237 46 62	334 227 67 94	510 431 98 175
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (440-458)	M F M F	45 83 20 41	115 120 22 32	63 87 15 21	146 270 38 39	53 93 16 27	74 94 21 23	130 279 46 63	57 66 6 14	59 90 19 27	130 161 38 43	163 277 43 62	246 410 68 92
B31 B32	Influenza Pneumonia	M F M F	1 21 25	6 5 58 58	1 2 14 32	13 11 109 118	4 3 15 17	2 3 68 99	7 16 119 148	2 - 33 31	2 2 35 38	4 9 65 50	9 5 90 99	17 35 184 227
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) Asthma (493)	M M F	54 17 -	99 34 3	72 31 1 1	136 42 3 7	37 13 1	63 13 - 2	129 29 4 5	40 15 2	59 19 - 2	97 31 1 1	121 27 4 2	152 37 6 4
B46 (pt.)	Other diseases of the respiratory system (460-456, 500-519) Peptic ulcer	M F M F	1 4 5	13 8 8 5	16 8 4 3	16 10 11 3	7 7 7 1	4 2 4	32 14 23 11	19 4 4 2	4 6 8 4	12 16 12 1	15 23 11 9	26 23 6 10
B35 B36	Appendicitis Intestinal obstruction and hernia	M F M F	3 4	1 2 5 9	1 2 3 2	2 8 7	- 2 1	1 - 2 5	4 4	1 1 1	2 2 3	2 1 2 4	2 2 5 6	1 1 6 8
B37 B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M F M F	2 1 6 7	5 5 11 4	1 2 4 13	3 4 11 12	3 5 5	3 3 9 11	5 5 9 13	1 4 3 4	3 5 2 5	1 6 6 11	4 3 18 23	5 2 14 27
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	M F M M	2 1 4 3	5 4 8 1 12	3 5 3 3	13 4 5 5 7	- - 4 1	4 4 3 5	6 4 5 14 12	5 3 4	3 1 8 5	11 10 8 11 7	6 7 12 15 11	9 3 16 9
B40 B41	Abortion Other complications of pregnancy, childbirth and puerperium	F	-	-	1	2	-	-	-	-	-	-	-	-
B46 (pt.) B46 (Rem.)	Diseases of the skin and subcutaneous tissue (680-709) Diseases of the musculoskeletal system and connective tissue (710-738)	M F M F	5	4 7	- - 1	1 2 6	- - 1 4	1 3	4 9	1 1 1	1 3	- 1 5	2 3 8 5	1 4 3 13
B42	Congenital anomalies Birth injury, difficult labour and other anoxic and hypoxic conditions	M F M	3 4 6 2	10 9 8 3	3 5 1 2	14 19 32 15	3 4 7 6	1	10 16 23 21	1 3 3 4 2	4 9 8 6	8 10 9 3	13 10 11 3	21 18 23 16
B44 B45	Other causes of perinatal mortality Symptoms and ill-defined conditions	M F M F	67	7 3 6 2	6; 3 2	12 6 3 6	3 6	4 3 2	1 3 8 10	7 3	5 13	8 12	20 12 8 8	19 10 22 36
BE47 BE48	Motor vehicle accidents All other accidents	M F M	6 2 8 9	23 10 12 13	7 2 10 15	20 7 25 10	13 4 - 9	6 5 9	26 12 31 33	3 1 12 9	12 3 13	10 7 8	42 11 19 41	48 21 43 49
BE49 BE50	Suicide and self-inflicted injuries All other external causes	M F M F	6 2 1 2	5 5 3	4 1 5 6	11 6 4 12	3 1 3 1	9 6 1	20 11 3 2	6 4 - 3	5 2 -	7 8 5	13 3 9 6	20 10 6 7
BN47 BN48	Fractures, intracranial and internal injuries Burn	M F M	10	31 20	15 13 1	32 16 1	15 11	13 17 1	48 39 3	6	16 12 1	16 19 1	51 44 1	70 60 2 1
BN49 BN50	Adverse effects of chemical substances All other injuries	M F M F	3 4 8	5 4 7	1 5 6 5 4	10 14 17 4	1 2 3 1	6 8 5 3	19 13 10 2	9 10 6 1	3 2 10 4	3 9 10 2	15 6 16 8	19 15 26 11

TABLE	21	(Numbers)	-	continued	ADMINISTRATIVE	COUNTIES
-------	----	-----------	---	-----------	----------------	----------

	TABLE 21 (Num	bers)	- 00	ntinue	3d	ADMI	NISTRATI	VE COUNT	TES				
ICD B List Number	Cause of death		Buckinghamshire	Cambridgeshire and Isle of Ely	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Essex	Gloucestershire	Hampshire
	ALL CAUSES	M	2,671 2,484	1,686	5,992	2,682	1,417	4,317	3,207	2,275	5,219	5,851	2,954	5,089
B1	Cholera	M	2,404	1,627	6,043	2,652	1,372	3,826	3,387	2,277	4,287	5,697	2,802	4,958
B2	Typhoid fever	FM	-	-	-	-	-	-	-	-	_	-	-	-
В3	Bacillary dysentery and amoebiasis	F	_	-	1	_	_	_		-	_	_	-	-
B4	Enteritis and other diarrhoeal diseases	F	2	2 2	4	2	2	2	3	2	8	4	2	5
B5	Tuberculosis of respiratory system	F	4	1	20	11	2	10	5	6	20	9	9	5
B6	Other tuberculosis, including late effects	FM	6	1 1	5 4	4 4	3 -	4 2	1 6	2 4	4 11	3 5	3 8	5
B7	Plague	F	4	3 -	4	_	_	2	4	1	_	4	5	3
B8	Diphtheria	F M F	-	-	-	-	-	-	~	-	-	-	_	-
В9	Whooping cough	M	_	_	_	_	_	_	-	_		-	_	_
B10	Streptococcal sore throat and scarlet fever	F M F	-	-	-	-	-	-	- 1	-	-	-	1 -	1 -
B11	Meningococcal infection	M	-	-	1	_	_	2	_	_	3	1	1	2
B12	Acute poliomyelitis	F M F	-	-	-	-	-		1 -	-	2	2	1 -	1 -
B13	Smallpox	M	_	-	_	-	-	_	-	-	-		_	_
B14	Measles	F M F	- 1	-	1 3	1	-	-	-	-		1	-	-
B15	Typhus and other rickettsioses	М	_	-	-	-	_	_	-	-	_	_	_	_
B16	Malaria	F M F	-	-	-	-	-	-	-	-	-	-	-	_
B17	Syphilis and its sequelae	М	_	1	2	_	_	1	1	-	2	1	1	1
B18	All other infective and parasitic diseases	F M F	5 10	1 5 9	1 10 11	7 5	3 4	2 12 7	1 7 5	2	1 5 10	6 7	6	1 3 8
ſ	Malignant neoplasm of:										10	1		0
	buccal cavity and pharynx (140-149)	M F	10 5	7	21 10	13	6	11 5	14	7 6	23 12	17	13	14 14
	oesophagus (150)	M	20	7	43	21	8	21	16	20	17	38	18	22
	stomach (151)	M F	51	37 25	139	21 63 46	5 44 31	6 102 75	17 78 68	10 50 27	9 151 127	19 132 115	12 70 36	19 103 62
	intestine and rectum (152-154)	M	63 82	42 54	166 198	66 67	51 47	125	74	47	139	148	83	148
B19	larynx (161)	MF	2	3	11 6	4	2	116	101	77	132 10 4	192	94 2	173 4 2
	lung, bronchus (162)	MF	242	143 29	458 99	168 46	68 19	281 57	193 54	155 27	378 60	465 114	222	413
	breast (174)	MF	88	72	187	96	37	137	3 108	1 95	1 135	232	1 92	97 1 159
	uterus (180-182)	F	38	16	77	48	13	58	53	39	59	75	55	59
	prostate (185) Leukaemia (204-207)	M	41	29	74	52	10	58	78	31	51	99	28	59
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M F M F	21 11 141 152	7 7 89 73	27 32 271 298	18 12 105 136	1 8 66 68	19 19 190 190	25 15 158 179	12 17 114 139	20 22 218 232	40 24 287 300	13 142 162	32 28 241 262
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M F	7 8 15	3 3 9 22	17 15 34 75	4 1 32 36	6 5 9 23	5 10 28	6 11 24	4 3 13	12 12 27	11 20 33	6 17	13 9 17
B22	Avitaminoses and other nutritional deficiency	М	-	-	_	1	23	50	32	19	72	63	28	39
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F M F	11	2 5	1 11 24	6 6	4 8	9	1 6 6	7 11	8 21	2 6 20	2 6 6	2 8 16
B23 B46 (pt.)	Anaemias	M F	12	6	12 28	2 10	3 3	9 22	6	2 7	15 24	7 27	4	14 15
- (504)	Other diseases of blood and blood-forming organs (286-289)	M F	1 1	2 4	1 -	1 -	-	1 1	3 1	1	1 4	3 5	-	2

	111,000 22 (1	1040		- 001	0001000			VIMIN	ISTRATIV	E COUNTI	ES			
ICD B List Number	Cause of death		Buckinghamshire	Cambridgeshire and Isle of Ely	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Essex	Gloucestershire	Hampshire
B46 (pt.) B24	Mental disorders (290-315) Meningitis	M F M F	5 7 1	- 4 3 2	23 6 1	1721	3 4 - 1	2 10 2 3	6 18 3 1	6 5	12 9 1	8 15 8 3	3 4 2 3	10 10 9
B46 (pt.) B25	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	M F M	25 28 -	18 16	61 69 -	19 40 -	12	49 45 -	24 39 -	18 14 -	62 47	62 54 1	25 25 1	67 55 1
B26 B27	Chronic rheumatic heart disease Hypertensive disease	M F M F	23 42 42 58	8 15 22 38	37 96 77 111	15 18 50 45	7 21 29 32	43 68 69 103	22 37 64 75	22 24 39 57	49 71 63 87	35 84 66 113	25 39 47 54	30 59 91 118
B28 B29	Ischaemic heart disease Other forms of heart disease	M F M F	703 481 104 178	432 294 87 118	1,662 1,122 238 359	793 603 170 229	413 349 50 68	1,178 788 192 263	931 681 152 291	667 436 111 176	1,418 990 182 227	1,628 1,154 253 348	874 626 140 226	1,366 1,033 287 453
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (440-458)	M F M F	239 387 90 130	193 306 66 59	730 1,156 230 312	358 548 106 102	177 276 65 61	512 690 187 191	382 605 150 179	289 417 100 134	656 737 201 239	635 997 197 219	329 508 100 117	585 865 202 248
B31 B32	Influenza Pneumonia	M F M F	16 28 213 229	22 35 137 155	28 48 341 475	13 23 122 137	8 8 42 48	33 36 249 257	22 27 177 243	18 37 131 191	16 32 245 272	72 127 406 513	15 29 176 208	44 65 323 401
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) Asthma (493)	M F M F	228 65 9 5	103 32 3	434 183 12 20	108 36 12 9	101 33 5 2	366 104 3 11	177 63 8 6	144 40 5	527 126 8 17	414 100 14 16	195 51 13 9	332 93 10 14
B46 (pt.) B34	Other diseases of the respiratory system (460-466, 500-519) Peptic ulcer	M F M F	27 26 24 8	13 13 17 4	41 47 51 32	38 28 23 10	22 6 18 7	63 56 42 21	28 28 49 20	15 16 22 9	94 48 50 17	71 60 54 42	33 28 19 16	61 51 28 24
B35 B36	Appendicitis Intestinal obstruction and hernia	M F M F	3 2 12 11	1 2 6 17	3 4 22 27	- 13 11	3. - 2. 8	2 3 13 21	2 - 5 17	2 1 5 9	4 2 14 18	3 5 25 36	4 3 14 14	9 2 20 28
B37 B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M F M F	8 5 21 25	2 3 10 17	12 18 44 70	7 10 16 28	4 5 17 9	11 8 26 44	9 7 26 47	5 2 18 26	16 10 38 39	8 12 28 69	10 8 19 30	7 7 38 44
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	M M M	11 12 6 17 20	10 7 13 10	39 28 39 40 57	9 13 14 21 20	5 9 12	19 21 22 25 36	10 14 35 27 32	9 6 16 15 23	32 23 22 25 33	18 22 48 30 48	19 6 15 15 23	22 17 29 36 44
B40 B41	Abortion Other complications of pregnancy, childbirth and puerperium	F	1	1	2	4	-	1	2	1	1	2	- 2	
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	M F	3 5	1 2	5	3	2	1 2	3 2	2	1 4	3 10	-	2
B46 (Rem.) B42	Diseases of the musculoskeletal system and connective tissue (710-738) Congenital anomalies	M F M	6 14 20 23	7 17 17 17	16 46 50 59	9 7 19 16	5 10 15 13	22 36 28	7 20 16 21	7 10 17 16	13 9 39 46	12 54 66 38	18 23 31	8 21 48 44
B43 B44	Birth injury, difficult labour and other anoxic and hypoxic conditions other causes of perinatal mortality	M F M	12 14 24 16	8 3 5 3	57 25 56 32	10 9 13 11	9 9 4 3	41 13 27 16	10 11 4 3	11 13 1 9	36 21 30 24	41 22 33 35	31 14 11 14	26 26 26 22
B45	Symptoms and ill-defined conditions	M F	6	12 20	89 190	19 36	9 21	6 29	28 93	7 27	29 40	31 78	6 20	18 49
BE47 BE48	Motor vehicle accidents All other accidents	M F M	57 27 47	24 17 19	105 53 80	38 17 55	37 14 30	75 25 83	34 20 48	29 17 35	60 25 89	102 34 86	54 23 49	91 47 63
BE49	Suicide and self-inflicted injuries	F	48	43	89	61	41	112	76	46	88	97	38	89 55
BE50	All other external causes	F M F	29 11 6	12 3 4	32 16 8	18 4 7	5 8 2	17 10 3	19 9 5	18 5 4	19 17 8	35 7 8	26 8 5	27 8 12
BN47 BN48	Fractures, intracranial and internal injuries Burn	M F M F	86 64 2 2	34 44 1 1	143 90 6 9	78 72 - 2	56 42 3 4	132 103 4 8	68 80 1 3	52 53 1	126 92 6 7	163 95 6 7	79 52 9 2	131 113 4 3
BN49 BN50	Adverse effects of chemical substances All other injuries	M F M	17 26 31 18	12 17 17 14	43 48 51 35	11 21 32 8	9 5 16 11	26 21 41 25	27 24 25 13	20 22 18 10	37 23 42 18	39 50 43 22	15 25 28 13	41 37 41 22

	IADUE 21 (11011	ibers,	- 001	0001000	J (1)		ADMII	(ISTRATIV	E COUNTI	ES			
ICD B List Number	Cause of death		Herefordshire	Hertfordshire	Huntingdon and Peterborough	Kent	Lancashire	Leicestershire	Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Norfolk	Northamptonshire	Northumberland
	ALL CAUSES	М	849	4,292	945	8,548	15,235	2,388	642	857	2,171	2,837	1,819	3,314
B1	Cholera	F	813	4,184	908	8,423	14,579	2,267	573	902	1,974	2,721	1,676	3,095
B2	Typhoid fever	M	1 12	<u> </u>	1-	-	-	-	-	-	?=(_
B3	Bacillary dysentery and amoebiasis	F	_	-	_	1	-	-	-	-	-	-	-	-
B4	Enteritis and other diarrhoeal	F	-	5	-	11	1 32	1	1	1	3	- 2	4	3
Be	diseases	F	1	7	-	2	19	-	1	-	1	4	5	4
B5 B6	Tuberculosis of respiratory system Other tuberculosis, including late	M F M	5	13 3 5	1	21 5 14	50 11 7	8 2 3	1	2 2 2	3 3 2	4 - 4	1 2	5 1 5
	effects	F	1	3	2	7	10	1	-	-	1	1	1 2	5 =
B7 B8	Plague	M	-	-	-	-	-	-	-	-	-	-	-	_
Do	Diphtheria	M	-	-	-	-	1 -	-	-	-	-	-		_
B9	Whooping cough	M F	-	-		-	2	-	-	-	-	1	-	-
B10	Streptococcal sore throat and scarlet fever	M F	-	~	-	-	-	-	-	-	-	~	-	_
B11	Meningococcal infection	M F	1 -	1	-	2	2	2	-	-		-	-	3
B12	Acute poliomyelitis	M	-	-		-	-		-	_	-		-	
B13	Smallpox	M F	-	-	um dan	~	~	-	-	-	-	-	-	-
B14	Measles	M	-	1	-	1	1	1	- 1	-	-	-	-	1
B15	Typhus and other rickettsioses	М	-	_	-	-	_	-	_	_	_	_	_	_
B16	Malaria	F M F	-	-		-	_	-	-	-	-	-	-	-
B17	Syphilis and its sequelae	М	_	2	_	3	9	1	-	-	2		1	3
B18	All other infective and parasitic diseases	F	- 2	13	1	1 15	5 18	-	2	1 2	11	9	4	5
	Malignant neoplasm of:	F	2	7	2	12	23	7	2	3	3	8	5	4
	buccal cavity and pharynx	М	6	6	1	28	50	7	3	2	4	5	11	9
	(140-149) oesophagus (150)	F	5	26	1 5	19	29	3	1	3	8	4	6	9
	stomach (151)	F	7	19	6 28	50 38 189	89 66 413	18 8 56	3 1 13	6 5 21	6 7 40	17 7 73	10 13 31	15 11 93
	intestine and rectum (152-154)	F	9	79	17	136	317	43	13	16	41	39	51	76
	larynx (161) .	M F M	20	100 140 8	28 32 2	183 233 16	350 447 29	69 73	14	18 25	59 54	66 72	47	99 85
B19 {		F	-	1	-	1	7	-	-	-	1	2	-	8 -
	lung, bronchus (162) breast (174)	M F M	53	365 88	72 23	665 136	1,088	181	40	60 10	158 28	180 32	150 29	244 58
		F	27	187	41	300	470	88	9	24	68	89	46	109
	uterus (180-182) prostate (185)	F	16	55	22	91	210	28	5	18	25	44	22	39
	Leukaemia (204-207)	M	19	69 35	17	160	138 74	29	11	14	30	39	35	35
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F M F	48 50	21 243 204	12 41 50	385 422	67 627 643	13 90 130	20 30	6 37 36	15 102 127	15 151 138	11 12 75 105	21 9 136 145
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M	1 2 6	12 14 20	5 5	11 20 71	31 32 86	4 10 25	1 2 2	1 2 7	5 4 15	6 9 17	3 6 14	5 9 11
B22	Avitaminoses and other nutritional	F	6	48	11	79	148	24	7	14	11	29	22	28
B46 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-248, 251-258, 270-279)	F	226	9	5 3	14 23	4 4 30 68	7 7	2 1	5 - 4	1 3 8 6	1 5 9	1 2 2 12	1 6 4
B23	Anaemias	MF	-	5		11	31	4	3	-	6	5	4	6
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	M	3	13	1 1	24 10 6	74 6 3	12	2	3 -	7	16 2 1	6	8 - 2

	TABLE 21 (F					-	********	VISTRATIV	M COUNT	LEG				
ICD B List Number	Cause of death		Herefordshire	Hertfordshire	Huntingdon and Peterborough	Kent	Lancashire	Leicestershire	Lincolnshire (Farts of Holland)	Lincolnshire (Parts of Kestmven)	Lincolnshire (Parts of Lindsey)	Norfolk	Northamptonmhire	Northumberland
B46 (pt.)	Mental disorders (290-315) Meningitis	M F M F	1 2 -	9 19 4 2	1 2 -	6 14 7 3	23 18 11 10	8 15 2	1 4 1	2 14 1	1 4 - 2	1 6 1	2 1 - 1	14 11 1
B46 (pt.)	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	M F M	10 17 -	40 54 1	7 11 -	88 96 2	154 128	33 31	7 7 7	13 9 -	16 25	18 25	28 9	50 38 -
B26 B27	Chronic rheumatic heart disease Hypertensive disease	M F M F	11 10 18 22	30 65 49 100	5 7 14 17	73 107 160 193	146 238 233 277	27 30 48 64	4 4 7 8	3 4 14 14	20 20 37 51	21 30 35 42	21 21 35 33	23 40 48 71
B28 B29	Ischaemic heart disease Other forms of heart disease	M F M	215 164 57 78	1,119 729 170 273	257 192 33 39	2,245 1,723 468 724	4,488 3,297 655 1,058	567 397 150 200	159 108 62 68	225 151 77 117	574 403 115	744 558 197 240	481 356 90	1,004 745 134 203
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (440-458)	M F M F	98 144 24 29	455 728 153 190	100 159 47 54	940 1,598 324 391	1,781 2,658 598 817	301 404 85 109	87 98 21	87 171 30 29	257 342 84 81	360 500 112 120	174 264 80 97	403 528 127 158
B31 B32	Influenza Pneumonia	M F M F	5 8 47 48	38 43 286 435	6 10 68 45	110 153 584 744	72 92 767 935	20 19 107 121	1 5 40 56	12 11 62 78	25 26 98 111	47 48 206 275	11 20 98 102	19 28 147 227
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) Asthma (493)	M F M F	56 21 5 4	317 79 16 6	55 16 6	612 179 19 23	1,229 450 30 38	199 87 9	32 12 6	52 20 1 3	134 46 3 8	144 69 6	140 41 3	262 74 6 10
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519) Peptic ulcer	M F M F	10 6 8 4	53 41 44 19	5 7 5 5	86 77 83 44	196 127 135 65	29 23 24 12	8 4 6 2	7 14 10 4	24 27 22 9	24 28 19 12	18 9 20 9	28 30 36 14
B35 B36	Appendicitis Intestinal obstruction and hernia	M F M F	- - 7 4	2 6 19 19	- 2 4	8 6 37 41	8 7 52 61	3 1 6 8	- 1 2 2	- 1 1 3	1 2 10 10	1 10 14	4 2 13 7	1 3 12 17
B37 B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M F M F	6 2 7 7	9 9 22 42	4 1 12 10	14 17 69 83	32 31 112 163	10 5 14 22	2 1 4 10	1 2 4 10	4 7 16 26	7 3 33 26	5 2 20 31	16 11 26 29
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	M F M	4 2 6 8	22 14 18 19	6 9 4 8 5	29 31 45 60 90	80 30 84 66 126	11 8 13 18	1 1 5 10	5 6 5 3 5	10 8 14 20 18	12 9 25 25 24	5 7 15 19	16 16 14 18 22
B40 B41	Abortion Other complications of pregnancy, childbirth and puerperium	F	1	42	-	2	3	- 2	- 1	1	- 2	-	- 2	-
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	M F	1 1	5 4	1	3 10	8 9	1 -	-	1	2	2 3	2 -	3 3
B46 (Rem.) B42	Diseases of the musculoskeletal system and connective tissue (710-738) Congenital anomalies	M F M F	1 8 12 5	15 32 41 39	1 5 9 5	22 34 63 50	29 85 122 108	6 18 21 17	1 4 4 4	3 4 9 11	1 10 18 21	5 14 23 10	6 14 18 23	5 12 14 28
B44	Birth injury, difficult labour and other anoxic and hypoxic conditions Other causes of perinatal mortality	M F M F	4 - 2 4	36 14 37 22	6 3 7 7	43 27 71 30	120 59 117 98	11 11 10 14	4 2 4 3	10 2 9 1	12 9 24 22	15 6 13 9	10 13 17 9	21 12 12 10
B45	Symptoms and ill-defined conditions	M F	8	31 64	13	26 66	69 164	3 2 59	17	6	22 41	26 27	9	13 29
BE47 BE48	Motor vehicle accidents All other accidents	M F M	11 4 8	77 38 77	24 9 21	125 53 114	204 103 258	44 19 34	13 6 17	9 4 9	54 11 36	37 12 40	30 11 29	40 16 64
BE49	Suicide and self-inflicted injuries	F	25	100	35	132	325 139	62 16	7	14	35 27	58	40	89 18
BE50	All other external causes	F M F	3 2 1	31 12 12	3 1 3	57 20 18	81 50 38	9 7 5	3 1	2 -	10 9	14 3 6	2 4 3	10 5 9
BN47 BN48	Fractures, intracranial and internal injuries Burn	M F M F	16 25 1	117 108 5 4	38 33 1	201 141 2 9	364 338 10 23	57 69 3 3	24 11 1 1	12 14 - 1	81 39 4 1	72 54 1 5	47 33 6 5	79 85 3 1
BN49 BN50	Adverse effects of chemical substances All other injuries	M F M F	4 3 8 4	33 48 48 21	6 7 11 10	66 84 72 26	141 117 136 69	19 12 22 11	3 2 9 2	2 2 9 3	14 10 27 10	7 21 20 10	3 2 16 16	18 22 27 16

	7	12100			7000100			ADMII	(IDIMAIL)	P COUNT	cal			
ICD B List Number	Cause of death		Nottinghamshire	Oxfordshire	Rutland	Shropshire	Somerset	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire
	ALL CAUSES	M	3,666 3,264	1,199 1,110	160 137		3,740	3,700	1,670	858	5,091	3,261	3,473	3,005
B1	Cholera	M	-	-	137	1,824	3,791	3,231	1,566	846	5,717	3,600	3,929	2,615
B2	Typhoid fever	F M F	-	-	_	-	_	-	-	-	-	-	-	_
B3	Bacillary dysentery and amoebiasis	M	1	_	-	_	-	_			-	_	-	-
B4	Enteritis and other diarrhoeal diseases	F M F	6 3	1 2	=	3	3 5	3 2	1	-	6 2	2	2 6	- - 1
B5	Tuberculosis of respiratory system	M	6	1	-	3	11	5	3	-	6	4	5	8
B6	Other tuberculosis, including late effects	F M F	4 2	-	- 1	1 1	2 5 2	5 10 2	2	1 4	5 7 7	5	4 6 2	1 4 1
B7	Plague	M	-	-	-	-		-	des	-	_	_	_	_
B8	Diphtheria	M F	-	-	=	-	-	-	-	=	-	-		-
B9	Whooping cough	М	_	_	_	_		_	_	_	_	_	_	_
B10	Streptococcal sore throat and scarlet fever	F M F	-	1	-			-	-	-	-	-	=	=
B11	Meningococcal infection	M	1	1	-	-	-	-	2	-	-	_	2	1
B12	Acute poliomyelitis	F M F	1	-	-	1 -	1	-	1	-	-	-	2	=
B13	Smallpox	M	-	-	_	_	-		-	_	-	_	_	_
B14	Measles	F M F	- 1	-		=	- 1	1	-	-	-	-	-	-
B15	Typhus and other rickettsioses	M	-	_	_	_	- 1	_	_				-	_
B16	Malaria	F M F	-	-		-		-	-	-	-	1	-	=
B17	Syphilis and its sequelae	М	1	_		_	1	1		-	6	1	2	1
B18	All other infective and parasitic diseases	F M F	1 6 8	5	-	1 5 4	1 8 9	9 9	5 3	2 2	4 7 10	7 7	4 5	9
	Malignant neoplasm of:													Ü
	buccal cavity and pharynx (140-149)	M F	3 8	3		9	15 · 3	15	5	2	12	11 6	2	14 2
	oesophagus (150)	M F	14	7 2	1 1	8	20 16	24	5	3 2	32	14	15	17
	stomach (151)	M	105	36 15	3	39	91	100	46	14	33 84 92	15 62 59	14 75 51	9 70 42
	intestine and rectum (152-154)	M F	91 99	33 33	8	60 81	86 105	87 116	47	19 34	131 171	91 106	85 116	77 69
B19 <	larynx (161)	M F	3	2 -	-	3 1	5	6 3	2	3 -	6	3	12	3 -
	lung, bronchus (162)	MF	259 42	98	9	134 29	251 49	244	106	75 10	392 122	275	288	229 37
	breast (174)	M	132	42	8	61	140	115	55	28	246	116	145	1 110
	uterus (180-182)	F	46	13	3	21	37	68	22	11	60	38	49	28
	prostate (185)	M	54	17	4	32	65	46	41	10	76	59	55	37
	Leukaemia (204-207)	M F	21	6	1 3	13 5	19 10	18 17	13	2 3	37 24	20	25 22	23 16
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M F	178 154	53 53	8	91 105	162 182	160 161	76 85	36	263 312	134	142 217	156 150
B20	Benign neoplasms and neoplasms of unspecified nature	MF	11	2	-	9	6	12	2	1	9	6	6	11
B21	Diabetes mellitus	M F	51 51	10 6	2	1 9 16	9 22 44	30 36	11 13	3 6 7	16 36 48	9 12 21	10 22 25	7 22 3 5
B22	Avitaminoses and other nutritional deficiency	MF	3	2	-	-	-	1	-	1	_	1	_	_
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	1.0	8	3 6	-	2 7	10	1 7 15	3 6	3	2 7 12	1 6	3 7 8	2 5 10
B23	Anaemias	М	9	2	2	4	8	10	2	2	13	4	5	3
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	17	2 3	-	6	8	15	5	1 2	15	8	11	6 1
		-1	2	1		2		3		1	3	4	-	1

	TABLE 21 (1	4 CLIII	bers/	- 607	6 6 6 TELLE	30		ADMIN	ISTRATIV	E COUNT	IES			
ICD B List Number	Cause of death		Nottinghamshire	Oxfordshire	Rutland	Shropshire	Somerset	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Jussex, West	Warwickshire
B46 (pt.) B24	Mental disorders (290-315) Meningitis	M F M	2 4 6	4 3	1 -	5 4 4	2 8 2	6 13	1 6 2	2	17 38 3	3 9	3 4 2	2 3
B46 (pt.)	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	E M F M F M F	33 37 -	9 18 -	1 1 -	1 18 17 -	38 49	33 27	13 16	86-	74 77 -	3 40 49	36 39	30 24
B26 B27	Chronic rheumatic heart disease Hypertensive disease	M F M F	43 66 64 76	2 7 7 18	- 4 5 7	8 12 38 45	34 43 85 118	47 64 61 76	18 21 16 30	6 5 12 12	51 79 93 140	16 27 50 60	24 46 51 63	30 42 71 75
B28 B29	Ischaemic heart disease Other forms of heart disease	M F M F	910 562 155 247	337 224 47 68	29 17 19 16	578 413 85 112	1,058 784 166 291	963 617 167 248	491 339 68 85	223 160 45	1,440 1,097 187 406	886 807 168 281	930 894 205 334	821 471 115 164
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (440-458)	M F M F	423 549 164 169	120 211 41 53	13 27 8	274 339 74 79	462 745 162 221	401 551 162 188	181 275 80	. 88 142 30 27	477 907 198 310	440 668 162 177	429 762 158 151	313 464 83 125
B31 B32	Influenza Pneumonia	M F M F	25 42 182 240	5 9 97 126	2 12 10	15 7 90 119	23 31 252 315	26 32 214 201	17 22 138 163	15 15 70 153	45 90 428 603	60 107 183 245	75 96 248 297	14 26 210 239
B33 (pt.) B33 (Rem.)	Bronchitis, emphysema (490-492) Asthma (493)	M F M F	321 131 13 7	65 25 9 4	7 3 -	124 39 7 8	212 83 9 16	272 86 3 8	76 37 2 3	51 13	323 124 13	218 74 7 12	219 71 8 14	224 59 6 8
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519) Peptic ulcer	M F M F	56 39 32 27	9 12 6 3	2 1 2 1	25 22 20 11	39 40 30 14	52 37 26 12	17 9 11 9	12 12 11 6	45 58 45 33	36 28 19 22	30 43 41 26	31 31 28 23
B35 B36	Appendicitis Intestinal obstruction and hernia	M F M F	3 3 14 23	1 2 6	1	2 - 8 13	5 1 21 22	2 1 8 12	1 - 6 10	1 2 4	1 1 10 33	4 2 10 27	3 15 10	3 11 13
B37 B46 (pt.)	Cirrhosis of liver Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	M F M F	12 17 25 44	5 3 4 7	1 1 2	6 2 12 22	14 (7 32 40	7 8 29 44	3 2 15	1 1 3 6	16 13 39 70	6 14 17 33	6 4 20 38	12 12 16 34
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary	M F M	19 11 28 20	5 2 7 8	2 3	13 7 7 14	11 17 25 22	28 11 25 24	14 3 17	5 2 4	22 15 27 14	12 13 12 31	12 6 19 22	12 10 10 12
B40 B41	System (590-599, 601-629) Abortion Other complications of pregnancy, childbirth and puerperium	F	32 - 3	10	2	9 1 1	24	33	11	7	41 2 2	41	3C - 1	26 · _ 4
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	M F	2 2	3	-	-	4	5 3	2	-	11 0,	2 2	1 3	1 6
B46 (Rem.) B42	Diseases of the musculoskeletal system and connective tissue (710-738) Congenital anomalies	F M F	12 20 40 40	9 19 14	1	10 13 21 19	11 24 27 23	6 22 44 37	6 11 13 12	2 6 10 7	9 28 50 45	15 19 15	8 17 14 19	11 10 35 29
B44	Birth injury, difficult labour and other anoxic and hypoxic conditions other causes of perinatal mortality	M F M F	23 10 19 19	8 5 8 9	3	12 13 13 5	31 17 9 10	35 26 31 26	6 3 12 7	7 10 9 5	39 19 33 20	12 11 7	11 8 8 13	25 10 30 21
B45	Symptoms and ill-defined conditions	M F	12 36	5 9	1 2	9	20 50	19 54	5 11	3 2	31 95	13 46	6 41	14 37
BE47 BE48	Motor vehicle accidents All other accidents	M F M	82 29 68	34 11 25	2 1 8	41 13 29	58 26 46	83 37 72	21 8 24	22 5 13	77 36 80	39 24 30	43 24 36	66 30 50
BE49 BE50	Suicide and self-inflicted injuries All other external causes	F M F M	52 34 27 16	22 10 9 6	1 1 -	12 16 3	38 33 15 11	53 42 16 14	12 5 2	7 3 1 3	71 52 33 15	78 25 24 7	76 22 18 7	45 16 17 9
BN47 BN48	Fractures, intracranial and internal injuries Burn	F M F M	123 72 7	53 24	9	60 44 1	91 51 2	133 ; 75 6	37 39 1	31 19	120 77 8	62 88 2	65 78 1	102
BN49 BN50	Adverse effects of chemical substances	F M F M F	7 27 27 43 10	12 16 9 6	1 1 1 -	12 40 12 16	2 16 18 39 18	35 15 37 17	10 2 11 10	6 6 6 5	4 43 47 53 17	17 23 20 18	20 33 22 11	3 10 23 28 14

	TABLE 21 (2100	MOCE 5 /	- 00	10001000			******	Madamaa	12 00011	120			
ICD B List Number	Cause of death		Westmorland	Wight, Isle of	Wiltshire	Worcestershire	Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Breconshire	Caernarvonshirm	Cardiganshire	Carmarthenshire
	ALL CAUSES	M	467 451	822 836	2,683 2,407	2,386 2,311	1,642 1,632	1,934 2,010	10,633 9,990	373 363	387 370	932 946	412	1,195
B1	Cholera	M	- 431	~	2,407	2,311		2,010	# # # # # # # # # # # # # # # # # # #	363	370	540	412	1,166
B2	Typhoid fever	M.		- 2 - 1		- 1	-	- 1986 - 1986	-	1 1 3	-	-	-	-
B3	Bacillary dysentery and amoebiasis	M	- (7)	-	_		_	· -	-		-	_	_	_
B4	Enteritis and other diarrhoeal diseases	F M F	-	2	4 3	4 1	- 1	-	1 21 14	- 1 1	2	1	-	1 2
B5	Tuberculosis of respiratory system	M	-	1 2	11	6	7	10	43	2	1	25	1	3
В6	Other tuberculosis, including late effects	F M F	- - 1	1 1	3 2 3	5 5 -	1 2	3 3 1	15 16 8	1	-	2	-	1 3
B7	Plague	M	-	-	-	-		-	-	-	-	-	-	_
B8	Diphtheria	F M F	-	-	-	-	-	-	-	-	-	-	-	Ē
В9	Whooping cough	M	_	-	-	-	~	-	-	-	-	1	_	_
B10	Streptococcal sore throat and scarlet fever	F M F	-	-	-	-	-	-	- - 1	-	-	1	-	-
B11	Meningococcal infection	MF	-	1	-	-	1	-	1	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	F M F	-	-	1	1	-	1	1 2	-	-	-		-
B15	Typhus and other rickettsioses	М	~	-	- 1	-	-	40	-	440	-	-	- 1	-
B16	Malaria	F M F	-	-		-	-	-	-	-	-	_	-	-
B17	Syphilis and its sequelae	М	-	1	1	-	-	-	2	-	-	-	-	1
B18	All other infective and parasitic diseases	F M F	2	2	4 4	5 6	3 3	4 4	15 17	-	-	2	- 1	1 5 5
	Malignant neoplasm of:													
	buccal cavity and pharynx (140-149)	M F	2 2	2 3	10	6 5	7	10	35 22	1 2	1	6 9	1	4 4
	oesophagus (150)	MF	4 2	5	12	8 7	6	14 10	56 40	4	5	8	2 3	7 10
	stomach (151)	M	10	9	58 46	49 45	44 27	46 25	254 212	13	13	26 41	12	26 32
	intestine and rectum (152-154)	M	12 17	21 29	79 65	65 87	34 48	57 54	270 279	10	3 4	21	12	28 27
B19 <	larynx (161)	M	-	1 -	7 4	2 3	5	1 -	14 2	-	1 -	1 1	3 -	3
	lung, bronchus (162)	M	26 15	58 : 12	194 37	169 31	117	114 34	713	32 5	21	53	17	65 6
	breast (174)	M F	13	30	92	90	54	73	348	13	9	34	12	37
	uterus (180-182)	F	10	13	43	33	15	29	151	6	2	15	8	21
	prostate (185)	M	9	8	44	43	20	24	130	10	6	14	5	13
	Leukaemia (204-207) Other malignant neoplasms, including	M F M	1 19	5 3 48	25 13 134	21 16 117	10 12 97	12 14 75	65 58 464	1 3 18	16	10 2 33	2 2 18	4 7 36
	neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	F	32	42	115	96	96	103	547	17	15	41	24	48
B20	Benign neoplasms and neoplasms of unspecified nature	MF	- 2	2	8	4 8	5	5	29 21	- 2	1	1	- 2	2 3
B21	Diabetes mellitus	M	8 5	5	16 25	12 29	16	17 16	58 97	1 3	5	6	2 2	4 17
B22	Avitaminoses and other nutritional deficiency	M F	-	-	1	- 3	-	- 1	4 7	-	-	-	-	- 1
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	M	2	2	8	15	3 8	3 6	17 39	2 2	1 2	3 8	1	1 7
B23	Anaemias	М	2	2	5	3	3	4	18	-	_	2	2	2
B46 (pt.)	Other diseases of blood and blood-forming organs (286-289)	F M F	1	4	7 -	5	7 -	8 1	33 7 6	2	-	1	3 -	3 2
	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			4	-						1			

Enter of death		1				00010000			ADMIN.	ISTRATIV	E COUNTI.	ES.			
### Meministria Pass	B List	Cause of death		Westmorland	Isle	Wiltshire	١	Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Breconshire	vonshi	Cardiganshire	Carmarthenshire
### Add (pt.) ### Ad	B46 (pt.)	Mental disorders (290-315)						2			-	-			
### And Sember organs (\$21-500) F 6 5 52 22 24 11 108 6 2 11 2 2 50 ### And Sember organs (\$21-500) F 6 5 52 22 24 11 108 6 2 112 2 50 ### And Sember organs (\$21-500) F 6 6 5 52 22 10 13 56 2 2 11 7 12 ### And Sember organs (\$21-500) F 6 6 50 52 22 20 10 13 56 2 2 11 7 12 ### And Sember organs (\$21-500) F 6 6 50 52 22 20 10 15 50 10 50 10 50 ### And Sember organs (\$21-500) F 6 6 50 52 22 20 10 15 50 10 50 10 50 ### And Sember organs (\$21-500) F 6 7 5 50 50 50 50 10 50 10 50 ### And Sember organs (\$21-500) F 6 6 50 50 50 50 50 50	B24	Meningitis		-	1	1	2	-	-	9			-	=	-
Page Page		and sense organs (321-389)	F	6	7 :	32	22	24	11	106	6	2	12	2 -	10
Debament heart disease			F	6	6		38	22	10						
Basis	B27	Hypertensive disease		5 9		44	37 59	19 23							
### B66 (pt.) Other diseases of the circulatory			F	95 20	161 60	463 176	460 88	414 65	546 96	2,191	62 21	97 25	178 38	83 35	282 35
### BS1			F	91	206	396	415								
BS2 Promumonia	B46 (pt.)	Other diseases of the circulatory system (440-458)								373					
### B35 (Nem.) ### Asthma (493) ### Asthma (49			F	3 14	20 43	20 145	15 133	90	14 116	66 614	6 9	3 16	7 36	12	1 56
### Appendictis P			F		18	48	66	28	48	313	8			6	
## and control of the complications of pregnancy, childbirth and neptrostic series		Asthma (493)													2
Base		system (460-466, 500-519)	F	4 5	11 10	30 21	24 32	16 14	14 16	109 86	2	5 1	10	3	7 7
Bar			F		_	-	1	3		9		- 1	1	1	2
### B46 (pt.) Other diseases of the digestive system M				3 -											
Section Sect			F		1	7	8	3	8	27	-	3	5	- 1	4
Hyperplasia of prostate		(520-530, 534-537, 561-570, 572-577)	F	5	10	32	33	15	16	96	1 1	3	15	1	15
B41	B39	Hyperplasia of prostate	F M M	6 3	1 7 4	4 14 16	5 14 11	3 15 9	6 11 15	4.4 52 65	4 6 7	2 1 2	6 19 7	1 2 6	4 11 7
Childbirth and puerperium F 2 - 2 - 3 1			F	-	1		-		-	-	-	-	-	-	-
Subcutaneous tissue (680-709) F 1 5 - 2 4	B46 (pt.)	childbirth and puerperium		-			-		-		_	***	1		-
## B42 Congenital anomalies		subcutaneous tissue (680-709)	F	-	-	1		-		4	-	-		-	- 1
B44 Other causes of perinatal mortality		and connective tissue (710-738)	F	6 4	6 4	12 34	13 15	9	7 19	63 109	1	4 2	7 4	1 -	7 9 12
EE47 Motor vehicle accidents M 15 4 52 35 23 30 197 5 7 13 2 13		other anoxic and hypoxic conditions	F	- 4	1 6	14 15	11 16	5 10	6	48 87	3 3	1 2	3 2	1	6
EE48 All other accidents	B45	Symptoms and ill-defined conditions							4 17						
BE49	BE47	Motor vehicle accidents			4 2				19			1	6	1	9
EE50 All other external causes M = 2 5 7 6 2 47 1 1 4 2 3 5	BE48	All other accidents		8	12										34
BN47 Fractures, intracranial and M 16 10 83 70 36 50 326 11 13 20 5 35 internal injuries F 21 16 46 47 58 56 246 4 8 23 10 38 Burn			F	1	6	14	15	10	12	78	-	2	4	1	12 7
BN49 Adverse effects of chemical M 3 7 17 11 5 8 99 - 2 7 1 5 8 91 4 1 9 2 15 All other injuries M 5 6 27 24 18 16 91 4 1 9 2 15	DESU	TAIL Other external causes						2	2			-			2
BN49 Adverse effects of chemical M 3 7 17 11 5 8 99 - 2 7 1 5 substances F 3 3 16 17 10 13 100 1 3 8 1 7 BN50 All other injuries M 5 6 27 24 18 16 91 4 1 9 2 15		internal injuries	F	21	16 2	46	47	58	56 2	246	4 -	8 3	23	10	1
		substances	F	3 5	3 6	17 16 27	17 24	10 18	13 16	100 91	4	3 1	8 9	1 2	15

TABLE	21	(Numbers)		continued	ADMINISTRATIVE	COUNTI
-------	----	-----------	--	-----------	----------------	--------

	TABLE 21 (Nui	nbers /	- 00	ntinu	90	ADMII	VISTRATIV	E COUNTI	ES
ICD B List Number	Cause of death		Denbighshire	Flintshire	Glamorgan	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
	ALL CAUSES	M	1,260 1,192	1,058	5,039 4,246	268 261	2,395 1,894	282 281	674 543	135 128
B1	Cholera	M	_	-	_	-	_	-	-	
B2	Typhoid fever	F	-	-	-	- ~	_	-	-	-
B3	Bacillary dysentery and amoebiasis	F		_	_	_	_		_	_
B4	Enteritis and other diarrhoeal	FM	- - 2	- 1	4	-	- 5 1	-	1 1	-
B5	diseases Tuberculosis of respiratory system	F	6	3	31	3	8	1	2	1
В6	Other tuberculosis, including late	F	1 1	5	11 7	_	3	-	2 2	1 -
B7	effects Plague	F	1	3	8	1	2	-	-	_
B8	Diphtheria	F	-	-	-	-	-	-	-	
В9	life and my assista	F	-		_	-	-	_	_	_
B10	Whooping cough Streptococcal sore throat and	M F M	-	-	-	-	-	-	-	-
D44	scarlet fever	F	-	-	-	-	-	-	-	-
B11 B12	Meningococcal infection Acute poliomyelitis	M F	-	-	2	-	1 -	-	-	-
	nodo porromy orror	F	-	-	-	-	-	-	-	-
B13	Smallpox	F	-	-	-	-	-	-	-	-
B14	Measles	M F	-	-	1	-	1	-	-	-
B15	Typhus and other rickettsioses	MF	-	-	-	-	-	-	-	_
B16	Malaria	M	-	-	-	-	_	-	-	-
B17	Syphilis and its sequelae	M	-	-	2	-	2	-	-	-
B18	All other infective and parasitic diseases	M F	1 4	2	9 5	2 -	2	1 -	3 -	1
	Malignant neoplasm of:									
	buccal cavity and pharynx (140-149)	M F	3 3	3 5	19 11	2 -	9 2	1 2	2 -	1 1
	oesophagus (150)	MF	4 8	10	23 19	1 1	22	- 2	2	1
	stomach (151)	MF	49 28	27 19	125 115	9	54 38	9	24 9	3 -
	intestine and rectum (152-154)	M F	3 6 27	26 39	125 132	7 7	53 40	6	11 23	3
B19 {	larynx (161)	M F	3 -	3	5 2	í -	2	-	-	-
	lung, bronchus (162)	M	96 12	68 17	268 36	9	137 24	11	43	14
	breast (174)	F M F	1 42	1 30	135	- 8	1 72	10	16	- 6
	uterus (180-182)	F	14	12	60	1	30	6	8	-
	prostate (185)	M	20	13	48	3	27	4	2	1
	Leukaemia (204-207)	M	6 7	6 5	19 19	1 2	7 8	2	8 7	- 1
	Other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	M	58 64	36 48	209 182	10	100 89	10 15	28 21	6
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	M F M F	1 2 6 10	6 4 5 5	6 12 31 56	1 - 5	6 3 11 30	3 3	1 1 5 9	- 1 2
B22	Avitaminoses and other nutritional	M	-	_	- 1	-	1	-	-	-
B46 (pt.)	deficiency Other endocrine, nutritional and metabolic diseases (240-246, 251-258, 270-279)	F M F	5	5 6	1 15 13	- 1	1 8 6	1 -	1 1 -	1 -
B23	Anaemias	М	1	3	6	_	7	-	6	-
DEU		F	5	3	25	- 1	16	3	1	

	TABLE 21 \	, u	ibers /	- 60	TO C C TOCK	30	ADMIN	VISTRATIV	E COUNTI	ES
ICD B List Number	Cause of death		Denbighshire	Flintshire	Glamorgan	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
B46 (pt.)	Mental disorders (290-315)	M F	3 -	-	6	1	13 22	-	1 -	-
B24	Meningitis	M	-	-	3 6	-	3 2	-	-	-
B46 (pt.)	Other diseases of nervous system and sense organs (321-389) Active rheumatic fever	M F M F	8 15 -	18 9 -	45 45 - 2	4 -	18 19 -	5 -	6 -	1 2 -
B26	Chronic rheumatic heart disease	M	5 13	8 21	34	3 3	23	2 7	7 2	1 1
B27	Hypertensive disease	M	18	25 33	99	7 8	63 60	8 7	15 12	3
B28 B29	Ischaemic heart disease Other forms of heart disease	M F M F	341 266 43 96	293 209 51 78	1,427 932 228 333	88 48 16 15	703 431 118 151	92 61 19 18	211 129 39 40	38 32 6
B30	Cerebrovascular disease	M	195 239	132 238	576 728	32	246	32	78	21
B46 (pt.)	Other diseases of the circulatory system (440-458)	M F	29 51	20 38	149 172	57 8 22	323 75 75	57 11 16	93 18 28	42 8 6
B31 B32	Influenza Pneumonia	M F M F	7 5 70 80	10 10 58 65	26 30 243 290	9 9	13 9 92 97	3 16 10	5 7 36 34	- 4 2
B33 (pt.)	Bronchitis, emphysema (490-492)	M	88	72 19	475 106	18	257 66	13	40	7 1
B33 (Rem.)	Asthma (493)	M	. 1	1	11 14	1	6 5	2 -	4	-
B46 (pt.)	Other diseases of the respiratory system (460-466, 500-519) Peptic ulcer	M F M F	26 9 13 9	12 12 16 5	200 44 46 19	5 2 1 3	45 16 16 10	2 4 6 1	6 5 4 3	3 1 1
B35	Appendicitis	M	-	1	3 4	-	2	1	-	-
B36	Intestinal obstruction and hernia	M	2 -	7	19 21	1 2	7 10	_	_	1 -
B37	Cirrhosis of liver	M	4 1	7	9	2	3 4	4	5	- 1
B46 (pt.)	Other diseases of the digestive system (520-530, 534-537, 561-570, 572-577)	F	9 8	3 14	25 31	1 5	14 21	1 2	6	1
B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (590-599, 601-629)	M F M M	5 8 8 9 16	8 9 3 10	28 16 31 37 40	1 2 1 1 2	15 12 14 11 19	3 1 1 2 1	1 1 3 8 9	1 2 - 2
B40 B41	Abortion Other complications of pregnancy,	F	-		1	-	1	-	-	**
	childbirth and puerperium	F	1	-	- 1	1	3	-	1	-
B46 (pt.)	Diseases of the skin and subcutaneous tissue (680-709)	F	1 2	-	4	-	2	1 -	-	-
B46 (Rem.) B42	Diseases of the musculoskeletal system and connective tissue (710-738) Congenital anomalies	M F M F	3 9 11 8	5 5 11 14	8 29 52 35	1 3 1 4	10 29 13	1 2 2	2 4 4	1 1 1 -
B43 B44	Birth injury, difficult labour and other anoxio and hypoxic conditions Other causes of perinatal mortality	M F M F	1 11 8	5 4 9 7	45 28 32 26	1 2 1	19 11 17 11	2 1 2	3 6 4 -	1 1 -
B45	Symptoms and ill-defined conditions	M F	8 15	10	38 74	8	8	3 8	4 9	-
BE47	Motor vehicle accidents	M	14	24	56 27	3	32 12	6	7 3	1 1
BE48	All other accidents	M F	23 21	18 21	99	9	43 45	5 3	19 13	2
BE49	Suicide and self-inflicted injuries	MF	6 4	3 5	26 16	1 7	21 12	2	4	2
BE50	All other external causes	M	3	1 2	5 8	-	2 5	-	3 -	-
BN47 BN48	Fractures, intracranial and internal injuries Burn	M F M F	21 23 3 1	33 12 2 3	117 93 7 7	62	66 50 -	10 6 - 1	17 13 1	2 -
BN49 BN50	Adverse effects of chemical substances All other injuries	M F M F	7 10 15	4 9 7 8	25 23 37 20	3 4 4 5	15 21 17 2	3	3 4 12 3	1 1 -
		E		3				L		

Notes 1. Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.

2. Deaths occurring in the year but which were registered after 31st March of the following year are excluded.

ICD	. Cause of death						4	Month of	occurrence	9				
Number	dade of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES	M F	35,040 36,588	26,502 25,555	27,521 27,306	23,438 22,452	22,736 21,664	20,641 19,583	20,820	20,527 19,491	20,472	21,805 20,950	23,837 22,554	28,082 26,678
000-136	I. INFECTIVE AND PARASITIC DISEASES	M F	298 195	243 142	286 164	212 112	212 135	193 103	187 108	164 106	148 119	193 114	192 121	242 165
000-009	Intestinal infectious diseases	M F	51 45	48 31	45 39	24 22	21 23	21 22	20 15	18 18	24 23	45 27	2 9 27	47 42
009	Diarrhoeal disease	M F	38 30	44 25	36 29	15 20	15 17	17 12	17 9	15 13	14 19	33 21	24	39 33
010-019	Tuberculosis	M	177 70	135 59	172 68	138 39	128 59	114 40	105 37	99 37	86 44	88 39	106 39	127 57
011	Pulmonary tuberculosis	M F	125 49	88 30	122 42	93 25	90 33	69 26	64 23	66 21	53 24	55 19	69 19	75 31
070-079	Other viral diseases	M F	15 20	13 11	17 11	17 16	14 11	16 13	12 16	9 12	10 12	15 14	12 14	14 21
070	Infectious hepatitis	M F	11 11	12	11 10	12 15	10	15 11	8	6 11	9 12	9	8 9	7
090-099	Syphilis and other venereal diseases	M F	5 14	8	13 12	4 5	6	6 5	7 5	7 5	7 4	14 6	14 7	18 10
140-239	II. NEOPLASMS	M F	5,334 4,657	4,799 4,078	5,251 4,422	4,952	5,084 4,274	4,933 4,176	5,066 4,316	5,030 4,424	5,071 4,194	5,308 4,506	5,156 4,328	5,506 4,614
140-149	Malignant neoplasm of buccal cavity and pharynx	M F	92 58	78 50	83 48	72 57	90 47	73 55	79 57	100 45	99 50	84 62	83 52	. 89 . 47
141	tongue	M F	20 12	13	14 7	16 16	23 12	26 10	17 11	25 7	13 10	14	29	21 10
146	oropharynx	M F	14	15 4	12 4	7	12 1	7 5	10	13 7	17 4	14	8	14 2
148	hypopharynx	M F	14 15	10 17	14 20	12 15	15 15	10 15	12 19	19 14	17 16	13 29	13 14	9
150-159	Malignant neoplasm of digestive organs and peritoneum	M F	1,639 1,672	1,489 1,461	1,712 1,617	1,533 1,490	1,684 1,602	1,555 1,531	1,639 1,556	1,615 1,578	1,666	1,769 1,643	1,712 1,524	1,714 1,647
150	oesophagus	MF	150 90	143 107	122 99	130 100	151 106	126 90	153 104	158 104	115 101	153 103	142 106	137 108
151	stomach	M F	610 512	511 439	670 497	574 409	605 433	560 472	589 496	594 441	613 435	659 480	615 428	615 450
152	small intestine, including duodenum	M F	9 13	10 12	11 2	9 7	11 9	17 8	10	12 10	10	10 12	7 11	8 5
153	large intestine, except rectum	M F	314 499	315 402	371 526	308 480	330 486	331 484	346 477	318 491	339 450	346 544	356 484	376 538
154	rectum and rectosigmoid junction	M	287 255	228 221	251 219	224 237	280 247	245 194	249 213	255 249	302 213	262 245	275 222	251 248
155	liver and intrahepatic bile ducts, specified as primary	M F	28 19	28 16	19 21	30 16	32 23	21 19	21 16	29 15	21 10	24 10	25 17	36 15
156	gallbladder and bile ducts	M F	28 72	39 67	37 43	34 43	31 72	33 58	51 56	34 70	32 53	42 49	37 50	41 56
157	pancreas	M F	197 193	199 186	220 196	206 179	226 208	213 189	· 211	200 177	218 190	253 170	238 188	219 211
158	peritoneum and retroperitoneal tissue	M F	13 16	14 10	8 13	13 15	15 16	8 15	7 12	9 16	13 14	14 26	15 17	30 14
160-163	Malignant neoplasm of respiratory system	M F	2,206 482	1,928 391	2,041 413	2,007 429	2,018 410	1,976 399	2,028 393	2,020 462	2,032 408	2,125 473	1,996 454	2,276 481
160	nose, nasal cavities, middle ear and accessory sinuses	M F	11 9	15 17	9 10	12	11 10	11 4	14	18 7	11 7	9 8	. 7	11 8
161	larynx	M F	43 9	41 7	55 11	39 7	44	36 11	50 12	43	43 8	44 15	40 12	58 10
162,163	trachea, bronchus, lung, pleura, mediastinum and unspecified respiratory site	M F	2,152 464	1,872 367	1,977 392	1,956 416	1,963 392	1,929 384	1,964	1,959	1,978 393	2,072 450	1,949	2,207 463
162	trachea, bronchus and lung	М	2,136	1,858	1,968	1,941	1,950	1,917	1,952	1,948	1,968	2,058	1,942	2,194

TABLE 22 (Numbers) - continued

ICD	Cause of death							Month of	occurrenc	e				
Number	June of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
170-174	Malignant neoplasm of bone, connective tissue, skin and breast	M F	85 1,027/	76 908	76 933	77 867	81 892	69 843	85 897	83 911	104 887	82 944	90 958	87 972
170	bone	M	22 21	30 20	26 10	26 26	26 20	20	28 15	28 16	33 24	23	29	3 2 1 5
171	connective and other soft tissue	M F	9 16	8 7	14 9	9	12 11	13	12	12	17 13	13 11	12	¥ 14
172	Malignant melanoma of skin	MF	22	13 17	16 28	17 35	17 30	21 17	16	13	24	23	21 28	18 23
173	Other malignant neoplasm of skin	M F	22 19	20	16 16	17 11	21 14	13 15	20	24 15	22	19	22 24	21
174	breast	M	10 938	5 851	4 870	8 781	5 817	2 775	9 831	6 850	813	870	6 878	8 904
180-189	Malignant neoplasm of genito-urinary organs	M	694 840	601 734	726 835	657 739	636 766	643 783	654 809	621 842	557 789	626 797	677 790	695 849
180	cervix uteri	F	232	182	213	170	180	215	203	205	206	201	209	201
181,182	Chorionepithelioma and other malignant neoplasm of uterus	F	121	124	133	117	119	116	123	135	113	136	141	159
182.0	malignant neoplasm of corpus uteri	F	99	97	113	97	92	98	107	101	96	103	115	119
183	ovary, fallopian tube, and broad ligament	F	281	242	293	284	288	296	294	303	299	271	248	306
183.0	ovary	F	278	240	290	284	285	294	294	303	299	271	247	303
184	other and unspecified female genital organs	F	48	38	47	39	39	43	44	54	44	53	54	42
184.0	vagina	F	15	11	11	9	7	10	11	16	13	11	10	7
184.1	vulva	F	32	27	36	30	32	33	33	38	31	41	44	34
185	prostate	М	360	316	371	334	324	299	311	315	271	316	346	365
186	testis	М	18	19	24	28	24	18	20	24	21	20	21	19
188	bladder	M F	219 94	191 94	244 97	211 94	214 91	221 82	216 76	213 98	198 86	213 83	236	223 91
189	other and unspecified urinary organs	M F	90 64	67 54	81 52	75 35	63 49	97 31	98 69	65 47	61 41	68 53	68	76 50
190-199	Malignant neoplasm of other and unspecified sites	M F	226 248	244 244	228 248	221 208	221 230	242 239	253 265	223 256	243 269	259 269	248 234	274 282
191	brain	M F	68 60	78 63	77 71	72 40	83 62	76 50	67 64	73 63	81 62	92 55	84 47	73 58
193	thyroid gland	M F	7 28	11 16	12 20	16 19	5 20	6 29	14 25	17	9	11 30	8 22	18 25
200~209	Neoplasms of lymphatic and haematopoietic tissue	M	321 269	322 231	324 268	340 268	294 265	327 261	271 277	319 263	315 249	323 259	301 255	321 266
200	Lymphosarcoma and reticulum-cell sarcoma	M F	63 ! 54	54 32	53 52	60 40	54 49	66 40	63 52	69 51	67 39	75 45	62 43	67 48
. 200.0	reticulum-cell sarcoma	M F	31 25	23 10	19 25	25 16	20	24 12	31 17	27 18	28 18	35 14	28	28 20
200.1	lymphosarcoma	M F	32 29	31 22	34 27	35 24	34 23	42 28	32 35	42 33	39 21	40	34 26	39 28
201	Hodgkin's disease	M F	47 24	56 25	40 30	52 46	4 5 35	54 23	32 31	48 35	49 33	43 29	40 30	44 34
202	Other neoplasms of lymphoid tissue	M F	13 9	. 13 18	19 11	21 10	19 11	20 13	20 18	12 8	13 8	12 10	14	15 10
203	Multiple myeloma	M	47 46	39 42	47 50	47 39	33 43	.29 40	21 44	38 30	52 39	30 42	38 43	49 47
204	Lymphatic leukaemia	M F	53 46	49 33	62 38	68 39	49 44	64 51	4 4 34	56 42	45 39	58 39	43	66 48
204.0	acute	M F	18 12	18	24 16	33 16	18 20	23 22	22 16	19 22	19 14	22 16	19 24	32 19
204 • 1	chronic	M F	34 32	28 22	36 21	29 22	28 24	38 27	20 18	36 18	25 25	35 22	24 18	30 26

TABLE 22 (Numbers) - continued

ICD	Cause of death							Month of	occurrence	e				
Number	Cause of deavii		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
205	Myeloid leukaemia	M F	60 56	76 50	55 53	56 51	54 43	48 59	63 55	57 66	58 55	67 62	64 58	44 49
205+0	acute	M F	32 30	41 23	35 23	26 31	34 22	27 29	36 40	30 37	39 31	44 31	44 24	22 30
205-1	chronic	M	27 23	28 24	16 27	28 19	20 17	18 27	26 12	25 26	15 22	20	17 25	21 18
206	Monocytic leukaemia	M F	12	11 7	16 10	8 18	11 7	11 14	7 13	10 9	3 9	7 11	9 3	8 5
207	Other and unspecified leukaemia	M F	17 16	15 16	18 15	20 15	19 22	21 11	16 17	16 14	17 16	19 12	13 16	15 15
207.0	leukaemia, acute	M F	11 10	14 10	14 13	14 12	13 19	19 5	13 12	11 9	15 11	10 7	10	11 7
210-228	Benign neoplasms	M F	32 39	26 30	27 32	16 27	24 26	13 36	19 37	20 39	18 35	14 33	21 44	19 40
225	brain and other parts of nervous system	M	18 11	9 11	12 7	2 11	8 9	6 11	4 9	6 12	8 15	7 11	5 17.	9 11
230-239	Neoplasm of unspecified nature	M F	39 22	35 29	34 28	29 23	36 36	35 29	38 25	29 28	37 30	26 26	28 17	31 30
240-279	III. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	M F	285 474	212 362	203 420	173 313	176 323	169 283	153 263	181 320	154 260	176 268	203 354	212 414
240-246	Diseases of thyroid gland	M F	9 72	9 71	10 73	5 37	4 44	2 29	7 30	3 39	4 30	4 32	3 47	6 63
242	Thyrotoxicosis with or without goitre	M	21	1 21	2 23	3 17	4 16	13	4 17	2 16	1 11	12	1 18	
244	Myxoedema	M F	6 47	6 43	5 47	1 17	25	1 15	3 10	1 22	2 16	3 17	2 25	6 41
250-258	Diseases of other endocrine glands	M F	228 354	173 260	153 288	142 238	132 249	140 223	120 199	155 246	117 202	136 199	161 259	180 306
250	Diabetes mellitus	M	206 338	161 249	142 265	134 231	117 240	128 206	107 190	145 240	115 195	124 194	151 246	173 290
260-269	Avitaminoses and other nutritional deficiency	M F	11 9	1 3	8 15	4 16	10 11	5 11	3 10	10	8	5 8	5 6	6 8
270~279	Other metabolic diseases	M F	37 39	29 28	32 44	22 22	30 19	22 20	23 24	19 25	25 22	31 29	34 42	20 37
280-289	IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	M F	56 123	52 101	66 114	54 104	59 114	39 83	57 103	39 110	52 81	60 99	52 111	72 104
280	Iron deficiency anaemias	M F	11 24	22	4 23	5 17	8 12	14	3 9	1 9	2 10	7 14	8 16	4 8
281	Other deficiency anaemias	M F	14 44	14 28	16 39	` 13 34	12 40	13 32	16 38	8 38	20 27	14 35	11 31	14 29
281 • 0	pernicious anaemia	M	9 34	12 18	15 29	11 25	10 31	8 29	12 24	5 30	17 21	10 32	7 21	10 24
284	Aplastic anaemia	M F	13 15	8 18	13 10	10 18	14 14	9 15	14 20	7 18	8 12	14 9	11 11	18 15
290-315	V. MENTAL DISORDERS	M F	59 107	55 82	40 79	33 88	28 60	27 55	29 63	22 70	26 54	24 52	36 55	38 69
290-299	Psychoses	M F	53 96	41 72	32 73	24 77	23 53	20 50	20 56	16 64	20 48	20 49	24 47	27 64
290	Senile and pre-senile dementia	M F	52 91	34 67	28 71	22 72	20 44	18 46	20 50	14 62	20 46	14 47	21 41	24 55
320-389	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	M F	326 321	288 291	326 301	252 272	246 254	230 219	209 227	236 223	188 254	222 271	268 277	299 308
320-324	Inflammatory diseases of central nervous system	M F	41 22	40 29	46 23	27 18	14 21	32 20	27 15	26 14	21 22	15 18	16	32 22
320	Meningitis	M F	31 15	25 22	38 15	21 17	7 12	14 16	13 12	16 9	11 11	5 8	17	16 16
330-333	Hereditary and familial diseases of nervous system	M F	21 12	5 9	24 12	13 5	19 9	16 10	15 5	13 4	15 13	16 12	19 11	19 8
330	Hereditary neuromuscular disorders	M F	15 8	2 4	14 3	12 1	15 2	13 5	10	9	12 6	12	15 5	13 4

TABLE 22 (Numbers) - continued

TOD	0							Month of	occurrence	e				
ICD Number	Cause of death		Jan.	Feb.	Mar.	Apr.	May	Jui.	July	Aug.		· · ·	Nev.	D
340-349	Other diseases of central nervous system	M F	247 277	221 239	237 252	204	207 219	172 182	163 200	191 195	140 212	185 233	215 234	239 266
340	Multiple sclerosis	M	40	19	31 49	34 48	35 39	28	22	22	22	22 43	21 35	2: 38
342	Paralysis agitans	MF	81 87	76 80	83 76	63 89	52	51 67	59 i	55	38 79	68	64 95	7:
345	Epilepsy	M F	24	38 28	34 29	38 20	43	26 20	20	36 20	18 23	24 30	31	3E 27
348	Motor neurone disease	MF	30 26	28	27 19	21 26	24 26	19 18	20 24	32 17	25 23	27 22	28 19	41
390-458	VII. DISEASES OF THE CIRCULATORY SYSTEM	M F	16,011 18,382	13,064 13,985	13,309 14,988	11,524 12,322	11,322 11,935	9,966 10,474	10,170 10,298	9,871 10,275	10,056	10,445 11,263	11,837 12,427	13,949 14,730
393-398	Chronic rheumatic heart disease	M	266 503	241 392	258 472	205 342	219 357	191 272	180 336	195 282	162 293	202 305	208 347	275 441
394	Diseases of mitral valve	M F	86 272	78 181	88 248	68 161	56 182	66 131	47 150	65 134	51 148	77 150	64 158	107 230
39 5	Diseases of aortic valve	M F	101 80	92 75	106 85	72 70	88 75	76 42	57 72	81 . 63	61 53	72 52	86 70	110 79
396	Diseases of mitral and aortic valves	M F	29 43	26 58	27 55	27 33	31 33	17 32	36 33	20 25	19 38	25 28	32 44	29 11
400-404	Hypertensive disease	M F	549 782	446 618	453 667	389 563	400 453	325 433	323 403	295 438	325 405	378 458	420 474	440 565
400	Malignant hypertension	M F	39 27	33 17	49 16	34 22	53 16	42 14	39 14	3 4 18	47 15	47 i 18 i	38 18	35 12
401	Essential benign hypertension	M F	50 75	47 71	54 68	42 53	48 48	37 51	43 42	37 60	54 41	49 65	48 50	69 68
402	Hypertensive heart disease	M F	422 634	331 487	319 542	292 446	283 366	219 341	219 319	208 332	208 3 27	253 357	308 381	309 431
403	Hypertensive renal disease	M F	33 37	26 32	22 31	15 37	11 18	15 19	18 19	12 22	12 17	23 ; 17	17 20	22 22
410-414	Ischaemic heart disease	M F	8,621 6,754	7,257 5,417	7,241 5,634	6,424 4,748	6,398 4,710	5,722 4,133	5,833 3,968	5,680 4,011	5,779 4,048	5,922 4,474	6,736 4,791	7,842 5,855
410	Acute myocardial infarction	M F	6,219 4,027	5,355 3,378	5,367 3,416	4,820 2,970	4,820 2,947	4,308 2,601	4,345	4,249 2,592	4,363 2,611	4,519 2,922	5,022	1,864 5,704
411	Other acute and sub-acute forms of ischaemic heart disease	M F	119 75	126 72	82 73	62 54	83 79	90 64	81 44	76 63	89 46	89 57	90 71	87 82
412	Chronic ischaemic heart disease	M F	2,270 2,647	1,768 1,954	1,784 2,138	1,535 1,720	1,485 1,679	1,316 1,463	1,401 1,396	1,351 1,352	1,316 1,384	1,305 1,489	1,619 1,645	1,884 2,062
420-429	Other forms of heart disease	M	1,701 2,916	1,296 1,945	1,228 2,054	1,062 1,634	959 1,437	847 1,309	767 1,290	813 1,263	807 1,247	884 1,336	960 1,543	1,201 1,860
421	Acute and sub-acute endocarditis	M F	8 16	7 14	20 11	18 12	10 6	13 10	16 10	15 11	13 11	15 11	11 8	10
424	Chronic disease of endocardium	M F	87 102	71 76	68 84	57 70	53 48	48 56	41 £1	41 70	:2 54	40 64	54 68	67 75
425	Cardiomyopathy	M F	15 9	16 10	20 13	18 7	22 17	22 11	13 6	13 10	15 6	21 -	11 13	15 12
4 26	Pulmonary heart disease	M F	135 87	90 43	93	79 30	75 28	73 27	60 20	55 19	45 26	68 27	€8 41	101 57
427	Symptomatic heart disease	M F	647 1,036	489 649	435 728	384 607	364 543	333 494	321 497	327 472	325 444	\$50 114	401 554	01 631
427 • 0	congestive heart failure	M F	481 739	339 457	315 511	265 426	255 381	228 340	227 352	234 328	228 311	212 367	279 379	3. 4 461
427 • 1	left ventricular failure	M F	74 111	65 55	34 75	50 51	35 47	62 59	35 45	41 42	48 53	47	44	67 64
427.2	heart block	M F	8 15	16	19	17 12	12	8 6	13 7	10	10	10 17	11 17	1 17
427.9	other disorders of heart rhythm	M F	84 171	69 126	67 129	52 118	104	89	93	42 87	72	82 82	114	0° 80
430-438	Cerebrovascular disease	M F	3,645 5,711	2,858 4,348	3,083 4,803	2,545 3,939	2,539 3,899	2,151 3,356	2,300 3,354	2,169 3,337	2,188	2,279 3,680	2,655	3,125 4,595
430	Subarachnoid haemorrhage	M F	123 251	139 225	119 227	134 209	125 236	87 181	112 189	125	128 203	122 196	130 234	162 231

TABLE 22 (Numbers) - continued

								Month of	occurrence	e e				
ICD	Cause of death	į	Jan.	F 1.	Nor.	Apr.	May	,	July	A	·. 1. ·	('.	N.v.	
431	Cerebral haemorrhage	M	882 1,326	768 1,127	761 1,127	653 1,006	688 985	556 822	617 829	575 853	525 807	603 928	693	812 1,150
432	Occlusion of pre-cerebral arteries	M	31	28	26 23	21 20	19 16	20	19 23	17 13	21 19	29 27	19	28
433	Cerebral thrombosis	MF	1,613 2,504	1,180 1,879	1,325 2,112	1,026 1,669	1,046	902	914 1,396	858 1,295	887	887	1,098	1,276
434	Cerebral embolism	M	19 [23]	10 17	12 22	9 22	12 14	9	11 19	9 18	12 12	7 15	13 17	15 19
436	Acute but ill-defined cerebrovascular disease	M F	467 728	372 511	380 605	337 447	32 5 4 92	293 459	343 464	298 499	321 452	331 533	382 570	416 627
437	Generalized ischaemic cerebrovascular disease	M F	460 758	322 511	404 623	329 519	296 482	255 403	242 379	248 414	257 . 408	264 431		383 611
440-448	Diseases of arteries, arterioles and capillaries	M F	950 1,295	749 959	848 1,040	694 833	636 801	5 79 7 03	594 688	538 689	611 722	604 715	679 870	878 1,069
440	Arteriosclerosis	M F	549 951	385 615	453 707	355 552	321 559	282 484	283 458	263 469	266 456	296 470		461 727
441	Aortic aneurysm (non-syphilitic)	M F	251 170	255 168	239 165	220 136	188 105	185 92	192 104	168 105	221 130	198 109	219 163	289 197
442	Other aneurysm	M F	12 5	6 8	6 6	11 6	10	8 5	5 5	9 5	14	6 3	10	6 7
443	Other peripheral vascular disease	M F	5	9 5	11 8	10 10	9 8	9 6	10 6	7 8	13 2	10 9	11 5	10 6
444	Arterial embolism and thrombosis	M	62 88	37 85	77 75	41 71	49 58	50 56	38 62	51 58	55 65	51 64	50 67	. 55 . 82
445	Gangrene	M F	50 66	43 59	43 63	40 49	46 56	40 54	53 42	36 41	31 49	32 46	37 44	45 37
446	Polyarteritis nodosa and allied conditions	M F	21 8	12 13	15 11	13 6	10 10	5	11 7	4 3	8 13	9	9	11 11
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	M F	278 420	217 304	197 317	202 263	169 274	151 267	173 259	180 255	183 264	175 295	177 313	188 345
450	Pulmonary embolism and Infarction	M F	130 158	100 116	92 122	105 91	63 1 07	67 90	74 88	91 106	76 96	79 123	83 105	98 1 36
451	Phlebitis and thrombophlebitis	M F	8 19	9 21	8 26	10 12	8 13	5 22	6	12	11 13	6 14	3 22	7 18
452,453	Portal vein thrombosis and other venous embolism and thrombosis	M F	123 213	93 142	87 14 8	75 144	90 143	70 137	84 143	75 119	82 134	75 138	76 159	73 158
454	Varicose veins of lower extremities	M	8 17	6 14	3 10	5 7	1 5	11	1 15	2 16	6	6 9	4 16	2 19
460-519	VIII. DISEASES OF THE RESPIRATORY SYSTEM	M F	9,520 9,194	5,034 3,782	5,043 3,914	3,570 2,648	2,993 2,135	2,541 1,856	2,342 1,749	2,414 1,656	2,260 1,609	2,725 2,038	3,401 2,420	4,945 3,562
460-466	Acute respiratory infections (except influenza)	M F	331 430	159 154	165 160	89 96	75 75	63 47	40 46	52 37	60 57	91 73	110 110	186 172
466	Acute bronchitis and bronchiolitis	M F	322 417	154 146	161 151	79 92	71 67	61 43	38 41	47 37	54 48	82 68	104	180 165
470-474	Influenza	M F	1,280 1,966	223 294	78 150	16 33	14 11	8 4	5 7	4 2	10	16 25	30 40	54 46
470	unqualified	M F	183 296	41 48	9 41	2 11	4 2	1 -	1 1	- 1	3	3 1	4 5	12 12
471	with pneumonia	M F	853 1,385	139 195	54 90	12 14	9	5 4	3 6	4 1	7 5	10	21 26	31 28
472	with other respiratory manifestations	M F	2 41 278	42 50	15 18	2 7	1 2	2	1 -	***	1	3 2	4 8	11 6
480-486	Pneumonia	M	3,338 4,801	1,868 2,239	1,946 2,447	1,467 1,755	1,224 1,424	1,017 1,282	946 1,179	982 1,108	929 1,069	1,067	1,314 1,577	1,873 2,304
480	Viral pneumonia	M F	48 40	14 15	22 18	17 10	15 7	14 8	3 11	10	10	10 17	15	19 13
481	Pneumococcal pneumonia	M	306 356	175 161	213 172	145 129	139 81	106	7 5 67	90	86 39	87 78	115 30	17 5 152

TABLE 22 (Numbers) - continued

ICD	Cause of death							Month of	occurrenc	e			···	
Number			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
490-493	Bronchitis, emphysema and asthma	M F	4,250 1,830	2,619 954	2,645	1,835 650	1,531	1,313	1,221 433	1,250	1,139 406	1,394	1,778	2,644
490	Bronchitis, unqualified	M	150 214	85	75 109	65 61	57 38	27 37	24 3?	36 38	2¢	27 36	58 52	83 87
491	Chronic bronchitis	M F	3,842 1,451	2,343 754	2,380 819	1,614	1,335	1,172	1.098	1,089	1,012	1,249	1,594	2,400
492	Emphysema	M F	193 66	134 25	117	104 23	83 23	60	60	60	5.2	72 16	77	108
493	Asthma	M F:	65 99	5.7 8.5	53 63	52 54	£ 6	54 53	39 67	85 73	15 49 69	46	20	22
514	Pulmonary congestion and hypostasis	M F	37 70	17 62	22	24 41	12	15	10	20	10 26	16	14	71
515	Pneumoconiosis due to silica and silicates	M F	84	55	57 2	42	38	34	35	33	27	36	26 51	41 4F
£18	Bronchiectasis	MF	104	39 49	61 38	39 38	42 19	36 25	34 19	33 23	34 22	43 28	51	47
520-577	IX. DISEASES OF THE DIGESTIVE SYSTEM	M	711 697	641 598	632 675	576 585	503 559	477 506	504 531	492	514 575	507	546 604	660 639
530-537	Diseases of oesophagus, stomach and duodenum	M F	371 209	311 173	283 187	252 142	212 148	192 120	213	179	191 135	200	219 133	316 163
530	Diseases of oesophagus	M F	10	7 11	13 10	11 10	8	9	15	9 12	5 6	13	9 12	20 13
531	Ulcer of stomach	M F	154 98	105 97	101 76	95 67	74 67	72 51	72 39	61 54	67 65	69 58	68 59	92 66
531 • 0	with perforation	M F	45 21	26 22	22 21	16 12	20	19	18	9	15	13	26	20 19
531.9	without mention of perforation	M F	109	79 75	79 55	79 55	54 54	53 45	£4 31	52 43	52 52	56	42	72 47
532	Ulcer of duodenum	M F	175 68	164 47	136 69	112 44	101	86 44	98	88 34	95 39	95 25	118	167 55
532.0	with perforation	M F	64	58 19	50 33	45 12	39 21	34 18	37 17	37 20	39 16	29	45	77 25
532 • 9	without mention of perforation	M F	111	106	86 36	67 32	62 28	52 26	61 21	51 14	56 23	66 15	73	90
533	Peptic ulcer, site unspecified	MF	27 23	21 14	19 20	21	19	13 11	20	14	11 17	12	16 11	24 21
540-543	Appendicitis	M F	15 18	15 19	26 15	23 17	20 18	12 14	18	9 21	15 12	18	17 14	21 12
540	Acute appendicitis	M F	12 11	13 15	22	20	15 17	8 11	13	9 16	10	15	15	16 10
550-553	Hernia of abdominal cavity	M F	71 88	52 61	54 91	44 63	36 63	46 67	50 58	35 55	35 60	51 59	46 69	50 77
560-569	Other diseases of intestine and peritoneum	M F	118 195	108 192	137	124 184	116 165	115 159	97 174	129	141 182	123 193	124	135 201
560	Intestinal obstruction without mention of hernia	M F	33 45	37 51	47 47	35 66	44	41 38	34 49	39 50	51 E1	41	37 52	41 49
561	Gastro-enteritis and colitis, except ulcerative, of non-infectious origin	M F	5 9	3 9	3 9	5 5	7 15	15 14	3 12	6	7 18	8	7 13	3 14
562	Diverticula of intestine	M F	30 81	30 71	33 74	29	26 59	28 58	26 57	31 60	33 59	35 65	39 65	33 82
563	Chronic enteritis and ulcerative colitis	M F	16 26	20 22	24 37	26 18	16 23	10 22	19 31	20 27	23	12	13 33	24 15
563-1	ulcerative colitis	M F	13 21	12 17	17 27	19 12	8	9	14 20	13 20	19	6	9 22	11 9
570-577	Diseases of liver, gallbladder and pancreas	M F	133 180	154 149	131 173	133 173	118 161	110 143	124 178	139 165	130 183	113 165	138 181	137 180
571	Cirrhosis of liver	M F	60 71	73 45	68 67	71 62	50 52	50 52	46	71 61	64 54	59 45	65 64	69 63
574	Cholelithiasis	M F	19 29	19 33	23 37	19 23	15 37	8 27	17 26	14 35	13	11 33	16 32	12 31

TABLE 22 (Numbers) - continued

ICD	Cause of death							Month of	occurrenc	e				
Number	tause of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
575	Cholecystitis and cholangitis, without mention of calculus	M F	18 20	14 18	7	12 27	9	9 17	12 22	12 21	15 31	13 29	13 31	13 25
576	Other diseases of gallbladder and biliary ducts	M F	3 12	7 5	3 8	6 17	11 10	5 10	9	7 10	6 12	3 13	12 15	13 14
577	Diseases of pancreas	MF	23 30	26 35	19 30	15 27	22 25	23 19	24 35	23 27	21 31	20 34	22	19 38
577*0	acute pancreatitis	M F	18 29	22 34	17 25	13 24	20 21	17 15	16 31	19 25	19 30	17 34	21 20	14 35
580-629	X. DISEASES OF GENITO- URINARY SYSTEM	M F	478 373	400 328	471 350	374 286	365 292	328 267	346 301	354 295	355 258	358 267	398 262	417 321
580-584	Nephritis and nephrosis	M F	143 120	123 98	126 113	117 93	108 94	109 79	88 97	83 85	100 73	95 91	120 72	123 106
580	Acute nephritis	MF	8 8	12	10	8	11 6	3 4	6	7 5	9 3	8	9 3	14 6
582	Chronic nephritis	M F	120 100	100	105 92	97 77	85 83	89 66	73 81	67 72	81 64	71 77	94 60	97 87
590-599	Other diseases of urinary system	M F	148 240	140 220	184 219	134 180	136 181	110 172	132 196	137 196	129 172	145 166	139 177	154 206
590	Infections of kidney	M F	101 185	89 165	108 176	79 129	79 134	73 124	81 133	82 141	84 123	84 114	84 121	93 136
592	Calculus of kidney and ureter	M F	6 12	4 17	9 7	11 5	8	7 9	10 11	10 13	3 7	4 6	7 9	5 9
600-607	Diseases of male genital organs	М	187	137	161	123	121	109	126	134	126	118	138	140
600	Hyperplasia of prostate	M	182	132	154	115	117	104	126	132	124	115	136	136
620-629	Diseases of uterus and other female genital organs	F	11	7	13	11	14	13	3	10	8	6	5	6
630-678	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	15	18	14	11	20	19	22	14	15	14	15	18
680-709	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	M F	9 18	3 22	17 20	6 20	9 14	12 13	8 25	12 24	10 14	7 21	11 18	11 28
710-738	XIII, DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	F	64 160	56 143	56 177	68 153	47 105	57 119	48 127	44 118	42 117	60 151	55 133	64 139
710-718	Arthritis and rheumatism, except rheumatic fever	M F	37 108	38 92	37 120	42 96	26 77	32 84	34 80	25 78	23 75	42 97	31 93	43 95
712	Rheumatoid arthritis and allied conditions	M	19 75	25 66	27 73	26 69	20 47	18 58	23 51	16 45	13 46	30 67	19 69	· 25
713	Osteo-arthritis and allied conditions	M F	13 26	9 21	8 44	11 24	6 21	10 20	11 19	6 25	8 24	8 21	7 18	9 22
720-729	Osteomyelitis and other diseases of bone and joint	M F	12 32	7 19	10 34	18 33	11 15	15 14	9 17	10 25	11 17	7 34	10 13	12 24
730-738	Other diseases of musculoskeletal system	M F	15 20	11 32	9 23	8 24	10 13	10 21	5 30	9 15	8 25	11 20	14 27	9 20
734	Diffuse diseases of connective tissue	M F	3 12	6 23	3 19	6 18	5 10	7 14	4 23	4 12	6 23	4 16	7 19	3 16
740-759	XIV. CONGENITAL ANOMALIES	M F	231 200	203 172	263 219	202 173	225 191	197 182	201 193	197 179	192 157	215 162	196 187	214 182
740	Anencephalus	MF	3 8	7	2 9	8 8	12 12	10 8	6 7	5 13	6 5	6 8	9 15	5 5
741	Spina bifida	M F	22 33	21 23	33 42	24 20	20 27	15 27	20 28	24 18	21 33	18 36	18 19	17 28
741.0	with hydrocephalus	M F	14 21	16 16	24 29	13 14	13 18	14 22	11 23	16 12	13 24	11 29	10 13	13 16
746	Congenital anomalies of heart	M F	92 80	74 61	96 80	81 64	96 76	70 64	86 87	85 71	70 50	79 52	66 70	85 65
753	Congenital anomalies of urinary system	M F	26 21	29	31 19	26 11	17 13	21 15	24 12	16 10	22 7	22 14	23 15	12

TABLE 22 (Numbers) - continued

								Month of	occurrence	e				
ICD Number	Cause of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
753•1	cystic kidney disease	M	13	/ 12	15 14	14 7	9	7 13	12	6	11 6	15	14 10	8 7
759	Congenital syndromes affecting multiple systems	M F	13 11	12	14	10	12	18	15	11 16	17	17	12	19 13
760~779	XV. CERTAIN CAUSES OF PERINATAL MORBIDITY AND MORTALITY	M F	361 230	345 253	347 256	351 210	319 229	374 237	346 226	312 247	312 254	372 220	336 193	325 234
772	Birth injury without mention of cause	M	57 23	51 22	43 39	43 29	57 38	53 33	43 31	49 26	52 36	58 20	48 29	4 5 3 0
77 5	Haemolytic disease of newborn without mention of kernicterus	M F	8	11 9	16 8	9 9	15	10 10	11 6	11 9	8	12 14	9	8
777	Immaturity, unqualified	M F	87 60	83 78	75 67	97 57	78 57	97 66	92 66	78 60	78 73	92 63	81 61	68 61
780-796	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	M F	162 403	113 254	109 306	103 232	122 220	83 223	81 187	89 174	75 188	95 203	102 223	120 255
780-789	Symptoms referable to systems or organs	M F	11 11	7 12	7 13	9 16	17 24	13 24	9 23	9 15	11 11	14 23	12 20	14 23
782	Symptoms referable to cardiovascular and lymphatic system	M F	6 8	9	5 11	8 14	14 19	12 21	6 16	5 14	8	12 16	9 19	9 14
790-796	Senility and ill-defined diseases	M F	151 392	106 242	102 293	94 216	105 196	70 199	72 164	80 159	64 177	81 180	90 203	106 232
794	Senility without mention of psychosis	M F	144 389	97 241	95 281	81 208	86 189	65 195	61 159	67 152	57 165	71 171	81 193	95 225
E800- E999	E XVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)	M F	1,135 1,039	994 944	1,102 887	988 815	1,026 804	1,015 768	1,073 759	1,070	1,017 735	1,038 757	1,048 826	1,008 896
E800- E807	Railway accidents	M	8 -	7	17 1	12 4	10	5	8 2	7 2	9	9	15	8
E810- E819	Motor vehicle traffic accidents	M F	307 180	340 172	350 170	293 132	329 141	315 165	358 154	390 150	385 171	373 153	401 179	374 184
E812	involving collision with another motor vehicle	M	110 33	127 41	115 54	97 29	125	123 44	158 66	168 46	170 60	136 53	171 42	151 47
E814	involving collision with pedestrian	M F	114 116	131 108	144 101	116 76	125 81	105 83	122 63	131 73	111 83	152 82	136 110	126 108
E816	Non-collision accident due to loss of control	M	20	17 4	21 8	18 8	24	35 24	35 16	32 12	27 7	30 4	30 7	31 8
E830- E838	Water transport accidents	M F	2 -	3 -	7	12	8 -	20	12 3	12 1	17 1	14	6	8
E850- E859	Accidental poisoning by drugs and medicaments	M F	15 15	14 18	22 18	14 24	8 25	10 18	24 19	14 14	13 22	15 20	10 21	· 12 23
E870- E877	Accidental poisoning by gases and vapours	M F	35 54	23 35	21 15	15 27	17 31	10 12	10	3 14	10 13	6 21	28 34	30 33
E870	gas distributed by pipe-line	M F	26 48	17 31	16 13	14 25	11 29	7 12	6 9	2 12	6 12	19	13 24	16 23
E880- E887	Accidental falls	M F	182 422	152 354	154 354	117 305	166 295	152 270	150 277	130 272	132 247	142 279	137 281	160 348
E880	Fall on or from stairs or steps	M	3 5	34 37	32 38	10 22	22 26	26 37	22 39	19 34	22 40	25 27	25 37	29 40
E881	Fall on or from ladders or scaffolding	M F	4 1	7 -	4 -	7 3	10	8 -	13 1	8 1	10	16	5	9
E882	Fall from or out of building or other structure	M	9	10	10 1	15 1	13	10	12 4	7 5	8 2	13 2	15 1	7 4
E885	Fall on same level from slipping, tripping or stumbling	M F	21 55	, 11 , 46	12 34	13 22	16 37	7 36	12 27	7 38	10 31	5 34	7 32	18 18
E890- E899	Accidents caused by fires and flames	M F	52 69	34 96	35 44	26 44	18 33	16 21	23 14	17 9	13 9	18 17	32 43	45 52
E890	conflagration in private dwelling	M F	14 15	13 21	14 10	9	9	8	6 6	5 3	4	5 2	16 18	18 16
E893	ignition of clothing	M F	8 31	5 25	3 20	4 16	1 12	9	6 4	2 2	2 6	2 6	16	7 18

TABLE 22 (Numbers) - continued

ICD	Cause of death							Month of	occurrenc	e				
Number	04400 01 40000		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E900- E909	Accidents due to natural and environmental factors	M F	19 19	11 14	11 12	10 1	5 6	7 1	6 8	7 4	3 4	5 3	8 5	16 13
E910- E929	Other accidents	M F	143 44	110 30	142 38	137 59	119 42	146 48	144 49	172 55	120 44	121 45	122 48	88 48
E910	Accidental drowning and submersion	M F	18 9	13 4	27 7	26 13	31 6	46 10	47 12	60 13	31 8	24	18 5	12 6
E911	Inhalation and ingestion of food causing obstruction or suffocation	M F	31 24	23 15	29 15	23 16	27 20	14 18	21 16	23 17	9 13	29 22	20 17	17 22
E913	Accidental mechanical suffocation	M F	24	1 5	23 5	29 14	18 5	18 10	9	8 7	19 6	15 6	23 11	15 6
E916	Struck accidentally by falling object	M	14	17	13 1	7	7	16 1	10 1	6 5	15 1	14 3	20	11
E918	Caught accidentally in or between objects	M	16	6	11	7	10	16 1	13 1	22	15 1	9	8 -	9
E925	Accident caused by electric current	M F	8 2	5	6	10 2	11	9	18 1	15 3	5 3	8	5	5 2
E950- E959	Suicide and self-inflicted injury	M F	246 168	208 154	234 166	237 152	251 165	211 166	225 162	213 132	211 161	239 156	203 165	177 134
E 950	poisoning by solid or liquid substances	M	60 84	58 81	57 90	7 5 95	81 110	61 99	70 109	53 79	70 104	63 98	64 114	56 75
E951	poisoning by gases in domestic use	M F	65 47	55 31	51 40	63 29	64 18	4 5 30	44 24	41 23	37 30	61 25	44 25	42 26
E952	poisoning by other gases	M F	17 4	12 2	25 4	12 4	13	12 3	14 2	17 4	19 1	20	9 1	. 8
E953	by hanging, strangulation and suffocation	M	48 11	31 11	44 6	37 7	37 16	32 14	46 15	52 9	28 8	36 13	41	30 11
E954	by submersion (drowning)	M F	10 11	15 18	21 16	12 8	12 10	19 14	9 5	12 10	18 5	12	13 13	16 13
E955	by firearms and explosives	M F	15 1	18	15	16	17	12	18 1	12 1	11 1	16	9	7
E960- E969	Homicide and injury purposely inflicted by other persons*	M F	15 14	17 16	12 8	15 11	10 17	18 16	15 14	19 20	15 15	8 9	11 5	5 7
E980- E989	Injury undetermined whether accidentally or purposely inflicted	M F	75 43	53 37	63 51	72 45	54 41	73 42	57 39	53 30	52 39	57 41	52 34	56 38
E980	Poisoning by solid or liquid substances	M F	12 22	14 15	21 27	20 21	16 22	19 19	13 26	15 14	18 22	2 <u>4</u> 23	12 13	22 21
E984	Submersion (drowning)	M F	24 6	19 8	17 10	28 10	18 6	27 9	21 7	21 5	15 11	13 6	16 7	12 8
N800- N999	N XVII. ACCIDENTS, POISONINGS AND VIOLENCE (NATURE OF INJURY)	M F	1,135 1,039	994 944	1,102 887	988 815	1,026 804	1,015 768	1,073 759	1,070 717	1,017 735	1,038 757	1,048 826	1,008 896
N800- N809	Fracture of skull, spine, and trunk	M F	267 155	267 152	291 133	248 121	276 115	272 124	306 122	300 123	299 146	293 130	312 136	282 140
N801	Fracture of base of skull	M F	31 5	26 21	36 12	18 7	27 6	32 17	31 16	28 13	37 13	25 11	37 18	27 11
N804	Multiple fractures involving skull or face with other bones	M F	56 24	52 26	66 26	60 20	50 21	59 29	65 26	58 26	55 26	71 32	86 38	59 25
N805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	M F	23 12	21 15	20 15	13 12	16 10	25	26 10	11 7	19 11	12 10	18 6	23 11
N807	Fracture of rib(s), sternum and larynx	M F	15 13	15 11	14	11 6	12 4	6 5	18 5	11 6	9	8 7	. 9	13 7
N808	Fracture of pelvis	MF	11 23	7 9	9 12	3 13	6 4	5 7	5 5	7	9 11	12	9 7	11 13
N809	Multiple and ill-defined fractures of trunk	M F	16 21	11 13	20 17	6 15	14 15	11 19	11 8	20	23 10	17 16	20	16 13
N810- N819	Fracture of upper limb	M	12 18	2 9	6 14	4 7	2 5	9	5 8	3 7	2 5	4 15	4 9	6

^{*} The number of deaths assigned to this cause which occurred in 1967 and were registered after 31st March 1968 were: June 1F, July 1F, August 1M, 1F, September 2M, October 1M, 1F, November 4M, 3F, December 6M, 5F.

TABLE 22 (Numbers) - continued

ICD	Cause of death						Month of	occurrence	e			7.4	
Number		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
N820- N829		99 F 347	102 292	88 299	72 256	104 256	83 217	87 232	70 219	73 199	80 229	70 236	106 284
N820		M 42 F 191	44 162	45 167	29 145	56 142	40 115	37 1 21	22 100	30 109	27 126	37 124	45 167
N821	other and unspecified parts of femur	M 34 F 114	31 109	24 106	33 89	33 95	21 76	28 90	31 94	22 76	29 81	15 87	42 100
N828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M 12 F 14	10	7 12	3 9	6 7	12 11	9 11	12 16	11 9	· 16	10	8
N850- N854		75 7 39	67 39	83 38	57 41	66 34	77 38	58 29	82 31	69 40	73 31	75 40	65 45
N851	Cerebral laceration and contusion	M 20	19 11	28 17	25 14	26 6	30 16	17 9	33 9	22 10	22 12	24 16	18 18
N860- N869		151 56	147 52	150 51	155 36	148 48	152 64	· 178	173 66	184 57	171 54	186 53	153 57
N860		M 6	10 4	6	7 1	4 2	6	8 3	9 2	15 4	15 3	16 5	9
N861	heart and lung	M 19	14 6	20	26 4	25	22 8	26 4	15 8	19 4	17 4	22 8	14 3
N862	other and unspecified intrathoracic organs	M 41	41 16	39 11	33 9	39 8	40 13	45 16	45 11	41 12	39 8	49 11	4 6 14
N864		M 13	9 5	12	14	6 3	11 6	5	16 3	16 7	10 2	15 2	7
N870- N879		17	14 2	13 1	13 3	10	17 1	15 7	13 4	15 5	17 3	12 2	11 2
N874	Open wound of neck	11 F	7 2	7	7 3	7	13 1	14 4	7	7 3	13	7 2	9
N930- N939		33 F 24	25 16	34 17	27 18	27 21	17 19	24 18	26 21	14 14	32 22	22 22	19 25
N933		M 32 23	23 15	30 16	27 17	27 19	16 19	23 17	25 17	11 10	28 22	22 19	17 23
N940- N949		36 F 50	25 51	28 33	19 41	13 26	16 20	27 13	25 8	17 11	14 16	25 35	23 42
N948		16 F 24	15 18	17 12	10 19	6 10	10 7	16 6	18	13 7	9 6	9 18	9 25
N960- N979		86 122	84 116	99 137	103 136	99 152	85 137	107 154	81 108	99 146	100 139	86 146	90 125
N965	analgesics and antipyretics	10 12	9 12	14 10	15 13	8 11	10 11	8 7	9	7 19	3 19	6 16	11 7
N979		2 7	12 4	14 8	8	8 9	5 8	14 8	8 5	9 7	8 5	17 6	14 14
N980- N989		167 130	123 128	133 81	116 81	117 73	94 61	88 47	85 52	78 49	113 58	105 79	125 86
N986	carbon monoxide	158 129	113 123	123 79	107 77	104 66	8 5 58	81 46	78 49	72 46	102 55	100 75	114 80
N990- N999		170 81	125 76	158 71	164 65	153 59	182 69	169 62	197 68	148 59	130 52	136 63	113 64

TABLE 22 SUPPLEMENT. Deaths from accidents occurring in the home and residential institutions, by cause, month of occurrence, and sex, 1968

England and Wales

ICD	Cause of death					· · · · · · · · · · · · · · · · · · ·	M	onth of o	ccurrence					
Comber	ound of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E850- E929	Accidents in the home and residential institutions	M F	294 540	225 466	239 377	172 360	184 344	168 292	168 277	151 274	148 255	171 298	191 349	230 415
E850- E869	Accidental poisoning by solid and liquid substances	M F	14 14	8 20	22 19	13 23	7 25	11 17	22 20	15 12	13 19	19 20	8 18	14 25
E870- E877	Accidental poisoning by gases and vapours	M F	34 54	22 32	19 15	14 27	11 31	10 12	7 8	2 12	6 13	6 21	24 34	26 32
E880	Fall on or from stairs or steps	M F	30 44	29 36	31 36	9 22	19 25	20 32	21 35	19 33	20 34	24 25	21 32	22 39
E881	Fall on or from ladders or scaffolding	MF	2 1	3 -	-	2 3	3 -	5	2	3	8	7 -	1 -	5
E882- E884	Other falls from one level to another	M	17 37	18 29	9 28	15 19	14 15	10 18	15 19	16 26	11 18	15 28	11 11	13 24
E885, E886	Falls on same level	M	12 46	6 39	11 29	8 18	8 32	8 36	10 26	5 31	6 25	1 33	6 29	7 16
E887	Other and unspecified fall	MF	68 221	50 187	51 170	33 165	52 151	51 120	34 122	35 118	31 107	37 122	45 135	55 181
E890- E899	Accidents caused by fires and flames	M F	46 68	33 96	34 43	21 40	17 32	16 21	19 13	15 9	11 9	12 16	30 43	43 49
E910	Accidental drowning and submersion	MF	2 7	3 1	4 5	4 7	3 2	2 5	3 -	1 2	7 3	3	2 3	3 5
E911	Inhalation and ingestion of food causing obstruction or suffocation	M F	26 22	17 11	23 14	19 12	22	11 14	16 15	18 12	6 9	23 16	15 17	12 21
E913.0	Accidental mechanical suffocation in bed or cradle	M F	14 4	6 4	8 5	11 7	10 4	9 8	6 3	4 6	16 4	8 6	13 10	5 6
E923	Accident caused by explosive material	M	2 -	-	2 -	-	3 3	1	1	1 -	-	1 -	ma ma	1 -
E924	Accident caused by hot substance, corrosive liquid, and steam	M	1 2	3 2	2 4	1	2 2	2 2	1 3	1	1 2	1 2	1 2	4
E925	Accident caused by electric current	M	2 2	2	5	3 2	4	4	4 -	2 2	2 3	3 -	3	3 2
Rem. E850- E929	Other accidents in the home and residential institutions	M	24 18	25 8	18 8	19 14	9 3	8 6	8	15 9	10 9	11 8	11 14	21 11
E980- E989	Injury undetermined whether accidentally or purposely inflicted	M F	25 20	17 18	28 28	19 28	15 23	18 16	12 20	17 14	18 14	26 18	16 17	22 21
E980	Poisoning by solid or liquid substances	M F	6 13	7 9	14	11 15	7 15	9	4 17	7 6	12 10	14 12	6 9	12 15
E981, E982	Poisoning by gases in domestic use and by other gases	M F	12 2	3 5	9 4	4 4	2 2	3	3 1	5 4	2	5 4	3	7 4
E984	Submersion (drowning)	M F	-	1	1	2		-		1 1	2 2	-	- 1	1_
E985	Injury by firearms and explosives	M F	2 -	1	-	2	-	-	-	1 -	-	1 -	-	1 -
E987	Falling from high place	M F	3 2	1 -	1 -	a. m	-	-	1 1	2	1	1 -	1	-
E983, E986 E988	Other injury	M F	2 3	. 6	4 3	2 7	6	5 4	4 1	1 2	2 -	5 2	6 3	1 2

TABLE 23. Stillbirths by sex and legitimacy, and stillbirth rates per 1,000 total births, 1968

England and Wales, standard regions, Wales, conurbations, hospital regions, Greater London, City of London, London and county boroughs, urban and rural aggregates in each administrative county

Area	Legi	timate	Illegit	timate	Total	Stillbirths per 1,000
	М	F	М	F	10021	total births
ENGLAND AND WALES	5,495	5,121	614	618	11,848	14
Standard regions and conurbations: North Tyneside Conurbation Remainder of North	365 85 280	364 100 264	39 9 30	28 2 26	796 196 600	15 15 14
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	606 228 378	548 213 335	62 21 41	74 30 44	1,290 492 798	15 16 15
North West South East Lancashire Conurbation Merseyside Conurbation Remainder of North West	888 337 186 365	842 296 166 380	99 40 30 29	118 54 25 39	1,947 727 407 813	16 17 17 17
East Midlands	403	377	51	46	877	15
West Midlands West Midlands Conurbation Remainder of West Midlands	637 296 341	593 290 303	52 29 23	64 36 28	1,346 651 695	14 14 14
East Anglia	155	153	15	16	339	13
South East Greater London Outer Metropolitan Area Remainder of South East	1,749 820 513 416	1,543 675 516 352	229 125 56 4 8	204 118 37 49	3,725 1,738 1,122 865	13 13 12 13
South West	369	372	37	38	816	14
Wales Wales I (South East) Wales II (remainder)	323 245 78	* 329 255 74	30 23 7	30 20 10	712 543 169	16 17 13
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations of 100,000	1,952	1,740	254	265	4,211	15
and over Urban areas with populations of 50,000	739	734	94	110	1,677	15
and under 100,000 Urban areas with populations under 50,000 Rural districts	524 1,198 1,082	479 1,140 1,028	60 112 94	55 92 96	1,118 2,542 2,300	14 14 13
Hospital regions: Newcastle	344	347	32	27	750	15
Leeds	404	349	44	48	845	15
Sheffield	578	534	68	64	1,244	15
East Anglian	165	165	16	17	363	13
North West Metropolitan .	451	410	72	60	993	14
North East Metropolitan	361	322	42	36	761	14
South East Metropolitan	354	280	49	36	719	13
South West Metropolitan	292	271	45	43	651	12
Wessex	201	176	17	21	415	13
Oxford	184	193	17	22	416	12
South Western	309	304	30	32	675	14
Welsh	323	329	30	30	712	16
Birmingham	637	593	52	64	1,346	14
Manchester	595	574	63	84	1,316	17
Liverpool	297	274	37	34	642	16

TABLE 23 - continued

Area	Legit	imate	Illegi	timate	Total	Still- births per 1,000	Area	Legit	imate	Illegi	timate	Total	Still- births per
	M	F	M	F		total births		M	F	M	F		1,000 total births

GREATER LONDON, CITY OF LONDON, LONDON AND COUNTY BOROUGHS

	Colon, Colon, Edibon, Mild Count Borough													
Greater London	820	675	125	118	1,738	13	County boroughs-							
City of London	-	-	-	-	-	-	· ·							
London Boroughs:				1			Doncaster Dudley	8 29	8 18	3	1 2	20 50	15 14	
Barking	15 18	15 17	2	-	32	14	Eastbourne	4	-	-	1	5	8	
Barnet Bexley	27	21	3 3	7	45 51	10 14	Exeter Gateshead	7 14	11	1 1	2	21 35	14 21	
Brent	31	33	14	8	86	15					.]			
Bromley	33	19	1	2	55	12	Gloucester Great Yarmouth	13 4	11	1	-	25 9	14 12	
Camden	22	17	5	2	46	14	Grimsby	12	11	~	1	24	13	
Croydon Ealing	34 35	26 29	8	3	71 68	13 12	Halifax Hartlepool	12 7	15 14	1 4	-	28 25	17 14	
Enfield	31	15	3	2	51	13						20	7.4	
Greenwich	20	17	3	5	45	13	Hastings Huddersfield	8 14	6 19	1 3	1	16 37	16 15	
Hackney	31	24	6	7	68	14	Ipswich	11	12	3	1	27	13	
Hammersmith Haringey	19 37	18 33	6 8	5 8	48 86	13 17	Kingston upon Hull Leeds	37 71	26	5 8	4	72	14	
Harrow	20	21	-	1	42	13	Leeds	1 1	61	0	13	153	18	
Havering	31	18	4	3	56	14	Leicester	38	43	5	7	93	18	
Hillingdon	20	25	1	3	49	14	Lincoln Liverpool	9 97	10 88	18	16	20	16 18	
Hounslow	29 37	23 24	4	2	58	17	Luton	23	19	3	- 1	45	13	
Islington Kensington and	3/	64	Ь	٥	70	14	Manchester	68	71	11	23	173	16	
Chelsea	16	13	. 1	2	32	11	Newcastle upon Tyne	18	25	4	2	49	13	
Kingston upon							Northampton Norwich	10 19	10 12	2	3 2	25 33	12 17	
Thames	13	15	2	_	30	14	Nottingham	41	32	12	10	95	16	
Lambeth Lewisham	35 25	31 16	8 7	10	84 52	13 10	Oldham	21	17	3	2	43	22	
Merton	10	14	i	_	25	9	Oxford	9	4	1	3	17	11	
Newham	48	26	4	5	83	17	Plymouth Portsmouth	33 24	27 15	2 5	5 2	67 46	16 13	
Redbridge	18	28	-	3	49	14	Preston	13	12	1	2	28	15	
Richmond upon Thames	21	10	1	6	38	15	Reading	19	19	1	1	40	17	
Southwark	34	30	5	5	74	15	Rochdale	20	8	1	2	31	18	
Sutton	12	15	~	3	30	13	Rotherham St. Helens	14 17	12 15	4	2	32 34	20 17	
Tower Hamlets	23	19	5	5	52	18	Salford	18	24	5	7	54	19	
Waltham Forest Wandsworth	25 36	24	5 3	- 8	54 68	13 12	Sheffield	52	60	6	8	126	14	
Westminster,							Solihull	12	8	000	1	21	13	
City of	14	18	3	5	40	12	Southampton Southend-on-Sea	14 11	28 21	1 1	4 2	47 35	13 16	
County boroughs:	1,725	1,695	207	250	3,877	15	Southport	8	5	-	-	13	11	
Barnsley Barrow-in-Furness	8	5 9	3 1	1	17 15	11	South Shields	19	12	1	-	32	19	
Bath	8	7	_	-	15	13	Stockport	16	20		3	39	15	
Birkenhead Birmingham	20 121	16 126	2 20	18	285	17 14	Stoke-on-Trent Sunderland	31 36	29 24	3 1	7 4	70 65	15 17	
				10	ĺ		Teesside	41	57	5	9	112	15	
Blackburn Blackpool	17	12 9	° 1	- 6	30 24	16 13	Torbay	5	5	1	4	15	12	
Bolton	28	14	1	3	46	17	Tynemouth	3	8	1	- 1	12	10	
Bootle Bournemouth	20	18 6	1	1	39 17	26 10	Wakefield Wallasey	15 10	7	2	1	23 23	25 14	
	10	0		1	1	10	Walsall	29	25	2	2	58	16	
Bradford Brighton	35 18	39 12	3	5 2	82 35	15 15	Warley	15	21	page 1	2	38	13	
Bristol	46	50	4	. 3	103	15	Warrington	9	10	-	2	21	17	
Burnley Burton upon Trent	8 7	17 6	1_	4	30 13	24	West Bromwich Wigan	21 14	25 13	-	4 2	50 29	16 19	
	Ī				1		Wolverhampton	42	47	5	6	100	19	
Bury Canterbury	13	10 5	1		24	18 10	Worcester	11	1	1	-	13	11	
Carlisle	11	13	-	_	24	19	York	9	15	1	3	28	17	
Chester Coventry	43	7 47	4	1 2	12 96	11 15	Cardiff Merthyr Tydfil	28 8	25	5	7 1	65 12	14 13	
	İ			~			Newport, Mon.	13	24	1	1	39	18	
Darlington Derby	6 26	8 26	1 6	7	15 65	11 18	Swansea	21	21	3	1	46	17	
Dewsbury	11	8	1	_	20	19								

TABLE 23 - continued

Area	Legit	cimate	Illegi	timate	Total	Still- births per 1,000	Legit	imate	Illegi	Ltimate	Total	Still- births per 1,000
	М	F	М	F		total births	M	F	М	F		total

ADMINISTRATIVE COUNTIES

Note. The following figures relate to aggregates of urban districts (including municipal boroughs, but excluding

			ounty 1	boroughs	and c	f rura	distr	icts in each admi	nistra	ative co	unty.	/46110, D	0210.		
Bedfordshire Berkshire Buckinghamshire	U.D. R.D. U.D. R.D. U.D. R.D.	19 28 9 22 37 25	12 13 16 25 28 26	5 1 3 3 3	2 1 1 2 7 1	38 42 27 52 75 55	13 16 10 8 14 12	Shropshire Somerset Staffordshire	U.D. R.D. U.D. R.D. U.D. R.D.	15 31 29 27 58 39	16 24 28 27 43 42	1 3 4 4 2 3	2 2 5 2 2 1	32 60 66 60 105 85	15 16 15 13 13 13
Cambridgeshire and Isle of Ely Cheshire Cornwall	U.D. R.D. U.D. R.D. U.D. R.D.	10 10 93 27 22 15	20 12 94 22 25 21	4 2 11 3 3 3	6 - 3 2	34 24 204 52 53 41	16 10 14 13 17 18	Suffolk, East Suffolk, West Surrey	U.D. R.D. U.D. R.D. U.D. R.D.	13 10 10 10 59 21	6 8 10 8 58 13	2 1 - 11 1	1 2 1 5 1	22 19 22 19 133 36	12 9 19 11 11 11
Cumberland Derbyshire Devon	U.D. R.D. U.D. R.D. U.D. R.D.	12 13 33 36 20 17	6 7 39 33 10 17	1 2 5 3 1 2	2 1 3 1	21 23 80 73 31 36	14 12 13 14 12	Sussex, East Sussex, West Warwickshire	U.D. R.D. U.D. R.D. U.D. R.D.	14 12 20 9 37 27	6 8 31 20 31 27	2 2 3 1 3	1 2 4 3 4 1	23 22 57 35 73 58	8 8 15 12 11 13
Dorset Durham Essex	U.D. R.D. U.D. R.D. U.D. R.D.	21 10 56 39 86 28	20 14 59 35 87 29	3 - 6 1 9 2	1 4 2 3 4	45 25 125 77 185 63	14 12 15 16 12	Westmorland Wight, Isle of Wiltshire	U.D. R.D. U.D. R.D. U.D. R.D.	4 2 8 1 22 25	2 5 7 2 34 33	1 1 - 2 3	1 3	7 8 15 3 59 64	12 14 14 11 14 14
Gloucestershire Hampshire Herefordshire	U.D. R.D. U.D. R.D. U.D. R.D.	19 43 83 34 6 10	8 34 49 35 7 9	1 3 1 6 1	5 2 5 6 1 3	33 82 138 81 15 22	11 12 12 12 13 19	Worcestershire Yorkshire, E.R. Yorkshire, N.R.	U.D. R.D. U.D. R.D. U.D. R.D.	41 12 14 16 13	20 21 14 17 17	2 - 2 5 2	3 1 2 2 1	66 36 29 37 37 37	13 16 16 18 17 10
Hertfordshire Huntingdon and Peterborough Kent	U.D. R.D. U.D. R.D. U.D. R.D.	59 23 12 9 100 59	70 21 18 8 100 40	5 4 - 15 9	2 3 1 4 6 7	136 51 31 21 221 115	13 13 14 15 14 15	Yorkshire, W.R. Anglesey Breconshire	U.D. R.D. U.D. R.D. U.D. R.D.	159 61 5 4 3 3	130 59 2 2 1 5	16 4 - 1 1	18 7 - 1	323 131 7 8 5	14 14 17 12 21
Lancashire Leicestershire Lincolnshire (Holland)	U.D. R.D. U.D. R.D. U.D. R.D.	292 41 21 30 6 8	263 50 17 32 3	25 5 1 1 2 2	26 6 1 1 2	606 102 39 63 11 22	17 14 11 14 16 25	Caernarvonshire Cardiganshire Carmarthenshire	U.D. R.D. U.D. R.D. U.D. R.D.	9 3 1 1 11 16	7 6 2 2 4 14	1 - 1	1 2	18 11 3 3 16 30	17 17 12 7 19 21
Lincolnshire (Kesteven) Lincolnshire (Lindsey) Norfolk	U.D. R.D. U.D. R.D. U.D. R.D.	8 15 32 26 7 30	5 9 19 23 4 30	1 2 1 2	1 3 3 1 3	14 25 56 52 13 65	15 14 18 15 8 12	Denbighshire Flintshire Glamorgan	U.D. R.D. U.D. R.D. U.D. R.D.	9 8 13 7 64 34	12 7 11 8 73 27	1 1 - 8 -	1 1 1 6 -	23 17 25 15 151 61	16 11 16 10 18 15
Northamptonshire Northumberland Nottinghamshire	U.D. R.D. U.D. R.D. U.D. R.D.	23 7 43 9 58 37	25 12 36 8 53 22	312 - 72	231152	53 23 82 17 123 63	14 10 14 12 16 15	Merionethshire Monmouthshire Montgomeryshire	U.D. R.D. U.D. R.D. U.D. R.D.	2 38 6 4	1 48 10 4 1	- 4 - - 1	3 1	3 93 17 8 2	10 18 16 29 6
Oxfordshire Rutland	U.D. R.D. U.D. R.D.	16 - 1	8 19 - 3	2	1 1 -	15 36 - 4	10 10 - 11	Pembrokeshire Radnorshire	U.D. R.D. U.D. R.D.	4 6 - 2	4 3 1 1	1 1	12 -	10 12 1 3	10 15 10 18

TABLE 23A. Stillbirths by cause, sex and mother's age group at maternity (with rates per 1,000 total births for ICD 'P' List sections), 1968

England and Wales

Note. In this Table stillbirths to mothers whose age was not stated have been distributed and included with those to mothers of stated ages.

-						1				
ICD 'P'	Cause					Age of	mother		T	Τ
Number			All ages	Under 20*	20-	25-	30-	35~	40-	45 and over
P1-P80	ALL CAUSES	M F P	6,109 5,739 11,848	585 612 1,197	1,810 1,809 3,619	1,605 1,431 3,036	1,130 957 2,087	678 653 1,331	268 251 519	33 26 59
P1-P4	Chronic circulatory and genito-urinary disease in mother	M F	126 79	4 7	14 10	24 15	25 19	38 13	18 14	3 1
P1	Chronic rheumatic heart disease	M F	1 1	-	-	1	-	-	<u>-</u> 1	-
P2	Chronic hypertension	M F	115 65	4 5	11 6	22 13	24 16	35 12	16 12	3
P3	Other chronic disease of circulatory system	M F	1 1	-	1	-	-	1	-	-
P4	Chronic disease of genito- urinary system	M F	9 12	2	2 4	1 2	1 3	3 _	2 1	-
P5-P11	Other maternal conditions unrelated to pregnancy	M F	126 97	10 5	26 29	30 27	35 17	13 16	9 2	3 1
P5	Syphilis	M F	2 5	1 -		2	2	-	1 -	-
P6	Diabetes mellitus	M F	65 39	4 -	10 11	9	26	9	6 1	1 -
P7	Rubella	M F	8 4	1 1	3	1 2	2 -	1 -		-
P8	Injury to mother	M F	4 7	- 1	1 2	- 2	2 -	1	- 1	en en
P9	Operation on mother	M F	2 2	1	-	1 1		-		-
P10	Chemical substances trans- mitted through placenta	M F	2 1	-	1	2 -	en en	-	-	-
P11	Other maternal conditions	M F	43	3 2	12 13	17 11	5 8	2 4	2	. 2
P12-P17	Toxaemias of pregnancy	M F	692 598	92 77	188 182	159 117	131 95	79 82	40 39	3 6
P12	Renal disease arising during pregnancy	M F	2 2	- 1	-	2 -	-	1	-	-
P13	Pre-eclampsia of pregnancy	M F	531 466	73 57	138 145	121 91	101 75	62 61	33 32	3 5
P14	Eclampsia of pregnancy	M F	30 18	7 4	11 6	5 3	5 2	2	2 1	-
P15	Toxaemia unspecified	M F	127 111	12 14	38 31	30 23	25 18	17 18	5 6	_
P16	Hyperemesis gravidarum	M F	-	-	-	-		-	ma ma	-
P17	Other toxaemia of pregnancy	M F	2	- 1	1 -	1 -	un m	-	-	-
P18-P20	Maternal ante- and intrapartum infection	M F	15 15	1 3	6 3	6 3	1 3	- 2	1	-
P18	Pyelitis and pyelonephritis of pregnancy	M F	6	- 1	3 3	2	1 2	_	-	-

^{*} See footnotes at end of numbers section of table.

TABLE 23A (Stillbirth numbers) - continued

ICD 'P'						Age of	mother			
List Number	Cause		All ages	Under 20*	20-	25-	30-	35~	40-	45 and over
P19	Other infections of genito- urinary tract during pregnancy	M F	1 2	-	1 -	-	-	2	-	-
P20	Other	M F	8 6	1 2	2 -	4 2	- 1	-	1	-
P21-P23	Difficult labour with abnor- mality of bones, organs or tissues of pelvis	M F	6 3	_ 1	2 -	1 1	3 -	ī	Ī	-
P21	With birth injury to brain or spinal cord	M F	-	-	-	-	- -	-	-	-
P22	With other or unspecified birth injury	M F	-	-	-	-	-	-	-	-
P23	Without mention of birth injury	M F	6 3	1	2 -	1 1	3 ~	_ 1	-	-
P24-P26	Difficult labour with disproportion	M F	21 9	2 1	6 3	6 2	2 1	4 2	1 -	-
P24	With birth injury to brain or spinal cord	M F	3 2	1 -	1 1	- 1	1 -	-	-	
P25	With other or unspecified birth injury	M F	-	-	-	-	-	-	-	-
P26	Without mention of birth injury	M F	18 7	1 1	5 2	6	1 1	4 2	1 -	-
P27-P29	Difficult labour with mal- position of foetus	M F	207 154	13 17	76 43	51 39	32 25	26 24	6 4	3 2
P27	With birth injury to brain or spinal cord	M F	27 15	2 -	12 4	6 2	4 2	3 5	- 2	-
P28	With other or unspecified birth injury	M F	_	-	-	-	-	-	-	_
P29	Without mention of birth injury	M F	180 139	11 17	64 39	45 37	28 23	23 19	6 2	3 2
P30-P32	Difficult labour with abnor- mality of forces of labour	M F	46 26	5 6	13 9	15 6	8 3	1 -	4 2	_
P30	With birth injury to brain or spinal cord	M F	15 9	2	6 4	3 2	2 1	-	2	-
P31	With other or unspecified birth injury	M F	-	-	-	- -	-	-	-	-
P32	Without mention of birth injury	M F	31 17	3 5	7 5	12 4	6 2	1 -	2	-
P33-P35	Difficult labour with other and unspecified complications	M F	36 29	2 2	10 7	12 8	8 7	4 3	2	-
P33	With birth injury to brain or spinal cord	M F	4 2	1	1 1	1 -	2	-	-	-
P34	With other or unspecified birth injury	M F	- 2	-	- 1	-	1	-	_	-
P35	Without mention of birth injury	M F	32 25	2	9 5	11 8	6 6	4 3	2	_
P36-P41	Other complications of pregnancy and childbirth	M F	384 327	34 29	112 92	111 76	73 71	44 42	10 16	ī
P36	Incompetent cervix	M F	- 2	-	2	-	-	-	-	-
P37	Premature rupture of membranes	M F	36 25	4	7 7	8 4	10	7 7	- 3	-
P38	Hydramnios	M F	29 44	2 3	9 10	7 11	8 14	1 5	2	-

^{*} See footnotes at end of numbers section of table.

TABLE 23A (Stillbirth numbers) - continued

ICD 'P'						Age of	mother			
List Number	Cause		All ages	Under 20*	20-	25-	30-	35-	40-	45 and over
P39	Ectopic pregnancy	M F	1		1	_	-	-	-	-
P40	Multiple pregnancy	M F	69 57	5 5	22 18	22	8 15	9 7	3	-
P41	Other complications of pregnancy or childbirth	M F	249 198	23 20	73 54	74 50	47 39	27 23	5 11	- 1
P42-P46	Conditions of placenta	M F	1,685 1,327	157 124	529 397	439 362	2 97 226	195 158	59 54	9
P42	Placenta praevia	M F	58 49	3 6	20 13	17 14	10 6	6 9	2	-
P43	Premature separation of placenta	M F	684 521	72 58	220 1 50	174 145	128 89	69 61	18 16	3 2
P44	Placental infarction	M F	124 88	11 3	36 34	36 22	20 14	16 10	3 4	2
P45	Other conditions of placenta	M F	20 19	2 -	12 5	3 7	2 5	1 1	- 1	-
P46	Placental insufficiency, unspecified	M F	799 650	69 57	241 195	209 174	137 112	103 77	36 32	4 3
P47-P49	Conditions of umbilical cord	M F	557 457	45 51	142 137	162 110	120 77	61 63	27 19	
P47	Compression of cord	M F	41 56	3 6	16 15	11 15	7 11	2 8	2	-
P48	Prolapse of cord without mention of compression	M F	136 88	15 13	33 16	32 26	30 19	17 13	9	-
P49	Other	M F	380 313	27 32	93 106	119 69	83 47	42 42	16 17	-
P50-P52	Birth injury without mention of cause	M F	77 44	9 5	19 17	21 8	14 7	11 3	3	- 1
P50	To brain or spinal cord	M F	74 41	8 5	19 15	21	12 7	11 2	3 3	- 1
P51	Other or unspecified birth injury	M F	3 3	1 -	- 2	-	2 -	1	-	-
P52	Termination of pregnancy without mention of cause	M F	-	-	-			-	-	-
P53-P56	Haemolytic disease of newborn	M F	270 226	9 7	60 51	79 74	67 54	39 31	16 9	
P53	With Rh incompatibility	M F	236 194	7 4	52 45	6 5 59	61 48	37 30	14 8	-
P54	With ABO incompatibility	M F	3	_ 1	-	- 1	-	-	1	-
P55	With other or unspecified blood incompatibility	M F	2 1		1 -	1	1 -	-	-	-
P56	Without mention of cause	M F	32 28	2 2	7 6	14 13	5 6	2	2 -	-
P57-P60	Anoxic and hypoxic conditions not elsewhere classified	M F	2 97 322	19 28	95 102	79 94	52 53	34 33	16 11	2 1
P57	Hyaline membrane disease and respiratory distress syndrome	M F	6 11	1 1	1 2	2 5	1 1	1 2	-	-
P58	Intra-uterine anoxia	M F	130 140	8	45 43	38 47	19 18	17 15	2 2	1 1
P59	Asphyxia of newborn, unspecified	°M F	50 49	4 5	14 20	13 11	8	4 4	7	-
P60 	Other anoxic and hypoxic conditions not elsewhere classified	M F	111 122	6 8	35 37	26 31	24 26	12 12	7 8	1 -

^{*} See footnotes at end of numbers section of table.

TABLE 23A (Stillbirth numbers) - continued

ICD 'P'						Age of	mother			
List Number	Cause		All ages	Under 20*	20-	25-	30-	35-	40-	45 and over
P61-P68	Other conditions of foetus and newborn	M F	757 680	76 72	245 224	190 160	129 116	72 66	37 38	8
P61	Immaturity, unqualified	M F	85 49	11 10	39 16	13 13	11 7	8 1	2 2	1
P62	Foetal blood loss before birth	M F		-	_	-	-	-	-	-
P63	Post-maturity	M F	29 19	1 3	. 5	13 4	6 3	1 1	3 1	-
P64	Haemorrhagic disease of newborn	M F	6 10	-	1 5	1 3	2 2	2	-	-
P65	Cold injury syndrome	M F	-		_	-	-	-	-	
P66	Other conditions of foetus	M	8 7	- 2	2 2	2	2	2	-	-
P67	Maceration	M F	321 303	27 28	99 96	92 71	47 53	36 34	17 21	3
P68	Other foetal death of unknown cause	M F	308 292	37 29	99 98	69 68	61 50	23 29	15 14	4
P69-P80	Congenital anomalies	M F	807 1,346	107 177	267 503	220 329	133 183	57 114	21 37	2 3
P69	Anencephalus	M	355 870	49 121	115 327	102 211	57 114	23 75	8 21	1
P70	Spina bifida	M F	104 166	22	31 71	26 40	17 25	8 12	- 1	-
P71	Congenital hydrocephalus	M F	166 153	19 22	60 55	44 42	28 22	12 7	2 5	1
P72	Other congenital anomalies of central nervous system and eye	M F	20 26	1 3	5 8	5 8	3	3	3 1	-
P73	Congenital anomalies of circulatory system	M F	19 19	2 1	4 7	8 5	3 2	2 2	<u>-</u> 1	<u>-</u> 1
P74	Congenital anomalies of respiratory system	M F	4 3		4 2	-	-	-	- 1	-
P75	Congenital anomalies of digestive system	M F	34 13	3 2	9 3	11 2	8 2	1 4	2	-
P76	Congenital anomalies of genito-urinary system	M F	19	4	9 3	3 3	2 1	1	-	-
P77	Congenital anomalies of musculoskeletal system	M F	19 15	2	6 2	6 5	4 3	3 1	- 2	-
P78	Down's disease	M F	6 5	1 1	1 -	-	3 2		1 2	-
P79	Other congenital syndromes affecting multiple systems	M F	42 51	5 8	17 21	9	5 10	2 5	4	<u>-</u> 1
P80	Other and unspecified congenital anomalies	M F	19 17	1 -	6 4	6 3	3 4	2 4	1 2	-
Tota	l live and still births	M F P	427,239 403,881 831,120	42,923 40,349 83,272	153,617 145,948 299,565	125,292 118,551 243,843	65,755 61,648 127,403	30,593 28,821 59,414	8,470 7,953 16,423	589 611 1, 200

^{*} Including the following stillbirths where the mother's age was under 16 years: P14 Eclampsia of pregnancy 1M; P29 Difficult labour with malposition of foetus without mention of birth injury 1M; P32 Difficult labour with abnormality of forces of labour without mention of birth injury 2M; P35 Difficult labour with other and unspecified complications without mention of birth injury 1F; P40 Multiple pregnancy 2F; P41 Other complications of pregnancy or childbirth 2M; P43 Premature separation of placenta 1M, 1F; P46 Placental insufficiency, unspecified 1M, 1F; P48 Prolapse of umbilical cord without mention of compression 1F; P67 Maceration 2M, 1F; P68 Other foetal death of unknown cause 2F; P70 Spina bifida 2M.

TABLE 23A (Stillbirth rates) - continued

ICD 'P'					Age of	mother			
List Number	Cause	All ages	Under 20	20-	25-	30-	35-	40-	45 and over

Stillbirths per 1,000 total births

	ı		11		1				
P1-P80	All causes	M 14.3 F 14.2 P 14.3	13.6 15.2 14.4	11.8 12.4 12.1	12.8 12.1 12.5	17.2 15.5 16.4	22.2 22.7 22.4	31.6 31.6 31.6	56.0 42.6 49.2
P1-P4	Chronic circulatory and genito-urinary disease in mother	0.2	0-1	0.1	0.2	0.3	0.9	1.9	3 • 3
P5-P11	Other maternal conditions unrelated to pregnancy	0.3	0.2	0.2	0.2	0.4	0.5	0.7	3.3
P12-P17	Toxaemias of pregnancy	1.6	2.0	1.2	1.1	1.8	2.7	4.8	7. 5
P18-P20	Maternal ante- and intrapartum infection	0.0	0.0	0.0	0.0	0.0	0.0	0.1	ám
P21-P23	Difficult labour with abnor- mality of bones, organs or tissues of pelvis	0.0	0.0	0.0	0.0	0.0	0.0	-	-
P24-P26	Difficult labour with disproportion	0.0	0.0	0.0	0.0	. 0.0	0.1	0.1	4000
P27-P29	Difficult labour with mal- position of foetus	0.4	0.4	0.4	0.4	0.4	0.8	0.6	4.2
P30-P32	Difficult labour with abnor- mality of forces of labour	0.1	0.1	0.1	0.1	0.1	0.0	0.4	_
P33-P35	Difficult labour with other and unspecified complications	0.1	0.0	0.1	0.1	0.1	0.1	0.1	gri
P36-P41	Other complications of pregnancy and childbirth	0.9	0.8	0.7	0.8	1.1	1.4	1.6	0.8
P42-P46	Conditions of placenta	3.6	3.4	3.1	3.3	4.1	5.9	6.9	12.5
P47-P49	Conditions of umbilical cord	1.2	1.2	0.9	1.1	1.5	2.1	2.8	
P50-P52	Birth injury without mention of cause	0.1	0.2	0.1	0.1	0.2	0.2	0.4	0.8
P53-P56	Haemolytic disease of newborn	0.6	0.2	0.4	0.6	0.9	1.2	1.5	-
P57-P60	Anoxic and hypoxic conditions not else classified	0.7	0.6	0.7	0.7	0.8	1.1	1.6	2.5
P61-P68	Other conditions of foetus and newborn	1.7	1.8	1.6	1.4	1.9	2.3	4.6	10.0
P69-P80	Congenital anomalies	2.6	3.4	2.6	2.3	2.5	2.9	3.5	4.2

			ber of children of all marriages, live and still born										
ICD 'P' List Number	Cause	Total	0	1	2	3	4	5	6	7	8	9	10 and over
P1-P80	ALL CAUSES F P	5,495 5,121 10,616	2,243 2,066 4,309	1,220 1,197 2,417	886 821 1,707	493 453 946	280 246 526	166 164 330	90 72 162	54 48 102	27 16 43	18 18 36	18 20 38
P1-P4	Chronic circulatory and genito-urinary disease in mother	194	70	46	29	19	11	5	7	4	1	1	1
P1	Chronic rheumatic heart disease	2	1	1	_	_	_	_		_	_	_	_
P2	Chronic hypertension	169	57	40	26	18	9	5	7	4	1	1	1
P3	Other chronic disease of circulatory system	2	1	-	1	-	_	_	_	_	-	-	_
P4	Chronic disease of genito- urinary system	21	11	5	2	1	2	_	_	_	-	-	चन
P5-P11	Other maternal conditions unrelated to pregnancy	205	64	49	41	22	8	10	6	1	2	2	
P 5	Syphilis	3	1	2	-	-	-		-	_			_
P6	Diabetes mellitus	100	25	28	22	9	3	5	4	1	2	1	_
P7	Rubella	12	7	2	2	400	1	-	_	-	-	-	
P8	Injury to mother	9	1	3	3	2		40	~	_	-	-	-
P9	Operation on mother	4	2	2	-	_	-	-	-	_	-	-	-
P10	Chemical substances trans- mitted through placenta	1	-	- 1	1	-	_ !		-	_	_	- 1	-
P11	Other maternal conditions	76	28	12	13	11	4	5	2	-	-	1	-
P12-P17	Toxaemias of pregnancy	1,150	640	187	126	85	46	30	14	13	2	4	3
P12	Renal disease arising during pregnancy	4	1	2	1	-	-	-	-	-	-	-	-
P13	Pre-eclampsia of pregnancy	882	487	150	92	59	41	26	12	8	1	3	3
P14	Eclampsia of pregnancy	41	33	2	3	2	1	-	-	-	-	-	~
P15	Toxaemia unspecified	220	117	33	30	23	4	4	2	5	1	1	-
P16	Hyperemesis gravidarum	-	-	~	-	-	-	~-	-	-	-	-	-
P17	Other toxaemia of pregnancy	3	2	-	***	1	-	-	-	-	-		
P18-P20	Maternal ante- and intrapartum infection	26	10	8	3	2	1	1	-	1	-	-	-
P18	Pyelitis and pyelonephritis of pregnancy	10	2	5	1	1	1	-		- 1	-	_	-
P19	Other infections of genito- urinary tract during pregnancy	3	2	_	1	_							
P20	Other	13	6	3	1	1	_	1	_	1			-
P21-P23	Difficult labour with abnor- mality of bones, organs or tissues of pelvis							*					-
P21	With birth injury to brain or spinal cord	8	4	2	-	1	-	-	-	1	-	~	-
P22	With other or unspecified birth injury				_		-	-	-	-	-	-	-
P23	Without mention of birth injury	8	4	2	-	1		_	-	1			
P24-P26	Difficult labour with disproportion	28	13	9	3	1	_	1	_	1			
P24	With birth injury to brain or spinal cord	5	4	1	-	_		-	_		_		_
P25	With other or unspecified birth injury	-	_	-	_	-	-	-	_	_	_	-	_

TABLE 23B (Stillbirth numbers) - continued

_		DLE 23B	(5011	1011	II II CIM		- 00%		·					
ICD 'P'	Cause	Number of previous children of all marriages, live and still born												
List Number	cause	Total	0	1	2	3	4	5	6	7	8	9	10 and over	
P26	Without mention of birth injury	23	9	8	3	1	-	1	-	1	-	_	-	
P27-P29	Difficult labour with mal- position of foetus	315	134	62	44	40	13	7	5	5	1	3	1	
P27	With birth injury to brain or spinal cord	39	23	6	4	5	-	1	_		_	_	_	
P28	With other or unspecified birth injury	-	_	- :	-	_	-	_	_	-	-	_	_	
P29	Without mention of birth injury	276	111	56	40	35	13	6	5	5	1	3	1	
P30-P32	Difficult labour with abnor- mality of forces of labour	55	20	12	10	8	2	-	2	pro.	1	-	~	
P30	With birth injury to brain or spinal cord	20	10	5	3	1	1	888	-	_	-	-	_	
P31	With other or unspecified birth injury	-	-	-	-	-	_	_	-	-	-	_	-	
P32	Without mention of birth injury	35	10	7	7	7	1	~	. 2	_	1	-	-	
P33-P35	Difficult labour with other and unspecified complications	60	25	12	6	8	2	2	1	2	1	_	1	
P33	With birth injury to brain or spinal cord	6	5	1	_	-	-	-		-	-	-	_	
P34	With other or unspecified birth injury	2	-	1	_	1	-	_	-	-	-	-	-	
P35	Without mention of birth injury	52	20	10	6	7	2	2	1	2	1	-	1	
P36-P41	Other complications of pregnancy and childbirth	632	199	164	115	64	40	22	9	8	2	5	4	
P36	Incompetent cervix	2	-	1	1	-	-	-	-		-	-	-	
P37	Premature rupture of membranes	50	7	14	14	4	7	2	2	-		-	-	
P38	Hydramnios	68	23	26	13	5	-	1	-	-	***	-	~	
P39	Ectopic pregnancy	2	2	-	-	-	-		100	-	-	-	-	
P40 P41	Multiple pregnancy Other complications of	113	40	24	24	9	8	4	2	no	-	-	2	
	pregnancy or childbirth	397	127	99	63	46	25	15	5	8	2	5	2	
P42-P46	Conditions of placenta	2,690	1,135	612	384	231	133	97	41	27	12	8	10	
P42 P43	Premature separation of	95	29	30	7	11	5	7	2	3	-	1	_	
D. 4	placenta	1,042	385	245	164	96	55	48	23	11	5	5		
P44	Placental infarction	192	82	36	30	26	8	6	1	1	2	-	-	
P45 P46	Other conditions of placenta Placental insufficiency, unspecified	1,325	15	291	175	97	1 64	35	15	12	5	2	-	
P47-P49		915	351	210	150	89	55	28	13	6	5	6	2	
P47-P49	Compression of cord	89	31	18	19	12	7	20	2	-	5			
P48		204	66	55	30	23	12	5	5	4	1	2	1	
P49		622	254	137	101	54	36	23	6	2	4	4	1	
P50-P52		107	64	17	12	3	3	2	3	1		1	1	
P50		103	62	17	11	3	3	1	3	1	_	1	1	
P51		203	02	11	2.4	3		*	J					
P51	injury	4	2	-	1	-	-	1	en.	-	-	-		

TABLE 23B (Stillbirth numbers) - continued

	IADI	1E 23B	(511.	LIDIF	n num	Ders)	- con	tinuec	1 					
ICD 'P'		Number of previous children of all marriages, live and still born												
List Number	Cause	Total	0	1	2	3	4	5	6	7	8	9	10 and over	
P52	Termination of pregnancy without mention of cause				_	_	_	_						
P53-P56	Haemolytic disease of newborn	473	28	131	161	67	41	24	9	3	5	1	3	
P53	With Rh incompatibility	409	17	108	148	58		21	9		IE.	1 1	3	
P54	With ABO incompatibility	3	2	-	_	1	-	-	-	_	- 18			
P55	With other or unspecified blood incompatibility	3		1	1	1	-				=			
P56	Without mention of cause	58	9	22	12	7	4	3	-	_	1			
P57-P60	Anoxic and hypoxic conditions not elsewhere classified	555	251					14	8	7	2	1	1	
P57	Hyaline membrane disease and respiratory distress syndrome	17	10	3			1							
P58	Intra-uterine anoxia	237	107			20		9	2	2		1		
P59	Asphyxia of newborn, unspecified	89	38			6	7	1	1					
P60	Other anoxic and hypoxic conditions not elsewhere classified	212	96		37	19				2		-	1	
P61-P68	Other conditions of foetus and newborn	1,245				114	51	4	5	3	2		-	
P61	Immaturity, unqualified	109	45		16	7		42	27	15	6	2	7	
P62	Foetal blood loss before birth	_	_	-	10	,	_	3	1	1	1	-		
P63	Post-maturity	44	17		9	1	3	3		1	_	-	-	
P64	Haemorrhagic disease of newborn	14	4	3	3	2	1	1	_	_	_	_		
P65	Cold injury syndrome]		_	_	_				_	-	-	
P66	Other conditions of foetus	14	4	3	5	_		1	1	_	_	_	_	
P67	Maceration	549	193	1	81	61	32	17	12	7	2	2	3	
P68	Other foetal death of unknown cause	515	212	122	80	43	15	17	13	6	3	_	4	
P69-P80	Congenital anomalies	1,958	826	484	334	147	89	45	17	7	3	2	4	
P69	Anencephalus	1,116	464	279	202	80	50	25	9	3	2	2	_	
P70	Spina bifida	2 52	113	63	34	18	12	9	2	1	_	_	_	
P71	Congenital hydrocephalus	282	114	68	50	26	15	5	1	1	_	**	2	
P72	Other congenital anomalies of central nervous system and eye	39	14	12										
P73	Congenital anomalies of circulatory system	34	14	5	8	2	2	3	2	1		-	-	
P74	Congenital anomalies of respiratory system	7	3	4	_	_			_	-	-	-	-	
P75	Congenital anomalies of digestive system	45	16	12	9	5	2	1				-	-	
P76	Congenital anomalies of genito-urinary system	23	9	8	4	2	_	_	_					
P77	Congenital anomalies of musculoskeletal system	32	14	6	7	3	_	1	_				1	
P78	Down's disease	10	3	2	1	3	1							
P79	Other congenital syndromes affecting multiple systems	85	46	15	12	5	3	-	2	1	1			
P80	Other and unspecified congenital anomalies	33	12	10	3	2	3	1	1	_	<u> </u>	~o′	1	
Tota	M el legitimate live and still births P P	390,810 369,272 760,082	145,866 136,990 282,856	125,206 118,550 243,756	63,378 60,098 123,476	28,923 27,424 56,347	13,477 13,076 26,553	6,784 6,466 13,250	3,486 3,227 6,713	1,777 1,680 3,457	892 827 1,719	481 462 943	540 472 1,012	

	1	FABLE	23B	(St111	birth	rate	s) - c	ontin	ued					
ICD 'P'				Nı	umber of	previou	s childre	en of al	l marria	ges, liv	e and st	ill born		
List Number	Cause		Total	0	1	2	3	4	5	6	7	8	9	10 and over
			Still	lbirths p	per 1,000	O total	births					,		
P1-P80	All causes	M F P	14.1 13.9 14.0	15.4 15.1 15.2	9.7 10.1 9.9	14.0 13.7 13.8	17.0 16.5 16.8	20.8 18.8 19.8	24.5 25.4 24.9	25.8 22.3 24.1	30.4 28.6 29.5	30·3 19·3 25·0	37·4 39·0 38·2	33·3 42·4 37·5
P1-P4	Chronic circulatory and genito-urinary disease in mother		0.3	0.2	0.2	0.2	0.3	0.4	0-4	1.0	1.2	0.6	1-1	1.0
P5-P11	Other maternal conditions unrelated to pregnancy		0.3	0.2	0.2	0.3	0.4	0.3	0.8	0.9	0-3	1.2	2.1	_
P12-P17	Toxaemias of pregnancy		1.5	2.3	0.8	1.0	1.5	1.7	2.3	2.1	3-8	1.2	4.2	3-0
P18-P20	Maternal ante- and intrapartum infection		0.0	0.0	0-0	0.0	0.0	0.0	0-1	_	0.3		-	04
P21-P23	Difficult labour with abnor- mality of bones, organs or tissues of pelvis		0.0	0.0	0.0		0.0	to l	-	~	0-3	40	_	68
P24-P26	Difficult labour with disproportion		0.0	0.0	0.0	0.0	0.0	-	0.1	-	0-3	-	_	_
P27-P29	Difficult labour with mal- position of foetus		0.4	0.5	0.3	0.4	0.7	0.5	0.5	0-7	1.4	0.6	3-2	1.0
P30-P32	Difficult labour with abnor- mality of forces of labour		0.1	0.1	0.0	0.1	0.1	0.1	_	0-3	_	0.6	-	_
P33-P35	Difficult labour with other and unspecified complications		0.1	0.1	0.0	0.0	0.1	0.1	0.2	0-1	0.6	0.6	_	1.0
P36-P41	Other complications of pregnancy and childbirth		0.8	0.7	0.7	0.9	1.1	1.5	1.7	1-3	2.3	1.2	5.3	4.0
P42-P46	Conditions of placenta		3.5	4.0	2.5	3.1	4.1	5.0	7.3	6.1	7.8	7-0	8.5	9.9
P47-P49	Conditions of umbilical cord		1.2	1.2	0.9	1.2	1.6	2.1	2.1	1.9	1.7	2.9	6.4	2.0
P50-P52	Birth injury without mention of cause		0.1	0.2	0.1	0.1	0.1	0-1	0.2	0.4	0.3	-	1-1	1.0

0.6

0.7

1.6

2.6

0.1

0.9

1.7

2.9

0.5

0.4

1.3

2.0

1.3

0.8

1.6

2.7

1.2

0.8

2.0

2.6

1.5

1.2

1.9

3.4

1.8

1-1

3.2

3.4

1-3

1.2

4.0

2.5

0.9

2.0

4.3

2.0

2.9

1.2

3.5

1.7

1-1

1.1

2.1

2.1

3-0

1.0

6.9

4.0

P53-P56 Haemolytic disease of newborn

P69-P80 Congenital anomalies

P61-P68

Anoxic and hypoxic conditions not elsewhere classified

Other conditions of foetus and newborn

ICD 'P'	Cause	Total					Mo	nth of o	ccurrenc	е				
Number	Caabo	10121	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
P1-P80	ALL CAUSES	5,739	525 512 1,037	532 480 1,012	577 527 1,104	490 453 943	545 478 1,023	498 470 968	542 467 1,009	506 499 1,005	465 480 945	472 449 921	476 446 922	481 478 959
P1-P4	Chronic circulatory and genito-urinary disease in mother	205	12	19	25	14	22	16	11	21	12	13	21	19
P1	Chronic rheumatic heart disease	2	-	_	-	-		-	1	1	-	_	-	_
P2	Chronic hypertension	180	11	19	23	14	20	15	7	16	12	12	18	13
P3	Other chronic disease of circulatory system	2	_	-	1	-	1		_		_	-	_	_
P4	Chronic disease of genito- urinary system	21	1	**	1	***	1	1	3	4	_	1	3	6
P5-P11	Other maternal conditions unrelated to pregnancy	223	26	14	29	13	16	12	17	18	24	20	21	13
P5	Syphilis	7	1	1	-	_	1	1	_		1	1	-	. 1
P6	Diabetes mellitus	104	11	9	13	5	6	4	5	11	11	15	9	5
P7	Rubella	12	-	1	1	_		2	_	1	-	_	5	2
P8	Injury to mother	11	2	~	1	1	2	-	. 2	_	1	_	1	1
P9	Operation on mother	4	-		-	-	-	-	-	1	1	1	1	_
P10	Chemical substances trans- mitted through placenta	3	-	1	_	_	_		600	1	1		au.	_
P11	Other maternal conditions	82	12	2	14	7	7	5	10	4	9	3	5	4
P12-P17	Toxaemias of pregnancy	1,290	124	117	112	111	112	115	120	98	83	92	105	101
P12	Renal disease arising during pregnancy	4	_	2		~	1	-	_	_	_	_	1	_
P13	Pre-eclampsia of pregnancy	997	93	94	83	82	87	87	87	71	70	78	85	80
P14	Eclampsia of pregnancy	48	6	2	4	, 2	4	8	4	3	5	_	4	6
P15	Toxaemia unspecified	238	24	19	25	27	20	20	29	23	8	14	14	15
P16	Hyperemesis gravidarum	-	~	-	-	-	_	-	-	-	-	-	_	-
P17	Other toxaemia of pregnancy	3	1	_	-	-	_		-	1	-	-	1	
P18-P20	Maternal ante- and intrapartum infection	30	2	3	2	1	2	2	4	3	-	5	2	4
P18	Pyelitis and pyelonephritis of pregnancy	13	1	1	-	1	1	1	1	1	-	3	2	1
P19	Other infections of genito- urinary tract during pregnancy	3	_	1	-		1	-		_	-	1	•	
P20	Other	14	1	1	2	_	_	1	3	2	_	1	-	3
P21-P23	Difficult labour with abnor- mality of bones, organs or tissues of pelvis	9	~	1	1	_	~	na	2	_	1	2	1	1
P21	With birth injury to brain or spinal cord	-	-	80	-	_	_	_	_	~	_	_	_	_
P22	With other or unspecified birth injury	-	_	_	-	_	_	-	_	_	_		_	_
P23	Without mention of birth injury	9	-	1	1	_	_	-	2	_	1	2	1	1
P24-P26	Difficult labour with disproportion	30	3	2	1	_	6	2	2	4	3	3	1	3
P24	With birth injury to brain or spinal cord	. 5	1	_	-	_	1	-	_	1	2		_	_
P25	With other or unspecified birth injury	_	_	_	_	_	_	_	-					

TABLE 23C (Stillbirth numbers) - continued

ICD 'P'	Cause	Total					Mo	onth of c	occurrenc	е				
Number			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
P26	Without mention of birth injury	25	2	2	1	-	5	2	2	3	1	3	1	3
P27-P29	Difficult labour with mal- position of foetus	361	40	34	45	31	31	27	25	23	30	21	29	25
P27	With birth injury to brain or spinal cord	42	6	5	4	6	3	3	2	2	4	3	4	_
P28	With other or unspecified birth injury	-	-	~	_	_	_	-	_	_	_	_	_	_
P29	Without mention of birth injury	319	34	29	41	25	28	24	23	21	26	18	25	25
P30-P32	Difficult labour with abnor- mality of forces of labour	72	8	4	8	2	4	7	7	8	5	4	6	9
P30	With birth injury to brain or spinal cord	24	2	1	2	1	. 2	4	3	3	2	1	1	2
P31	With other or unspecified birth injury	-	-	-	-	-	_	_	_	·		_		_
P32	Without mention of birth injury	48	6	3	6	1	2	3	4	5	3	3	5	7
P33-P35	Difficult labour with other and unspecified complications	65	4	7	9	6	3	2	5	8	4	3	9	5
P33	With birth injury to brain or spinal cord	6	_		2	1	1	-	_	1	_		1	
P34	With other or unspecified birth injury	2	-	••	-	_	_	_	des	2	400			_
P35	Without mention of birth injury	57	4	7	7	5	2	2	5	5	4	3	8	5
P36-P41	Other complications of pregnancy and childbirth	711	51	50	49	53	71	73	84	71	71	43	51	44
P36	Incompetent cervix	2		-	1	-	_	-	_		_	1	_	
P37	Premature rupture of membranes	61	4	6	4	2	9	7	9	3	6	3	7	1
P38	Hydramnios	73	4	8	7	8	4	13	8	7	4	2	6	2
P39	Ectopic pregnancy	2	-	-	2	_	_	-	_	_	_	***	_	_
P40	Multiple pregnancy	126	13	6	5	11	. 16	12	17	14	13	7	4	8
P41	Other complications of pregnancy or childbirth	447	30	30	30	32	42	41	50	47	48	30	34	33
P42-P46	Conditions of placenta	3,012	257	2 52	266	231	254	255	270	249	254	257	220	247
P42	Placenta praevia	107	10	12	7	7	8	6	6	9	8	11	15	8
P43	Premature separation of placenta	1,205	84	91	98	96	125	104	111	96	113	110	83	94
P44	Placental infarction	212	. 22	17	13	19	18	24	20	15	21	16	10	. 17
P45	Other conditions of placenta	39	2	4	4	2	1	4	5	7	3	4	2	. 1
P46	Placental insufficiency, unspecified	1,449	139	128	144	107	102	117	128	122	109	116	110	127
P47-P49	Conditions of umbilical cord	1,014	82	88	100	91	80	64	77	93	80	82	97	80
P47	Compression of cord	97	10	6	8	12	4	6	7	6	10	7	11	10
P48	Prolapse of cord without mention of compression	224	16	15	22	23	22	17	14	19	21	20	18	17
P49	Other	693	56	67	70	56	54	41	56	68	49	55	68	53
P50-P52	Birth injury without mention of cause	121	14	12	10	7	11	5	11	12	9	10	9	11
P50	To brain or spinal cord	115	12	11	10	6	11	5	11	11	8	10	9	11
P51	Other or unspecified birth													

			200	Still		numb	ers) =	GOISE	· riue					
ICD 'P'	Cause	Total					M	onth of	occurren	ce				
Number			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
P52	Termination of pregnancy without mention of cause			_				-						
P53-P56		496	50) 44	45		42			42	47		9 30	0 33
P53	With Rh incompatibility	430	43	36	41					37				
P54	With ABO incompatibility	3	_	-	-		_	_	_	1			- :	
P55	With other or unspecified blood incompatibility	3	1	_	_	1	_	_	_	_				
P56	Without mention of cause	60	6	8	4	5	3		4	4				
P57-P60	Anoxic and hypoxic conditions not elsewhere classified	619	47	59	57	47	57	66		42				
P57	Hyaline membrane disease and respiratory distress syndrome	17	-	3	_	2	1	1	1	_	_			
P58	Intra-uterine anoxia	270	36	39	25	18	26	31		12				
P59	Asphyxia of newborn, unspecified	99	4	7	6	8	6	5	8	17				
P60	Other anoxic and hypoxic conditions not elsewhere classified	233	7		26	19		29	16	13				
P61-P68	Other conditions of foetus and newborn	1,437	113	116	144	123	127	106	113	141	106			
P61	Immaturity, unqualified	134	8	10	13	12	15	8	8	14	9	6		
P62	Foetal blood loss before birth	-	-	-	-	_	_	-	_	_	_	_	_	_
P63	Post-maturity	48	3	3	3	3	5	5	3	8	6	1	4	4
P64	Haemorrhagic disease of newborn	16	-	3	2	_	2	1	1	1	2	2		
P65	Cold injury syndrome	-	-	-	-	_	_	_	_	_	_	_	_	_
P66	Other conditions of foetus	15		-	-	1	-	_	3	1	2	1	4	3
P67	Maceration	624	64	47	61	63	42	45	52	54	45	58	52	41
P68	Other foetal death of unknown cause	600	38	53	65	44	63	47	46	63	42	53	41	45
P69-P80	Congenital anomalies	2,153	204	190	201	175	185	166	179	172	176	153	160	192
P69	Anencephalus	1,225	111	104	103	100	89	102	111	97	99	91	101	117
P70	Spina bifida	270	27	31	24	16	28	17	11	19	31	16	21	29
P71	Congenital hydrocephalus	319	30	30	34	29	33	22	27	26	25	18	24	21
P72	Other congenital anomalies of central nervous system and eye	46	4	6	3	6	2	2	5	5	2	2	4	5
P73	Congenital anomalies of circulatory system	38	7	3	2	3	3	4	5	5	3	2	1	
P74	Congenital anomalies of respiratory system	7	_	1	2	-	1	_	2	1	_	_		
P75	Congenital anomalies of digestive system	47	7	3	6	3	5	2	7	4	1	5	3	1
P76	Congenital anomalies of genito-urinary system	27	1	1	5	5	3	5	2	2	1	1		1
P77	Congenital anomalies of musculoskeletal system	34	6	2	4	1	6	1	2	1	3	6	2	
P78	Down's disease	11	-	_	4	_	2	1	_	2	1	_	_	1
P79	Other congenital syndromes affecting multiple systems	93	8	7	9	7	8	10	7	8	7	8	3	11
P80	Other and unspecified congenital anomalies	36	3	2	5	5	5	-	_	2	3	4	1	6
		W 427 220	3E 740	3E 000	70.005	70 70	70 (
Tota	l live and still births	M (427,239 F (403,881 P 831,120	34,244	35,088 32,755 67,843	36,895	36,304 33,979 70,283	37,634 35,749 73,383	35,681 33,460 69,141	36,229 34,189 70,418	35,840 34,278 70,118	32,496	32,685	32,642 31,024 63,666	32,127

TABLE 23C (Stillbirth rates) - continued

ICD 'P'	Cause	Total					Mo	onth of c	ccurrenc	e				
Number			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
			Stil	lbirths	per 1,00	00 total	births							
P1-P80	All causes Mr	14·3 14·2 14·3	14·7 15·0 14·8	15·2 14·7 14·9	14.8 14.3 14.5	13·5 13·3 13·4	14·5 13·4 13·9	14·0 14·0 14·0	15·0 13·7 14·3	14·1 14·6 14·3	13·6 14·8 14·2	13·7 13·7 13·7	14·6 14·4 14·5	14·1 14·9 14·5
P1-P4	Chronic circulatory and genito-urinary disease in mother	0.2	0•2	0.3	0.3	0.2	0 • 3	0.2	0.2	0.3	0.2	0.2	0+3	0.3
P5~P11	Other maternal conditions unrelated to pregnancy	0.3	0 • 4	0.2	0 - 4	0.2	0.2	0.2	0.2	0.3	0 • 4	0.3	0.3	0.2
P12-P17	Toxaemias of pregnancy	1.6	1.8	1.7	1.5	1.6	1.5	1.7	1.7	1.4	1.2	1.4	1.6	1.5
P18-P20	Maternal ante- and intrapartum infection	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	- 1	0.1	0.0	0.1
P21-P23	Difficult labour with abnor- mality of bones, organs or tissues of pelvis	0.0	_	0.0	0.0	_	_	_	0.0	-	0.0	0.0	0-0	0.0
P24-P26	Difficult labour with disproportion	0.0	0.0	0.0	0.0		0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
P27-P29	Difficult labour with malposition of foetus	0 · 4	0+6	0.5	0.6	0 • 4	0 • 4	0 • 4	0 • 4	0.3	0 • 4	0.3	0.5	0 • 4
P30-P32	Difficult labour with abnormality of forces of labour	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
P33-P35	Difficult labour with other and unspecified complications	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1
P36-P41	Other complications of pregnancy and childbirth	0.9	0.7	0.7	0.6	0-8	1.0	1.1	1.2	1.0	1.1	0 • 6	0+8	0.7
P42-P46	Conditions of placenta	3.6	3.7	3.7	3.5	3-3	3.5	3.7	3.8	3.6	3.8	3.8	3.5	3.7
P47-P49	Conditions of umbilical cord	1.2	1.2	1.3	1.3	1.3	1.1	0.9	1.1	1.3	1.2	1.2	1.5	1.2
P50-P52	Birth injury without mention of cause	0.1	0.2	0.2	0-1	0-1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.2
P53-P56	Haemolytic disease of newborn	0.6	0.7	0 • 6	0.6	0.5	, 0•6	0.7	0.5	0.6	0 • 7	0.6	0.5	0 • 5
P57-P60	Anoxic and hypoxic conditions not elsewhere classified	0.7	0-7	0.9	0.8	0.7	0 • 8	1.0	0.7	0.6	0.6	0.8	0.7	0 • 9
P61-P68	Other conditions of foetus and newborn	1.7	1.6	1.7	1.9	1.8	1.7	1.5	1.6	2.0	1.6	1.8	1.8	1.7
P69-P80	Congenital anomalies	2.6	2.9	2.8	2.6	2.5	2.5	2 • 4	2.5	2.5	2.6	2.3	2.5	2.9

TABLE 23D. Stillbirths by cause and area of residence of mother (with rates per 1,000 total births for ICD 'P' List sections), 1968

England and Wales, standard regions, Wales, urban and rural aggregates, hospital regions

Chase		P hist sections/, h								1102	pita.	r res	grons				
## CAMBES Page							Stand	ard reg	ions				Į į	Urban/R	ural age	gregate	5
P1-90 ALL CAURES P1-90 P1														Areas	outside	conurl	pations
## ALL CAINES M 0.100 0.00 668 0.00 0.0	List	Cause	AND	North	Yorkshire and Humberside	North West	Midl			Eas		Wales	Conurbations	Urban areas with populations of 100,000 and over	Urban areas with populations of 50,000 and under 100,000	7	
## Senitouriany Viseame	P1-P80	ALL CAUSES	F 5,739	392	622	960	423	657	169	1,747	410	359	2,005	833 844	584 534	1,310 1,232	1,124
Pi	P1-P4	genito-urinary disease	205	12	24	33	9	19	8	76	12	12	91	36	10	37	31
Properties Pro	P1		2	1		_											
Fig. Chronic disease of genito-	P2	Chronic hypertension		11			8			;							-
PS-PI Other maternal conditions 21 - 3 3 1 1 - 12 1 - 12 3 1 3 2	P3		2	1													29
PS-P1 Other maternal conditions 104 5 14 16 9 9 4 38 18 43 12 9 17 23 36 54	P4	Chronic disease of genito- urinary system	21	-	3		1										2
Fo	P5-P11	Other maternal conditions unrelated to pregnancy	223	8	27	28	23	29	12	70	11	15					
Procedure Proc	P5	Syphilis	7	-	1	1	1	1		2	-	1	5	1	_	-	
F8 Injury to mother	P6	Diabetes mellitus	104	5	14	16	9	9	4	38	1	8	43	12	9	17	23
P9 Cperation on mother	P7	Rubella	12	-	1	4	-	1	2		3	1	3	3	2	2	2
P10 Chemical substances transmitted through placents	P8	Injury to mother	11	-	2	2	2	2	1	2	-	-	4	-	1	1	5
## ## ## ## ## ## ## ## ## ## ## ## ##	P9		4	-	1	-	-	1	-	2		-	2	1		-	1
P11 Other maternal conditions	P10	Chemical substances trans- mitted through placenta	3	1	_	_				2				4			
P12-P17 Toxamias of pregnancy P12 Renal disease arising during P13 Pre-celampsia of pregnancy P14 Pre-celampsia of pregnancy P15 Pre-celampsia of pregnancy P16 Pre-celampsia of pregnancy P17 Pre-celampsia of pregnancy P18 Pre-celampsia of pregnancy P19 P19 P19 P19 P19 P19 P19 P19 P19 P19	P11		ł	1	8							į.		j			
P12 Renal disease arising during pregnancy pregnancy 4	P12-P17	Toxaemias of pregnancy	1,290								-	j	ì		i i	1	
P13 Pre-eclampsia of pregnancy 997 59 108 139 55 134 36 336 66 64 349 118 95 221 214 P14 Eclampsia of pregnancy 48 1 9 6 3 6 2 13 3 5 15 4 5 9 15 P15 Toxaemia unspecified 238 10 33 38 23 24 12 54 15 29 63 29 22 68 58 P16 Hyperemests gravidarum	P12		4	-		App.											285
## Eclampsia of pregnancy	P13	Pre-eclampsia of pregnancy	997	59	108	139	55	134	36	336	66	-	1	1	1	1	214
## P15 Toxaemia unspecified 238 10 33 38 23 24 12 54 15 29 63 29 22 68 56 56 F16 Hyperemesis gravidarum	P14	Eclampsia of pregnancy	48	1	9	6	3	6	2	13	3				į		
P16 Hyperemesis gravidarum P17 Other toxaemia of pregnancy P18-P20 Maternal ante- and intrapartum infection P2 P2 P3 P4 P2 P3 P4 P3 P5 P4 P3 P5 P4 P3 P5 P4 P3 P5 P4 P3 P5 P4 P3 P5 P4 P3 P5 P4 P3 P5 P4 P3 P5 P4 P3 P5 P4 P3 P5 P4 P3 P5 P5 P5 P5 P5 P5 P5 P5 P5 P5 P5 P5 P5	P15	Toxaemia unspecified	238	10	33	38	23	24	12	54	15	1			-		
P18-P20 Maternal anter and intrapartum infections of general anter and intrapartum infections of general anter and intrapartum infections of general anter and intrapartum infections of general anter and intrapartum infections of general anter and intrapartum infections of general anter and intrapartum infections of general anter	P16	Hyperemesis gravidarum	-	-	-	-	-	-	-	100	-	-	-	No.	-	Ì	-
Pi8 Pyelitis and pyelonephritis of pregnancy 13 2 - 2 1 - 7 - 1 9 2 - 2 - 2 - 7 - 1 9 2 - 2 - 2 - 7 - 1 9 2 - 2 - 2 - 7 - 1 9 2 - 2 - 2 - 2 - 7 - 1 9 2 - 2	P17	Other toxaemia of pregnancy	3	-	-	4	-	-	-	2	1	-	1	-	-	2	-
P19 Other infections of genitourinary tract during pregnancy P20 Other P21-P23 Difficult labour with abnormality of bones, organs or tissues of pelvis P21 With birth injury to brain or spinal cord P22 Without mention of birth injury P23 Without mention of birth injury P24-P26 Difficult labour with disproportion P24 With birth injury to brain or spinal cord P25 With other or unspecified birth injury P26 With other or unspecified birth injury P27 With birth injury P28 With other or unspecified birth injury P29 With other or unspecified birth injury P20 With birth injury to brain or spinal cord P21 With birth injury to brain or spinal cord P22 With other or unspecified birth injury to brain or spinal cord P28 With other or unspecified birth injury to brain or spinal cord P29 With other or unspecified birth injury P20 With other or unspecified birth injury		infection	30	3	1	5	3	3	-	12	2	1	16	7	1	4	2
P20 Other 14 - 1 3 2 3 - - - 1 1 - - 1 2 -		pregnancy	13	2	-	2	1	-	-	7	-	1	9	2	-	2	-
P20 Other P21-P23 Difficult labour with abnormality of bones, organs or tissues of pelvis P21 With birth injury to brain or spinal cord P22 With other or unspecified birth injury P23 Without mention of birth injury P24-P26 Difficult labour with disproportion P24 With birth injury to brain or spinal cord P25 With other or unspecified birth injury P3 With birth injury to brain or spinal cord P3 With other or unspecified birth injury P3 With birth injury to brain or spinal cord P4 With birth injury to brain or spinal cord P5 With other or unspecified birth injury P4 With other or unspecified birth injury P5 With other or unspecified birth injury	P19	urinary tract during	3	1	_	-		-		1	1				1	2	
P21—P23 Difficult labour with abnormality of bones, organs or tissues of pelvis P21 With birth injury to brain or spinal cord P22 With other or unspecified birth injury P23 Without mention of birth injury P24—P26 Difficult labour with disproportion P24 With birth injury to brain or spinal cord P25 With other or unspecified birth injury P3 Difficult labour with disproportion P3 Difficult labour with disproportion P4 With birth injury to brain or spinal cord P5 With other or unspecified birth injury P6 With other or unspecified birth injury P7 Difficult labour with disproportion P8 Difficult labour with disproportion P9 Diffic	P20	Other	14	-	1	3	2	3	_	1			7				2
P21 With birth injury to brain or spinal cord P22 With other or unspecified birth injury P23 Without mention of birth injury P24-P26 Difficult labour with disproportion P24 With birth injury to brain or spinal cord P25 With other or unspecified birth injury to brain or spinal cord P25 With other or unspecified birth injury P3 With other or unspecified birth injury	P21-P23	mality of bones, organs or		4	4												2
P22 With other or unspecified birth injury P25 Without mention of birth injury P24-P26 Difficult labour with disproportion P24 With birth injury to brain or spinal cord P25 With other or unspecified birth injury P25 With other or unspecified birth injury	P21	With birth injury to brain or	-			3			-	2	1		1			3	2
P23 Without mention of birth injury 9 1 1 3 - 1 - 2 1 - 1 2 1 3 2 P24-P26 Difficult labour with disproportion 30 1 4 1 3 7 - 11 2 1 11 5 3 4 7 P24 With birth injury to brain or spinal cord 5 - 1 - 1 - 2 1 - 2 2 - 1 - P25 With other or unspecified birth injury	P22	With other or unspecified	-										-			**	~
P24-P26 Difficult labour with disproportion 30 1 4 1 3 7 - 11 2 1 11 5 3 4 7 P24 With birth injury to brain or spinal cord 5 - 1 1 - 2 1 - 2 2 - 1 - P25 With other or unspecified birth injury	P23		9	1	1	3					1					. 3	2
P24 With birth injury to brain or spinal cord P25 With other or unspecified birth injury	P24-P26	Difficult labour with disproportion	30	1	4	1	3		-			. 1					7
P25 With other or unspecified birth injury		spinal cord	5	-	1	-	-	1	-	2					_		
	P25	With other or unspecified birth injury	-	-	-	Total Control	-	-	40	-	-	-	-		-	-	-

North West Midlands South West Anglia South West Conurbations Conurbations	with of	Urban areas with populations of 50,000 and under	with	Rural districts
Number - 3 3 4 1 3	Urban areas populations	Urban areas populations 50,000 and	Urban areas with populations under 50.000	Rural districts
M Z HH Z M 3 M 0 0 3 C		3		
P26 Without mention of birth injury 25 1 3 1 3 6 - 9 1 1 9	41		3 3	7
P27-P29 Difficult labour with mal- position of foctus 361 18 47 45 32 42 9 122 27 19 134		. 3	1 82	73
P27 With birth injury to brain or spinal cord 42 1 6 8 5 3 1 8 8 2 9	4		5 10	13
P28 With other or unspecified birth injury	-			_
P29 Without mention of birth	37	2	5 72	60
P30-P32 Difficult labour with abnormality of forces of labour 72 3 7 5 8 10 3 25 5 6 21	6	3	6 23	16
P30 With birth injury to brain or spinal cord 24 - 3 1 2 2 1 9 2 4 4	3	5	3 10	4
P31 With other or unspecified	-		- -	-
P32 Without mention of birth	3	5	3 13	12
P33-P35 Difficult labour with other and unspecified complications 65 2 8 7 2 7 - 28 7 4 28	8	3	4 11	14
P33 With birth injury to brain or spinal cord 6 1 - 2 3 - 2	-		- 3	1
P34 With other or unspecified birth injury 2 2 1	-		1 -	-
P35 Without mention of birth	8	3	3 8	13
P36-P41 Other complications of pregnancy and childbirth 711 61 65 123 56 65 22 225 50 44 265	114	5	4 158	120
P36 Incompetent cervix 2 1 1	1			1
P37 Premature rupture of membranes 61 7 7 10 2 4 3 27 1 - 25	9	9	4 15	8
P38 Hydramnios	11	L	3 23	13
P39 Ectopic pregnancy 2 1 - 1 -	-	-	1 1	-
P40 Multiple pregnancy 126 9 9 32 7 9 2 40 14 4 46	16	1	1 26	27
P41 Other complications of pregnancy or childbirth	77	7 . 3	5 93	71
P42-P46 Conditions of placenta 3,012 204 360 479 250 342 63 946 207 161 1,115	432	2 29	3 618	554
P42 Placenta praevia 107 9 13 18 7 6 3 33 9 9 40	13	3	7 24	23
P43 Premature separation of placenta 1,205 78 143 230 94 130 23 376 75 56 463	178	3 11	1 247	206
P44 Placental infarction 212 20 16 23 15 32 6 67 20 13 73	23	3 2	2 52	42
P Other conditions of placenta 39 1 8 5 - 6 1 10 3 5 10	4	Ŀ	4 13	8
P+6 Placental insufficiency, unspecified 1,449 96 180 203 134 168 30 460 100 78 529	214	14	9 282	275
P47-P49 Conditions of umbilical cord 1,014 58 86 165 66 117 23 348 80 71 346	136	5 9	0 236	206
P47 Compression of cord 97 7 8 18 9 4 2 32 12 5 26	12	2	8 28	23
P48 Prolapse of cord without mention of compression	40	2	8 49	36
P49 Other 693 37 52 112 46 83 15 242 51 55 249	84	1 5	4 159	147
P50-P52 Birth injury without mention of cause 121 6 15 18 18 15 4 36 6 3 31	22	2 1	2 33	23
P50 To brain or spinal cord 115 6 14 18 16 15 4 34 6 2 31	19	1	2 33	20
P51 Other or unspecified birth 6 - 1 - 2 2 - 1 -	3	3	-	3

						rtn n			00100	011000						
						Stand	dard reg	ions					Urban/1	Rural a	ggregat	es
													Areas	outsi	ie conu	rbations
ICD 'P' List Number	Cause	ENGLAND AND WALES	North	Yorkshire and Humberside	North West	East Midlands	West Midlands	East Anglia	South East	South West	Wales	Conurbations	Urban areas with populations of	as ins	Urban areas with	under 50,000 Rural districts
P52	Termination of pregnancy without mention of cause							_								
P53-P56	Haemolytic disease of newborn	496		-					į.				7 75			1 111
P53	With Rh incompatibility	430	27	4.6	78	3 30	45	11								
P54	With ABO incompatibility	3	-	-		. 1	. 1	-	. 1				1 1			- 1
P55	With other or unspecified blood incompatibility	3	-			. 1		1	. 1							
P56	Without mention of cause	60	4	7	5	5 5			1			2 1:	3 11			1
P57-P60	Anoxic and hypoxic conditions not elsewhere classified	619	41	56	109	39	80							į.		
P57	Hyaline membrane disease and respiratory distress syndrome	17	1													
P58	Intra-uterine anoxia	270	1													
P59	Asphyxia of newborn, unspecified	99	8	12				2								
P60	Other anoxic and hypoxic conditions not elsewhere classified	233	13	28												
P61-P68	Other conditions of foetus and newborn	1,437	99	142	250	106	175	49	452	99	65					
P61	Immaturity, unqualified	134	15	21	25	11	13	3	30	8					1	1
P62	Foetal blood loss before birth	-	-	-	-	-	-	-	-	-	-	_	_	_		
P63	Post-maturity	48	1	6	4	1	12	1	12	8	3	10	7	5	16	10
P64	Haemorrhagic disease of newborn	16	1	1		5	4	1	4	-	-	8	1	2	3	2
P65	Cold injury syndrome	-	-	-	-	-	-	-	-	-	-	-		-	-	_
P66	Other conditions of foetus	15	1	-	2	-	2	2	5	3	-	5	2	2	3	3
P67	Maceration	624	52	49	126	37	82	14	199	43	22	236	83	64	117	124
P68	Other foetal death of unknown cause	600	29	65	93	,52	62	28	202	37	32	210	92	54	125	119
P69-P80	Congenital anomalies	2,153	178	244	410	144	216	63	591	151	156	700	324	224	481	424
P69	Anencephalus	1,225	100	137	228	97	126	38	318	83	98	392	195	127	285	226
P70	Spina bifida	270	19	31	61	10	24	5	71	31	18	78	37	34	64	57
	Congenital hydrocephalus · Other congenital anomalies of	319	26	33	59	19	31	9	96	.18	28	104	40	30	72	73
2.76	central nervous system and eye	46	7	1	8	2	4	1	18	4	1	19	8	5	5	9
P73	Congenital anomalies of circulatory system	38	2	9	5	-	4	3	10	3	2	12	6	1	6	
P74	Congenital anomalies of respiratory system	7	-	2	2	1	_	-	2	_	_	3	1	1	_	2
P75	Congenital anomalies of digestive system	47	5	5	11	2	8		10	1	5	18	6	4	12	7
P76	Congenital anomalies of genito-urinary system	27	2	7	5	3	_	_	6	2	2	12	4		. 5	
P77	Congenital anomalies of musculoskeletal system	34	4	6	6	-	2	1	13	1	1	13	3	3	8	2
P78	Down's disease	11	1	1	3	1	_	3	2		-	.4	3	3	1	7
P79	Other congenital syndromes affecting multiple systems	93	11	9	17	9	10	1	31	5	_	30	15	9	18	21
P80	Other and unspecified congenital anomalies	36	1	3	5	-	7	2	14	3	1	15	6	6	5	. 4
Total	live and still births FP	427239 403881 831120	27,912 26,741 54,653	43,4 85 41,326 8 4,811	61,379 57,808 119,187	30504 28882 59386	48,628 45,728 94,356		148071 139991	30478 28499 58977	22952 21967	147,422 139,080 286,502	57205 54,687	41218 38918	92108	89286 84432

			~~~~	Stand	lard reg	gions				1	Jrban/R	iral agg	regates	
ICD 'P' List Cause Number	ENGLAND AND WALES	h rit. Yorkshire and Humberside	North West	East Midlands	West Midlands	East Anglia	South East	South West	Wales	Conurbations	rban areas with opulations of 00,000 and over	reation	rban areas with opulations nder 50,000	Rural districts

#### Stillbirths per 1,000 total births

					,		1					. 1				
P1-P80	All causes F	14.2	14·5 14·7 14·6	15·4 15·1 15·2	16·1 16·6 16·3	14.9 14.6 14.8	14·2 14·4 14·3	12·3 13·1 12·7	13·4 12·5 12·9	13·3 14·4 13·8	15·4 16·3 15·9	15.0 14.4 14.7	14.6 15.4 15.0	14·2 13·7 14·0	14·2 14·2 14·2	13·2 13·3 13·2
P1-P4	Chronic circulatory and genito-urinary disease in mother	0.2	0.2	0.3	0.3	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0•3	0.1	0.2	0.5
P5-P11	Other maternal conditions unrelated to pregnancy	0.3	0.1	0.3	0.2	0 • 4	0.3	0.4	0.5	0.2	0-3	0.3	0.2	0.3	0.2	0.3
P12-P17	Toxaemias of pregnancy	1.6	1.3	1.8	1.5	1.4	1.7	1.9	1.4	1.4	2.2	1.5	1.4	1.5	1.7	1.6
P18-P20	Maternal ante- and intrapartum infection	0.0	0.1	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0
P21-P23	Difficult labour with abnor- mality of bones, organs or tissues of pelvis	0.0	0.0	0.0	0.0		0.0	-	0.0	0.0	_	0.0	0.0	0.0	0.0	0.0
P24-P26	Difficult labour with disproportion	0.0	0.0	0.0	0.0	0.0	0.1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
P27-P29	Difficult labour with malposition of foetus	0.4	0.3	0.6	0.4	0.5	0.4	0 • 3	0.4	0.5	0.4	0.5	0.4	0.4	0.5	0 • 4
P30-P32	Difficult labour with abnor- mality of forces of labour	0.1	0-1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0-1	0.1
P33-P35	Difficult labour with other and unspecified complications	0.1	0.0	0.1	0.1	0.0	0-1	-	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0-1
P36-P41	Other complications of pregnancy and childbirth	0.9	1.1	0.8	1.0	0.9	0.7	0.8	0.8	0.8	1.0	0.9	1.0	0.7	0.9	0.7
P42-P46	Conditions of placenta	3.6	3.7	4.2	4.0	4.2	3.6	2.4	3•3	3.5	3.6	3•9	3.9	3.7	3.5	3.2
P47-P49	Conditions of umbilical cord	1.2	1.1	1.0	1.4	1.1	1.2	0.9	1.2	1.4	1.6	1.2	1.2	1.1	1.3	1.2
P50-P52	Birth injury without mention of cause	0.1	0.1	0.2	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.1
P53-P56	Haemolytic disease of newborn	0.6	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.6	0.7	0.6	0.5	0.6
P57-P60	Anoxic and hypoxic conditions not elsewhere classified	0.7	0 * 8	0.7	0+9	0.7	0.8	0.6	0.7	0.6	0.8	0.9	0.7	0.6	0.7	0.6
P61-P68	Other conditions of foetus and newborn	1.7	1.8	1.7	2.1	1.8	1.9	1.8	1.6	1.7	1.4	1.8	1.9	1.8	1.7	1.6
P69-P80	Congenital anomalies	2 • 6	3.3	2.9	3.4	2.4	2.3	2.4	2.1	2.6	3.5	2.4	2.9	2.8	2.7	2.4

		111222	. 400	(511	11011		umber	8/ -	GONE	triued						
		-					1	Hosp:	ital re	gions	,		,		7	
List Number	Cause	Newcastle	Leeds	Sheffield	East Anglian	North West Metropolitan	North East Metropolitan,	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
P1-P80	ALL CAUSES	M 376 F 374 P 750	448 397 845	646 598 1,244	181 182 363	523 470 993	403 358 761	403 316 719	337 314 651	218 197 415	201 215 416	339 336 675	353 359 712	689 657 1,346	658 658 1,316	334 308 642
P1-P4	Chronic circulatory and genito-urinary disease in mother	12	18	15	9	26	13	14	12	4	8	10	12	19	17	16
P1	Chronic rheumatic heart	· f i	1 -		_		_	1	_	_	_	-				10
P2	Chronic hypertension	10	16	13	8	22	11	11	10	3	8	9	12	-	-	-
P3	Other chronic disease of circulatory system	1	_	_	-		who she	ati da	10	_	0		12	18	16	13
P4	Chronic disease of genito- urinary system	-	2	2	1	4	2	2	2	1		-	-	**	1	
P5-P11	Other maternal conditions unrelated to pregnancy	7	18	31	14	12	12	18	10	14	5	9	4 5	1	-	3
P5	Syphilis	_	1	1	-	1	1	_	-	7.3			15	29	22	7
P6	Diabetes mellitus	5	10	13	5	7	7	10	6	5	2	1	1	1	1	
P7	Rubella	_	_	1	2	- qua		_		1	-	2	8	9	12	4
P8	Injury to mother	-	1	3	1	-	_	1	1	-	_	ŀ		1	2	. 2
P9	Operation on mother		1			_	_	-	1	1	_		-	1	1	1
P10	Chemical substances trans- mitted through placenta	1	_	-	-	1	-	-	1	-	-	_	400	_	*** ***	٠
P11	Other maternal conditions	1	5	13	6	3	4	7	1	7	3	6	5	15	6	
P12-P17	Toxaemias of pregnancy	65	96	124	53	94	90	93	78	36	41	70	99	165	128	58
P12	Renal disease arising during pregnancy	-	-	-	-	-	-	_	2	_		-	1	1	-	36
P13	Pre-eclampsia of pregnancy	54	72	85	36	79	77	81	60	31	30	52	64	134	92	50
P14	Eclampsia of pregnancy	1	4	8	2	3	3	3	3	_	1	3	5	6	, 6	50
P15	Toxaemia unspecified	10	20	31	15	11	9	9	13	5	10	14	29	24	30	8
P16	Hyperemesis gravidarum	-	-	_		-	_	_	-	_	_	_	_	Gar 72.	-	_
P17	Other toxaemia of pregnancy	-	_			11	1	- 1	_	-	_	1		_		
P18-P20	Maternal ante- and intrapartum infection	2	-	3	_	3	3	3	2	_	2	2	1	3	4	2
P18	Pyelitis and pyelonephritis of pregnancy	1		1	-	3	1	1	2	_	_		1		3	_
P19	Other infections of genito- urinary tract during pregnancy	1	_													
P20	Other		_	2			2	2	-	-	1	1	-	-	-	-
P21-P23	Difficult labour with abnor- mality of bones, organs or tissues of pelvis	1							-	-	1	1	-	3	1	2
P21	With birth injury to brain or spinal cord	-	1	-	***	1	-	1	-	-	-	1	-	1	2	1
P22	With other or unspecified birth injury	00	Bille-	-	-	-	-	-	-	-	-	-	-	-		-
P23	Without mention of birth	a	±27	-	-	-	-	•	- !	-	-	-	-	- 1	-	-
P24-P26	Difficult labour with disproportion	1	2	-	-	1	-	1.		-	-	1	-	1	2	1
P24	With birth injury to brain or spinal cord			5	-	2	-	3	4	1	1	2	1	7	1	-
P25	With other or unspecified birth injury	-	1		-	1		-	1		-	1		1	-	
			-	-	-	an .		-	-	P0	-	-	-	-	-	-

								Hospi	tal reg	ions						
ICD 'P' List Number	Cause	Newcastle	Leeds	Sheffleld	East Anglian	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
P26	Without mention of birth injury	1	1	5	***	1	_	3	3	1	1	1	1	6	1	_
P27-P29	Difficult labour with mal- position of foetus	17	29	47	9	30	25	26	22	11	15	23	19	42	37	9
P27	With birth injury to brain or spinal cord	-	5	6	1	3	2	1	_	1	4	5 (	2	3	8	1
P28	With other or unspecified birth injury	-	_	***	_	_	_	_	-	_	_	_	-	_	_	~
P29	Without mention of birth injury	17	24	41	8	27	23	25	22	10	11	18	17	39	29	8
P30-P32	Difficult labour with abnor- mality of forces of labour	3	4	10	4	4	10	1	7	4		4	6	10	5	_
P30	With birth injury to brain or spinal cord	-	2	3	1	1	5	1	2	_	-	2	4	2	1	_
P31	With other or unspecified birth injury	-	_	1-	_	-	_	-	_		_	- 1	40	_	-	_
P32	Without mention of birth injury	3	2	7	3	3	5	_	5	4	-	2	2	8	4	-
P33-P35	Difficult labour with other and unspecified complications	2	7	3	_	4	8	6	6	2	2	7	4	7	6	1
P33	With birth injury to brain or spinal cord	-	ma )	-	_	-	1	1	-	-	-	3	-	1	}	***
P34	With other or unspecified birth injury	-	dan	<u>.</u>	-	1	1	-	_	-	_	-		_	-	
P35	Without mention of birth injury	2	7	3	~	3	6	5	6	2	2	4	4	6	6	1
P36-P41	Other complications of pregnancy and childbirth	56	45	75	27	71	45	34	38	25	22	41	44	65	84	39
P36	Incompetent cervix	-	-	-	1	-	_	-		1	-	-	-	-	-	-
P37	Premature rupture of membranes	6	5	4	4	8	5	2	3	3	6	1	-	4	6	4
P38	Hydramnios .	7	3	7	4	6	8	2	5	1	1	1	8	6	14	-
P39	Ectopic pregnancy	-		-	-	-	-	-	-	1	-	-	1	-	-	~
P40	Multiple pregnancy	7	7	10	4	16	11	5	1	6	2	12	4	9	23	9
P41	Other complications of pregnancy or childbirth	36	'30	54	14	41	21	25	29	13	13	27	31	46	41'	26
P42-P46	Conditions of placenta	192	228	364	66	265	176	176	189	105	99	170	161	, 342	312	167
P42	Placenta praevia	9	10	10	4	6	8	4	8	4	4	7	9	6	11	7
P43	Premature separation of placenta	74	100	133	23	94	67	73	83	43	36	63	56	130	149	81
P44	Placental infarction	20	11	17	6	20	9	17	14	6	8	16	13	32	15	8
P45	Other conditions of placenta	1	5	3	1	4	1	1	2	2	-	3	5	6	4	1
P46	Placental insufficiency, unspecified	88	102	201	32	141	91	81	82	50	51	81	78	168	133	70
P47-P49	Conditions of umbilical cord	56	54	90	25	99	72	73	55	45	26	66	. 71	117	110	55
P47	Compression of cord	7	5	12	2	7	4	13	5	3	1	11	5	4	10	8
P48	Prolapse of cord without mention of compression	13	19	17	7	22	17	17	6	13	8	9	11	30	25	10
P49	Other	36	30	61	16	70	51	43	44	29	17	46	55	83	75	37
P50-P52	Birth injury without mention of cause	6	8	23	4	10	7	5	8	1	8	5	3	15	12	6
P50	To brain or spinal cord	6	8	20	4	10	6	4	8	1	8	5	2	15	12	6
P51	Other or unspecified birth	_	_	3.			1	1,	-		Ξ.	-	1,		~	-

		1														
		-						Ho	spital 1	regions	-					
ICD 'P' List Number	Cause	Newcastle	Leeds	Sheffield	East Anglian	North West	North East	South East	South West	Wessex	Oxford	South Western		E Tart	We have a second	Liverpool
P52															- 2	
P53-P56	without mention of cause Haemolytic disease of newborn		-			_		-			-	-	-	-	-	-   -
P53	With Rh incompatibility	1	9 4	3 4				1						21	53	16 38
P54	With ABO incompatibility							8 2		ĺ			26 :	19		13 36
P55								-				-	-	-	1	-   -
P56	Without mention of cause		1									_	-	-	-	
P57-P60	Anoxic and hypoxic conditions not elsewhere classified	3											4	2	7	3 2
P57	Hyaline membrane disease and respiratory distress syndrome		1 .		1.				1				2	34   1		39 40
P58	Intra-uterine anoxia	1	7 1	2 14		9 2	1				7 1		1	.7	30 4	2 -
P59	Asphyxia of newborn, unspecified		8	7 14		2	9 1:									7 16
P60	Other anoxic and hypoxic conditions not elsewhere classified	1:	3 23	3 22	2 .	5 2:	1 16									0 5
P61-P68	Other conditions of foetus and newborn	9:	3 94	138	53	3 111	1 89	102						5 17		
P61	Immaturity, unqualified	14	14	17	4	<u>.</u>	1 7	1:	1 3						.3 1	
P62	Foetal blood loss before birth			-   -	-											
P63	Post-maturity		1 3	3 4	. 1	3	3 2	2 2	2 1	1 3	5 2		7	3 1	2	2 2
P64	Haemorrhagic disease of newborn	1	1	. 3	. 1		1 2		. 1		.   2					
P65	Cold injury syndrome		_		_							į			4	-   -
P66	Other conditions of foetus	1		_	2	3	5 1	1							2	
P67	Maceration	50	32	50	15	57	43	37	40	i					ř.	1
P68	Other foetal death of unknown cause	26	44	64	30	4.9										-
P69-P80	Congenital anomalies	169					1.									1
P69	Anencephalus	95			39				85 51							
P70	Spina bifida	18	20	20	5											
P71	Congenital hydrocephalus	26	20	32	10						20					
P72	Other congenital anomalies of central nervous system and eye	7	_	2	1	8	2		6		2					
P73	Congenital anomalies of circulatory system	2	8	1	3				1	_	1	3				
P74	Congenital anomalies of respiratory system	-	1	2	-	1			1		_		-			
P75	Congenital anomalies of digestive system	5	5	2	-	2	4	1	_	3	_	1	5			
P76	Congenital anomalies of genito-urinary system	2	4	6	-	1	3	1	1		1	1	2			2
P77	Congenital anomalies of musculoskeletal system	4	4	2	1	3	2	5	_	3	-	-1	1			3
P78	Down's disease	1	-	2	3	1	-	_	-	1	_	_	_	_	2	1
P79	Other congenital syndromes affecting multiple systems	8	4	13	, 2	3	8	7	4	6	4	4	_	10		5
P80	Other and unspecified congenital anomalies	1	3	-	2	2	5	2	4	-	1	3	1	7		. 1
Total	live and still births FP	26,042 24,886 50,928	28,477 27,129 55,606	42,404 40,217 82,621	14,507 13,575 28,082	37,704 35,338 73,042	28,815 27,384 56,199	28,305 26,766 55,071	27,263 26,110 53,373	16,770 15,907 32,677	18,246 16,974 35,220					

								Hospi	tal reg	ions						
ICD 'P' List Number	Cause	Newcastle	Leeds	Sheffield	East Anglian	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool

#### Stillbirths per 1,000 total births

P1-P80	All causes	M 14·4 F 15·0 P 14·7	15·7 14·6 15·2	15·2 14·9 15·1	12·5 13·4 12·9	13·9 13·3 13·6	14·0 13·1 13·5	14·2 11·8 13·1	12·4 12·0 12·2	13·0 12·4 12·7	11·0 12·7 11·8	13·4 14·2 13·8	15·4 16·3 15·9	14·2 14·4 14·3	16·1 17·0 16·6	16·0 15·8 15·9
P1-P4	Chronic circulatory and genito-urinary disease in mother	0.2	0.3	0.2	0.3	0.4	0.2	0.3	0.2	0.1	0.2	0.2	0.3	0.2	.0•2	0.4
P5-P11	Other maternal conditions unrelated to pregnancy	0.1	0.3	0.4	0.5	0.2	0.2	0.3	0.2	0.4	0-1	0.2	0.3	0.3	0.3	0.2
P12-P17	Toxaemias of pregnancy	1.3	1.7	1.5	1.9	1.3	1.6	1.7	1.5	1.1	1.2	1.4	2.2	1.7	1.6	1.4
P18-P20	Maternal ante- and intrapartum infection	0.0	-	0.0	-	0.0	0.1	0.1	0.0	_	0-1	0.0	0.0	0.0	0.0	0.0
P21-P23	Difficult labour with abnor- mality of bones, organs or tissues of pelvis	0.0	0.0	60		0.0	-	0.0		-	-	0.0	_	0.0	0.0	0.0
P24-P26	Difficult labour with disproportion	0.0	0.0	0.1	_	0.0		0.1	0-1	0.0	0.0	0.0	0.0	0.1	0.0	_
P27-P29	Difficult labour with malposition of foetus	0.3	0.5	0.6	0.3	0.4	0.4	0.5	0.4	0.3	0-4	0.5	0.4	0.4	0.5	0•2
P30-P32	Difficult labour with abnor- mality of forces of labour	0.1	0.1	0.1	0.1	0-1	0.2	0.0	0.1	0.1	des	0.1	0-1	0.1	0-1	_
P33-P35	Difficult labour with other and unspecified complications	0.0	0.1	0.0	-	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0
P36-P41	Other complications of pregnancy and childbirth	1.1	0.8	0.9	1.0	1.0	0.8	0.6	0.7	0.8	0.6	0.8	1.0	0.7	1.1	1.0
P42~P46	Conditions of placenta	3-8	4.1	4.4	2.4	3.6	3.1	3.2	3.5	3.2	2.8	3.5	3.6	3.6	3.9	4.1
P47-P49	Conditions of umbilical cord	1.1	1.0	1.1	0.9	1.4	1.3	1.3	1.0	1-4	0.7	1.3	1.6	1.2	1.4	1.4
P50-P52	Birth injury without mention of cause	0.1	0.1	0.3	0.1	0.1	0-1	0.1	0.1	0.0	0.2	0.1	0.1	0.2	0.2	0.1
P53-P56	Haemolytic disease of newborn	0.6	0-8	0.6	0.6	0.7	0.7	0.4	0.4	0.6	0.5	0.6	0.5	0.6	0.6	0.9
P57-P60	Anoxic and hypoxic conditions not elsewhere classified	0.8	0.8	0.7	0.6	0.8	0.8	0.7	0.6	0.7	0.5	0.6	0.8	0.8	0.9	1.0
P61-P68	Other conditions of foetus and newborn	1.8	1.7	1.7	1.9	1.5	1.6	1.9	1.5	1.2	2.0	1.6	1.4	1.9	2.3	1.6
P69-P80	Congenital anomalies	3.3	2.8	2.6	2.4	2.1	2.2	1.9	1.6	2.5	2.4	2.6	3.5	2.3	3.4	3+5

tpt							Durati	on of pre	gnancy (we	eeks)			
List Number	Cause		Total	28-29	30-31	32-33	34-35	36-37	38-39	40	41-42	43+	Not sta'ej
P1-P80	ALL CAUSES	M F P	6,109 5,739 11,848	330 314 644	505 457 962	668 695 1,363	666 666 1,332	976 890 1,866	952 888 1,840	1,074 1,026 2,100	559 484 1,043	87 72 159	292 247 539
P1-P4	Chronic circulatory and genito-urinary disease in mother		205	13	25	37	32	46	20	12	9	1	10
P1	Chronic rheumatic heart disease		2	-	-	1	_	-	1	_	_	_	_
P2	Chronic hypertension		180	11	21	31	27	43	16	12	9	1	9
P3	Other chronic disease of circulatory system		2	_	1	-	-	-	1	-	_ 5	_	_
P4	Chronic disease of genito- urinary system		21	2	ž	5	5	3	2	-	_	-	1
P5-P11	Other maternal conditions unrelated to pregnancy		223	12	16	28	33	35	46	29	10	3	11
P5	Syphilis		7	1	-	2	1	-	1	2	-		-
P6	Diabetes mellitus		104	3	5	12	19	22	28	7	3	1	4
P7	Rubella		12	-	1	3	1	1	2	3	1	-	-
P8	Injury to mother	i	11	2	-	1	3	1	1	1	1	_	1
P9	Operation on mother		4	2	1	-	-	-	-	1	-	-	_
P10	Chemical substances trans- mitted through placenta		3	-	1	1	-	-	1	-	-	_	_
P11	Other maternal conditions		82	4	8	9	9	11	13	15	5	2	6
P12-P17	Toxaemias of pregnancy		1,290	72	147	190	186	246	178	162	58	3	48
P12	Renal disease arising during pregnancy		4	-	-	1	2	1	_	_	-	-	-
P13	Pre-eclampsia of pregnancy		997	47	113	153	147	188	142	121	46	2	38
P14	Eclampsia of pregnancy		48	9	10	6	3	11	2	3	2	-	2
P15	Toxaemia unspecified	-	238	16	24	30	34	45	32	38	10	1	8
P16	Hyperemesis gravidarum		-	-	-	-	-	-	-	-	-	-	-
P17	Other toxaemia of pregnancy		3		-	-	-	1	2	-	-	-	-
P18-P20	Maternal ante- and intrapartum infection		30	1	4	4	2	5	4	4	2	1	3
P18	Pyelitis and pyelonephritis of pregnancy		13	-	2	4	2	3	1	-	-	-	1
P19	Other infections of genito- urinary tract during pregnancy	ì	3	_	1	_	_			1	1		
P20			14	1	1	_	_ }	2	3	3	1	1	2
P21-P23	Difficult labour with abnor- mality of bones, organs or										1	1	2
P21	tissues of pelvis With birth injury to brain or spinal cord		9	1	-	2	1	1	2	2	-	-	-
P22	With other or unspecified birth injury		-	-	-	-	-		-	-	-	-	-
P23	Without mention of birth injury		9	1	-	2	1	1	2	2	-		
P24-P26	Difficult labour with disproportion		30	_	_	-		1	4	9	14	1	1
P24			5	_		_	_		1	3	1		_
P25	With other or unspecified birth injury					_				_	_		

Total		1112	LE ZOE	(DCITIE	oli th	number:	5/ = 00	JIE G G TEUR					
							Durat	ion of pr	egnancy (	weeks)			
Deficient labour with maximum position of foctuse   361   16   16   16   18   48   48   125   54   3   17   17   17   18   18   18   18   18		Cause	Total	28-29	30-31	32-33	34-35	36-37	38-39	40	41-42	43+	Not stated
Position of foctus	P26	Without mention of birth injury	25	-		-	-	1	3	6	13	1	1
Page   With birth injury to brain or selection   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page   Page	P27-P29		361	16	16	16	18	48	48	125	54	3	17
PSS   Michoster or unspecified	P27		42	1									3
P30-P32   Other complexition of birth	P28	With other or unspecified											
### P30	P29	Without mention of birth	210										
### P30   With birth injury to brain or   24	P30-P32	Difficult labour with abnor-											14
PSI With other or unspecified  Figury  PSE Without mention of birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Without mention or birth Injury  PSE Witho	P30	With birth injury to brain or											5
P33-93 Without mention of birth 1.50 wry 1.50 with other and unspecified complications 65 1 2 1 2 1 11 24 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	P31	With other or unspecified	23										2
P33-P35   Difficult labour with other and unspecified complications   65   1   2   1   2   1   11   24   20   2	P32	Without mention of birth	-										-
### P35 With birth injury to brain or spinal cord spinal cord spinal cord spinal cord spinal cord spinal cord spinal cord spinal cord spinal cord spinal cord spinal cord spinal cord spinal cord birth injury 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	P33-P35	Difficult labour with other											3
## With other or unspecified birth injury   2	P33	With birth injury to brain or					2	1				2	1
P36-P41 Other complications of pagenancy or childbirth	P34	With other or unspecified		-			-	-	1		2	-	-
### P36-P41 Other complications of pregnancy and childbirth	P35	Without mention of birth	2					-	-	1	-	-	1
P56   Incompetent cervix   2	P36-P41	Other complications of											-
F37 Premature rupture of membranes 61 12 14 9 5 8 6 3 2 1 F38 Hydramnios 73 6 13 7 10 16 10 5 2 - F39 Ectopic pregnancy 2 1 1 F40 Multiple pregnancy 126 10 11 11 13 21 24 20 5 1 1 F41 Other complications of pregnancy or childbirth 447 49 68 60 54 79 60 41 16 3 2 F42-P46 Conditions of placenta 3,012 166 227 347 365 509 503 455 280 41 11 F42 Placenta praevia 107 11 11 22 9 20 11 13 4 - F43 Premature separation of placenta 1,205 98 115 177 174 238 190 131 32 5 4 F44 Placental infarction 212 6 13 26 22 27 39 34 31 4 5 F45 Other conditions of placenta 39 3 4 6 1 4 6 10 3 1 F46 Placental insufficiency, unspecified 1,449 48 84 116 159 220 257 267 210 51 5 F47 Promature of membranes 1,014 25 33 45 45 100 195 338 167 22 4 F48 Prolapse of cord 497 1 4 5 2 3 16 35 23 2 F49 Prolapse of cord 40 97 1 4 5 2 3 16 35 23 2 F49 Other 683 9 22 30 36 78 130 233 107 17 3 F50-P52 Birth injury without mention of cause 121 3 3 3 5 8 26 45 18 4 F50 To brain or spinal cord 115 5 3 3 4 8 25 44 17 4	Date			. 77		87	82	124	100	69	26	6	32
## F36 Hydramnios				-		-		-	-	-	-	-	_
P39   Ectopic pregnancy   2				1								1	1
P40   Multiple pregnancy   126   10   11   11   13   21   24   20   5   1   15   16   17   17   17   17   17   17   17												-	4
P41 Other complications of pregnancy or childbirth													-
P42-P46         Conditions of placenta         3,012         166         227         347         365         509         503         455         280         41         11           P42         Placenta praevia         107         11         11         22         9         20         11         13         4         -           P43         Premature separation of placenta         1,205         98         115         177         174         238         190         131         32         5         4           P44         Placental infarction         212         6         13         26         22         27         39         34         31         4         1           P45         Other conditions of placenta         39         3         4         6         1         4         6         10         3         1           P45         Other conditions of placenta         39         3         4         6         1         4         6         10         3         1           P46         Placental insufficiency, unspecified         1,449         48         84         116         159         220         257         267         210         31<		Other complications of											10
P42 Placenta praevia  P43 Premature separation of placenta  1,205 98 115 177 174 238 190 151 32 5  P44 Placental infarction  212 6 13 26 22 27 39 34 31 4  P45 Other conditions of placenta  39 3 4 6 1 4 6 10 3 1  P46 Placental insufficiency, unspecified  1,449 48 84 116 159 220 257 267 210 31  P47-P49 Conditions of umbilical cord  1,014 25 33 45 45 100 195 338 167 22 4  P47 Compression of cord  97 1 4 5 2 3 16 35 23 2  P48 Prolapse of cord without mention of compression  224 15 7 10 7 19 49 70 37 3  P49 Other  P50-P52 Birth injury without mention of cause  121 3 3 3 5 8 26 45 18 4  P50 To brain or spinal cord  115 3 3 3 4 8 25 44 17 4  P51 Other or unspecified birth	D40 D40			1									17
P43 Premature separation of placenta													
P44       Placental infarction       212       6       13       26       22       27       39       34       31       4       1         P45       Other conditions of placenta       39       3       4       6       1       4       6       10       3       1         P46       Placental insufficiency, unspecified       1,449       48       84       116       159       220       257       267       210       31       5         P47-P49       Conditions of umbilical cord       1,014       25       33       45       45       100       195       338       167       22       4         P47       Compression of cord       97       1       4       5       2       3       16       35       23       2         P48       Prolapse of cord without mention of compression       224       15       7       10       7       19       49       70       37       3         P49       Other       693       9       22       30       36       78       130       233       107       17       3         P50-P52       Birth injury without mention of cause       121       3       3		Premature separation of											. 45
P45 Other conditions of placenta 39 3 4 6 1 4 6 10 3 1  P46 Placental insufficiency, unspecified 1,449 48 84 116 159 220 257 267 210 31 5  P47-P49 Conditions of umbilical cord 1,014 25 33 45 45 100 195 338 167 22 4  P47 Compression of cord 97 1 4 5 2 3 16 35 23 2  P48 Prolapse of cord without mention of compression 224 15 7 10 7 19 49 70 37 3  P49 Other 693 9 22 30 36 78 130 233 107 17 3  P50-P52 Birth injury without mention of cause 121 3 3 3 5 8 26 45 18 4  P50 To brain or spinal cord 115 3 3 3 4 8 25 44 17 4  P51 Other or unspecified birth	P4.4												10
P46 Placental insufficiency, unspecified 1,449 48 84 116 159 220 257 267 210 31 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1													1
P47-P49         Conditions of umbilical cord         1,014         25         33         45         45         100         195         338         167         22         4           P47         Compression of cord         97         1         4         5         2         3         16         35         23         2           P48         Prolapse of cord without mention of compression         224         15         7         10         7         19         49         70         37         3           P49         Other         693         9         22         30         36         78         130         233         107         17         3           P50-P52         Birth injury without mention of cause         121         3         3         3         5         8         26         45         18         4           P50         To brain or spinal cord         115         3         3         3         4         8         25         44         17         4           P51         Other or unspecified birth         115         3         3         3         4         8         25         44         17         4		Placental insufficiency,											57
P47 Compression of cord 97 1 4 5 2 3 16 35 23 2  P48 Prolapse of cord without mention of compression 224 15 7 10 7 19 49 70 37 3  P49 Other 693 9 22 30 36 78 130 233 107 17 3  P50-P52 Birth injury without mention of cause 121 3 3 3 5 8 26 45 18 4  P50 To brain or spinal cord 115 3 3 3 4 8 25 44 17 4  P51 Other or unspecified birth	P47-P49												44
P48 Prolapse of cord without mention of compression									1		i		6
P49 Other 693 9 22 30 36 78 130 233 107 17 3 P50-P52 Birth injury without mention of cause 121 3 3 3 5 8 26 45 18 4 P50 To brain or spinal cord 115 3 3 3 4 8 25 44 17 4 P51 Other or unspecified birth		Prolapse of cord without											7
P50-P52 Birth injury without mention of cause 121 3 3 3 5 8 26 45 18 4  P50 To brain or spinal cord 115 3 3 3 4 8 25 44 17 4  P51 Other or unspecified birth	P49	1					1						31
P50 To brain or spinal cord		Birth injury without mention											6
P51 Other or unspecified birth	P50									1	1		4
							-		ł				
			6	-	-	-	1		1	1	1	-	2

TABLE 23E (Stillbirth numbers) - continued

tpt .						Durati	on of pre	gnancy (w	reeks)			
List Number	Cause	Total	28-29	30-31	32-33	34-35	36-37	38-39	40	41-42	43+	Not stated
P52	Termination of pregnancy without mention of cause	-	-	_	60	-	-	-	-	-	-	_
P53-P56	Haemolytic disease of newborn	496	42	56	77	75	117	67	23	8	-	31
P53	With Rh incompatibility	430	34	50	61	65	102	62	20	6	-	30
P54	With ABO incompatibility	3	- 1	-	-	1	1	1	-	-	-	-
P55	With other or unspecified blood incompatibility	3	- !	1	-	1	1	-	-	-	-	-
P56	Without mention of cause	60	8	5	16	8	13	4	3	2	-	1
P57-P60	Anoxic and hypoxic conditions not elsewhere classified	619	17	22	34	29	66	88	178	125	27	33
P57	Hyaline membrane disease and respiratory distress syndrome	17	-	-	3	1	1	2	4	6	-	_
P58	Intra-uterine anoxia	270	12	9	12	12	31	38	70	56	14	16
P59	Asphyxia of newborn, unspecified	99	3	7	4	5	10	15	28	17	3	. 7
P60	Other anoxic and hypoxic conditions not elsewhere classified	233	2	6	15	11	24	33	76	46	10	10
P61-P68	Other conditions of foetus and newborn	1,437	114	140	161	163	170	213	254	115	24	83
P61	Immaturity, unqualified	134	51	23	21	13	8	4	4	-	-	10
P62	Foetal blood loss before birth	-	-	-	-	-	-	-	- 1	-	-	.=
P63	Post-maturity	48			-	-	-	1	5	27	12	3
P64	Haemorrhagic disease of newborn	16	1	2	- :	2	2	3	2	3	44	1
P65	Cold injury syndrome	-	-	-	- 1	-	-	-	-	-	-	
P66	Other conditions of foetus	15	-	1	1:	2	1	3	5	1	1	-
P67	Maceration	624	32	74	1 69	89	99	99	95	39	7	21
P68	Other foetal death of unknown cause	600	30	40	70	57	60	103	143	45	4	48
P69-P80	Congenital anomalies	2,153	83	161	325	292	380	325	347	126	19	95
P69	Anencephalus	1,225	55	117	231	. 190	262	141	116	49	10	54
P70	Spina bifida	270	4	9	18	16	32	61	84	28	4	14
P71	Congenital hydrocephalus	319	5	13	30	30	41	61	93	30	2	14
P72	Other congenital anomalies of central nervous system and eye	46	_	1	7	. 9	8	9	7	2	m	.3
P73	Congenital anomalies of circulatory system	38	-	1	4	2	6	10	11	4	-	-
P74	Congenital anomalies of respiratory system	7	-		-	1	-	1	5	-	-	-
P75	Congenital anomalies of digestive system	47	5	4	5,	13	9	7	2	-	1	1
P76	Congenital anomalies of genito-urinary system	27	-	2	4	4	5	7	4		-	1
P77	Congenital anomalies of musculoskeletal system	34	1	1	6	8	3	4	7	4	-	-
P78	Down's disease	11	-	-	1	1	-	3	3	3	-	-
P79	Other congenital syndromes affecting multiple systems	93	8	9	15	13	11	18	9	4	2	4
P80	Other and unspecified congenital anomalies	36	5	4	4	5	3	3	6	2	-	4_

*P*								Birth	weight					
List Number	Cause	Total	Under 1.51bs 680 g.	1.51bs- 680g-	2.51bs- 1,134g-	3.51bs- 1,588g-	4.51bs- 2,041g-	5.51bs- 2,495g-	6.51bs- 2,948g-	7.51bs- 3,402g-	8.51bs- 3,856g-	9.51bs- 4,309g-	10.5lbs- 4,763g-	Not stated
P1-P80	ALL CAUSES F	6,109 5,739 11,848	140 189 329	576 631 1,207	804 893 1,697	763 732 1,495	733 678 1,411	742 632 1,374	711 643 1,354	496 395 891	204 131 335	89 45 134	40 21 61	811 749 1,560
P1-P4	Chronic circulatory and genito-urinary disease in mother	205	20	28	43	33	20	15	14	6	2	2	2	20
P1	Chronic rheumatic heart disease	2	-	_	_	_	des.	-	_	-	1		_	1
P2	Chronic hypertension	180	18	23	38	30	18	13	12	6	1	2	2	17
P3	Other chronic disease of circulatory system	2	_	1	1		_	-	_	_	_		_	_
P4	Chronic disease of genito- urinary system	21	2	4	4	3	2	2	2	_	_	-	_	2
P5-P11	Other maternal conditions unrelated to pregnancy	223	9	18	18	21	22	19	24	28	13	9	10	
P5	Syphilis	7	-	1	_	1	3		1	20	13	-	-	<b>32</b>
P6	Diabetes mellitus	104	5	6	7	7	9	9	11	18	6	9	10	7
P7	Rubella	12	1	2	2	3	_	-	_	_	1	-	_	3
P8	Injury to mother	11	-	1	1	_	4	1	1	_	_		_	3
P9	Operation on mother	4	_	_	2	_	_		1	_	_	ile .	_	1
P10	Chemical substances trans- mitted through placenta	3	-	_	_	an I	_	1	1		_	_	_	1
P11	Other maternal conditions	82	3	8	6	10	6	8	9	10	6	_		16
P12-P17	Toxaemias of pregnancy	1,290	22	166	264	232	166	99	107	56	20	10	10	138
P12	Renal disease arising during pregnancy	4	-	1	1	. 1	1	-	_	_	_	_	_	-
P13	Pre-eclampsia of pregnancy	997	16	129	201	170	135	83	83	46	11	8	8	107
P14	Eclampsia of pregnancy	48	1	6	14	9	7	2	3	1	1	- 1	_	4
P15	Toxaemia unspecified	238	5	30	48	52	23	11	21	9	8	2	2	27
P16	Hyperemesis gravidarum	-	-	-	-	-	-	-	~	_	_	_	_	_
P17	Other toxaemia of pregnancy	3	-	-	_		-	3	-	_	-	_	-	-
P18-P20	Maternal ante- and intrapartum infection	30	1	-	5	2	4	. 3	5	4	1	_		5
P18	Pyelitis and pyelonephritis of pregnancy	13	, 1	-	4	-	3	1	2	_	-	_	_	2
P19	Other infections of genito- urinary tract during pregnancy	3	~	-	may .	1	_		1	1	-		_	
P20	Other	14	_	_	1	1	1	2	2	3	1	_	_	3
P21-P23	Difficult labour with abnor- mality of bones, organs or tissues of pelvis	9			2		1	2	1	1	1	1		
P21	With birth injury to brain or spinal cord	_		_	-		_	_		_			-	-
P22	With other or unspecified birth injury	_	-	-	_	-		-	_	_				
P23	Without mention of birth injury	9	-	-	2	to to	1	2	1	1	1	1	_	
P24-P26	Difficult labour with disproportion	30	-	_	-		2	-	8	6	6	3	2	3
P24	With birth injury to brain or spinal cord	5	_	-	-	_	_	-	3	1	1			
P25	With other or unspecified birth injury	_	_	_	-	-	_	-	-	-		_	-	

		ADUE 2							weight					
list Number	Cause	Total	Under 1.51bs										10.51bs- 4,763g-	
P26	Without mention of birth	725	-	_	-	_	2(		٤	Đ,		3	. 2	
P27-P29	Difficult labour with mal- position of foetus	361	1	7	21	34	47	51	64	40	23	15	7	51
P27	With birth injury to brain or spinal cord	42	-	-	2	2	7	6	10	4	2	2	1	6
P28	With other or unspecified birth injury	-	-	-	-	_	-	-	-	-		-	-	-
P29	Without mention of birth injury	319	1	7	19	32	40	45	54	36	21	13	6	45
P30-P32	Difficult labour with abnormality of forces of labour	72	-	1	7	1	7	12	12	13	3	-	2	14
P30	With birth injury to brain or spinal cord	24	-	-	1	1	2	5	3	5	1		2	4
P31	With other or unspecified birth injury	-	_	-	_	-	-	-		-	-	-	-	-
P32	Without mention of birth injury	48	_	1	6	-	5	7	9	8	2	-	-	10
P33-P35	Difficult labour with other and unspecified complications	65	1	2	1	1	5	8	7	12	12	9	2	5
P33	With birth injury to brain or spinal cord	6		-		-	-	2	-	2	1	-	-	1
P34	With other or unspecified birth injury	2		-	-	-	-	1	-		-	-	-	1
P35	Without mention of birth injury	57	1	2	1	1	5	5	7	10	11	9	2	3
P36-P41	Other complications of pregnancy and childbirth	711	20	100	138	102	88	75	57	30	10	2	-	89
P36	Incompetent cervix	2	-	-	2	-	-	-	-	-	-	-	-	-
P37	Premature rupture of membranes	61	1	7	12	11	14	2	3	5	-	~	-	6
P38	Hydramnios	73	3	7	8	17	7	7	7	4	1	-	-	12
P39	Ectopic pregnancy	2	-	1		-	gian .	-	-	-	-	-	-	1
P40	Multiple pregnancy	126	6	20	25	22	18	10	3	3	-	-	-	19
P41	Other complications of pregnancy or childbirth	447	10	65	91	52	49	56	44	18	9	2	-	51
P42-P46	Conditions of placenta	3,012	71	254	441	441	432	383	343	202	61	16	4	364
P42	Placenta praevia	107	-	8	22	20	12	14	6	5	5	-	-	15
P43	Premature separation of placenta	1,205	16	78	198	185	182	157	141	83	18	3 ;	2	142
P44	Placental infarction	212	4	28	25	33	20	27	27	12	-	1	-	<b>3</b> 5
P45	Other conditions of placenta	39	-	3	5	5	6	5	. 3	2	2	1	-	7
P46	Placental insufficiency, unspecified	1,449	51	137	191	198	212	180	166	100	36	11	2	165
P47-P49	Conditions of umbilical cord	1,014	13	43	46	61	96	176	214	154	47	24	4	136
P47	Compression of cord	97	-	3	4	2	8	14	24	10	7	3	-	22
P48	Prolapse of cord without mention of compression	224	1	12	13	15	13	42	45	36	15	9	1	22
P49	Other	693	12	28	29	44	75	120	145	108	25	12	3	92
P50-P52	Birth injury without mention of cause	121	-	2	6	8	15	13	27	23	13	4		10
P50	To brain or spinal cord	115	-	2	6	8	14	13	27	22	12	3	- 1	8
P51	Other or unspecified birth injury	6	-	-	-	-	1	- :	-	1	1	1	-	2

					LI CH I	ICHEDET	:s) -	COISCUI	iuou					
tpt.								Birth	weight					
List Number	Cause	Total	Under 1.51bs 680 g.	1.51bs- 680 g-	2.51bs- 1,134g-	3.51bs- 1,588g-	4.51bs- 2,041g-	5.51bs- 2,495g-	6.51bs- 2,948g-	7.51bs- 3,402g-	8.51bs- 3,856g-	9.51bs- 4,309g-	10.5lbs- 4,763g-	Not stated
P52	Termination of pregnancy without mention of cause	_	_	_	_	_	draw draw							
P53-P56	Haemolytic disease of newborn	496	20	47	48	61	70	70	63	27	13	4	3	70
P53	With Rh incompatibility	430	18	39	42	56	60	59	54	24	11	2	2	63
P54	With ABO incompatibility	3	-	-	-		-	1	1	_	1	_		_
P55	With other or unspecified blood incompatibility	3	_	_	1	_	1	_	_	1		_		
P56	Without mention of cause	60	2	8	5	5	9	10	8	2	1	2	1	7
P57-P60	Anoxic and hypoxic conditions not elsewhere classified	619	11	24	38	31	61	101	122	91	42	10	6	82
P57	Hyaline membrane disease and respiratory distress syndrome	17	_	_	2	1	2	1	4	_	6			1
P58	Intra-uterine anoxia	270	6	16	9	13	20	50	48	39	18	4	4	43
P59	Asphyxia of newborn, unspecified	99		1	9	9	13	17	21	15	2	1	1	10
P60	Other anoxic and hypoxic conditions not elsewhere classified	233	5	7	18	. 8	26	33	49	37	16	5	1	28
P61-P68	Other conditions of foetus and newborn	1,437	75	166	181	160	160	164	139	98	38	17	6	233
P61	Immaturity, unqualified	134	8	32	36	18	7	5	1	_	-		1	26
P62	Foetal blood loss before birth	-		_	-		_	-	-	_	_	_	-	-
P63	Post-maturity	48	-	-	-	1	1	6	14	11	8	3	_	4
P64	Haemorrhagic disease of newborn	16	-	_	2	2	1	4	1	2	1	1	_	2
P65	Cold injury syndrome	-	-	-	-	-	-	-	-	-		_	-	-
P66	Other conditions of foetus	15	~	-	2	1	1	4	_	3	1	1	1	1
P67	Maceration	624	37	77	78	83	84	69	50	36	12	4	3	91
P68	Other foetal death of unknown cause	600	30	57	63	55	66	76	73	46	16	8	1	109
P69-P80	Congenital anomalies	2,153	65	349	438	307	215	183	147	100	30	8	3	308
P69	Anencephalus	1,225	52	286	340	191	92	54	27	12	4	2	2	163
P70	Spina bifida	270	2	12	19	21	41	48	46	30	6	4	1	40
P71	Congenital hydrocephalus	319	3	18	20	36	44	41	48	41	14	-	_	54
P72	Other congenital anomalies of central nervous system and eye	46		4	8	8	6	7	1	2	_	1		9
P73	Congenital anomalies of circulatory system	38	_	1	4	1	. 5	11	7	3	3	1	_	2
P74	Congenital anomalies of respiratory system	7	-	_	-	1	2	2	_	-	ASA	_	-	2
P75	Congenital anomalies of digestive system	47	4	7	7	9	6	2	4	_	2		_	6
P76	Congenital anomalies of genito-urinary system	27	-	-	7	3	3	6	3	2	-	_ }	_	3
P77	Congenital anomalies of musculoskeletal system	34		3	6	8	3	5	3	3	1	_	_	2
P78	Down's disease	11	-	-	1	2	2	_	3	1	-	-	-	2
P79	Other congenital syndromes affecting multiple systems	93	4	15	18	17	11	3	5	4	-	-	_	16
P80	Other and unspecified congenital anomalies	36	-	3	8	10	when	4	-	2	-	-	_	9

# TABLE 23G. Stillbirths by cause and place of confinement (with rates per 1,000 total births for ICD 'P' List sections), 1968

Note. Institutions described as 'Other hospitals' are mainly maternity homes.

ICD 'P'					Place of o	ccurrence	
List Number	Cause		Total	N.H.S. hospital	Other hospital	At home	Else- where
P1-P80	ALL CAUSES	M F P	6,109 5,739 11,848	5,587 5,258 10,845	78 70 148	403 362 765	41 49 90
P1-P4 P1 P2 P3 P4	Chronic circulatory and genito-urinary disease in mother Chronic rheumatic heart disease Chronic hypertension Other chronic disease of circulatory system Chronic disease of genito-urinary system		205 2 180 2 2	201 2 177 2 20	1 - 1	3 - 2 - 1	= = = = = = = = = = = = = = = = = = = =
P5-P11 P5 P6 P7 P8 P9 P10 P11	Syphilis Diabetes mellitus Rubella Injury to mother Operation on mother Chemical substances transmitted through placenta		223 7 104 12 11 4 3 82	204 6 102 9 10 3 3 71	3 - 1 1 - - - 1	14 1 2 1 -	2
P12-P17 P12 P13 P14 P15 P16 P17	Renal disease arising during pregnancy Pre-eclampsia of pregnancy Eclampsia of pregnancy Toxaemia unspecified Hyperemesis gravidarum		1,290 4 997 48 238 -	1,231 4 957 45 222 - 3	15 - 13 1	44 - 27 2 15 -	
P18-P20 P18 P19	Pyelitis and pyelonephritis of pregnancy		30 13 3 14	28 11 3 14	1 1 -	1 1 -	-
P21-P23 P21 P22 P23	or tissues of pelvis With birth injury to brain or spinal cord		9 -	8 - 8	-	1	-
P24 P25	Difficult labour with disproportion With birth injury to brain or spinal cord With other or unspecified birth injury Without mention of birth injury		30 5 - 25	29 5 - 24	-	1 - 1	
P27 P28	Difficult labour with malposition of foetus With birth injury to brain or spinal cord With other or unspecified birth injury Without mention of birth injury		361 42 - 319	307 35 - 272	8 2 - 6	46 5 - 41	-
P30-P32 P30 P31 P32	With birth injury to brain or spinal cord		72 24 - 48	40 15 - 25	-	29 8 - 21	3 1 - 2
P34	Difficult labour with other and unspecified complications With birth injury to brain or spinal cord With other or unspecified birth injury Without mention of birth injury		65 6 2 57	60 5 1 54	000 000 000 000	5 1 1 3	- - -
P38 P39 P40			711 2 61 73 2 126 447	671 1 59 68 2 111 430	8 2 2 1 3	30 1 3 - 12 14	2 - - - 2
P42 P43 P44 P45	Conditions of placenta Placenta praevia Premature separation of placenta Placental infarction Other conditions of placenta Placental insufficiency, unspecified		3,012 107 1,205 212 39 1,449	2,800 104 1,163 167 28 1,338	38 1 12 2 1 22	164 2 30 40 6 86	· 10 - - 3 4 3
P47 P48	Conditions of umbilical cord Compression of cord Prolapse of cord without mention of compression Other		1,014 97 224 693	910 70 218 622	20 1 2 17	79 24 4 51	5 2 . 3

# TABLE 23G (Stillbirth numbers and rates) - continued

ICD 'P'				Place of o	ccurrence	
List Number	Cause	Total	N.H.S. hospital	Other hospital	At home	Else- where
P50-P52 P50 P51 P52	Birth injury without mention of cause To brain or spinal cord Other or unspecified birth injury Termination of pregnancy without mention of cause	121 115 6	109 104 5	- - -	9 8 1	3 3 -
P53-P56 P53 P54 P55 P56	With Rh incompatability With ABO incompatability With other or unspecified blood incompatability	496 430 3 3 60	483 422 3 3 55	3 3 -	10 5 - - 5	-
P57-P60 P57 P58 P59 P60	classified Hyaline membrane disease and respiratory distress syndrome Intra-uterine anoxia Asphyxia of newborn unspecified	619 17 270 99 233	546 14 248 84 200	8 - 5 -	60 3 17 12 28	5 - - 3 2
P61-P68 P61 P62 P63 P64 P65 P66 P67 P68	Immaturity, unqualified Foetal blood loss before birth Post-maturity Haemorrhagic disease of newborn Cold injury syndrome	1,437 134 - 48 16 - 15 624 600	1,208 98 - 44 15 - 12 542 497	19 1 - 2 - - 12 4	166 28 1 1 1 2 65 69	44 7 - 1 - 1 5 30
P69-P80 P69 P70 P71 P72	Congenital anomalies Anencephalus Spina bifida Congenital hydrocephalus Other congenital anomalies of central nervous system and eye Congenital anomalies of circulatory system	2,153 1,225 270 319 46 38	2,010 1,161 258 278 44 34	24 12 4 2	103 45 7 35	16 7 1 4
P74 P75 P76 P77 P78 P79 P80	Congenital anomalies of respiratory system	77 47 27 34 11 93 36	6 39 27 29 7 92 35	1 - 1 - 1 1	1 6 - 1 4	1 - 3
Tota	al live and still births	427,239 403,881 831,120	316,611	8,811 8,303 17,114	78,292 75,334 153,626	3,640 3,633 7,273

#### Stillbirths per 1,000 total births

P1-P80	All causes	M F P	14.3 14.2 14.3	16.6	8.9 8.4 8.6	5.1 4.8 5.0	11.3 13.5 12.4
P1-P4 P5-P11 P12-P17 P18-P20 P21-P23	Chronic circulatory and genito-urinary disease in mother Other maternal conditions unrelated to pregnancy Toxaemias of pregnancy Maternal ante- and intrapartum infection Difficult labour with abnormality of bones, organs or tissues of pelvis		0.2 0.3 1.6 0.0	0.3 0.3 1.9 0.0	0·1 0·2 0·9 0·1	0.0 0.1 0.3 0.0	0.3
P24-P26 P27-P29 P30-P32 P33-P35 P36-P41 P42-P46	Difficult labour with disproportion Difficult labour with malpostion of foetus Difficult labour with abnormality of forces of labour Difficult labour with other and unspecified complications Other complications of pregnancy and childbirth Conditions of placenta		0.0 0.4 0.1 0.1 0.9 3.6	0.0 0.5 0.1 0.1 1.0 4.3	0.5	0.0 0.3 0.2 0.0 0.2 1.1	0.4
P47-P49 P50-P52 P53-P56 P57-P60 P61-P68 P69-P80	Conditions of umbilical cord Birth injury without mention of cause Haemolytic disease of newborn Anoxic and hypoxic conditions not eleswhere classified Other conditions of foetus and newborn Congenital anomalies		1.2 0.1 0.6 0.7 1.7 2.6	1.4 0.2 0.7 0.8 1.8 3.1	1.2 0.2 0.5 1.1 1.4	0.5 0.1 0.1 0.4 1.1	0·7 0·4 - 0·7 6.0 2·2

				,										"ales
Parity - previous live and still		N	umber of	previous	stillbirt	hs			N	umber of	previous	stillbirth	ns	
births of all marriages	0	1	2	3	4	5-9	Total	0	1	2	3	4	5-9	Total
				All cause:	5					Anenc	ephalus (	740)		11
0 1 2 3 4 5-9 10 and over	4,309 2,288 1,517 757 415 511 22	129 174 153 85 106 8	16 31 18 37 2	- - 5 7 11	1 7	- - - 1 6	4,309 2,417 1,707 946 526 673 38	464 263 173 61 41 32	16 27 16 6 8	2 3 2 1	1 -	-		464 279 202 80 50 41
Total	9,819	655	104	23	8	7	10,616	1,034	73	8	1	-	-	1,116
	Sı	oina bifid ongenital	a, conger	nital hydr	rocephalus ous system	and oth	er 3)	0	ther cong	enital an	omalies o	f foetus	(744-759)	
0 1 2 3 4 5-9 10 and over	241 138 75 39 19 23	13 5 7 2	1 3 -	-			241 142 88 45 29 25 2	121 62 37 19 10 7	7 1 7 1 - 1	2		-		121 63 44 22 10 8 2
Total	535	32	4	-	-	1	572	257	11	2	-	-	-	270
	Mate	rnal cond	itions ur	related t	to pregnan	cy (760,	761)	Т	oxaemia a	nd infect	ion of pr	egnancy (	762, 763)	
0 1 2 3 4 5-9 10 and over	134 83 62 34 11 29	12 7 5 8 5	1 2 - 1 -	3	1	1	134 95 70 41 19 39	650 181 108 65 37 49	14 18 17 8 12	3 5 1 4	1	-	-	650 195 129 87 47 65
Total	353	37	4	3	1	1	399	1,093	69	13	1	-	-	1,176
		Difficult	labour,	birth inj	ury (764-	768, 772	)	Othe	r complic	ations of	pregnancy	and chil	dbirth (7	769)
0 1 2 3 4 5-9 10 and over	260 111 72 51 17 28 3	1329361	1 1 5 -	1		60	260 114 75 61 20 40 3	199 155 107 49 32 36 2	9 7 13 5 7	1 1 3 2 -	- - 1 - 1	-	2	199 164 115 64 40 46 4
Total	542	23	7	1	-	-	573	580	41	7	2	-	2	632
		Placen	tal and c	ord condi	tions (77	0, 771)			Haemoly	tic diseas	se of newb	orn (774,	775)	
0 1 2 5 4 5-9 10 and over	1,486 775 482 251 152 197	47 47 58 26 27 5	5 9 6 11		1 4	1	1,486 822 534 320 188 243	28 128 125 47 25 18	3 35 15 12 12	1 5 2 8	2 2 -	2 -	-	28 131 161 67 41 42 3
Total	3,347	210	32	8	5	3	3,605	374	77	16	4	2	-	473
		Leg	itimate 1	ive and s	till birt	hs								
0 1 2 3 4 5-9 10 and over	282,856 240,300 118,985 53,138 24,598 23,545 798	3,456 4,324 2,938 1,739 2,071 144	167 252 189 353 38	19 21 80 13	- - - 6 26 2	- - - 7 17	282,856 243,756 123,476 56,347 26,553 26,802 1,012							
Total	744,220	14,672	999	133	34	24	760,082							

#### TABLE 23H (Stillbirth rates) - continued

Parity - previous		Nu	umber of p	revious s	tillbirth	ns			N	umber of p	revious s	stillbirth	ıs	
births of all marriages	0	1	2	3	4	5-9	Total	0	1	2	3	4	5-9	Total

#### Stillbirths per 1,000 total births

			A1	1 causes						Aneno	cephalus (	(740)		
0 1 2 3 4 5-9 10 and over	15·2 9·5 12·7 14·2 16·9 21·7 27·6	37·3 40·2 52·1 48·9 51·2 55·6	95.8 123.0 95.2 104.8 52.6	263·2 333·3 137·5	- - 166·7 269·2	142•9 352•9	15·2 9·9 13·8 16·8 19·8 25·8 37·5	1.6 1.1 1.5 1.1 1.7	4.6 6.2 5.4 5.5 3.5 9	12.0 11.9 10.6 2.8	<b>47.</b> 6	-	1 1 1 1	1.6 1.1 1.6 1.4 1.9
Total	13.2	44.6	104-1	172.9	235.3	291.7	14.0	1.4	5+0	8.0	7.5		-	1.5
		ina bifida ngenital a				and other (741-743)		Ot	her conge	enital and	omalies of	foetus	(744-759)	
0 1 2 3 4 5-9 10 and over	0.9 0.6 0.6 0.7 0.8 1.0	1.2 3.0 1.7 4.0 1.0 6.9	4.0 15.9 -	-	-	58.8	0.9 0.6 0.7 0.8 1.1 1.0 2.0	0.4 0.3 0.3 0.4 0.4 0.3 1.3	0·3 1·6 0·3 0·5 6·9	7.9	11111		-	0·4 0·3 0·4 0·4 0·3 2·0
Total	0.1	2.2											<u> </u>	
	Mate	rnal condi	tions un	related to	pregnan	cy (760, 7	761)	To	oxaemia an	nd infect	ion of pre	egnancy (	762, 763)	
0 1 2 3 4 5-9 10 and over	0.5 0.3 0.5 0.6 0.4 1.2	3·5 1·6 1·7 4·6 2·4	6.0 7.9 2.8	- - - - 37•5	38.5	58+8	0.5 0.4 0.6 0.7 0.7 1.5	2·3 0·8 0·9 1·2 1·5 2·1 3·8	4·1 4·2 5·8 4·6 5·8	18.0 19.8 5.3 11.3	47.6	-		2·3 0·8 1·0 1·5 1·8 2·5 3·0
Total	0.5	2 • 5	4.0	22.6	29•4	41.7	0.5	1.5	4.7	13.0	7.5	-	-	1.5
		Difficult	labour,	birth in	jury (764	-768, 772	)	Other	complic	ations of	pregnancy	and chi	ldbirth (7	69)
0 1 2 3 4 5-9 10 and over	0.9 0.5 0.6 1.0 0.7 1.2 3.8	0·9 0·5 3·1 1·7 2·9	6.0	12.5	-	-	0.9 0.5 0.6 1.1 0.8 1.5 3.0	0.7 0.6 0.9 0.9 1.3 1.5 2.5	2·6 1·6 4·4 2·9 3·4	6.0 4.0 15.9 5.7	52·6 12·5	-	117.6	0.7 0.7 0.9 1.1 1.5 1.8 4.0
Total	0.7	1.6	7.0	7.5	-	-	0.8	0 · 8	2.8	7.0	15.0	7	83•3	0+8
		Placent	tal and co	ord condi	tions (77	0, 771)			Haemol	ytic dise	ase of new	wborn (77	1, 775)	
. 0 1 2 3 4 5-9 10 and over	5·3 3·2 4·1 4·7 6·2 8·4 5·0	13.6 10.9 19.7 15.0 13.0 34.7	29·9 35·7 31·7 31·2 26·3	105·3 142·9 37·5	166·7 153·8	142.9 117.6	5·3 3·4 4·3 5·7 7·1 9·3 11·9	0·1 0·5 1·1 0·9 1·0 0·8 3·8	0·9 8·1 5·1 6·9 5·8	6.0 19.8 10.6 22.7	95·2 25·0	- - - 76•9	-	0·1 0·5 1·3 1·2 1·5 1·6 3·0
Total	4.5	14.3	32.0	60.2	147.1	125.0	4.7	0.5	5 • 2	16.0	30.1	58.8	-	0 • 6

TABLE 231. Temporarily suspended

# TABLE 23J. Stillbirths, deaths under 1 week, perinatal deaths and perinatal mortality rate per 1,000 total births, by cause, 1968

#### England and Wales

ICD 'P' List Number	Cause		Stillbirths	Deaths under 1 week	Perinatal deaths	Perinatal mortality rate per 1,000 total live and stillbirths
P1-P100	ALL CAUSES	M F P	6,109 5,739 11,848	5,111 3,571 8,682	11,220 9,310 20,530	26·26 23·05 24·70
P1-P4 P1 P2 P3 P4	Chronic circulatory and genito-urinary disease in mother Chronic rheumatic heart disease Chronic hypertension Other chronic disease of circulatory system Chronic disease of genito-urinary system		205 2 180 2 21	7 - 5 1	212 2 185 3 22	0.26 0.00 0.22 0.00 0.03
P5-P11 P5 P6 P7 P8 P9 P10 P11	Syphilis Diabetes mellitus Rubella		223 7 104 12 11 4 3 82	37 - 27 1 - 1	260 7 131 13 11 5 3	0.31 0.07 0.16 0.02 0.07 0.07 0.00 0.11
P12 P13 P14 P15 P16	Toxaemias of pregnancy Renal disease arising during pregnancy Pre-eclampsia of pregnancy Eclampsia of pregnancy Toxaemia unspecified Hyperemesis gravidarum Other toxaemia of pregnancy		1,290 4 997 48 238 - 3	90 	1,380 4 1,041 64 268	1.66 0.00 1.25 0.08 0.32 0.00
P18-P20 P18 P19 P20	Maternal ante- and intrapartum infection Pyelitis and pyelonephritis of pregnancy Other infections of genito-urinary tract during pregnancy Other		30 13 3 14	7 1 6	37 13 4 20	0.04 0.02 0.00 0.02
P22	Difficult labour with abnormality of bones, organs or tissues of pelvis With birth injury to brain or spinal cord With other or unspecified birth injury Without mention of birth injury		9 - - 9	<b>2</b> - - 2	11 - - 11	0.01
P24 P25	Difficult labour with disproportion With birth injury to brain or spinal cord With other or unspecified birth injury Without mention of birth injury		30 5 - 25	1 - - 1	31 5 - 26	0.04 0.01 - 0.03
P27-P29 P27 P28 P29	Difficult labour with malposition of foetus With birth injury to brain or spinal cord With other or unspecified birth injury Without mention of birth injury		361 42 - 319	112 59 3 50	473 101 3 369	0.57 0.12 0.00 0.44
P30-P32 P30 P31 P32	Difficult labour with abnormalities of forces of labour With birth injury to brain or spinal cord With other or unspecified birth injury Without mention of birth injury		72 24 - 48	45 27 18	117 51 - 66	0.14 0.06 - 0.08
P33-P35 P33 P34 P35	Difficult labour with other and unspecified complications With birth injury to brain or spinal cord With other or unspecified birth injury Without mention of birth injury		65 6 2 57	27 8 2 17	92 14 4 74	0.11 0.02 0.00 0.09
P36-P41 P36 P37 P38 P39 P40 P41	Other complications of pregnancy and childbirth Incompetent cervix Premature rupture of membranes Hydramnios Ectopic pregnancy Multiple pregnancy Other complications of pregnancy or childbirth		711 2 61 73 2 126 447	707 6 20 12 - 534 135	1,418 8 81 85 2 660 582	1.71 0.07 0.10 0.10 0.00 0.79 0.70
P43 P44 P45	Conditions of placenta Placenta praevia Premature separation of placenta Placental infarction Other conditions of placenta Placental insufficiency, unspecified		3,012 107 1,205 212 39 1,449	128 31 59 5 -	3,140 138 1,264 217 39 1,482	3.78 0.17 1.52 0.26 0.05 1.78
P47-P49 P47 P48 P49	Conditions of umbilical cord Compression of cord Prolapse of cord without mention of compression Other		1,014 97 224 693	64 - 29 35	1,078 97 253 728	1.30 0.12 0.30 0.88

# TABLE 23J (Stillbirth numbers and rates) - continued

	Angula 200 (Stilloll in Manbols and				
ICD 'P' List Number	Cause	Stillbirths	Deaths under 1 week	Perinatal deaths	Perinatal mortality rate per 1,000 total live and stillbirths
P50-P52 P50 P51 P52	Birth injury without mention of cause To brain or spinal cord Other or unspecified birth injury Termination of pregnancy without mention of cause	121 115 6	903 888 15	1,024 1,003 21	1.23 1.21 0.03
P53-P56 P53 P54 P55 P56	With Rh incompatibility With ABO incompatibility With other or unspecified blood incompatibility	496 430 3 3 60	238 152 - 4 82	734 582 3 7 142	0.88 0.70 0.00 0.01 0.17
P57-P60 P57 P58 P59 P60	Hyaline membrane disease and respiratory distress syndrome Intra-uterine anoxia Asphyxia of newborn, unspecified	619 17 270 99 233	2,347 1,185 70 1,002 90	2,966 1,202 340 1,101 323	3.57 1.45 0.41 1.32 0.39
P64	Immaturity, unqualified Foetal blood loss before birth Post-maturity Haemorrhagic disease of newborn Cold injury syndrome Other conditions of foetus Maceration	1,437 134 - 48 16 - 15:624 600	1,926 1,715 - 2 126 3 80	3,363 1,849 50 142 3 95 624	4.05 2.22 - 0.06 0.17 0.00 0.11 0.75
P69-P80 P69 P70 P71 P72 P73 P74	Congenital anomalies Anencephalus Spina bifida Congenital hydrocephalus	2,153 1,225 270 319 46 38 7	1,459 183 171 59 61 466 66	3,612 1,408 441 378 107 504 73	4.35 1.69 0.53 0.45 0.13 0.61
P75 P76 P77 P78 P79 P80	Congenital anomalies of genito-urinary system Congenital anomalies of musculoskeletal system Down's disease	47 27 34 11 93 36	102 93 52 13 166 27	149 120 86 24 259 63	0.18 0.14 0.10 0.03 0.31 0.08
P84	Diarrhoeal disease Listeriosis Tetanus Septicaemia Viral diseases Congenital syphilis Toxoplasmosis	-	32 2 - 22 3 - 1 4	32 2 - 22 5 - 1	0.04 0.00 - 0.03 0.00 0.00
P90 P91 P92 P93	Other diseases of foetus and newborn Diseases of thyroid gland Cystic fibrosis (mucoviscidosis) Diseases of blood and blood forming organs Pneumonia Other specified conditions Symptoms and ill defined conditions	-	475 - 17 - 220 230 8	475 - 17 - 220 230 8	0.57 0.02 0.26 0.28 0.07
P95 P96 P97	Excessive cold .	-	75 - - 39	<b>75</b> 39	0.09
P99 P100	suffocation Accidental mechanical suffocation	-	5 3 28	5 3 28	0.01 0.00 0.03

TABLE 24. Infant deaths and rates per 1,000 live births by age and stillbirths and combined stillbirths and infant deaths per 1,000 total births, 1968

					Infant	deaths					
Area	Day	s		Weeks			Mon	ths		Total	Still- births
	0	1-6	1	2	3	1-2	3-5	6-8	9-11	under 1 year	birons
ENGLAND AND WALES	5,184	3,498	720	409	314	1,963	1,694	746	454	14,982	11,848
Standard regions and conurbations: North Tyneside Conurbation Remainder of North	331 76 255	221 56 165	63 16 47	33 8 25	27 2 25	152 39 113	128 34 94	63 18 45	39 11 28	1,057 260 797	<b>796</b> 196 600
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	568 235 333	<b>367</b> 148 219	69 33 36	49 24 25	28 13 15	227 98 129	214 98 116	83 34 49	<b>49</b> 27 22	1,654 710 944	1,290 492 798
North West South East Lancashire Conurbation Merseyside Conurbation Remainder of North West	887 371 159 357	537 191 110 236	116 41 24 51	59 24 12 23	62 25 7 30	334 136 77 121	301 124 69 108	123 41 23 59	67 28 9 30	2,486 981 490 1,015	1,947 727 407 813
East Midlands	350	216	45	30	17	123	122	53	33	989	877
West Midlands West Midlands Conurbation Remainder of West Midlands	613 322 291	<b>418</b> 216 202	95 51 44	<b>58</b> 32 26	40 14 26	225 114 111	190 102 88	84 38 46	47 24 23	1,770 913 857	1,346 651 695
East Anglia	130	96	26	14	6	48	52	23	19	414	339
South East Greater London Outer Metropolitan Area Remainder of South East	1,738 862 501 375	1,172 589 309 274	205 95 66 44	119 55 30 34	92 35 34 23	611 300 170 141	503 249 133 121	235 103 76 56	151 77 43 31	<b>4,826</b> 2,365 1,362 1,099	3,725 1,738 1,122 865
South West	279	235	58	30	17	135	106	38	21	919	816
Wales Wales I (South East) Wales II (Remainder)	288 223 65	236 170 66	43 33 10	17 15 2	25 19 6	108 79 29	<b>78</b> 60 18	<b>44</b> 34 10	<b>28</b> 22 6	867 655 212	<b>712</b> 543 169
Urban/Rural aggregates: Conurbations Areas outside conurbations:	2,025	1,310	260	155	96	764	676	257	176	5,719	4,211
Urban areas with populations of 100,000 and over	682	488	113	58	44	317	243	121	62	2,128	1,677
Urban areas with populations of 50,000 and under 100,000	482	326	65	48	35	204	169	69	35	1,433	1,118
Urban areas with populations under 50,000 Rural districts	1,029 966	713 661	147 135	69 79	90 49	345 333	318 288	154 145	95 86	2,960 2,742	2,542 2,300
Hospital regions: Newcastle Leeds Sheffield East Anglian	312 357 520 136	211 240 319 101	57 53 58 26	31 38 32 14	26 21 22 6	147 160 176 52	119 147 173 54	57 60 71 23	37 37 43 19	997 1,113 1,414 431	750 845 1,244 363
North West Metropolitan North East Metropolitan South East Metropolitan South West Metropolitan	466 363 299 354	311 213 231 215	49 49 37 33	26 28 12 21	25 18 18 15	162 121 121 106	132 109 99 93	72 45 44 38	48 24 32 23	1,291 970 893 898	993 761 719 651
Wessex Oxford South Western Welsh	168 187 230 288	153 123 189 236	24 28 50 43	22 27 24 17	9 12 14 25	71 69 110 108	55 53 86 78	27 26 29 44	17 12 19 28	546 537 751 867	415 416 675 712
Birmingham Manchester Liverpool	613 593 298	418 340 198	95 73 45	58 38 21	40 48 15	225 236 99	190 202 104	84 82 44	47 53 15	1,770 1,665 839	1,346 1,316 642

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates, hospital regions

			Infant m	ortality p	per 1,000 ]	ive births				Rates per	1,000 to	tal births
Day	s		Weeks	!		Mont	hs		Total	Still-	Still- births plus	Still- births plus
0	1-6	1	2	3	1-2	3-5	6-8	9-11	infant mortality	births	infant deaths under 1 week	infant deaths under 1 year
6.33	4.27	0.88	0.50	0.38	2.40	2.07	0.91	0.55	18.29	14.26	24.70	32.28
6.15 5.92 6.22	<b>4.10</b> 4.36 4.02	1.17 1.25 1.15	0.61 0.62 0.61	0.50 0.16 0.61	2.82 3.04 2.75	2.38 2.65 2.29	1.17 1.40 1.10	<b>0.72</b> <b>0.86</b> <b>0.68</b>	19.63 20.26 19.43	14.56 15.04 14.42	24.66 25.17 24.51	<b>33.90</b> 35.00 33.56
<b>6.80</b> 7.69 6.29	<b>4.39</b> 4.84 4.13	0.83 1.08 0.68	<b>0.59</b> 0.79 0.47	0.34 0.43 0.28	2.72 3.21 2.44	2.56 3.21 2.19	0.99 1.11 0.93	0.59 0.88 0.42	19.80 23.24 17.82	15.21 15.85 14.84	26.23 28.19 25.11	34.71 38.72 32.40
7.57 8.61 6.81 7.03	4.58 4.43 4.71 4.65	0.99 0.95 1.03 1.00	0.50 0.56 0.51 0.45	0.53 0.58 0.30 0.59	2.85 3.16 3.30 2.38	2.57 2.88 2.95 2.13	1.05 0.95 0.98 1.16	0.57 0.65 0.39 0.59	21.20 22.77 20.98 19.98	16.34 16.59 17.13 15.75	28.28 29.42 28.45 27.24	37.19 38.99 37.75 35.42
5.98	3.69	0.77	0.51	0.29	2.10	2.09	0.91	0.56	16.90	14.77	24.30	31.42
<b>6.59</b> 7.14 6.07	<b>4.49</b> 4.79 4.21	1.02 1.13 0.92	0.62 0.71 0.54	0.43 0.31 0.54	2.42 2.53 2.32	2.04 2.26 1.84	0.90 0.84 0.96	0.51 0.53 0.48	19.03 20.26 17.88	14.27 14.24 14.29	25.19 26.00 24.43	33.02 34.20 31.91
4.92	3.63	0.98	0.53	0.23	1.82	1.97	0.87	0.72	15.66	12.66	21.11	28.13
6.11 6.77 5.63 5.52	4.12 4.62 3.47 4.03	0.72 0.75 0.74 0.65	0.42 0.43 0.34 0.50	0.32 0.27 0.38 0.34	2.15 2.35 1.91 2.08	1.77 1.95 1.49 1.78	0.83 0.81 0.85 0.82	0.53 0.60 0.48 0.46	16.97 18.56 15.30 16.18	12.93 13.46 12.45 12.57	23.03 24.70 21.44 22.01	29.68 31.77 27.56 28.55
4.80	4.04	1.00	0.52	0•29	2.32	1.82	0.65	0.36	15.80	13.84	22.55	29.42
<b>6.51</b> 7.04 5.19	<b>5.34</b> 5.36 5.27	0.97 1.04 0.80	0·38 0·47 0·16	0.57 0.60 0.48	2.44 2.49 2.32	1.76 1.89 1.44	1.00 1.07 0.80	0.63 0.69 0.48	19.61 20.67 16.94	15.85 16.84 13.32	27.52 29.04 23.65	35.15 37.16 30.04
7.17	4.64	0.92	0.55	0.34	2.71	2.39	0.91	0.62	20.26	14.70	26.34	34.66
6.19	4.43	1.03	0.53	0.40	2.88	2.20	1.10	0.56	19.31	14.99	25.44	34.01
6.10	4.13	0.82	0.61	0.44	2.58	2.14	0.87	0.44	18.14	13.95	24.03	31.83
5.84 5.64	4.04 3.86	0.83 0.79	0.39 0.46	0.51 0.29	1.96 1.94	1.80 1.68	0.87 0.85	0.54	16.79 16.00	14.21 13.24	23.95 22.61	30.76 29.02
6.22 6.52 6.39 4.91	4.21 4.38 3.92 3.64	1.14 0.97 0.71 0.94	0.62 0.69 0.39 0.51	0.52 0.38 0.27 0.22	2.93 2.92 2.16 1.88	2.37 2.68 2.13 1.95	1.14 1.10 0.87 0.83	0.74 0.68 0.53 0.69	19.87 20.32 17.38 15.55	14.73 15.20 15.06 12.93	25.00 25.93 25.21 21.37	34.30 35.21 32.17 28.27
6.47 6.55 5.50 6.71	4.32 3.84 4.25 4.08	0.68 0.88 0.68 0.63	0.36 0.51 0.22 0.40	0.35 0.32 0.33 0.28	2.25 2.18 2.23 2.01	1.83 1.97 1.82 1.76	1.00 0.81 0.81 0.72	0.67 0.43 0.59 0.44	17.92 17.50 16.43 17.03	13.59 13.54 13.06 12.20	24.23 23.79 22.68 22.86	31.27 30.80 29.27 29.02
5.21 5.37 4.76 6.51	4.74 3.53 3.91 5.34	0.74 0.80 1.03 0.97	0.68 0.78 0.50 0.38	0·28 0·34 0·29 0.57	2.20 1.98 2.28 2.44	1.70 1.52 1.78 1.76	0.84 0.75 0.60 1.00	0 • 53 0 • 34 0 • 39 0 • 63	16.92 15.43 15.54 19.61	12.70 11.81 13.77 15.85	22.52 20.61 22.32 27.52	29.41 27.06 29.09 35.15
6.59 7.57 7.51	4.49 4.34 4.99	1.02 0.93 1.13	0.62 0.48 0.53	0.43 0.61 0.38	2.42 3.01 2.49	2.04 2.58 2.62	0.90 1.05 1.11	0.51 0.68 0.38	19.03 21.25 21.14	14.27 16.52 15.92	25.19 28.22 28.22	33.02 37.41 36.72

TABLE 24 SUPPLEMENT. Stillbirth rates, and infant death rates by age, 1906 to 1968

England and Wales

	ity	Inf	ant morts	ality per	1,000	live bi	rths* a	t vario	us ages					deaths birthst	
	t mortality ar)	mortality weeks)	a.1 k.)	week weeks)	weeks year)		neonatal	Po	st-neon	atal	plus s under	(late s at eeks	plus s rtality	hs at over	plus
Period	Total infant (under 1 yea	Neonatal mor (under 4 wee	Early neonatal mortality (under 1 week)	Late neonatal mortality (1 week and under 4 weeks	Post-neonatal mortality (4 wand under 1 ye	Under 1 day	1 day and under 1 week	4 weeks and under 3 months	3 months and under 6 months	6 months and under 1 year	Stillbirths plus infant deaths under 1 year 'birth wastage'	Stillbirths (late foetal deaths at or over 28 weeks gestation)	Stillbirths plus infant deaths under 1 week perinatal mortali	Infant deaths 1 week and ove	Stillbirths plu infant deaths under 4 weeks
1906-1910 1911-1915 1916-1920 1921-1925 1926-1930	117.1 108.7 90.9 74.9 67.6	40.2 39.0 37.0 33.4 31.8	24.5 24.1 23.4 21.7 21.8	15.7 14.9 13.7 11.7 9.9	76.9 69.8 53.9 41.6 35.7	11.5 11.4 11.0 10.4 10.3	13.0 12.7 12.4 11.3 11.5	22.8 20.2 16.5 12.8 10.8	22.0 19.6 14.6 11.3 9.5	32.1 30.0 22.8 17.5 15.4	-	~	-	-	- - - -
1931-1935 1936-1940 1941-1945 1946-1950 1951-1955	61.9 55.3 49.8 36.3 26.9	31.4 29.2 26.0 21.1 18.0	22.4 21.5 18.7 16.2 15.0	9.0 7.7 7.2 4.9 3.0	30.5 26.0 23.8 15.2 8.9	10.7 10.4 9.3 7.9 7.5	11.7 11.2 9.5 8.4 7.5	9.9 8.8 8.9 5.8 3.4	8.5 7.8 7.7 5.0 3.0	12.1 9.4 7.2 4.4 2.5	100.6 91.7 78.5 59.5 49.2	41.0 38.5 30.5 24.0 23.0	62.5 59.2 48.6 39.8 37.6	38.1 32.5 29.9 19.6 11.6	71.1 66.6 55.6 44.6 40.5
1956-1960 1961-1965	22.6 20.6	16.2 14.3	13.8 12.4	2.4 1.9	6.5 6.3	7.5 7.2	6.3 5.2	2.6 2.5	2.1 2.2	1.8	43.6 37.5	21.4 17.3	34.9 29.4	8.7 8.1	37.2 31.3
1931 1932 1933 1934 1935	65.7 64.5 62.7 59.3 57.0	31.5 31.5 32.1 31.4 30.4	22.1 22.4 22.9 22.7 22.0	9.5 9.2 9.3 8.7 8.4	34.2 33.0 30.6 27.9 26.6	10.4 10.6 11.0 10.9 10.7	11.7 11.8 11.8 11.8	10.8 10.8 9.8 8.9 9.1	9.2 9.0 8.6 7.7 7.7	14.2 13.2 12.2 11.3 9.8	104.5 103.7 102.5 96.7 95.4	40.9 41.3 41.4 40.5 40.7	62.1 62.8 63.4 62.2 61.9	42.4 40.8 39.1 34.5 33.5	71.2 71.6 72.3 70.5 69.9
1936 1937 1938 1939 1940	58.7 57.7 52.8 50.6 56.8	30.2 29.7 28.3 28.3 29.6	21.9 22.0 21.1 21.2 21.3	8.2 7.8 7.1 7.1 8.3	28.5 28.0 24.5 22.2 27.2	10.7 10.8 10.3 10.3	11.3 11.2 10.8 10.9 11.5	9.3 9.4 8.2 7.9 9.3	8.3 7.3 7.0 8.2	10.9 10.3 9.0 7.3 9.7	95.9 94.4 88.9 86.9 92.5	39.7 39.0 38.3 38.1 37.2	60.8 60.2 58.6 58.5 57.7	35.2 34.2 30.4 28.4 34.7	68.7 67.6 65.5 65.3 65.7
1941 1942 1943 1944 1945	60.0 50.6 49.1 45.4 46.0	29.0 27.2 25.2 24.4 24.8	20.7 19.6 18.3 17.5 18.0	8.3 7.7 6.9 6.9	31.1 23.4 23.9 21.1 21.3	10.1 9.6 9.1 8.8 9.0	10.6 10.0 9.2 8.8 9.0	11.3 8.7 8.8 8.0 8.2	9.7 7.5 7.8 7.0 7.0	10.1 7.2 7.3 6.1 6.1	92.4 81.1 77.5 70.9 73.4	34.8 33.2 30.1 27.6 27.6	54.7 52.1 47.9 44.5 45.2	37.7 29.0 29.6 26.3 28.1	62.7 59.4 54.6 51.1 51.8
1946 1947 1948 1949 1950	42.9 41.4 33.9 32.4 29.6	24.5 22.7 19.7 19.3 18.5	17.8 16.5 15.6 15.6 15.2	6.7 6.2 4.1 3.7 3.3	18.4 18.6 14.2 13.0 11.1	8.7 7.8 7.8 7.6 7.2	9.1 8.7 7.9 8.0	7.1 6.9 5.5 4.8 4.3	6.1 6.0 4.8 4.4 3.7	5.2 5.7 3.9 3.8 3.1	66.9 65.0 56.8 54.6 51.7	27.2 24.1 23.2 22.7 22.6	44.3 40.3 38.5 38.0 37.4	22.6 24.6 18.4 16.7 14.3	50.7 46.4 42.5 41.5 40.7
1951 1952 1953 1954 1955	29.7 27.6 26.8 25.4 24.9	18.8 18.3 17.7 17.7 17.3	15.5 15.2 14.8 14.9 14.6	3.3 3.2 2.9 2.8 2.6	10.9 9.3 9.1 7.7 7.6	7.5 7.6 7.4 7.6 7.6	8.0 7.6 7.4 7.4 7.0	4.1 3.7 3.4 3.0 2.9	3.6 3.0 3.0 2.6 2.6	3.2 2.6 2.7 2.1	52.2 49.6 48.6 48.4 47.5	23.0 22.7 22.4 23.5 23.2	38.2 37.5 36.9 38.1 37.4	14.0 12.1 11.7 10.3 10.0	41.5 40.6 39.7 40.8 40.0
1956 1957 1958 1959 1960	23.7 23.1 22.5 22.2 21.8	16.8 16.5 16.2 15.9 15.5	14.2 14.1 13.8 13.6 13.3	2.6 2.4 2.3 2.2	6.9 6.7 6.4 6.3	7.4 7.6 7.5 7.6 7.5	6.8 6.5 6.3 6.0 5.8	2.7 2.6 2.6 2.4 2.5	2.3 2.1 2.1 2.1 2.1	1.8 1.9 1.7 1.8 1.6	46.0 45.1 43.6 42.6 41.1	22.9 22.5 21.5 20.8 19.8	36.7 36.2 35.0 34.1 32.8	9.2 8.8 8.5 8.3	39.3 38.5 37.3 36.3 35.0
1961 1962 1963 1964 1965	21.4 21.7 21.1 19.9 19.0	15.3 15.1 14.3 13.8 13.0	13.3 13.0 12.3 12.0 11.3	2.1 2.0 1.8 1.7	6.1 6.6 6.9 6.1 6.0	7.6 7.4 7.2 7.1 6.6	5.7 5.6 5.1 4.9 4.7	2.4 2.5 2.7 2.4 2.4	2.0 2.3 2.4 2.1 2.1	1.7 1.8 1.8 1.6	40.0 39.4 38.0 35.9 34.5	19.0 18.1 17.2 16.3 15.8	32.0 30.8 29.3 28.2 26.9	8.0 8.5 8.7 7.8 7.6	34.1 32.9 31.3 29.9 28.6
1966 1967 1968	19.0 18.3 18.3	12.9 12.5 12.4	11.1 10.7 10.6	1.7 1.8 1.8	6.1 5.8 5.9	6.5 6.3 6.3	4.6 4.4 4.3	2.5 2.4 2.4	2.0 2.0 2.1	1.6 1.4 1.5	34.1 32.9 32.3	15.3 14.8 14.3	26.3 25.4 24.7	7.8 7.5 7.6	28.0 27.2 26.4

^{*} Rates based on related live births from 1926 to 1956.
† The births upon which these rates are based for successive calendar years are numbers registered up to 1938 inclusive, and numbers of occurrences from 1939.

TABLE 25. Numbers and rates of infant deaths by age, and stillbirths, by sex and legitimacy, and by quarter, 1968

										Infan	Infant deaths	ro.								
		Under	30 mir.s.	Total			Days	v			1 day		Weeks			Mor.ths	hs		Total	oqiajo
		30 mins.	and under 1 day	under 1 day		2	33	4	L)	9	and under 1 week	-	2	M	1-2	5) - N	6-8	9-11	under 1 year	241115
All infants	MFG	302 266 568	2,752 1,864 4,616	3,054 2,130 5,184	880 605 1,485	501 364 865	274 209 483	176 111 287	127 84 211	99 68 167	2,057 1,441 3,498	401 319 720	236 173 409	174 140 314	1,159 804 1,963	947 747 1,694	416 330 746	261 193 454	8,705 6,277 14,982	6,109 5,739 11,848
March quarter		167	1,203	1,370	376	237	139	86	47	43	928	188	124	84	579	558	263	164	4,258	3,153
June quarter		122	1,158	1,280	399	203	119	77	(D)	42	895	177	26	75	462	393	158	103	3,640	2,934
September quarter		142	1,104	1,246	365	222	123	71	55	44	880	204	98	75	391	298	112	65	3,357	2,959
December quarter		137	1,151	1,288	345	203	102	53	54	38	795	151	102	80	531	445	213	122	3,727	2,802
Legitimate	医节日	237 204 441	2,438	2,675 1,849 4,524	1,328	444 315 759	253 187 440	159 100 259	111 74 185	92	1,849	352 298 650	212 160 372	157 125 282	1,034	861 686 1,547	383 295 678	244 182 426	7,767 5,583 13,350	5,495
Illegitimate	MFD	65	314	281	67	57	22	11	100	L 10.0	208	24	24	15	125	86	33	17	938	618

Minder   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Miles   Mil							Infant 1	nortali	ty per	1,000	Infant mortality per 1,000 live births	ths							Rates pe	per 1,000 to	total births
## 1		rh Lh		 er co		Days			1	day		eeks			Month	S			Still-	Still- births	Still- births plus
For the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contra		10	_	 day	01	ю	4	S		and nder week	F-1	N	N)	1-2	3- D		-11	Total	births	infant deaths under 1 week	infant deaths under 1 year
ter  O'SE 5.71 6-50 1.78 1.12 0.66 0.41 0.22 0.20 4.40 0.69 0.40 2.77 2.65 1.25 0.78 20.21 14.75  O'SE 5.62 6.10 1.79 1.09 0.67 0.57 0.22 4.26 0.64 0.46 0.46 0.35 2.20 1.87 0.75 0.49 17.34 1.579  ABATTER  O'SE 6.40 6.10 1.79 1.09 0.65 0.27 0.22 4.21 1.00 0.42 0.37 1.91 1.46 0.55 0.32 16.43 14.27  ABATTER  O'SE 6.40 6.10 1.79 1.09 0.60 0.35 0.27 0.22 4.51 1.00 0.42 0.37 1.91 1.46 0.55 0.32 16.43 14.27  ABATTER  O'SE 6.40 6.10 1.79 1.09 0.60 0.41 0.29 0.24 4.60 0.91 0.55 0.41 2.63 2.23 0.99 0.63 13.77 14.01  ABATTER  M 0.62 6.33 6.94 2.05 1.15 0.66 0.41 0.29 0.24 4.60 0.91 0.55 0.41 2.63 2.05 0.99 0.63 13.87  F 0.66 1.48 0.87 0.11 0.29 0.27 0.20 0.17 4.17 0.87 0.80 0.94 0.94 1.95 1.89 0.81 0.50 11.397  THE P 1.82 6.44 0.54 0.54 2.61 1.52 0.55 0.40 0.37 0.47 0.50 0.53 0.45 2.41 1.91 1.91 1.93 0.92 0.47 2.61 1.786  THE P 1.82 6.44 0.54 0.55 0.45 0.47 0.45 0.45 0.45 2.44 2.46 2.40 0.99 0.90 0.90 0.90 0.90 0.90 0.90 0	All infants			 					0.24	4.88	0.95		0.41	2.02	2.25 1.88 2.07	0.99	0.62	20.67 15.77 18.29	14.30 14.21	26.26 23.05 24.70	34·67 29·75 32·28
The color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the c	March quarter	0		 					0.50	4.40			0.40		2.65	1.25	0.78	20.21	14.75	25.49	34.66
Tarter 0.69 E.40 6.10 1.79 1.09 0.60 0.35 0.27 0.28 4.51 1.00 0.42 0.37 1.91 1.46 0.55 0.32 16.43 14.27 14.27 1.04 0.52 0.27 0.28 0.20 4.09 0.78 0.52 0.41 2.73 2.29 1.10 0.63 19.17 14.21 14.21 1.00 0.53 1.00 0.50 1.00 0.50 1.00 0.53 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 1.00 0.50 0.5	June quarter	0								4.26			0.36		1.87	0.75	0 • 4 9	17.34	13.79	24.01	30.89
uarter 0.70 5.92 6.65 1.77 1.04 0.52 0.27 0.28 0.20 4.09 0.78 0.52 0.41 2.73 2.29 1.10 0.65 19.17 14.21 14.06    M 0.62 6.33 6.94 2.02 1.15 0.66 0.41 0.29 0.24 4.60 0.91 0.55 0.44 0.34 1.95 1.89 0.81 0.50 15.35 13.87    P 0.59 6.49 2.02 1.15 0.65 0.41 0.29 0.27 0.20 0.91 0.55 0.44 0.34 1.95 1.89 0.81 0.50 15.35 13.87    T 1.81 8.77 1.62 8.75 1.97 1.44 0.65 0.45 0.75 0.75 0.75 0.75 0.75 0.75 0.75 0.7	September quarter	-0		 						4 - 31	1.00		0.37			0.55	0.32	16.43	14.27	24.53	30-47
The control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the co	December quarter	0		 						4.09						1.10	0.63	19.17	14.21	24-77	33.11
M 1.81 8.77 10.58 2.51 1.59 0.59 0.47 0.45 0.20 5.81 1.37 0.67 0.47 3.49 2.40 0.92 0.47 2.619 16.85 8 1.82 6.44 8.27 1.97 1.44 0.65 0.52 0.75 4.82 0.62 0.75 0.44 2.74 1.79 1.05 0.72 20.42 17.86 9.41 2.21 0.97 0.40 2.23.58 17.34	Legitimate			 						4.17							00.00	20.16	14.06 13.87 13.97	22.64 22.33 24.03	33.93 28.99 31.53
	Illegitimate			 						5.81 5.33							0.47	26.19	16.85 17.86	32.97	42.60 37.91 40.32

TABLE 25 SUPPLEMENT. Infant death and stillbirth rates from principal causes, by quarter: infant death rates per 1,000 live births and stillbirth rates per 1,000 total births, with quarterly percentages of annual rates, 1968

England and Wales

Aetiological		Cause of death	Annual rates	Q	uarter:	ly rates	;	Quart	erly ra	ates per al rates	cent
group	ICD Number	Cause of death	14063	March	June	Sept.	Dec.	March	June	Sept.	Dec.
	760, 761	Maternal conditions unrelated to pregnancy	0.06	0.07	0.06	0.05	0.06	122	98	84	97
	762, 763	Toxaemias of pregnancy and maternal ante- and intrapartum infection	0.12	0.13	0.09	0.16	0.11	108	73	127	92
	764-768	Difficult labour	0.23	0.20	0.26	0.26	0.21	88	110	111	90
	769	Other complications of pregnancy and childbirth	0.87	1.00	0.80	0.80	0.88	115	91	92	102
Prenatal and natal group	770~772	Conditions of placenta and umbilical cord, and birth injury without mention of cause	1.42	1.42	1.37	1.42	1.47	100	97	100	103
	774, 775	Haemolytic disease of newborn	0.31	0.31	0.31	0.30	0.32	100	100	96	105
	777	Immaturity, unqualified	2.18	2.15	2.17	2.21	2.19	99	100	101	100
		Total	5.19	5.30	5.05	5.19	5.24	102	97	100	101
	740-759	Congenital anomalies	3.83	3.99	3.79	3.71	3.82	104	99	97	100
	000-136; 320; 360; 381-383; 460-474; 510; 511; 680-686	Causes classified as infective and others mainly infective in origin	1.85	2.44	1.53	1.15	2.29	132	83	62	124
	480-486	Pneumonia	2.20	2.96	1.96	1.49	2.39	134	89	68	108
Postnatal group	E911-E913, E915	Accidental mechanical suffocation from vomit, food, foreign body, or in cot	0.47	0.50	0.51	0.38	0.50	105	109	80	106
	E904, E960-E969	Lack of care, neglect (including foundlings), infanticide	0.11	0.15	0.10	0.10	0.10	130	92	86	91
	Rem. E800-E999	Other violent causes	0.15	0-17	0.14	0.13	0.17	109	94	83	115
		Total	4.79	6.20	4.26	3.24	5.46	129	89	68	114
	140-239	Neoplasms	0.07	0.08	0.07	0.10	0.04	107	101	138	51
Unclassified	Rem. 000-E999	Other remaining causes	4.40	4.65	4-17	4.18	4.61	106	95	95	105
		Total	4.47	4.72	4.24	4.28	4.65	106	95	96	104
Stillbirths (	late foetal deaths	at or over 28 weeks' gestation)	14.26	14.75	13.79	14.27	14.21	103	97	100	100
Infant deaths			18.29	20.21	17.34	16.43	19.17	111	95	90	105
Infant dea		1 week k and under 4 weeks ks and under 1 year	10.60 1.76 5.93	1.88	10.36 1.66 5.32	10.40 1.79 4.24	10.72 1.71 6.74	103 107 125	98 94 90	98 101 71	101 97 114

^{*} These percentages have been calculated using unrounded rates.

TABLE 26. Infant deaths from certain causes: deaths and rates per 1,000 live births by age, and deaths of illegitimate infants and rates per 1,000 illegitimate live births, 1968

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates, hospital regions

2210 2210110, 2000								~66-	- Bar (0)	3, 1100	sprtar	TOBI	OHS	
			Inf	ant deat	hs				Ra	tes per	1,000 11	ve birth	S	
Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year pe 1,000 illegit live births
							All ca	uses						
ENGLAND AND WALES	14,982	10,125	1,963	1,694	746	454	1,632	18.29	12.36	2.40	2.07	0.91	0.55	23.38
Standard regions and Conurbations: North Tyneside Conurbation Remainder of North	1,057 260 797	675 158 517	152 39 113	128 34 94	63 18 45	39 11 28	117 25 92	19·63 20·26 19·43	12·53 12·31 12·60	2·82 3·04 2·75	2·38 2·65 2·29	1·17 1·40 1·10	0·72 0·86 0·68	29·10 22·18 31·79
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	1,654 710 944	1,081 453 628	227 98 129	214 98 116	83 34 49	49 27 22	178 97 81	19·80 23·24 17·82	12.94 14.83	2·72 3·21 2·44	2·56 3·21 2·19	0·99 1·11	0·59 0·88	30 - 46
North West South East Lancashire Conurbation Merseyside Conurbation	2,486 981 490	1,661 652 312	334 136 77	301 124 69	123 41 23	67 28 9 30	297 126 79	21·20 22·77 20·98 19·98	14·17 15·13 13·36	2·85 3·16 3·30	2·57 2·88 2·95	1.05 0.95 0.98	0·57 0·65 0·39	34 .71
Remainder of North West  East Midlands	1,015	697 658	121	108	59 <b>53</b>	33	92	16.90	13.72	2 · 38	2.13	1 · 16 0 · 91	0.59	
West Midlands West Midlands Conurbation Remainder of West Midlands	1,770 913 857	1,224 635 589	225 114 111	190 102 88	<b>84</b> 38 46	47 24 23	180 99 81	19·03 20·26 17·88	13·16 14·09 12·29	2·42 2·53 2·32	2 · 04 2 · 26 1 · 84	0.90 0.84 0.96	0·51 0·53 0·48	<b>25·07</b> 25·40
East Anglia	414	272	48	52	23	19	41	15.66	10.29	1.82	1.97	0.87	0.72	21.52
South East Greater London Outer Metropolitan Area Remainder of South East	4,826 2,365 1,362 1,099	3,326 1,636 940 750	611 300 170 141	503 249 133 121	235 103 76 56	151 77 43 31	563 329 113 121	16.97 18.56 15.30 16.18	11·70 12·84 10·56 11·04	2·15 2·35 1·91 2·08	1.77 1.95 1.49 1.78	0.83 0.81 0.85 0.82	0.53 0.60 0.48 0.46	22 • 52
South West	919	619	135	106	38	21	78	15.80	10.64	2.32	1.82	0.65	0.36	17.78
Wales I (South East) Wales II (remainder)	867 655 212	609 460 149	108 79 29	<b>78</b> 60 18	44 34 10	28 22 6	71 54 17	19·61 20·67 16·94	13·78 14·51 11·91	2 · 44 2 · 49 2 · 32	1 · 76 1 · 89 1 · 44	1.00 1.07 0.80	0.63 0.69 0.48	24 -40
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations	5,719	3,846	764	676	257	176	755	20-26	13 •62	2 •71	2 • 39	0.91	0.62	25 •16
of 100,000 and over Urban areas with populations	2,128	1,385	317	243	121	62	249	19.31	12 •57	2 . 88	2 .50	1.10	0.56	22 •13
of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts	1,433 2,960 2,742	956 2,048 1,890	345 333	169 318 288	154 145	35 95 86	168 242 218	18·14 16·79 16·00	12 ·10 11 ·61 11 ·03	2 · 58 1 · 96 1 · 94	1 ·80 1 ·68	0.87	0.44	23 ·94 20 ·23 22 ·79
Hospital regions:														
Newcastle	997	637	147	119	57	37	107	19.87	12 •69	2 .93	2 .37	1 • 14	0.74	28 * 64
Leeds	1,113	709	160	147	60	37	137	20.32	12.95	2 • 92	2 .68	1 •10	0.68	
Sheffield	1,414	951	176	173	71	43	142	17.38	11 .69	2 • 16	2 • 13	0.87	0.69	
East Anglian North West Metropolitan	1,291	283 877	162	132	23 72	19	151	15·55 17·92	10 • 21	1 .88	1 • 95	0.83	0.67	
North East Metropolitan	970	671	121	109	45	24	112	17.50	12 .10	2 • 18	1.97	0.81	0.43	
South East Metropolitan	893	597	121	99	44	32	101	16.43	10.98	2 .23	1 .82	0 • 81	0.59	
South West Metropolitan	898	638	106	93	38	23	113	17.03	12 -10	2.01	1 .76	0.72	0.44	19.69
Wessex	546	376	71	55	27	17	61	16.92	11 .65	2 -20	1.70	0 •84	0.53	21 .60
Oxford	537	377	69	53	26	12	52	15.43	10.83	1 .98	1 .52	0.75	0.34	21 .55
South Western	751	507	110	86	29	19	62	15.54	10 • 49	2 •28	1 .78	0.60	0.39	
Welsh	867	609	108	78	44	28	71	19.61	13 - 78	2 • 44	1 .76	1.00	0.63	1
Birmingham	1,770	1,224	225	190	84	47	180	19.03	13 •16	2 • 42	2.04	0.90	0.51	
Manchester	1,665	1,092	236	202	82	53	186	21.25	13 • 93	3 • 01	2 • 58	1 • 05	0.68	
Liverpool	839	577	99	104	44	15	113	21.14	14 •54	. 2 • 49	2 .62	1 •11	0.38	33.36

			Inf	ant deat	hs			Rates per 1,000 live births							
Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year per 1,000 illegit. live births	
						Enterit	is, diar	rhoea (00	8, 009)						
ENGLAND AND WALES	376	69	94	109	60	44	37	0.46	0.08	0.11	0.13	0.07	0.05	0.53	
Standard regions and Conurbations: North Tyneside Conurbation Remainder of North	32 8 24	<b>8</b> 3 5	7 1 6	<b>8</b> 3 5	<b>6</b> 1 5	3 - 3	1 - 1	0·59 0·62 0·59	0·15 0·23 0·12	0·13 0·08 0·15	0·15 0·23 0·12	0·11 0·08 0·12	0·06 0·07	0.25	
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	65 26 39	15 10	14 3 11	23 10	8 1 7	<b>5</b> 2	6 4 2	0·78 0·85	0·18 0·33	0·17 0·10	0·28 0·33	0·10 0·03	0·06 0·07 0·06	0 · 82 1 · 26	
North West South East Iancashire Conurbation Merseyside Conurbation	89 44 18	16 5 7	21 13 3	32 17	10	10 3 3	12 8 3	0·76 1·02 0·77	0·14 0·12 0·30	0·18 0·30 0·13	0·27 0·39 0·17	0·09 0·14 0·04	0·09 0·07 0·13	1·10 1·63 1·32	
Remainder of North West  East Midlands	27	5	5 7	11	3 2	1	1 5	0.53	0.08	0.10	0.24	0.06	0.08	0.27	
West Midlands West Midlands Conurbation Remainder of West Midlands	43 28 15	7 6 1	11 7 4	10 5 5	8 5 3	<b>7</b> 5 2	2 1 1	0·46 0·62 0·31	0·08 0·13 0·02	0·12 0·16 0·08	0·11 0·11 0·10	0·09 0·11 0·06	0.08 0.11 0.04	0·28 0·26 0·30	
East Anglia	9	1	1	2	3	2	2	0.34	0.04	0.04	0.08	0.11	0.08	1.05	
South East Greater London Outer Metropolitan Area Remainder of South East	79 39 22 18	13 6 4 3	23 12 6 5	13 5 2 6	17 13 4	13 3 6 4	5 3 - 2	0·28 0·31 0·25 0·26	0.05 0.05 0.04 0.04	0·08 0·09 0·07 0·07	0·05 0·04 0·02 0·09	0.06 0.10 0.04	0·05 0·02 0·07 0·06	0·19 0·21 0·34	
South West	14	1	4	5	2	2	1	0.24	0.02	0.07	0.09	0.03	0.03	0.23	
Wales Wales I (South East) Wales II (remainder)	16 14 2	3 3 -	6 5 1	2 1 1	4 4 -	, 1	3 2 1	0·36 0·44 0·16	0.07 0.09	0·14 0·16 0·08	0.05 0.03 0.08	0·09 0·13	0.02	0.95 0.90 1.06	
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations	163	37	39	44	27	16	19	0.58	0.13	0.14	0 •16	0.10	0 • 06	0 • 63	
of 100,000 and over Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000	60 41 63	7	9	21 12 15	7 8	5 6 12	3	0·54 0·52 0·36	0.07	0.19	0.19	0.05	0 · 05 0 · 08	0 • 53	
Rural districts	49	6	8	17	13	5	5	0.29	0.04	0 • 05	0.10	0.08	0.03	0.52	
Hospital regions:															
Newcastle	32	8	7	8	6 5	3 2	5	0.64	0.16	0.14	0.16	0.12	0 • 06	0 • 27	
Leeds Sheffield	48	4	12	23	5	4	4	0.69	0.05	0.15	0.28	0.06	0 • 05	0.60	
East Anglian	9	1	1	2	3	2	2	0.32	0.04	0 • 04	0.07	0.11	0 • 0 7	1 • 01	
North West Metropolitan	16	3	3	1	6	3	_	0.22	0 • 04	0 • 04	0.01	0.08	0 • 04	_	
North East Metropolitan	18	3	6	4	4	1	2	0 - 32	0 • 05	0.11	0 • 07	0.07	0 • 02	0.46	
South East Metropolitan	19	3	7	3	2	4	2	0.35	0 • 06	0.13	0.06	0 • 04	0 • 07	0.41	
South West Metropolitan	17	2	5	3	1 5	2	1	0.32	0.04	0.09	0 • 06	0.09	0 • 04	0.17	
Wessex	6	2	1	1	-	2	-	0.19	0.06	0 • 03	0 • 03	_	0.06	-	
Oxford	11	4	2	4	-	1	2	0.32	0.11	0 • 06	0 • 1 1	-	0 • 03	0 • 83	
South Western	14	1	4	5	2	2	1	0.29	0.02	0.08	0.10	0 • 04	0 • 04	0.27	
Welsh	16	3	6	2	4	1	3	0.36	0.07	0.14	0 • 05	0.09	0 • 02	0 • 95	
Birmingham	43	7	11	10	8	7	2	0.46	0.08	0.12	0.11	0.09	0.08	0.28	
Manchester	65	9	18	25	7	6	9	0.83	0.11	0.23	0 •32	0.09	0.08	1 • 1 8	
Liverpool	24	7	3	7	3	4	3	0.60	0.18	0.08	0.18	0.08	0.10	0.89	

			Int	fant deat	ths		Rates per 1,000 live births							
Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year pe 1,000 illegit live births
							and unsp							
ENGLAND AND WALES	745	49	269	283	107	37	77	0.91	0.06	0.33	0.35	0.13	0.05	1.10
Standard regions and Conurbations: North Tymeside Conurbation Remainder of North	66 28 38	2 1 1	22 9 13	27 10 17	12	3 1 2	7 3	1·23 2·18	0·04 0·08	<b>0.41</b> 0.70	<b>0.50</b> 0.78	0·22 0·55	0.06	1 · 74 2 · 66
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire	59 23	7 3	17 6	27 10	5 <b>6</b> 3	2 1	10 2	0·93 0·71 0·75	0.08 0.10	0 · 32 0 · 20 0 · 20	0·41 0·32 0·33	0·12 0·07 0·10	0·05 0·02 0·03	1 · 38 1 · 36 0 · 63
and Humberside  North West South East Lancashire Conurbation	36 94 24	8	35	32 7	13	6	12	0.68	0.07	0.30	0.32	0.06	0.02	1.92
Merseyside Conurbation Remainder of North West	31 39 46	1 2 5	11 11 13	12 13	4 5 4	1 1 4	1 4 7	0.56 1.33 0.77	0 • 02 0 • 09 0 • 10	0 • 26 0 • 47 0 • 26	0 · 16 0 · 51 0 · 26	0.09 0.21 0.08	0 • 02 0 • 04 0 • 08	0 • 20 1 • 76 1 • 87
West Midlands West Midlands Conurbation Remainder of West Midlands	106 62 44	8 4 4	46 29 17	31 20 11	17 7 10	4 2 2	14 8 6	1·14 1·38 0·92	0·09 0·09 0·08	0·22 0·49 0·64 0·35	0·39 0·33 0·44 0·23	0.15 0.18 0.16 0.21	0·02 0·04 0·04 0·04	1.25 1.95 2.05 1.83
East Anglia	4	1	_	2	1	_	_	0.15	0.04	-	0.08	0.04	0.04	1 -05
South East Greater London Outer Metropolitan Area Remainder of South East	290 143 66 81	15 7 3 5	107 53 29 25	110 56 21 33	41 19 9	17 8 4 5	<b>22</b> 8 5	1·02 1·12 0·74 1·19	0.05 0.05 0.03 0.07	0·38 0·42 0·33 0·37	0·39 0·44 0·24 0·49	0·14 0·15 0·10 0·19	0.06 0.06 0.04 0.07	0·84 0·55 0·89 1·54
South West	. 42	5	15	19	2	1	-	0.72	0-09	0.26	0.33	0.03	0.02	-
Wales I (South East) Wales II (remainder)	38 34 4	3 2 1	14 12 2	12 12 -	<b>6</b> 6 -	3 2 1	<b>6</b> 6 -	0.86 1.07 0.32	0 • 07 0 • 06 0 • 08	0·32 0·38 0·16	0·27 0·38	0·14 0·19	0.07 0.06 0.08	1.90 2.71
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations	311	18	119	115	45	14	26	1.10	0.06	0.42	0.41	0.16	0.05	0.87
of 100,000 and over Urban areas with populations	104	7	42	40	13	2	14	0.94	0.06	0 •38	0 • 36	0.12	0.02	1 •24
of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts	129 112	11 9	26 40 42	36 56 36	16 17 16	7 5 9	11 12 14	1·13 0·73 0·65	0 • 05 0 • 06 0 • 05	0 · 23 0 · 25	0 · 46   0 · 32 0 · 21	0·20 0·10 0·09	0·09 0·03 0·05	1 •57 1 •00 1 •46
Hospital regions:														, , ,
Newcastle	60	2	22	24	10	2	6	1.20	0 • 04	0 • 4 4	0.48	0.20	0.04	1 • 61
Leeds	38	5	9	17	4	3	4	0.69	0.09	0.16	0.31	0.07	0.05	0.80
Sheffield	61	2	16	31	11	1	10	0.75	0.02	0.50	0.38	0.14	0.01	1 • 49
East Anglian	4	1	-	2	1	-	-	0.14	0.04	-	0.07	0.04	-	-
North West Metropolitan  North East Metropolitan	75	3	24	28	14	6	4	1.04	0 • 04	0 •33	0.39	0.19	0.08	0.56
South East Metropolitan	63	3	28	25 26	4	4	4	1.14	0.04	0 •51	0 • 45	0.07	0.07	0 • 92
South West Metropolitan	37	4	12	14	10	1	6	1.20	0.06	0 • 40	0 • 48	0.18	0.07	1 •23
Wessex	38	2	13	15	6	2	3	1.18	0 • 08	0.40	0 • 27	0.11	0 • 02	0 • 52
Oxford	27	1	16	7	3	_	5	0.78	0 • 03	0.46	0.20	0.09	-	2.07
South Western	36	5	12	17	1	1	-	0.74	0.10	0 • 25	0.35	0.02	0.02	_
Welsh	38	3	14	12	6	3	6	0.86	0.07	0.32	0.27	0.14	0.07	1 • 90
Birmingham	106	8	46	31	17	4	14	1.14	0.09	0 •49	0.33	0.18	0.04	1 • 95
Manchester	50	5	18	17	5	5	4	0.64	0.06	0.23	0 • 22	0.06	0.06	0 • 52
Liverpool	47	3	17	17	9	1	8	1.18	0.08	0.43	0.43	0.23	0.03	2.38

			Inf	ant deat	hs		Rates per 1,000 live births								
Area	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year per 1,000 illegit. live births	
	Pneumonia (480-486)														
ENGLAND AND WALES	1,804	454	568	483	194	105	201	2 · 20	0.55	0.69	0.59	0.24	0.13	2 · 88	
Standard regions and Conurbations: North Tyneside Conurbation Remainder of North	133 20 113	29 3 26	47 9 38	39 4 35	11 2 9	7 2 5	8 1 7	2·47 1·56 2·75	0·54 0·23 0·63	0·87 0·70 0·93	0·72 0·31 0·85	0·20 0·16 0·22	0·13 0·16 0·12	1.99 0.89 2.42	
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	247 142 105	53 31 22	78 44 34	73 41 32	27 15	16 11 5	24 17 7	2·96 4·65	0·63 1·01 0·42	0·93 1·44 0·64	0·87 1·34	0·32 0·49	0·19 0·36 0·09	3 · 26 5 · 34 1 · 68	
North West South East Lancashire Conurbation Merseyside Conurbation	353 171 81	74 37 14	120 57 31	104 50 28	37 16 7	18 11 1	50 22 15	3·01 3·97 3·47	0 · 63 0 · 86 0 · 60	1 · 02 1 · 32 1 · 33	0·89 1·16 1·20	0·32 0·37 0·30	0·15 0·26 0·04	4.58 4.48 6.59	
Remainder of North West  East Midlands	101	23 <b>37</b>	32 27	26 23	14	5	13	1.99	0.45	0.63	0.39	0.28	0.12	3·48 2·08	
West Midlands West Midlands Conurbation Remainder of West Midlands	179 100 79	54 35 19	48 25 23	50 26 24	18 8 10	9 6 3	11 9 2	1.92 2.22 1.65	0·58 0·78 0·40	0·52 0·55 0·48	0.54 0.58 0.50	0·19 0·18 0·21	0·10 0·13 0·06	1.53 2.31 0.61	
East Anglia	46	10	. 13	14	2	7	5	1 · 74	0 •38	0.49	0 •53	0 • 08	0 • 26	2 •62	
South East Greater London Outer Metropolitan Area Remainder of South East	536 294 147 95	142 64 45 33	158 96 38 24	143 82 36 25	62 30 23 9	31 22 5 4	70 44 11 15	1.89 2.31 1.65 1.40	0·50 0·50 0·51 0·49	0.56 0.75 0.43 0.35	0·50 0·64 0·40 0·37	0·22 0·24 0·26 0·13	0·11 0·17 0·06 0·06	2·69 3·01 1·97 2·56	
South West	109	26	49	19	11	4	15	1.87	0.45	0.84	0.33	0.19	0.07	3-42	
Wales Wales I (South East) Wales II (remainder)	95 69 26	29 28 1	28 17 11	18 11 7	12 8 4	8 5 3	8 7 1	2·15 2·18 2·08	0.66 0.88 0.08	<b>0.63</b> 0.54 0.88	0•41 0•35 0•56	0·27 0·25 0·32	0·18 0·16 0·24	2·54 3·16 1·06	
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations	808	184	262	231	78	53	108	2.86	0 *65	0 • 93	0 • 82	0 •28	0 •19	3 •60	
of 100,000 and over Urban areas with populations of 50,000 and under 100,000 Urban areas with populations	261 160	72 40	86 56	45	33 15	10	26 27	2.37	0 • 65	0.78	0.54	0.30	0.09	2 • 31	
under 50,000 Rural districts	295 280	89 69	80	77 70	32 36	17 21	25 15	1·67 1·63	0 •50	0 °45 0 °49	0 •44 0 •41	0.18	0.10	2 •09 1 •57	
Hospital regions:															
Newcastle	128	28	46	38	9	7	7	2 · 55	0.56	0 • 92	0.76	0.18	0.14	1 • 87	
Leeds Sheffield	133	42	68	63	26	13	25	3·87 1·63	0.77	0 • 44	1 •15	0.47	0.24	4 • 99	
East Anglian	51	11	16	15	2	7	5	1.84	0.40	0.58	0 • 54	0.07	0.25	2.52	
North West Metropolitan	159	40	52	38	18	11	22	2 · 21	0 • 56	0.72	0.53	0.25	0.15	3 •09	
North East Metropolitan	117	31	34	31	14	7	19	2.11	0 • 56	0.61	0 • 56	0.25	0.13	4 • 36	
South East Metropolitan	81	19	20	29	8	5	11	1.49	0.35	0 • 37	0 •53	0.15	0.09	2 •25	
South West Metropolitan	106	20	34	32	15	5	12	2.01	0 • 38	0 • 64	0.61	0.28	0.09	2.09	
Wessex	49	18	15	11	3	2	3	1.52	0.56	0 • 46	0.34	0.09	0.06	1 •06	
Oxford	47	21	9	7	7	3	5	1.35	0 *60	0 • 26	0 • 20	0 • 20	0.09	2 • 07	
South Western	93	23	42	15	10	3	13	1.92	0 • 48	0.87	0.31	0.21	0.06	3 • 50	
Welsh	95	29	28	18	12	8	8	2.15	0 • 66	0 •63	0.41	0.27	0.18	2 • 54	
Birmingham	179	54	48	50	18	9	11	1.92	0.58	0 •52	0 • 54	0.19	0.10	1 •53	
Manchester	235	49	79	66	25	16	31	3.00	0.63	1 .01	0.84	0 • 32	0.20	4 • 06	
Liverpool	119	25	41	38	13	2	19	3.00	0 •63	1 .03	0.96	0•33	0 • 05	5 • 64	

			Int	fant deat	ths		Rates per 1,000 live births							
Area	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year pe 1,000 illegit live births
					(0	00-007;	010-136;	f infecti 320; 360 510, 511	); 381-38	33;				
ENGLAND AND WALES	458	126	107	124	48	53	45	0.56	0.15	0.13	0.15	0.06	0.06	0 · 64
Standard regions and Conurbations: North Tyneside Conurbation Remainder of North	31 9 22	9 1 8	4 - 4	11 4 7	3 2 1	4 2 2	2 - 2	0·58 0·70 0·54	0·17 0·08 0·20	0.07	0·20 0·31 0·17	0·06 0·16 0·02	0·07 0·16 0·05	0.50
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	60 24 36	9 5	17 6	15 6	11 4	<b>8</b> 3	4 3	0·72 0·79 0·68	0·11 0·16	0·20 0·20	0·18 0·20	0·13 0·13	0·10 0·10	0·54 0·94
North West South East Lancashire	73	25	12	22	7	7	5	0.62	0.21	0.10	0.19	0.06	0.06	0.46
Conurbation Merseyside Conurbation Remainder of North West	21 13 39	10 3 12	2 10	6 6 10	1 1 5	1 2	2 - 3	0·49 0·56 0·77	0 • 23 0 • 13 0 • 24	0.09	0 • 14 0 • 26 0 • 20	0 ° 02 0 ° 04 0 ° 10	0 • 09 0 • 04 0 • 04	0.41
East Midlands	40	12	9	13	1	5	8	0.68	0.21	0.15	0.22	0.02	0.09	1.66
West Midlands West Midlands Conurbation Remainder of West Midlands	50 21 29	22 11 11	8 4 4	9 4 5	4 - 4	7 2 5	<b>7</b> 5 2	0·54 0·47 0·60	0·24 0·24 0·23	0.09 0.09 0.08	0·10 0·09 0·10	0.04	0.08 0.04 0.10	0·97 1·28 0·61
East Anglia	24	4	9	3	4	4	-	0.91	0.15	0.34	0.11	0.15	0.15	-
South East Greater London Outer Metropolitan Area Remainder of South East	121 46 33 42	35 12 8 15	27 9 8 10	33 16 10 7	14 7 1 6	12 2 6 4	14 9 3 2	0·43 0·36 0·37 0·62	0·12 0·09 0·09 0·22	0·09 0·07 0·09 0·15	0·12 0·13 0·11 0·10	0 · 05 0 · 05 0 · 01 0 · 09	0 · 04 0 · 02 0 · 07 0 · 06	0 • 54 0 • 62 0 • 54 0 • 34
South West	27	4	9	8	2	4	1	0.46	0.07	0-15	0.14	0.03	0.07	0.23
Wales I (South East) Wales II (remainder)	32 25 7	<b>6</b>	12 8 4	10 8 2	2 2 -	2 1 1	4 3 1	0·72 0·79 0·56	0·14 0·19	0·27 0·25 0·32	0·23 0·25 0·16	0.05	0 • 05 0 • 03 0 • 08	1 · 27 1 · 36 1 · 06
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations	134	42	21	42	15	14	19	0.47	0.15	0.07	0.15	0.05	0.05	0.63
of 100,000 and over Urban areas with populations	83	18	20	23	10	12	10	0.75	0.16	0.18	0 •21	0.09	0.11	0.89
of 50,000 and under 100,000 Urban areas with populations	42	15	12	10	2	3	3	0.53	0.19	0.15	0.13	0.03	0 • 04	0 • 43
under 50,000 Rural districts	118 81	36 15	30 24	26 23	13	13 11	10	0·67 0·47	0 • 20	0.17	0.15	0.07	0.07	0 • 84
Hospital regions:														
Newcastle	28	9	4	8	3	4	1	0.56	0.18	0.08	0.16	0.06	0.08	0.27
Leeds	31	5	- 6	10	6	4	4	0.57	0.09	0.11	0.18	0.11	0.07	0.80
Sheffield	65	14	19	17	6	9	, 9	0.80	0.17	0.23	0.21	0.07	0.11	1 • 34
East Anglian	24	4	9	3	4	4	-	0.87	0.14	0.32		0.14	0.14	0.42
North West Metropolitan  North East Metropolitan	28	9 7	6 2	7	2	4	3	0.39	0.12	0.04			0.00	0.46
South East Metropolitan	24	6	7	6	3	2	2	0.44	0.11	0.13	1	0.06	0.04	0.41
South West Metropolitan	18	2	6	7	2	1	6	0.34	0.04	0.11	0.13	0.04	0.02	1 .05
Wessex	20	9	6	1	2	2	1	0.62	0.28			0 • 06	0.06	0.35
Oxford	19	5	4	6	1	3	1	0.55	0.14	0.11	0.17	0 • 03	0.09	0.41
South Western	21	3	6	6	2	4	-	0.43	0 • 06	0.12	0.12	0.04	0.08	-
Welsh	32	6	12	10	2	2	4	0.72	0.14	0.27	0.23	0.05	0.05	1 •27
Birmingham	50	22	8	9	4	7	7	0.54	0.24	0.09	0.10	0 • 04	0.08	0.97
Manchester	53	18	10	14	5	6	5	0.68	0 • 23	0.13	0.18	0 • 06	0.08	0.66
Liverpool	21	7	2	9	2	1	_	0.53	0.18	0.05	0.23	0.05	0.03	-

			Inf	ant deat	hs		Rates per 1,000 live births							
Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8	9-11	Illegi- timate under 1 year per 1,000 illegit. live births
						Congeni	tal anoma	alies (74	0-759)					
ENGLAND AND WALES	3,137	2,086	484	316	157	94	236	3 · 83	2.55	0.59	0.39	0.19	0.11	3 · 38
Standard regions and Conurbations: North Tyneside Conurbation Remainder of North	242 66 176	153 42 111	40 11 29	22 6 16	18 4 14	<b>9</b> 3 6	23 6 17	4·49 5·14 4·29	2 · 84 3 · 27 2 · 71	0·74 0·86 0·71	0·41 0·47 0·39	0·33 0·31 0·34	0·17 0·23 0·15	5 · 72 5 · 32 5 · 87
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	308 115	194 68 126	47 21 26	43 17 26	15 5	9 4 5	21 6	3·69 3·76	2·32 2·23 2·38	0.56 0.69	0·51 0·56	0.18 0.16 0.19	0.11 0.13	2 · 85 1 · 88
North West	460	312	80	40	19	9	35	3.92	2.66	0.68	0.34	0.16	0.08	3.20
South East Lancashire Conurbation Merseyside Conurbation Remainder of North West	162 90 208	109 63 140	31 16 33	15 7 18	4 3 12	3 1 5	14 9 12	3·76 3·85 4·09	2 •53 2 •70 2 •76	0 · 72 0 · 69 0 · 65	0 • 35 0 • 30 0 • 35	0 ° 09 0 ° 13 0 ° 24	0 • 07 0 • 04 0 • 10	2 · 85 3 · 95 3 · 21
East Midlands	219	138	38	22	12	9	11	3 · 74	2.36	0.65	0.38	0.21	0.15	2+23
West Midlands West Midlands Conurbation Remainder of West Midlands	398 185 213	261 127 134	62 26 36	46 24 22	21 7 14	8 1 7	29 16 13	4·28 4·10 4·44	2 · 81 2 · 82 2 · 80	0.67 0.58 0.75	0·49 0·53 0·46	0·23 0·16 0·29	0·09 0·02 0·15	4·04 4·10 3·96
East Anglia	99	69	12	10	6	2	9	3 · 75	2.61	0.45	0.38	0.23	3.08	4 • 72
South East Greater London Outer Metropolitan Area Remainder of South East	1,012 473 310 229	680 314 214 152	147 73 42 32	97 49 24 24	47 15 19 13	41 22 11 8	84 47 21 16	3·56 3·71 3·48 3·37	2·39 2·46 2·40 2·24	0·52 0·57 0·47 0·47	0·34 0·38 0·27 0·35	0·17 0·12 0·21 0·19	0·14 0·17 0·12 0·12	3·22 3·22 3·75 2·73
South West	206	145	30	21	7	3	13	3 · 54	2.49	0.52	0.36	0.12	0.05	2.96
Wales I (South East) Wales II (remainder)	193 142 51	134 98 36	28 20 8	15 11 4	12 9 3	4 4 -	11 4 7	4·37 4·48 4·08	3·03 3·09 2·88	0 · 63 0 · 63 0 · 64	0·34 0·35 0·32	0·27 0·28 0·24	0.09	3 · 4 · 8 · 1 · 8 · 1 · 8 · 4 · 4 · 4 · 4 · 4 · 4 · 4 · 4 · 4
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations	1,091	723	178	118	38	34	98	3 · 86	2 •56	0 •63	0 • 42	0.13	0 • 12	3 • 27
of 100,000 and over Urban areas with populations of 50,000 and under 100,000	468 285	312 185	66 54	50	27	13	30	4·25 3·61	2 •83	0.60	0.45	0.24	0.12	2 •67 4 •56
Urban areas with populations under 50,000 Rural districts	678 615	462 404	95	56 67	46 32	19 21	39	3·85 3·59	2 •62	0 • 54	0.32	0.26	0.11	3 •26 3 •87
Hospital regions:	013	404	31	07	52	21	31	3.39	2 30	0 50	0 00		0 12	
Newcastle	225	141	38	20	17	9	22	4.48	2 *81	0 • 76	0 • 40	0.34	0.18	5 •89
Leeds	206	126	37	25	11	7	15	3.76	2 • 30	0.68	0 *46	0.20	0.13	3 • 00
Sheffield	298	192	44	38	14	10	17	3 • 66	2 • 36	0 • 54	0.47	0.17	0.12	2 • 53
East Anglian	102	71	13	10	6	2	9	3 • 68	2 •56	0.47	0.36	0 • 22	0.07	4 • 54
North West Metropolitan	267	171	45	26	13	12	22	3.71	2 • 37	0.62	0.36	0.18	0.17	3 • 0 9
North East Metropolitan	216	154	28	16	13	5	20	3.90	2.78	0 • 5 1	0.29	0.23	0.09	4 •59
South East Metropolitan	175	114	27	13	10	11	13	3 · 22	2 •10	0.50	0.24	0.18	0.20	2 • 66
South West Metropolitan	183	124	23	23	5	8	16	3 · 47	2 •35	0 • 44	0.44	0.09	0.15	2 • 79
Wessex	132	89	17	15	7	4	10	4.09	2.76	0.53	0.46	0.22	0.12	3 • 54
Oxford	109	79	15	8	5	2	8	3.13	2 • 27	0.43	0 • 23	0.14	0 • 06	3 • 32
South Western	167	116	26	19	3	3	9	3 · 45	2 • 40	0 •54	0.39	0.06	0.06	2 • 43
Welsh	193	134	28	15	12	4	11	4.37	3 *03	0 •63	0.34	0.27	0.09	3 • 49
Birmingham	398	261	62	46	21	8	29	4 • 28	2 •81	0.67	0.49	0.23	0.09	4 *04
Manchester	310	201	60	30	14	5	22	3.96	2 • 56	0 • 77	0.38	0.18		2 • 8 8
Liverpool	156	113	21	12	6	4	13	3 · 93	2 • 85	0 •53	0.30	0.15	0.10	3 • 86

			Inf	ant deat	hs				Ra	tes per	1,000 11	ve birth	ıs	
Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year per 1,000 illegit. live births
						Compli	cations hildbirt	of pregna h (760-76	ncy and					
ENGLAND AND WALES	1,054	1,049	4	_	1		118	1.29	1.28	0.00	-	0.00	_	1.69
Standard regions and Conurbations: North Tyneside Conurbation Remainder of North	64 23 41	64 23 41		-	-	- - -	10 5 5	1·19 1·79 1·00	1·19 1·79 1·00	-	-	-	-	2 • 4 9 4 • 4 4 1 • 7 3
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	97 42 55	<b>94</b> 40 54	3 2 1	-	-		15 10 5	1·16 1·37 1·04	1·13 1·31 1·02	0 · 04 0 · 07 0 · 02	-	-	-	2·04 3·14 1·20
North West South East Lancashire Conurbation Merseyside Conurbation	159 50 24	159 50 24	-	-	-	-	16 5 7	1·36 1·16 1·03	1·36 1·16 1·03	-	-		-	1 • 46 1 • 02 3 • 08
Remainder of North West  East Midlands	85 59	85 <b>59</b>	-	-	-	-	6	1.67	1 • 67	-	-	-	_	1 •07 1 • 25
West Midlands West Midlands Conurbation Remainder of West Midlands	143 76 67	143 76 67	-	- - -			21 9 12	1.54 1.69 1.40	1.54 1.69 1.40	-	-	- -	-	2·92 2·31 3·66
East Anglia	30	30	- 1	-	- 1	-	5 38	1.14	1.14	0.00	-	0.00	-	2·62 1·46
South East Greater London Outer Metropolitan Area Remainder of South East	171 110 103	170 109 103	1	=	1 -	-	22 8 8	1·34 1·24 1·52	1 ·33 1 ·22 1 ·52	0.01	-	0.01	=	1 ·51 1 ·43 1 ·37
South West	52	52	-	-	-	-	4	0.89	0.89	-	-	-	-	0.91
Wales I (South East) Wales II (remainder)	66 53 13	66 53 13		-	=	-	3 3 -	1·49 1·67 1·04	1 • 49 1 • 67 1 • 04	-	-	=	=	0.95
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations	386	383	3	-	-	-	58	1.37	1 •36	0.01	-	-	-	1 •93
of 100,000 and over Urban areas with populations of 50,000 and under 100,000	128	127	1 -	-	-	-	12	1.16	1 • 15	0.01	-	-	-	1 • 85
Urban areas with populations under 50,000 Rural districts	214 215	213 215	_	_	1 -	_	19 16	1·21 1·25	1 •21 1 •25	=	=	0 • 01	-	1 •59 1 •67
Hospital regions:														
Newcastle	62	62	_	-	-	-	9	1.24	1 •24	-	-	-	-	2 • 41
Leeds	62	59	3	-	-	-	13	1.13	1.08	0 • 05		-	-	2.60
Sheffield	88	88	-	-	-	-	9	1.08	1.08	-	_	_	-	1 •34
East Anglian	30	30	_	-		-	5	1.08	1 •08	1		0.01		2.11
North West Metropolitan	97	95	1	-	1	-	15	1.17	1 •17	_		_	_	1 •15
North East Metropolitan  South East Metropolitan	65 79	65 79	_	_	_		6	1.45	1 • 45	_		_	_	1 •23
South West Metropolitan	84	84	_	_			6	1.59	1 •59	_	-		_	1 • 05
Wessex	42	42	_	_	_		4	1.30	1 •30		-	-	-	1 •42
Oxford	39	39	_	-	-	_	3	1.12	1 •12	_	-	-	-	1 •24
South Western	37	37	-	-	_	-	3	0.77	0.77	-	-	-	-	0 • 81
Welsh	66	66	-	-	-	-	3	1.49	1 •49	-	-	-	-	0 • 95
Birmingham	143	143	-	-	-	-	21	1.54	1 • 54	-	-	-	-	2 • 92
Manchester	99	99		-	-	-	5	1.26	1 •26	-	-	-	-	0 • 66
Liverpool	61	61	-	-	_	-	11	1.54	1 •54	-	-	-	-	3 • 27

			Ini	fant dea	ths				Re	ates per	1,000 11	ve birth	ns	
Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year per 1,000 illegit. live births
					٧	umbilics	l cord,	placent	h injury					
ENGLAND AND WALES	1,163	1,159	3	1	-	-	131	1.42	1.41	0.00	0.00	***	-	1.88
Standard regions and Conurbations: North Tyneside Conurbation	56 12	<b>56</b> 12	-	-	-	-	4 -	1·04 0·94	1·04 0·94	-	-	-		0.99
Remainder of North	44	44	-	-	•	-	4	1.07	1.07	-	-	-	-	1 •38
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	115 43 72	113 42 71	1	1 1	-	-	10 10	1·38 1·41	1 · 35 1 · 37	0.01	0.01	-	-	1·49 3·14
North West	212	212	-	_		-	22	1.81	1.81	_	0.02	_		2.01
South East Lancashire Conurbation Merseyside Conurbation Remainder of North West	96 42 74	96 42 74	-	-	-	-	10 5 7	2·23 1·80 1·46	2 ·23 1 ·80 1 ·46	-	-	-		2 • 04 2 • 20 1 • 87
East Midlands	91	90	1	_	-	-	9	1.56	1.54	0.02	-		ma.	1.87
West Midlands West Midlands Conurbation Remainder of West Midlands	167 95 72	166 95 71	1 - 1	-	-	-	18 13 5	1.80 2.11 1.50	1·78 2·11 1·48	0.01	-	-	-	2·51 3·34 1·52
East Anglia	26	26	~	-	-	-	4	0.98	0.98	-		_	-	2-10
South East Greater London Outer Metropolitan Area Remainder of South East	364 189 92 83	364 189 92 83		-	-	-	51 33 6 12	1·28 1·48 1·03 1·22	1 · 28 1 · 48 1 · 03 1 · 22		-	-		1·96 2·26 1·07 2·05
South West	71	71	-	-	-	-	6	1.22	1.22	_	-	-	-	1 - 37
Wales I (South East) Wales II (remainder)	61 46 15	61 46 15	-	-	-	, -	<b>6</b> 6 -	1·38 1·45 1·20	1.38 1.45 1.20	-	-	-	***	1.90 2.71
Urban/Rural aggregates: Conurbations Areas outside conurbations:	477	476	1	400	-	-	71	1.69	1.69	0.00	-	-	-	2 •37
Urban areas with populations of 100,000 and over	154	154	-	-	-	-	18	1.40	1 •40	_		_	-	1 •60
Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000	93	92	1	-	-	-	5	1.18	1 • 16	0 • 01	-	-	-	0 • 71 1 • 59
Rural districts	220	218	1	1	-	-	18	1.28	1 •27	0.01	0.01	-	-	1 •88
Hospital regions:														
Newcastle Leeds	70	52	1	1	-	-	11	1.04	1 .04	-	-	-	**	1 •07
Sheffield	128	128	_	_	_		9	1.28	1 • 24	0.02	0 • 02	-	***	2 • 20
East Anglian	28	28	_			_	5	1.01				- 1	-	1 •34 2 •52
North West Metropolitan	97	97	_	_	_	_	15	1.35	1 •35		_	_	_	2.11
North East Metropolitan	55	55	_	_	_	_	8	0.99	0.99	_		_	_	1 •84
South East Metropolitan	71	71	-	_	-	-	13	1.31	1 *31	_	-	_	_	2.66
South West Metropolitan	85	85	-	-	-	-	7	1.61	1 • 61	-	_	_	-	1 •22
Wessex	40	40	-		-	-	4	1.24	1 • 24	-	-	-	-	1 •42
Oxford	42	41	1	-	-	-	3	1.21	1 •18	0 • 03	-	-	44	1 •24
South Western	55	55	-	-	-	-	6	1.14	1 •14	-	-	-		1 •62
Welsh	61	61	-	-	-	-	6	1.38	1 •38	-	-	-	-	1 • 90
Birmingham	167	166	1	-	-	-	18	1.80	1.78	0 • 01	-	-	-	2 • 51
Manchester	144	144	-	-	-	-	17	1.84	1 •84	-	my	-	-	2 • 23
Liverpool	68	68	-	-	-	-	5	1.71	1 .71	-	-	-		1 • 49

			Int	fant deat	ths	,			Re	ates per	1,000 1	lve birt	hs	
Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year pe 1,000 illegit live births
					Haemo	olytic di	lsease of	newborn	(774,	775)				
ENGLAND AND WALES	254	249	3	1	1	_	14	0.31	0.30	0.00	0.00	0.00	-	0.20
Standard regions and Conurbations:	10	10						0.40	0.40					
North Tyneside Conurbation Remainder of North	10	10	-	=	-	-	-	0.19	0.19	-	=	-	-	-
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	25 7 18	24 7 17	1 -	-	-	-	1 1	0·30 0·23	0·29 0·23	0.01	-	=	-	0·14 0·31
North West	40	39	_		1		2	0.34	0.33	0 402	-	0.01	-	0.10
South East Lancashire Conurbation Merseyside Conurbation Remainder of North West	16 16 8	16 16 7	-	-	- - 1	-	1 1	0·34 0·69 0·16	0·37 0·69 0·14		-	0.07	-	0·18 0·20 0·44
East Midlands	22	21	_	1	_	_	1	0.38	0.36	_	0.02	_	_	0.21
West Midlands West Midlands Conurbation Remainder of West Midlands	43 21 22	43 21 22	-	-	-	-	3 2 1	0·46 0·47 0·46	0·46 0·47 0·46		-	-	-	0·42 0·51 0·30
East Anglia	7	7	_	_	_	_	1	0.26	0.26	_	_	_	_	0.52
South East Greater London Outer Metropolitan Area Remainder of South East	76 41 17 18	74 40 17 17	2 1 - 1	-	-	-	6 3 1 2	0·27 0·32 0·19 0·26	0·26 0·31 0·19 0·25	0·01 0·01 - 0·01	-	-	-	0.23 0.21 0.18 0.34
South West	20	20	_	_	_	_	_	0.34	0.34	_		_	_	_
Wales Wales I (South East) Wales II (remainder)	11 4 7	11 4 7	-	-	-	-	-	0·25 0·13 0·56	0·25 0·13 0·56		-	-	-	-
Urban/Rural aggregates: Conurbations Areas outside conurbations:	101	100	1	-	-	-	8	0.36	0 •35	0.00	-	-	_	0 • 27
Urban areas with populations of 100,000 and over	30	29	1	-	~	-	2	0.27	0 •26	0 • 01	-	-	-	0 • 1 8
Urban areas with populations of 50,000 and under 100,000 Urban areas with populations	25	25	-	-	-	-	-	0.32	0 •32	-	-	-	-	-
under 50,000 Rural districts	38 60	37 58	1 -	1	1	-	4	0·22 0·35	0 •21 0 •34	0.01	0.01	0.01	-	0.42
Hospital regions:														
Newcastle	8	8	-		-	-	-	0.16	0.16	-	-	-	-	-
Leeds	19	19	-	-	-	-	1	0.35	0.35	-	-	-	-	0.20
Sheffield	25	24	1	-	-	-	1	0.31	0 •29	0.01	-	-	-	0.15
East Anglian	7	7	-	-	-	-	1	0.25	0.25	-	-	-	-	0.50
North West Metropolitan	21	20	1	-	-	-	1	0.29	0.58	0 • 01	-	-	-	0.14
North East Metropolitan	11	11	-	-	-	-	-	0.20	0 • 20	-	-	-	-	-
South East Metropolitan	22	22	-	-	-	-	2	0.40	0 • 40	-	-	-	-	0 • 41
South West Metropolitan	11	11	-	-	-	-	1	0.21	0 • 21	-	-	-		0.17
Wessex Oxford	12	10	1	1	_	_	2	0.19	0.19	-	0.07	-	-	0.71
South Western	18	18	_	_	_	-	_	0-34	0.29	0 • 0 3	0 • 0 3		_	
Welsh	11	11			_	_	-	0.25	0.25				_	
Birmingham	43	43	_	_	_	_	3	0.46	0.46	_		_	_	0.42
Manchester	20	19	_	_	1	_	1	0.26	0.24	~	_	0.01	-	0.13
Liverpool	20	20	-	_	_	_	1	0.50	0 •50	_			_	0.30

			Ini	fant dea	ths				R	ates per	1,000 11	lve birth	ns	
Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year per 1,000 illegit. live births
					1		and hypon where cla							
ENGLAND AND WALES	2,429	2,407	14	8	-	-	281	2.96	2 · 94	0.02	0.01	nao nao	-	4.03
Standard regions and Conurbations: North Tyneside Conurbation Remainder of North	171 39 132	170 39 131	1 -	-	-	-	22 3 19	3·18 3·04 3·22	3·16 3·04 3·19	0.02	-	-		5·47 2·66 6·57
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire	274 117	273 117	1 -	-	-		<b>37</b> 17	3 • 28	3 · 27 3 · 83	0.01	-	-	-	5·03 5·34
and Humberside	157 346	156 344	1	1	-	-	20 38	2.96	2 • 95	0.02	0.01	-	_	4 •79 3 • 48
South East Lancashire Conurbation Merseyside Conurbation Remainder of North West	128 61 157	127 61 156	- 1	1 -	-	-	18 10 10	2·97 2·61 3·09	2 · 95 2 · 61 3 · 07	0.02	0.02	-	, re-	3.66 4.39 2.67
East Midlands	138	135	2	1	-	-	13	2.36	2.31	0.03	0.02	-	-	2.70
West Midlands West Midlands Conurbation Remainder of West Midlands	264 136 128	263 136 127	1 - 1	-	-	-	31 13 18	2 · 84 3 · 02 2 · 67	2·83 3·02 2·65	0.01	-	-	-	4·32 3·34 5·48
East Anglia	52	52	-	-	-	-	5	1.97	1.97	-	-	•	-	2.62
South East Greater London Outer Metropolitan Area Remainder of South East	814 441 208 165	804 436 204 164	7 5 2	2 1	-	-	99 65 16 18	2·86 3·46 2·34 2·43	2·83 3·42 2·29 2·41	0·02 0·04 0·02	0.01 0.02 0.01	-	-	3·80 4·45 2·86 3·07
South West	193	192	1	-	-	-	21	3 • 32	3.30	0.02	-	-		4.79
Wales I (South East) Wales II (remainder)	177 145 32	174 142 32		3 3 -	-	, -	15 14 1	4·00 4·58 2·56	3 · 94 4 · 48 2 · 56	-	0 •07 0 •09 -	-	-	4·76 6·33 1·06
Urban/Rural aggregates: Conurbations Areas outside conurbations:	922	916	5	1	∞		126	3 · 27	3 • 24	0 • 02	0.00	-	en-	4 •20
Urban areas with populations of 100,000 and over Urban areas with populations of 50,000 and under 100,000	348 231	341 230	4	3	-	-	50	3·16 2·92	3·09 2·91	0 • 04	0 • 03	-	-	4 •44 3 •42
Urban areas with populations under 50,000 Rural districts	482 446	477 443	3 2	2	-	-	42 39	2·73 2·60	2·71 2·58	0 • 02 0 • 01	0 • 01 0 • 01	-	-	3 •51 4 •08
Hospital regions:												Ì		
Newcastle	166	165	1	-	404	-	22	3.31	3 •29	0 • 02	-	-	-	5 •89
Leeds	172	171	1	-	-	-	23	3-14	3 • 12	0.02	-	-	-	4 •59
Sheffield Foot Anglian	226	223	2	1	-	-	25	2.78	2 • 74	0 • 02	0.01	-	-	3 • 73
East Anglian North West Metropolitan	232	53 229	3	-	-	-	6	1.91	1 • 91	-	-	-	~	3 • 03
North East Metropolitan	142	139	3	-	-	-	24	3·22 2·56	3 ·18 2 ·51	0 • 04			-	3 •37 4 •59
South East Metropolitan	144	144	_				13	2 · 65	2 • 65	- 0	-	_		2.66
South West Metropolitan	165	163	1	1	_	_	27	3.13	3 • 09	0.02	0.02			4.70
Wessex	91	90	_	1	_	_	10	2 · 82	2 • 79		0.03	_	-	3 • 54
Oxford	82	80	1	1	_	-	6	2.36	2 • 30	0 • 03	0.03	-	-	2.49
South Western	168	168	_		_ :	-	21	3 · 48	3 • 48	-	-	-	-	5 • 66
Welsh	177	174	-	3	com	**	15	4.00	3 •94	-	0.07	-	-	4 • 76
Birmingham	264	263	1	-	-	_	31	2 · 84	2 .83	0.01	-	-		4 •32
Manchester	222	220	1	1	-	-	22	2 · 83	2 .81	0.01	0.01	-	- 1	2 •88
Liverpool	125	125	-	-	-	-	16	3 - 15	3 • 15		-	-	No.	4 • 75

			Inf	ant deat	hs				Re	tes per	1,000 11	ve birth	ns	
Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year pe 1,000 illegit live births
						Immatu	rity, und	qualified	(777)					
ENGLAND AND WALES	1,785	1,776	9	-	_	_	265	2.18	2.17	0.01	_	_	_	3 · 80
Standard regions and Conurbations: North Tyneside Conurbation Remainder of North	119 24 95	119 24 95	-	-	-	-	24 3 21	2·21 1·87 2·32	2 · 21 1 · 87 2 • 32	-	-	-	-	5·97 2·66 7·26
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	233 93 140	233 93 140	-	-	-	-	29 14 15	2·79 3·04 2·64	2·79 3·04 2·64	-	-	-	-	3·94 4·40 3·59
North West	379	375	4	_	_	_	63	3.23	3.20	0.03	_	_	_	5.77
South East Lancashire Conurbation Merseyside Conurbation Remainder of North West	159 62 158	158 60 157	1 2 1				25 16 22	3·69 2·65 3·11	3 •67 2 •57 3 •09	0 • 02 0 • 09 0 • 02	-	-	-	5 •09 7 •03 5 •88
East Midlands	115	115	-	-	-	***	15	1.97	1.97	-	-	-	-	3.12
West Midlands West Midlands Conurbation Remainder of West Midlands	163 77 86	161 76 85	2 1 1	-	-		15 11 4	1·75 1·71 1·79	1.73 1.69 1.77	0 · 02 0 · 02	-		-	2·09 2·82 1·22
East Anglia	51	50	1	-	~	-	6	1.93	1.89	0.04	-	-	-	3 • 15
South East Greater London Outer Metropolitan Area Remainder of South East	570 269 188 113	570 269 188 113	-		-	- - - -	100 57 25 18	2·00 2·11 2·11 1·66	2.00 2.11 2.11 1.66	-	- - - -		- - - -	3 · 84 3 · 90 4 · 47 3 · 07
South West	65	64	1	-	-	-	6	1.12	1.10	0.02	-	-	_	1.37
Wales I (South East) Wales II (remainder)	90 54 36	89 53 36	1 1 -	-	-		7 4 3	2·04 1·70 2·88	2.01 1.67 2.88	0.02	-		-	2·22 1·81 3·19
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations	684	680	4	-	-	-	126	2.42	2 • 41	0 • 01	-	_	_	4 •20
of 100,000 and over Urban areas with populations	238	238	-	-	-	-	42	2.16	2 • 16	-	~	-	-	3 • 73
of 50,000 and under 100,000 Urban areas with populations under 50,000	193 350	192	3	-	_	_	27 36	1.98	2 • 43	0.01	_		-	3 •85
Rural districts	320	319	1	-	-	-	34	1.87	1 .86	0.01	-	-	-	3 •55
Hospital regions: Newcastle	111	111	_				19	0.01	0.04					F-00
Leeds	147	147		_	_	_	22	2 · 21	2 • 21	_		_		5 · 09 4 · 39
Sheffield	180	180	_	_	_	_	24	2 · 21	2 • 21	_			_	3 • 58
East Anglian	53	52	1	_	_	-	6	1.91	1 •88	0 • 04	-	-	-	3 • 03
North West Metropolitan	150	150	-	-	-	-	26	2.08	2 • 08	-	-	-	-	3 •65
North East Metropolitan	147	147	-	-	-	-	22	2.65	2 • 65	-	~	-	-	5 • 05
South East Metropolitan	98	98	-	-	-	-	18	1.80	1 .80	-	-	-	-	3 • 69
South West Metropolitan	95	95	-	-	-	-	19	1.80	1.80	1	-	-	-	3 • 31
Wessex	49	49	-	-	-	-	12	1.52	1 •52		-	-	-	4 • 25
Oxford South Western	65 54	65	1	_		_	6	1.12	1 • 87	0 • 02			_	2 • 4 9
Welsh	90	89	1	_	_	_	7	2.04	2 • 01	0.02			_	2 •22
Birmingham	163	161	2	-	_	_	15	1.75	1 .73	0.02	_	_		2 • 0 9
Manchester	259	258		_	_	_	39	3 • 30	3 • 29	0.01	_	_	_	5 •11
Liverpool	124	121	3	-	-	_	26	3.12	3 • 05	0.08	_	_	_	7 • 72

			Ini	fant deat	ths				Re	tes per	1,000 11	lve birt	18	
Area	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year per 1,000 illegit, live births
					A			ical suf 3, E915)		ì				
ENGLAND AND WALES	388	28	141	143	52	24	37	0.47	0.03	0.17	0.17	0.06	0.03	0.53
Standard regions and Conurbations: North Tyneside Conurbation Remainder of North	33 11 22	3 - 3	13 4 9	13 6 7	4 1 3	-	<b>2</b> - 2	0·61 0·86 0·54	0.06	0·24 0·31 0·22	0·24 0·47 0·17	0.07 0.08 0.07	-	0.50
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire and Humberside	20 5	1 1	6 1 5	6 1 5	4 1 3	3 1	1 -	0·24 0·16	0.01	0·07 0·03	0·07 0·03	0.05	0.04	0.14
North West South East Lancashire Conurbation	85	4 2	<b>25</b>	<b>36</b>	1m	6 3	11	0.73	0.03	0·21 0·23	0·31 0·28	0.06	0.04	0 • 24 1 • 01 0 • 81
Merseyside Conurbation Remainder of North West	38	1 1	7 8	7 17	2 9	3	5	0·73 0·75	0.04	0.30	0 • 30 0 • 33	0.09	0.06	0.88
East Midlands  West Midlands  West Midlands Conurbation  Remainder of West Midlands	38 12 26	3 4 1 3	13 13 5 8	10 16 4 12	5 4 2 2	1 -	3 -	0·58 0·41 0·27	0·05 0·04 0·02	0·22 0·14 0·11	0·17 0·17 0·09	0·09 0·04 0·04	0.05	0.62
East Anglia	12	2	2	6	2	1 _	3	0·54 0·45	0.06	0.17	0.25	0.04	0 • 02	0.52
South East Greater London Outer Metropolitan Area Remainder of South East	99 17 45 37	5 2 2 1	45 6 19 20	30 6 16 8	12 3 4 5	7 - 4 3	12 3 3 6	0·35 0·13 0·51 0·54	0·02 0·02 0·02 0·02	0·16 0·05 0·21 0·29	0·11 0·05 0·18 0·12	0 · 04 0 · 02 0 · 04 0 · 07	0 · 02 · 04 · 0 · 04	0.46 0.21 0.54 1.02
South West	47	5	17	18	6	1	2	0.81	0.09	0.29	0.31	0.10	0.02	0.46
Wales I (South East) Wales II (remainder)	20 15 5	1 1 -	7 6 1	8 4 4	1 1 -	3 3 -	2 1 1	0·45 0·47 0·40	0·02 0·03	0·16 0·19 0·08	0·18 0·13 0·32	0·02 0·03	0·07 0·09	0·63 0·45 1·06
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations	92	7	33	36	12	4	9	0.33	0 • 02	0 •12	0 • 13	0 • 04	0 • 01	0•30
of 100,000 and over Urban areas with populations of 50,000 and under 100,000 Urban areas with populations	65 52	3 6	24 17	22	13 4	3	8 10	0.59	0.03	0 •22	0 •20	0 • 12 0 • 05	0 • 03	0.71
under 50,000 Rural districts	91 88	5 7	30 37	35 26	12 11	9 7	4 6	0·52 0·51	0 • 03 0 • 04	0 •17 0 •22	0 •20 0 •15	0.07	0 • 05 0 • 04	0 • 33 0 • 63
Hospital regions:														
Newcastle	32	2	13	13	4	-	2	0.64	0.04	0.26	0.26	0.08	-	0 • 54
Leeds Sheffield	13	2	3	3	2	3	-	0.24	0.04	0 • 0 5	0 • 05	0 • 04	0 • 05	-
East Anglian	13	3	15	10	6	3	3	0.45	0 • 04	0.18	0.12	0.07	0.04	0 • 45
North West Metropolitan	27	2	10	7	4	1	1	0.47	0.07	0.07	0 • 25	0.07	-	0 • 50
North East Metropolitan	14	_	6	7	-	1	4	0.37	0 • 03	0.14	0.14	0.06	0.01	0 • 56
South East Metropolitan	23	1	11	4	4	3	4	0.42	0.05	0.11	0 • 13	0.07	0 • 02	0 • 82
South West Metropolitan	10	2	4	3	1	-	1	0.19	0.04	0.08	0.06	0.02	-	0.17
Wessex	18	-	10	3	4	1	1	0.56	-	0.31	0.09	0.12	0 • 03	0.35
Oxford	25	-	10	12	2	1	4	0.72	-	0•29	0.34	0.06	0.03	1 •66
South Western	33	5	12	11	4	1	1	0.68	0.10	0 • 25	0.23	0.08	0 • 02	0 •27
Welsh	20	1	7	8	1	3	2	0.45	0 • 02	0.16	0.18	0.02	0.07	0.63
Birmingham	38	4	13	16	4	1	3	0.41	0 • 04	0.14	0.17	0 • 04	0.01	0 • 42
Manchester	62	3	18	25	10	6	8	0.79	0 • 04	0.23	0 •32	0.13	0.08	1 • 05
Liverpool	23	1	7	11	4	-	3	0.58	0.03	0.18	0.28	0.10	-	0.89

TABLE 27 SUPPLEMENT. Infant death rates per 1,000 live births from principal causes, by age and sex, 1968

England and Wales

						Infan	t monte	lity pe	m 1.000	live h	datha		
						IIII au			Early			t-neona	tal
Aetiological	ICD Number	Cause of death		0	(S)	4 0	week	weeks rear)		period		period	1
group	LOS Malloca	04450 02 44401		Total infant mortality (under 1 year)	Neonatal mortality (under 4 weeks	Early neonatal mortality (under 1 week)	Late neonatal mortality (1 week and under 4 weeks)	Post-neonatal mortality (4 w and under 1 ye	Under 1 day	1 day and under 1 week	4 weeks and under 3 months	3 months and under 6 months	6 months and under 1 year
	760, 761	Maternal conditions unrelated to pregnancy	M F	0 • 07	0 .07	0.07	0.00	0 · 00 0 · 01	0 • 04	0.03	0.01	-	0.00
	762, 763	Toxaemias of pregnancy and maternal ante- and intrapartum infection	M F	0.11	0.11	0 ·10 0 ·13	0.00	0.00	0.07	0 • 03 0 • 06	0.00	-	-
	764-768	Difficult labour	M F	0 •25 0 •22	0 •25	0 •25 0 •21	0.00	-	0.18	0 .07	-	-	
	769	Other complications of pregnancy and childbirth	M F	0 • 98	0.98	0 · 97 0 · 75	0.00	0.00	0.72	0 -25	0.00	-	=
Prenatal and natal group	770-772	Conditions of placenta and umbilical cord, and birth injury without mention of cause	M F	1 •71	1.70	1.62	0 •08 0 •07	0.01	0.96	0 •66 0 •42	0.01	0.00	-
	774, 775	Haemolytic disease of newborn	M F	0 •33 0 •29	0 •33	0 •30	0 ° 02 0 ° 01	0.00	0 •19	0.11	0.00	0.00	0.00
	777	Immaturity, unqualified	M F	2 •41 1 •93	2 • 40	2 ·33 1 ·85	0 .07	0 ° 01 0 ° 01	1 .68	0 *65 0 *53	0.01	_	_
		Total	M F	5·87 4·48	5·83 4·46	5 · 64 4 · 29	0·19 0·17	0 • 03	3·84 2·92	1·80 1·37	0 • 03	0.00	0.00
	740-759	Congenital anomalies	M F	4 •06 3 •59	2 • 72	1 . 92	0 •80 0 •72	1 •33	1 ·03 0 ·85	0 •89	0 •65 0 •53	0 • 37	0.31
	000-136; 320; 360; 381-383; 460-474; 510; 511; 680-686	Causes classified as infective and others mainly infective in origin	M F	2 ·11 1 ·57	0.34	0.08	0 •27 0 •16	1 .77	0 ° 00 0 ° 01	0.07	0 °64 0 °46	0.67 0.51	0 • 46 0 • 36
	480-486	Pneumonia	M F	2 •51 1 •88	0.63	0.33	0 •30 0 •27	1 ·88 1 ·41	0.07	0 °26 0 °16	0 ·82 0 ·56	0 · 65 0 · 52	0 •40 0 •32
Postnatal group	E911-E913 E915	Accidental mechanical suffocation from vomit, food, foreign body, or in cot	M F	0 •55 0 •40	0.04	0.01	0.03	0 ·51 0 ·37	0.00	0.01	0 ·21 0 ·14	0 · 20 0 · 15	0 ·10 0 ·09
	E904, E960-E969	Lack of care, neglect (including foundlings), infanticide	M F	0.11	0.08	0.06	0 • 00 0 • 01	0 • 05 0 • 04	0.06	0.00	0.01	0 ° 02 0 ° 01	0 • 02 0 • 01
	Rem. E800-E999	Other violent causes	M F	0 ·15 0 ·15	0.01	0.01	0.00	0 · 14 0 · 12	0.01	0.00	0 · 04 0 · 03	0 • 03	0 °07 0 °04
		Total	M	5·43 4·12	1.09	0·49 0·38	0.60 0.47	4·34 3·27	0.14	0·35 0·25	1·71 1·21	1·57 1·24	1.06 0.82
	140-239	Neoplasms	M F	0 °08 0 °07	0.02	0.01	0.00	0 ° 06 0 ° 04	0 • 00 0 • 01	0.01	0.01	0.02	0.02
Unclassified	Rem. 000-E999	Other remaining causes	M	5 •24 3 •51	4 • 40 2 • 86	4 • 07 2 • 65	0 •32 0 •21	0 •85 0 •65	2 • 24	1 •84 1 •21	0 · 36 0 · 25	0.28	0 ·21 0 ·17
		Total	M F	5·32 3·57	4.41 2.89	4·09 2·67	0·33 0·22	0.90	2.24	1.85 1.22	0·37 0·26	0.31	0·23 0·20

TABLE 28. Weekly notifications of certain infectious diseases and deaths from certain causes, 1968

			Ori	ginal noti	fications	(including	; Port Heal	lth Distric	ets)				Deaths*	
Week ended		hold	++ 8		ьo	ria	ry c and rry)		Acu poliomy		gu	za and zal	118**	tis and )**
	Typhoid fever	Paratyphoid fever	Acute †† meningitis	Scarlet	Whooping	Diphtheria	Dysentery (amoebic a bacillary)	Measles	Para- lytic	Non- para- lytic	Food	Influenza influenzal	Pneumonia**	Bronchitis (acute and chronic) ##
Jan. 5 12 19 26	2 1 4 1	- - - 2	7 13 14 11	253 162 260 330	589 445 371 577	1	343 288 270 274	2,059 1,657 1,372 1,564	3 -	1 -	66 78 65 81	993 990 723 460	2,503 2,587 2,538 1,735	1,811 1,682 1,529 1,123
Feb. 2 9 16 23	1 - 1	1 1 - 1	17 18 10 12	382 382 384 433	590 464 439 451	1 -	315 339 389 447	1,739 2,305 2,818 3,017	1 -	-	98 170 135 72	215 191 106 83	1,363 1,133 1,217 1,133	941 795 803 798
Mar. 1 8 15 22 29	1 - 9 4	1 1 - 2	16 11 12 9 8	400 381 424 427 456	418 371 373 341 390	    	445 377 433 474 601	3,345 3,461 3,517 3,716 4,481	10 10 40 40	-	77 190 115 68 77	81 62 45 45	1,077 1,174 1,265 1,059 1,063	808 837 865 792 663
Apr. 5 12 19 26	3 1 1 2	1 -	13 8 3 8	418 390 286 326	354 247 284 347	-	592 458 333 450	4,890 4,058 4,514 5,830	- - - 1	1	86 88 56 80	24 15 8 5	892 670 1,011 910	583 454 579 508
May 3 10 17 24 31	3 4 2 4 2	2 4 2	8 3 9 2 9	266 306 283 315 310	326 357 433 407 349	-	373 459 448 460 485	4,812 4,716 5,144 7,073 8,648	-	-	97 78 161 106 249	10 6 7 3 7	776 684 681 632 740	486 416 400 375 453
June 7 14 21 28	7 2 2	1 2	10 6 4 12	247 211 201 229	243 323 302 278	-	495 426 437 515	8,125 9,627 8,707 9,201	1 - 1	-	141 161 122 184	2 4 5	638 626 660 524	412 395 350 336
July 5 12 19 26	1 -	- 4 5	7 10 6 8	246 290 259 294	306 305 305 337	-	379 513 357 405	8,768 9,627 9,132 9,372	1 - 2 1	1	180 248 195 152	1 1 1 6	672 503 510 528	336 280 347 314
Aug. 2 9 16 23 30	2 2 2 5 4	1 3 3 3 5	6 9 10 8 7	233 199 142 124 120	294 321 330 313 272	- 4 1 1	374 374 302 237 278	8,794 7,884 6,486 4,798 3,591	1 -	1	138 173 173 174 150	- 332	569 530 531 651 592	345 338 303 298 336
Sept. 6 13 20 27	4 3 5 2	5 5 6 5	5 5 6 <b>1</b> 0	87 88 97 <b>1</b> 72	262 316 284 260	1	199 241 263 359	2,460 2,292 1,654 1,764	1 1 -	-	176 193 299 222	1 4 2 1	522 549 542 593	298 313 281 323
Oct. 4 11 18 25	4 4 4 1	2 6 4 3	14 30 25 21	179 286 287 288	256 323 248 247	- - 5	390 442 340 501	2,065 2,500 2,812 3,098	2 - 1 1	1	239 214 175 172	9 6 6 9	594 629 600 711	331 387 370 402
Nov. 1 8 15 22 29	1 1 2 - 1	2 3 - 1 2	15 20 23 26 17	322 231 332 332 355	260 240 310 275 317	2 1	425 410 483 525 538	3,051 3,113 2,945 2,817 2,916	3 1 - 1	- 1 -	219 222 217 140 222	9 9 11 19 21	634 645 782 822 883	394 450 514 521 544
Dec. 6 13 20 27	2 3 2 1	2 1 -	13 24 11 15	351 339 305 234	258 285 203 84	=	523 497 495 373	3,180 3,060 3,205 2,107	-		128 324 173 70	11 11 30 21	818 884 1,092 1,056	587 576 820 755
Totals	117	93	604	14,654	17,280	17	21,149	233,887	23	7	7,889	4,332	46,733	29,957
				rected not									Deaths†	
Totals‡	118	89	604	14,897	17,367	15	19,487	236,075	19	5	5,955	4,652	41,027	32,656

^{*} The weekly deaths are compiled from returns furnished by Registrars of Births and Deaths.
† Classified according to the International Classification of Diseases (8th Revision 1965).
† These totals are for the period 1st January to 31st December.
** Except secondary to accidents and to other infections (including influenza).
†† Prior to 1st October, 1968 the notifiable disease was Meningococcal infection.
‡‡ Including acute bronchitis and bronchiolitis.

TABLE 29. Notifications of certain infectious diseases, 1958 to 1968

England and Wales

Final numbers after correction (including original cases in Port Health Districts)*

TIMEL IMMEDIS SIVE			1		1 1010	, mearth i	Taci iccs.	,	1		
Diseases	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
Typhoid fever	147	123	90	97	130	247	124	138	112	139	119
Paratyphoid fever	200	379	241	254	126	342	229	832	132	95	89
Plague	-	-	ans.	-	-	-	_	-	-	_	_
Cholera	-	-	-	-	-	-	-	-	-	-	_
Acute meningitis †	836	746	632	651	576	606	506	406	407	293	605
Scarlet fever	38,853	47,919	32,170	19,990	15,306	17,437	20,129	26,725	21,228	19,305	14,897
Whooping cough	33,404	33,253	58,030	24,470	8,348	34,737	31,596	12,945	19,417	33,533	17,369
Diphtheria	80	102	49	52	16	33	20	25	20	6	15
Ophthalmia neonatorum	1,304	1,179	1,063	932	1,017	970	832	727	612	606	588
Dysentery (amoebic and bacillary)	38,107	35,626	43,285	20,418	30,924	31,759	20,204	26,183	21,567	22,048	19,491
Malaria (contracted in Great Britain)	-	-	-	-	-	1	-	-	-	-	_
Relapsing fever	1	2	1	-	-	-	-	-	-	-	_
Smallpox	(1) 6	1	1	1	66	-	-	-	62	2	1
Measles	259,308	539,524	159,364	763,531	184,895	601,255	306,801	502,209	343,642	460,407	236,154
Acute poliomyelitis (paralytic)	1,419	739	257	707	212	39	29	55	19	16	19
Acute poliomyelitis (non-paralytic)	575	289	121	169	59	12	8	36	4	3	5
Acute encephalitis (infective)	171	140	144	118	113	125	114	97	83	104	106
Acute encephalitis (post infectious)	119	140	117	158	119	165	143	71	114	114	72
Typhus fever	-	-	-	<b>‡</b> 1	-	**2	-	-	_	_	-
Food poisoning	8,801	9,971	7,738	7,842	5,151	5,869	5,408	5,003	4,539	5,023	5,961
Anthrax	?	?	?	8	8	14	7	7	10	19	9

^{*}Cases notified in Port Health Districts are not corrected for subsequent changes in diagnosis. When these notifications relate to quarantine diseases, they are distinguished in this table in brackets alongside the figures in which they are included. †Prior to 1st October 1968 the notifiable disease was Meningococcal infection.

‡Not louse borne. **One case not louse borne.

TABLE 30. Notifications of certain infectious diseases, by sex and age group, 1968

1	UM.C	(Se ₄		46	m I W	12	11	r 100	, es	es t to	4	00 (N tO 100	wi	<b>10</b> 10 01	Ŋ	ro	4	13	ନ୍ଧାର୍ୟ ପ୍ୟମ । । । କ୍ଷର୍ଦ୍ଧ
	Unknown	×		49	<b>⊣</b> 1 ↔	12	10	4 11	( 10	<b>m</b> ⊘ ↔	1	188	4	201	φ	4	Ŋ	14	44W   WGG     WGGW   4
	over	Die		108	10	7	9	13	00	<b>00</b> 00 01	7	26 10 11	e	10 4 H	36	13	11	25	04000004WNUND0r
	25 and	M		100	PW 4	0 H	00	12	1 1	111	23	23 23 8	9	<b>4</b> ℃ ←	42	15	9	21	
		Pi-		304	20 20	31 10	21	35	23	36 24 12	12	113 47 30 36	19	10	107	48	24	57	11880000000000000000000000000000000000
	15-	×		365	33 12 21	32	22	17	28	32 19 13	13	147 80 34 33	26	<b>11</b> 2 2 2 2	146	49	22	73	8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0
		ļī ₄		8335	77 13 64	137	103	171 36 18	44	86 57 29	28	218 106 56 56	38	360 36	264	141	92	171	0 0 0 0 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	10-	×		711	<b>62</b> 11 51	<b>126</b>	98	37	44	35	28	202 100 56 46	30	22 15	258	91	63	139	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		Çic _e		4,142	212 28 184	<b>642</b> 184	458	<b>681</b> 202 104	321	393 225 168	148	1,421 686 371 364	180	144 101 43	1,429	635	376	882	14410000 1111040 04000000000000000000000
	ໍ້ດ	M		3,812	193 24 169	<b>624</b> 162	462	<b>584</b> 1000	295	387 199 188	177	1,260 630 335 295	183	109 70 39	1,274	566	411	788	2011 2011 2012 2013 2011 2011 2011 2011
u.		Et.	ı	891	42 24	<b>128</b> 46	82	133 49	62	96 50 46	28	325 173 85 67	40	36 24 12	335	124	83	206	80000108801000000 804010101777000040
correction	4-	M	let fever	8968	30 4 4 8	131 39	92	184 61 29	÷6	333	45	343 192 76 75	53	322	358	151	81	205	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
after co		(Sc)	Scarlet	638	24 20 20 20 20	96 28	68	30 36	43	57 26 31	21	229 1117 53 59	22	23	227	103	61	127	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
numbers a	3	×		1117	40 4	107	71	118	24	67 30 37	18	253 1119 66 68	30	24 21 3	247	110	68	149	288 110 10 10 10 10 10 10 10 10 10 10 10 10
Final nu		Pi		376	25 4 4 1 8 1	18	42	69 233 133	19	33 17 16	13	131 78 23 30	13	16 15	153	48	28	79	0 0 0 1 0 4 0 0 0 0 4 0 0 0 0 4 0 0 0 0
Ē.	2	×		398	16 2 14	<b>67</b>	47	55 12 12	28	34 16 16	10	166 89 39 38	13	<b>a</b> o n	157	55	34	98	400000000000000000000000000000000000000
		Çic ₁		162	<b>o</b> + ∞	21	16	4 0 4	15	<b>6</b> 0 4	4	66 31 17 18	4	<b>9</b> Ω ←	56	24	12	33	8 5 2 4 4 4 4 4 6 4 9 5 4 4 0 4 0 4 0 6 6 6 6 6 6 6 6 6 6 6 6 6
	4-	×		175	10	26	15	30	10	13	7	66 34 18	11	10 4 H	99	13	16	34	0847 887 6 4 8 4 8 8 8 8 8
		Ĕ		42	1 1 1	<b>4</b> 01	N.	o 4⊢	4 (1	ευ 4₁ ←1	8	11 11 12 13	63	OI H H	22	Φ	+	രവ	1 400 44 1 0 1 1 1 0 0 0 0 1
	-0	×		64	<del>= 1 =</del>	111	Ŋ	111	4 1	200	4	15 6 5 6	e	HHI	33	ø	9	11	よ 7 4 4 8 8 2 8 1 1 3 1 7 5 5
	ages	Pice .		7,544	<b>446</b> 60 386	1,138	808	1,238 368 182	540	730 418 312	268	2,573 1,277 650 646	322	<b>289</b> 219 70	2,634	1,149	692	1,616	W L @ G R Q Q Q Q A H G G G L L A Q R L C A Q R L C A R R L C B R R R R R R R R R R R R R R R R R R
	All	×		7,353	397 60 537	1,145	818	1,185 348 213	541	676 355 321	304	2,519 1,284 641 594	359	227 166 61	2,587	1,066	712	1,526	80000000000000000000000000000000000000
		Area		ENGLAND AND WALES (excluding Port Health Districts)	Standard regions and conurbations: North Tyneside Conurbation Remainder of North	Yorkshire and Humberside West Yorkshire Conurbation	Rem. of Yorkshire and Humberside	North West South East Lancashine Comurbation Merseyside Conurbation	Rem. of North West East Midlands	West Midlands Conurbation West Midlands Conurbation Rem. of West Midlands	East Anglia	South East Greater London Outer Metropolitan Area Rem. of South East	South West	Wales I (South East) Wales II (remainder)	Urban/Rural aggregates: Conurbations Areas outside conurbations	Urban areas with populat- ions of 100,000 and over Urban areas with populat-	lons of 50,000 and under 100,000	ordan areas With popular- ions under 50,000 Rural districts	Hospital regions: Newcastle Ledds Ledds Shefftalda Eset Anglidan North west Metropolitan North Esst Metropolitan South Rest Metropolitan Wessex Oxford South Western Western Marchester Liverpool

8,320 9,047 893 860 807 1-1012 11.34 4.44 4.45 1.048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.1048 1.104	2- 5- 10- 15- Unbrown	M F M F M F M F M	Whooping cough	798 3,459 3,851 2,683 2,906 291 315 54 94 102 179 31 44	34 133 149 122 121 13 5 - 1 1 1 3 - 1 1 1 3 - 1 1 1 1 1 1 1 1 1	108 126 109 102 13 4 - 1 1 3	42 176 218 139 15 24 24 1 9 6 14 3 · 3 4 4 1 2 2 4 1 2 2 2 2 4 4 1 2 2 2 3 4 1 2 2 2 3 4 1 2 2 3 4 3 · 3 3 · 3 · 3 · 3 · 3 · 3 · 3 · 3	1 7 4 10	136 557 622 311 358 15 27 5 7 9 13 3 7	39     197     215     126     6     8     2     3     4     8     1     2       56     194     223     92     103     5     10     3     2     2     2     -     1     4       41     166     184     91     129     4     9     -     2     2     5     1     1     1	40 196 198 158 181 16 12 4 1 4 7 6 3	105     441     467     296     321     19     28     5     10     6     15     1     5       58     228     228     127     166     5     17     2     2     2     8     -     3       47     215     215     165     14     11     3     8     4     7     1     2	31 113 123 132 138 20 23 4 4 12 10 6 3	279         1,258         1,958         1,021         1,105         141         153         27         45         55         99         6         14           75         587         464         404         465         54         44         10         17         20         34         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2         3         4         2         8         3         4         2         3         4         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         4         3         3         4         3         4         3         4         3         4         3         4         3         4 <th>50 263 319 234 273 34 36 8 12 5 14 5 7</th> <th>22 122 128 97 93 9 7 - 55 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</th> <th>322 1,377 1,577 902 1,018 77 85 17 26 30 54 5 13</th> <th>124 454 533 397 414 40 40 10 17 12 16 4 6</th> <th>79 323 348 217 284 23 26 4 7 7 13 3 3</th> <th>118</th> <th>2401 2422 2542 2542 2542 2542 2542 2542 2542 2542 2543 2544 2544 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545</th>	50 263 319 234 273 34 36 8 12 5 14 5 7	22 122 128 97 93 9 7 - 55 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	322 1,377 1,577 902 1,018 77 85 17 26 30 54 5 13	124 454 533 397 414 40 40 10 17 12 16 4 6	79 323 348 217 284 23 26 4 7 7 13 3 3	118	2401 2422 2542 2542 2542 2542 2542 2542 2542 2542 2543 2544 2544 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545 2545
All ages  All ages  All ages  All ages  All ages  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algorithms  Algo	1.																				
A11 ages  A11 ages  A11 ages  A11 ages  A11 ages  A11 ages  A12 ages  A13 ages  A14 ages  A14 ages  A14 ages  A14 ages  A14 ages  A14 ages  A15 ages  A16 ages  A17 ages  A18 ages  A18 ages  A18 ages  A18 ages  A19 ages  A10 ages  A11 ages  A11 ages  A12 ages  A13 ages  A14 ages  A15 ages  A16 ages  A17 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ages  A18 ag	-0			893		58	96		157			-		301 146 89 66			380	133	88	131	
ह के ने लेने ले ने नेने	.1 ages	Ľ.					<del>-</del>														
Standard regions and countbailous: North Wales  Standard regions and countbailous: North West Countbailous  Tyneside Countbailou  Tyneside Countbailou  Tyneside Countbailou  North West Lancashire Countbailous  North West Lancashire Countbailous  North West Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Rest Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Ners Midlands  Nales II (Femainder)  Urban areas with popul  Urban areas with popul  Urban areas with popul  Outer West Netropolite  Ners Met Netropolite  Ners Met Netropolite  North Mest Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite  North West Metropolite	A	Σ		WALES Port Health			Workshire Conurbation 411 Hem. of Yorkshire and			ď	48	West Midlands Conurbation 477 Rem. of West Midlands 49	34	fouth East London 1,34 Outer Metropolitan Area 1,04 Rem. of South East 72,	29	218					Hospital regions:  Newcastle Lead Shefflad East Anglian North West Metropolitan South West Metropolitan South West Metropolitan South West Metropolitan Weseax South Western South Western South Western South Western

TABLE 30 - continued

	A11 a	9	0		1-		2-		Ŋ		4-		5-		10-		15-	25	25 and or	over	Unknown	
Area	×	[F4	×	[Eq.	×	Eq.	×	F4	×	DE-1	Σ	[Iz ₄	×	Et.	×	[Eq.	×	1	E	E	E4	
										Diphtheria	ia											
ENGLAND AND WALES (excluding Port Health Districts)	11	4	1	1	ı	H	ı	1	*	1	H	1	81	1	ro.	63	-	1	н	н	1	
Standard regions and conurbations: North Tyneside Conurbation Remainder of North	F 1 1	1 1 1	1.1.1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	( 1 I	1 1 1	1 1 1	1 + 1	1 1 1	1 1 1	1 1 1	1 1 1	
Yorkshire and Humberside West Yorkshire Conurbation Rem. of Yorkshire and Humberside	ž 1 5	1 1 1	F 1 1	1 1 1	11 1	1 ( 1	1 1 1	1 1 1	1 1 1	1 1 1	1.11	1 1 1	1 1 1	i I I	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1.1 1	1 1 1	1 1 1
North West South East Laneashire Conurbation Merseyside Conurbation Rem. of North West	<b>6</b> 110	w ⊣10	1 1 1 1	1 111	1 111	न ।।न	1 111	1 1 1	न ।।न	1 111	1 111	1 111	ed IIe	1 1 1 1	m IIM	o ele	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 111	1 1 1 1
East Midlands	1	1	6	1	1	1	ł	1	1	ı	1	1	ı	1	1	1	ı	1	1	ı	1	ı
West Midlands Conurbation Rem. of West Midlands	414	1 1 1	1 1 1	1.1.1	1 1 1	1 1 1	1 1 1	t t t	111	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	<b>01                                    </b>	1 1 1	ਜ਼ਾਜ	1 1 1	e 1 e	1 1 1	111	1 1 1
East Anglia	ı	ł	i	ı	1	ı	1	1	1	ı	1	1	1	ı	ı	ı	1	1	š	1	1	ı
South East Greater London Outer Metropolitan Area Rem. of South East	111	ला।ल	1 1 1 1	1 1 1 1	1111	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	нін	1 1 1 1	1 1 1 1
South West	1	1	ı	ı	ı	l	ı	1	1	1	-	ı	1	1	1	1	1	1	ı	ı	ı	1
Wales Wales I (South East) Wales II (remainder)	111	111	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 4	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations of 100,00 and over Urban areas with populations areas with populations.	1 4	Η I	1 1	1 1	1 1	i i	1 1	t I	1 1	1 1	1 1	1 1	1 1	4 4	I N	<del>←</del> 1	1 ↔	1 1	1 1	1 1	1 1	1 1
under 100,000 and under 100,000 Urban areas with populat- ions under 50,000 Rural districts	H 91	ΙMΙ	1 11	1 1 1	1 1 1	1 +1	i 1 t	1 1 1	1 41	1 11	el 1 i	1 1 1	1 (1)	1 11	I M I	1 41	1 1 1	t 1 1	4 1 1	1	t 1 1	1 1 1
Hospital regions: Newastle Leds Leds Sheffled East Anglan North West Metropolitan South East Metropolitan South East Metropolitan South Western Wessex South Western Welsh Blimingham Manchester	111111111141401	tillillidilint		111111111111111	11111111111111	11111111111111			1111111111111	11111111111111	TITITITI THE FILL		111111111111111111111111111111111111111		11111111111001	11111111111101	HILLITITITITE			111111111		

* A retrospective bacteriological diagnosis in an immunised child presenting an atypical illness of extremely short duration.

nwo	E		578	22 22 32 32	98	77	89	26 20 43	20	64 122 52	40	118 32 44 42	44	27	120	33	51	180	4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Unknown	E		009	<b>4</b> 4 6 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	80 00 00 00	77	109	22 28 28	55	<b>66</b> 16 50	33	106 224 38 44	47	25 25 21	113	45	39	205	7 2 2 3 3 3 4 4 4 1 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
over	(Eq		539	4. 11. 32.	46	33	46	111	35	46 18 28	35	207 91 60 56	58	18	155	51	61	114	8245562840040461 8455660860868610
25 and	Σ		313	2 2 2 5 4 5 5 4 5 5 4 5 5 5 6 5 6 5 6 5 6 5 6	40	33	16	4824	16	31 14 17	30	900 334 324 324	34	1388	64	27	27	73	0 8 0 8 0 4 0 4 1 0 4 8 4 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Œ		888	<b>4</b> 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	79	63	80	32 13 40	73	90 35 64	74	264 109 84 71	87	<b>53</b> 41 12	226	114	16	200	040/000014000000 01/04040000000000
15	Σ		981	70 34 36	<b>75</b> 20	55	108	26 18 64	81	139 29 110	65	301 130 102 69	94	4 K) 00 00 0	257	88	74	233	8400 4400 4400 1040 1040 1040 1080 1080
	E4		1,838	202 44 158	212	161	204	53 39 112	153	188 76 112	158	<b>435</b> 146 159	167	119 79 40	409	164	111	362	100 100 100 100 100 100 100 100 100 100
10.	Æ		1,868	181 45 136	248 51	197	187	41 28 118	149	233 84 149	174	397 133 137 127	181	118 87 31	382	182	123	360	1201 1004 1009 1009 1009 1009 1009 1009 10
	E	ı	38,646	<b>4,289</b> 1,460 2,829	6,831 2,094	4,737	5,991	1,509	3,215	4,823 2,182 2,641	2,308	6,631 2,279 2,633 1,719	2,847	1,711 1,330 1,381	10,917	5,220	3,476	9,663	\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ{\circ}{\circ}\$\circ \circ
ī	M		40,553	4,448 2,934 8344	7,104	4,898	6,447	1,629	3,362	5,212 2,328 2,884	2,455	6,810 2,319 2,736 1,755	2,906	1,809 1,395 414	11,578	5,436	3,606	10,168	440001111 101040 011040140100000 001014001000000 0010140011001000
	[It-		7,218	1,981 737 1,244	3,133 1,088	2,045	3,115	832 749 1,534	1,277	2,028 937 1,091	786	2,911 1,027 1,149	1,100	887 672 215	5,370	2,655	1,621	4,201	1,148 8050 1,799 8050 1,099 1,099 1,090 1,100 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,
4-	Æ		8,063 17	114 725 389	130	,106	305	917	,353	117	834	155 112 251 792	,203	852 642 210	546	,744	764	402	898 448 8946 8046 8046 8046 8046 8046 8046 8046 80
-	Et.	Measles	8,694 18	2,339 2 841 1,498	3,430 3	2,246 2	3,424 3,	908 836 1,680	1,306 1	2,264 2 1,090 1	753	3,202 1,191 1,248 1,763	1,222 1	754 577 177	6,050 5	9,847 2	1,756 1,	4,390 4, 3,651 3,	1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,100 1,
100	Σ		9,185 1	350 816 534	,605	,331	475	956 804 715	,388	307 090 217	793	2500 270 829	,241	727 580 147	140	912 2	,876	500	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	E4		17,663 19	206 2 779	,272 3	,135 2	,354 3	855 875 ,624 1	,210 1	128 2, 068 1, 060 1,	269	,112 112 185 1,185 1,185	,081 1	721 540 181	826 6	,661 2	,634 1,	238 3,	000000000048000110044 80000000048000110044 80000000000
2-	×		204	,280 2 817 ,463 1	,454 3, ,200 1,	,254 2,	,433 3,	921 886 ,626	,211 1	2,357 2, 1,168 1,	702	009 2, 1150 11, 219 11,	,078 1,	<b>680</b> 518 162	142 5,	2772 2	,657	2356 4	1007-00004400000044 800014004400000004 9000140040000000004 9100 01100
	[F4		, 328 18,	867 2 691 176	952 1	845 2	,666 3	692 665	990 1	799 2 923 1 876 1	503	380 3, 979 1, 862 1, 539	786 1	<b>540</b> 422 118	905 6	322 2	315 1	517 4,	644 644 6666 6666 6666 6666 6666 6666
1	Σ		028 14,	860 1, 665 1,	991	881 1	867 2	794 773 300	039	916 989 927	531	537 054 934 549	816	590 473	266 4	337 2	466 1,	331 3	678 674 675 674 675 674 675 674 675 675 675 675 675 675 675 675 675 675
	Et.		5,342 15,	686 1, 2556 1,	1,079 2,	715 1,	1,048 2,	286 295 467 1,	335 1,	641 1, 327 314	176	850 2, 353 1,	272	255 210 45	881 5,	953 2,	508 1,	1,135 3,	66534 11989 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984 11984
-0			5,546 5,	702 249 453	091 1,0 391	. 002	063 1,0	285 299 479	364	6889 367 322	179	897 3567 204	270 3	291 239 52	ન		534		664 674 674 674 674 674 674 674 674 674
	Σ				+i		1						664 2	097 2 916 181	856 1,958	1,004		1,232	
ages	E ₁		115,734	13,740 4,861 8,879	20,965 6,908	14,057	20,022	5,204 4,896 9,922	8,644	14,080 6,668 7,412	5,530	19,992 7,319 7,724 4,949	7,	<b>କ୍ଷ୍ଟି</b> ନ୍ଦି	35, 89	17,020	10,609	27,821	00000000000000000000000000000000000000
A11	M		120,341	14,077 4,884 9,193	21,704	14,532	21,010	5,599 5,180	9,018	15,067 7,088 7,979	5,796	20,610 7,523 8,046 5,041	7,870	5,189 4,021 1,168	37,446	17,547	11,166	28,840	125, 445, 50, 50, 50, 50, 50, 50, 50, 50, 50, 5
	Area		ENGLAND AND WALES (excluding Port Health Districts)	Standard regions and conurbations: North Tyneside Comrbation Remainder of North	West Yorkshire Conurbation	Humberside	North West	Conumbation Merseyside Conumbation Rem. of North West	East Midlands	West Midlands Conurbation Rem. of West Midlands	East Anglia	South East Greater London Outer Metropolitan Area Rem. of South East	South West	Wales I (South East) Wales II (remainder)	Urban/Rural aggregates: Conurbations Areas outside conurbations:	Urban areas with populat- ions of 100,000 and over Urban areas with populat-	under 100,000	lons under 50,000 Rural districts	Hospital regions: Newcastle Leds Sheffled Rat Angilan North West Metropolitan South Rat Metropolitan South Rat Metropolitan South West Metropolitan Wessex Metropolitan Wessex Metropolitan Both Western Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan Wessex Metropolitan

-2-	M F	(paralytic)	n n	111	1 1 1 1 1 H	<ul><li>편 하 1 1</li><li></li></ul>		111 111 ed:1	1 ,		1		N I	1 1 1	
- 20	M	Acute poliomyelitis	1	1 1 1	1 1 1	1 1 1 1	1	1 1 1	1	1111	1	1 1 1	1 1	1 1 1	
2-2	M		C3	1 1 1	1 1 1	H 1 H 1	1	901	1	1111	1	1 1 1	0 1 □ □	1 11	11111111111111111
	M		1	1 1 1	1 1 1	· · · · · ·	-	1 1 t	1	1 1 1 1	i	1 1 1	1 1	1 41	1141111111111111
-0	K		7	111	11 1	1 111		111	1	1 1 1 1 etc 1 1	1	1 1 1	l l	। त।	118411141111000
ע רע מפיפי	E E		8 111	1 1 1	ਜ਼ ਜ਼	4 001	23	юю: 044		स्ता। सा।स	-	1 1 1	n ۱	4 01	ାଳ୍ଭ 11 : ଗ : 1 : 1 : 1 : ୭ : ଟ
			Health	Standard regions and conurbations: North North Remainder of North	Yorkshire and Humberside West Yorkshire Conurbation Rem. of Yorkshire and Humberside	North West South East Lancashire Comuncation Merseyside Comuncation Rem. of North West		West Midlands Conurbation West Midlands Conurbation Rem. of West Midlands		outh East Greater London Outer Metropolitan Area Rem. of South East		I (South East)	Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations of 100,000 and over	Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts	Hospital regions:  Leds Anglan Sheffield East Anglan North West Wetropolitan North East Wetropolitan South West Metropolitan South Western Wessex Oxford South Western Welsh Birmingham Manchester Liverpool

	A11	All ages		-0	1-		2-		3-		-4		-0		10-		15-	25 au	and over	-	Unknown	
Area	M	Œ,	Σ	Œ	Σ	Œ	M	Œ,	M	FI	M	Dia .	M	E	×	H	M H	Σ	(3°4	×	DL	
								Ac	Acute pol	poliomyelitis		(non-paralytic)	t1c)									
ENGLAND AND WALES (excluding Port Health Districts)	m	61	ı	1	1	1	8	ı	H	1	1	1	1	61	1	1	61		1	•	•	
Standard regions and conurbations: North Tyneside Conurbation Remainder of North	111	111	1 1 1	111	1 1 1	8 8 5	1 1 1	1.1.1	1 1 1	1 1 1	1.1.1	1.1.1	1 1 1	111	1 1 1	1.1.1	1 1 1	111	111	111	1 1 1	
Vorkshire and Humberside West Yorkshire Conurbation Rem. of Yorkshire and Humberside	1 1 1	111	1 1 1	11 1	1 1 1	1 ( )	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1.11	1 1 1	111	1 ( 1	111	1 1 1	11 1	
North West South East Lancashire Comumbation Merseyside Comumbation Rem. of North West	F 111	1 111	1 1 1 1	1 111	1 111	1 111	1 1 1 1	1 1 1 1	1 1 1 1	1 111	1 111	1 1 1	1 111	1 111	1 111	1 111	1 111	1 1 1 1		1 1 1 1	1 111	
East Midlands	1	#1	1	ı	1	1	1	1	1	ŧ	1	ı	1	н	1	1	-		-	ŧ	'	
West Midlands Conurbation West Midlands Conurbation Rem. of West Midlands	ਜਦ	111	111	111	1 1 1	1 1 6	1 1 1	1 1 1	ਜ਼ਿਜ਼।	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1		111	111	111		111	
East Anglia	1	a	1	1	1	1	1	ŧ	1	1	1	ı	1	4	,	- 4	1			'	1	
South East Greater London Outer Metropolitan Area Rem. of South East	शसम्स	ਜਦਾ।	1111	1111	1111	1111	1 1 1 1	1111	1111	1 1 1 1	1 1 1 1	1 1 1 1	1111	ਜਜ।।	1 1 1 1	1111	श्चा स	1111			1111	
South West	1	4	1	1	1	1	1	1	1	1	1	8	1	,	ı	ı	1	-	-			
Wales Wales I (South East)	1 1 1	1 1 1	1 8 1	1 4 4	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	111	1 1 1	111	1 1 1	8 8 8	1 1 1	1 1 1	111	111	1 1 1	1 1 1	1 1 1	
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populat- ions of 100,000 and over	CV FI	H I	1 1	l i	1 1	1 1	1 1	1 1	₩ 1	1 1	1 1	1 1	1 1	н (	1 1	1 1		1 1		· · · ·	1 1	
ions of 50,000 and under 100,000 under 100,000 under 100,000 Urban areas with populations under 50,000 under 31,000 under	1 1 1	1 +1	1 1 1	1 1 1	1 11	-4 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1	t i	I H	1 1	1 4			1 1	1 1	1 1	
Hospital regions: Newcastle Leeds		1 1	1 1	1-1	1 1	1 1	1 1	1	1	1	1	1	1	1	1	1 1				1	1 1	
Sheffield East Anglan North West Metropolitan North East Metropolitan South East Metropolitan	।।सास	H 1 1 1 H	11111	1 1 1 1 1	11111	1 1 1 1	1 1 1 1 1				1 1 1 1 1 1		1 1 1 1 1 1	HILLE					11111	11111		
South Western  South Western	1 1 1 1	1111	11(1	1 1 1 1	1 1 1 1	1111	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1111	1111	1111	1111	1 ( 3 )				111		
Weish Birmingham Manchester Liverpool	IHII	1111	1111	1111	1 1 1 1	1 1 1 1	1 1 1 1		THII	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 4	1 1 1 1	1111	1111						
																-						

				TABLE	30	000000000000000000000000000000000000000	202								1
	A11 a	ages	0		5		15-		45-		65 and	and over	Un	Unknown	
Area	M	[Eq	×	Eq.	×	ĵz,	×	(Ity	×	Ħ	M	E4	E	Es ₄	1
						Typhot	Typhoid fever								
NGLAND AND WALES (excluding Port Health Districts)	62	52	-	ø	23	14	23	23	۲	-	Ø	9			1
tandard regions and conurbations: North Tyneside Conurbation Remainder of North	ਜ ! ਜ	<b>Ω</b> ↔ 4	1 1 1	1 1 1	1 1 1	ਜ਼ਮਜ	1 1 1	<del>स</del> । स	ны	111	1 1 1	<b>n</b> ↔ ∨		\$ 1 A	1.1.1
Yorkshire and Humberside West Yorkshire Conurbation Rem. of Yorkshire and Humberside	10 4 H	<b>10</b> M	1 2 4	1 1 1	1 1 1	ભાળ !	<b>6</b>	<b>81</b> H H	છાળ ા	सा स	11 1	111		1 1 1	1 1 1
North West South East Lancashire Conurbation Nerseyside Conurbation Rem. of North West	<b>U</b> ⊕ ₽ ₽	11 CH 1	ო <b></b>	ന വ I പ	0 410	a all	O1	ଡ ୬ଟେଟ। କ	ର ।⊣ଟ ।	ભા લાદા દ	1 111 1	1 111 1		1 1 1 1 1	1 1 1 1 1
East Midlands West Midlands West Midlands Conurbation	11 13 8	<b>61 60</b> 410	I ത∾-	- 27 H	1 തന I	<b>8</b> 44	1 104	1 0101	1 1 1	1 1 1	1 1 1	111		1 1 1	1.6.1
Rem. of West Midlands East Anglia	N I	J I	1	1 1		ı	1	1	1	1	1			1	ı
South East Greater London Outer Metropolitan Area Rem. of South East	4400	<b>69</b> 44 C C	етет	1 1 1 1	13	<b>F</b> 40H	P-10-1-1	10	<b>⊘</b> ⊣⊣ I	<b>യ</b> a ← 1	eell :	<b>n</b> a ⊣ 1		1111	1 1 1 1
South West	П	ı	ı	1	1	1	1	I	1	1	-	1		1	ı
Wales I (South East) Wales II (remainder)	<b>8</b> 01 11	010	1 1 1	111	ਜ਼ਿਜ਼।	1 1 1	<b>0</b> 1 H H	ਜ਼ੀਜ਼	1 1 1	e t d	1 1 1	111		1 1 1	1 1 1
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations of 100,000 and over Urban areas with populations of 50,000 and under 100,000 Urban areas with populations outside 50,000 and	M L N 60 4	יים א ט מי	တ ၊ न ला	4 0 1 1 1	4 10 0 41	о н н м і	4 N H UN	N H N 44 H	च त ∣ तल	4 1 1 ⊢ N	ਜ I ਜ II	ю н I нн		1 1 1 1 1	1 1 1 1 1 1
Mospital regions: Newcastle Leeds Sheffield East Angilan North West Metropolitan South West Metropolitan South Western Wessex South Western Wessex South Western Messex	H 65	ଖ କ୍ଷୟ । ^ପ ରକ୍ଷଧ । । ପର୍ଷୟ	11114111111001	114111111100	1111124040114804	401114084111001	1000100141410001	सम्प्राकासन्।।।स्प्राप्त	ल्ला । ला । ला । । । । लल	।। सासासस्य ।। स्वा०।	11114111141111		01110411111141	11111111111111	

	All	ages	0	-0	S	2-	15-		45-		65 and	and over	Unk	Unknown
Area	M	Œ	M	R	M	ßz ₄	M	[Iz _i	W	E4	×	ji:	Σ	ps.
						Paratyphoid	id fever							
ENGLAND AND WALES (excluding Port Health Districts)	46	43	rs.	Φ	12	10	24	18	Ø	4	н	N	N	Ħ
Standard regions and conurbations: North Tyneside Conurbation Remainder of North	ଷ୍ୟପ	<b>©</b> ∺ W	1 1 1	सस् ।	1 1 1	111	01 H H	on I ou	111	9110	ਜ਼ੀਜ਼	नास	111	111
Yorkshire and Humberside West Yorkshire Conurbation Rem. of Yorkshire and Humberside	ເຄ ເ ທ	en I ko	ना न	<b>69</b> 1 0/	<b>61</b> C/	11 1	<b>01</b> 0	ਜਾਂ ਜ	11 1	1 1 1	11 1	11 1	1 1 1	111
North West South East Lancashire Conumbation Merseyside Commbation Rem. of North West	ਝ ਜਿΩਜ	<b>00</b> ⊣⋈⊀	w 10/4	व । नन	1 111	ਲ ਜਜਜ	च लहा	<b>81</b> 1 1 01	1 11	1 114	1 111	ਜ਼ ਜ਼ਿਜ਼	1 111	
East Midlands	IO (	H .	ı	ı	63	1	e	ı	1	1	1		1	ı
West Midlands Conurbation Rem. of West Midlands	n 10 1	ਜ਼ੀਜ਼	111	1 1 1	e e I	1 1 1	61 (V I	नान	111	1 1 1	1 1 1	1 1 1	1 1 1	111
East Anglia South East Greater London Outer Metropolitan Area	22 10 10 9	1 18 9 4	1 111	1 604	1 6-91	ਜ ਝਾਹਜ	1 2 2 2 2	1 1100	। शनन	1 111	1 111	1 111	। स्त्।	1 111
Nem. or South East South West	w <b>c</b> 1	ı n	- п	1 1	1 1	H 1	ю і	4 1	1 1	1 1	1 1	1 1	l el	1 1
Wales I (South East) Wales II (remainder)	ਜਦ।	ro 44 H	111	1 1 1	1 1 1	69 (1) 1	ਜਜਾ	ल ! स	1 8 1	el () I	1 1 1	1 1 1	111	111
Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations of 100,000 and over	177	47 7	O I	4 (1	r 0	4 1	w w	Ω H	ਜ ।	1 0	1 1	<b>∺</b> 1	н 1	l H
ions of 50,000 and under 100,000 and under 100,000 under 100 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,000 under 50,	111 101	2 LM	1 40	1 10	I 40	1 44	м ги	H 00	1 ↔1	1 10	1 1 1	₩ 11	। ता	1 11
Hospital regions: Newcastle Leeds Sheffield Bast Anglan North West Metropolitan South West Metropolitan South West Metropolitan South West Metropolitan Wessex South Western Welsh Welsh Melsh Melsh Manchester Liverpool	N H W H P A H D A H D A H D A H D A H D A H D A H D A H D A H D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A B D A	<b>ኮ</b> ዓ ነ ነ ነ ነ ነ ነ ነ ነ ነ ነ ነ ነ ነ ነ ነ ነ ነ ነ	।।त्रामामाम्बात्व	स । (४ ) (४ स ) । । । । । । सस	110104401611411	111411481110104	ଷ୍ଟାଷ୍ଟ ଅଟେ ଅଟେ ଅଟେ ଅଟେ ଅଟେ ଅଟେ ଅଟେ ଅଟେ ଅଟେ ଅଟ	ਜਿਜਜ਼ । ਜਿਜਚਾਵਾਜ । । ਜਿਜਜ਼ਜ	HILIƏLIƏLLILLI	01111111110111	etillilililili	41111111111111	। । । । । । स्ता । सा । । ।	HILLITERITI

Mn	6	ī.		161	α 1 α	17	13	43	24	1.6	<b>4</b> ← 10	63	28 9 14	00	200	52	14	24	21	& & C & C & C & C & C & C & C & C & C &																				
Unknown	3	E		149	414	28	25	27	11 15	00	414	2	27.2	11	H T T T T T T T T T T T T T T T T T T T	46	12	21	337	40 22 - 42 24 24 24 24 24 24 24 24 24 24 24 24																				
over				,518	250 198	413	223	444	199 59 186	127	235 82 153	56	721 384 190 147	180	92 71 21	996	492	220	334	000 0444 4000004 4000004 6000004 6000004 6000004																				
25 and	2	Ξ		1,578 2	150 31	272	147	275	127 127	73	168 68 100	25	416 231 103 82	114	666	603	297	120	222	4400000000000040 6000000000000000000000																				
		ž,		920	198	135	72	173	2000	36	35 65	20	279 139 64 76	52	200	376	190	81	124	00000000000000000000000000000000000000																				
15-		Ξ		470	39	74	27	67	23	29	324	10	150 72 59 19	28	12 12 6	170	81	37	104	888 888 888 888 888 888 888 888 888 88																				
		(±,		621	177	<b>30</b> 00 00 00 00 00 00 00 00 00 00 00 00 0	48	87	3139	40	51 114 37	19	173 87 43	252	38 16 16	202	123	51	131	C C C C C C C C C C C C C C C C C C C																				
10-		Σ		743	75 17 58	108	70	113	60 113 40	48	4.9 1.3 3.6	18	223 123 61 59	70	39 16	264	151	80	150	200 200 200 200 200 200 200 200 200 200																				
		Et.		2,456	244 57 187	327 138	189	371	139 63 169	112	232 67 165	93	725 409 134 182	207	145 77 68	873	522	193	510	001 4101 40000401 4100004010 4100004010 61000040000000040000																				
ı,		M	ary)	2,912	305	379	197	474	178 75 221	159	<b>286</b> 66 220	26	825 427 161 237	232	1.00 80 0.00 0.00 0.00	981	969	193	624	2802 2802 2803 2803 2803 2803 2803 2803																				
		Ē.	bacill	663	53 16 37	99	26	157	78 28 51	22	72 16 56	24	168 95 27 46	44	421	276	136	51	133	0.000000400000000000000000000000000000																				
1-4		Σ	oic and	741	47	108 52	26	192	93	28	880 200 69	24	169 92 37 40	62	22 13 9	304	174	42	145	74 64 64 64 64 64 64 64 64 64 64 64 64 64																				
		Ē	y (amoebic	710	63 4 15 8 4 8 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	89	24	160	83 25 25 25	28	83 70	6	187 107 37 43	53	33.7	290	176	43	130	0004 0044011044080 00044011044080																				
K	5	M	Dysentry	764	64 52 52 52	108	29	193	622	39	34	00	185 111 36 38	. 41	31 25 6	337	161	45	138	09 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8																				
		[E4		772	8114	120	61	186	9 8 8 8 4 8 8	33	94 119 75	10	172 104 24 44	56	20 15 5	328	185	54	120	44000000000000000000000000000000000000																				
C	- 7	Æ		878	81 18 63	153	73	203	112 52 39	35	101 28 73	17	216 114 42 60	40	28.20	404	190	56	134	181 101 107 107 107 107 107 107 107 107 10																				
		(Fr		743	8 20 20 20 20 20 20 20 20 20 20 20 20 20	130	63	184	84 84 84 84	31	71 21 50	14	170 101 31 38	33	24 25 21 25	347	149	65	116	88891488882458 464148854888255																				
,	<u> </u>	Σ		754	62 13 49	<b>134</b> 69	65	165	81 44 40	28	100 29 71	10	182 110 28 44	41	33 10 10	346	173	63	108	07-21-10-00-11-10-10-10-10-10-10-10-10-10-10																				
		(H		423	48	71	42	111	224	18	14 40 40	=	2 2 2 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	14	10 10	193	91	33	63	45 4 000044 44560 \$\times \times		Σ		511	51 8 43	322	62	113	N 20 00	26	60 60 60 60 60 60 60 60 60 60 60 60 60 6	ın	119 68 21 30	21	17 10 7	221	107	52	85 46	040 8001111111058 18888448858588
	ages	[Eq		9,987	1,006 215 791	1,485	808	1,916	888 3337 694	463	996 282 714	248	2,735 1,513 567 655	669	2.93 2.93 2.48	3,908	2,077	817	1,904	1 668877786478644 6784484786444 80000000000000000000000000000000000																				
	A11 ag	Σ		9,500	878 160 718		791	1,822	844 323 655	473	1,012	221	2,530 1,375 554 601	099	290 290 156	3,676	2,042	687	1,861	241 888 888 888 888 888 888 888 888 888 8																				
		Area		NGLAND AND WALES (excluding Port Health Districts)	tandard regions and conurbations: Worth Tyneside Conurbation Femainder of North		Rem. of Yorkshire and Humberside	North West	ď	East Midlands	West Midlands Conurbation Rem. of West Midlands	East anglia	South East Greater London Outer Metropolitan Area Rem. of South East	South West	Wales I (South East) Wales II (remainder)	Urban/Rural aggregates: Conurbations	Urban areas with populat- ions of 100,000 and over Urban areas with populat-	10ns of 50,000 and under 100,000	Urban areas with populat- ions under 50,000 Rural districts	Mescatle Leds Leds Sheftald East Anglan North West Netropolitan South West Metropolitan South Western Wessex Oxford South Western Wessex Leds Heropolitan Massex Leds Heropolitan Leds Heropolitan Matchester																				

TABLE 30 - continued

	TO- CO AND OVER UNKNOWN	EL W		3 54 23 43 32 1 2	ea 1 to 1 to 1 to 1 to 1 to 1 to 1 to 1 t	1 1 to co	6	6 2 7 4 - 1	।। स ।।। ।।। ।।। ।।। ।।। ।।। ।।। ।।। ।।।	9		1 1	25 10 13 12 10 10 10 10 10 10 10 10 10 10 10 10 10	- E	।।।	18 6 13 15 1	6 6	10 2 8	122 3 53	1004-000400-
		E.		39 23	in a la		1 0	8 4 1	010	3	N 1	89	4-20	3	801 801	12 6	10 6	OI OI	69 7	ひ t ゆ to to to to to to to to to to to to to
		E		66 29	<b>작 1</b> 작	Ė	4	61	<b>작 근 작</b>	4	<b>1</b> 0	4	<b>1</b> 0 aa	4	10 10 01	28	9	11 6	o (1	<b>じょじょ</b> むのひせ   ののに
		E.	meningitis *	25.25	න 1 හ ස්ප් 1	1010	01	e - 1	HQ1	1	<b>10</b> (1) (1)	H	(3 대 대 작	H	el tel	σ.	44 C/I	23	104	। संस्ता । । । । ० सा
,		Œ,	Acute men	23 17 13	सन्। सन्।	21	÷	6 4 1	410	63	414	- 1	<b>4</b> 4411	1	H	11 5 11	F)	1 3 1	40	स्था । स्था । शा । । ।       स्थ स्थ स्थ । स्थ स्थ । स्थ स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ । स्थ ।
and a	>	Σ		28 24 24 24	44 ± 100	න i	CV	10	10 I 01 01 01 01 01 01 01 01 01 01 01 01 01	3	<b>⇔</b> ⊢ ∪	T =	© 4441 ► 1014	T T	ବାର ।	11 5 1	co Co	F1	ω 4 ₄ ω κυ	1 1 4 4 0 4 4 4 0 4 4 0 4 4 0 6 4 6 6 6 6 6
,		Σ		7 36	no vo co	5 4 4	63	7 6	10 m	4	<b>4 4 4 4 4</b>	1	P 10 4 4	- 1	<b>9</b> 014	0 17	4	23	99	N40 1 4 4 0 4 0 1 1 0 0 0 0 0 1 4 1 4 0 4 0
d		Σ. W		72 47	113 8 5 7 8	6-10	4	7	H10		00 식 석	63	22 112 5 5 7 7		01 (V )	25 20	15	6	15 10	н н н н н н н н н н н н н н н н н н н
מ ה רע	a	ī,		377 227	34 11 23 19 19	43 30	26 21	52 34	25 6 6 6 6 13	30 15	37 26 11 13 26 13	17 3	123 70 63 43 25 16 35 11	22 12	15 15 15 13	133 89	61 43	52 25	71 46 60 24	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	200	Area		NGIAND AND WALES (excluding Port Health Districts)	trandard regions and conurbations: North Typeside Conurbation Remainder of North	West Yorkshire Conumbation	Hem. of Yorkshire and Humberside	North West	Conurbation Merseyside Conurbation Rem. of North West	East Midlands	West Midlands Conurbation Rem. of West Midlands	East Anglia	South East Greater London Outer Metropolitan Area Rem. of South East	South West	Wales I (South East) Wales II (remainder)	rban/Rural aggregates: Conurbations Areas outside conurbations:	Urban areas with populat- ions of 100,000 and over Urban areas with populat-	under 100,000 and	ions under 50,000 Rural districts	Newcastle Ledas Ledas Sheffield Sheffield East Augilan North West Metropolitan South East Metropolitan South East Metropolitan Oxford South Western Messex Metropolitan Wessex Metropolitan Messex Metropolitan Messex Metropolitan Messex Metropolitan Messex Metropolitan

* Prior to 1st October 1968 the notifiable disease was Meningococcal infection.

	רנא	a d		-0	5	5-	15-	-0	4	45-	65 and	dover	Unka	Unknowr.
	4	, p	>	DZ	×	[In	×	(Eq	×	SE,	×	Ph	Σ	ſr,
Area	E	54	2	4	Acute	Acute encephalitis								
					vente	oncolonation and								
ENGLAND AND WALES (excluding Port Health Districts)	4,6	42	14	12	16	13	22	14	2	m	H	1	H	1
Standard regions and conurbations: North Typeside Conurbation Rem. of North	122	10 C1 41	≓स्	തിഗ	4 el 10	ਜ਼ੀਜ਼	инф	901	111	1 1 1	ਜ਼ਾਜ	1 ( 1	1 1 1	1 1 1
Yorkshire and Humberside West Yorkshire Conurbation Rem. of Yorkshire and Humberside	O1 10-4	NH 4	∜ਜ ਨ	ਜਜ	<b>cd</b> 1 (0)	सा स	ਜ਼ਿਜ਼ ।	01 0	1 1 1	ਜ਼ਾ ਜ਼	1 1 1	t 1 t	111	1 1 1
North West South East Lancashire Conurbation Merseyside Conurbation Rem. of North West	r ana	⊀ ਹਿਜਜ	ल । ला	ରା ଟଟା	α स⊧स	04 सास	03 HHI	1 111	ल (ल)	1 111	1 111	1 111	न ।। ल	1 111
East Midlands	7	4	m	2	1	1	es.	H	-		1	1	1	1
West Midlands Conurbation West Midlands Conurbation Rem. of West Midlands	<b>ស</b> លស	ID 근 작	111	111	<b>n</b> + 0	414	≓ । स	ਜਰ!	ਜਰ!	111	1 1 1	111	1 1 1	
East Anglia	+ .	t	ł	1	1	ı	1	1	rl	1	1	ı	1	'
South East Greater London Outer Metropolitan Area Rem. of South East	21 01 7 4	14,	<b>8041</b>	<b>о</b> ннн	ro co co	<b>4</b> 00	10	<b>6</b> 000	w 01 → 1	H 1 H 1	1111	1111		1111
South West	4	63	63	1	t	П	63	=		1	1	ı	1	1
Wales I (South East) Wales II (remainder)	1 4 1	e1 (1) 1	1 4 1	ससा	1 1 1	111	111	ਜ਼ਿਜ਼।	111	111	111	1 4 1	1 1 1	111
Urban/Rural aggregates: Conurbations Areas outside comurbations: Urban areas with populations of 100,000 and over Urban areas with populations of 50,000 and Urban areas with populations areas with populations of 100,000 Urban areas with populations under 100,000 Rural districts	4 0 0 H	64 B 10 G 10 G 10 G 10 G 10 G 10 G 10 G 10	rv 44 w 6/1	4 60 00 00 00	N 44 H 440	n a I wa	U 4 4 W4	0 H NN	4 1 1 014	। स । सस	1 1 1 1 1	1 1 1 1 1	1 1 ↔ 11	1 1 1 1 1
Hospital regions: Newsatie Leeds Sheffield East Anglan North West Metropolitan South East Metropolitan South East Metropolitan South West Metropolitan Wessex South Western Welsh Elimingham Mandhester Liverpool	ч И и н ч о м и и ч ч 4 1 и и и	ତ ⊣ ଫ   4 α ଜ   ⊣ ⊣ α α α α α Η	नत्पः।०।।त।।०।।।त	N H Q   Q   I   I H I I H I H H H	∜नन∣न्यथ।।।।।%नन	ଟାଟା।ଟ୍ଡା।।ଟାଫ୍ଡା	७ तल । ल । चित्तत्य । तत्त	Q I छ I सन्तर I   सन्तन्ति	।। तस्त्रा।।।।।। स्।स	110/14/11/11/11/1	ellilililililil	11111111111111	1111111111111	11111111111111

WI	[řt		1	111	11 1	1 111	1	111	1	1 1 1 1	1	1 1 1	
Unknown	×		1	1 1 1	1 1 1	1 111	1	1 1 1		1 8 8 8	1	1 1 1	
and over	年		н	111	1 1 1	1 111	1	1 1 4	1	1 1 1 1	ı	1 1 1	1 1 et l. 11etlillilli
65 and	M		ю	111	1 1 1	1 111	+	정러대	1	1111	ı	1 1 1	e
	(St.)		n	111	1 1 1	1 111	Ħ	111	1	<b>⊣</b>	1	1 ( 1	न । नान ।। नान।।।। ना।।
45-	M		H	1 1 1	1 1 1	न ।।	ı	111	1	1 1 1 1	ı	1 1 1	
	드	(post-infectious)		4 1 1	1 1 1	न ।।न	1	111	1	4010	73	1 1 1	ar e we illivietelaite
15-	M		10	ਜ਼ੀਜ਼	ਜਦ 1	ਜ 11ਜ	ı	ਜਜ਼ੀ	1	<b>™</b> ₩ ₩	1	ਜਜ਼।	D O I IN HHILONHILLIHHE
	(II.)	encephalitis	11	111	1 1 1	ल ।।ल	е п	ਜ਼ਜ਼ਾ	ı	<b>10</b> 00 ← 00	i	H H I	ю ४ । юн । ы I подент I нен
5-	W	Acute	13	1 1 1	111	ത വര	1	<b>8</b> H H	+	011011	1	441	त ८ । तय ।।त्तत्ता।।।त।४००
	fiz,		10	нгн	1 1 1	स । स	73	ਜਰ।	1	4×0 ↔ 1	-	1 1 1	ש מ א מא אומומואואוואואו
-0	W		13	1 1 1	चल ।	w ⊘l⊣	7	लंख ।	ı	<b>₩</b>	1	ਜ।ਜ	<ul><li>с и ни тнитиннтинно</li></ul>
адев	E ₁		32	ਜ਼ਾਜ	1 1 1	מוו מ	-	NUI	1	# © C) 4	4	ਜਦ∣	о ч юф н I M I M H H H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M H M I M M I M I
A11 a			40	ਜ਼ਮਜ	81 (V )	00 (۱۱ در	4	<b>20</b> 4 (1)	=1	<b>51</b> 0 4 0	1	<b>9</b> 00 ↔	4 T 0 0T H04H0801HH160R
	W												
	Area		ENGLAND AND WALES (excluding Port Health Districts)	Standard regions and conurbations: North Tyneside Conurbation Rem. of North	Yorkshire and Humberside West Yorkshire Conurbation Rem. of Yorkshire and Humberside	North West South East Lancashire Comunbation Merseyside Comurbation Rem. of North West	East Midlands	West Midlands West Midlands Conurbation Rem. of West Midlands	East Anglia	South East Greater London Outer Metropolitan Area Rem. of South East	South West	Wales I (South East) Wales II (remainder)	Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations of 100,000 and over Urban areas with populations of 50,000 and under 100,000 and under 50,000

Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod postenting  Frod p		All ages
Proof polescating  5-43	E.	
544   454   1,000   1,131   322   388   113   204   318   322   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348   348		
18	3,120 643	20
56         46         105         113         38         34         14         36         36         36         36         36         36         37         4         36         37         4         36         37         4         36         36         36         36         36         36         36         36         36         36         4         36         36         36         36         37         37         4         36         36         37         4         36         36         36         36         36         37         37         36         36         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37         37	138 46 92 92 82 82	38 92 92
26         18         64         57         20         16         11         28         32         31         32           23         18         20         55         67         12         31         11         11         12         31         11         11         12         31         12         31         11         11         12         31         12         12         32         4         12         31         11         11         14         12         32         4         16         4         16         4         16         4         16         4         16         11         12         32         4         16         4         16         11         12         32         4         16         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4	372 146	72
62         68         159         200         55         67         12         31         11         11           29         45         64         74         29         65         14         19         5         16         64         11         11         19         5         5         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         16         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4<	226 48	26
23         64         74         29         64         74         29         64         74         29         64         74         29         65         14         19         8         54         16         4         4         4         4         4         4         14         19         5         65         14         19         5         6         6         4         4         4         4         4         11         19         5         5         5         6         5         4         4         4         4         11         19         5         5         5         5         6         5         4         4         11         19         11         19         5         5         5         5         5         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         <	93	93
29         18         60         59         9         15         5         5         5         5           444         24         103         116         30         33         12         19         5         5           29         8         17         12         46         19         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15         11         15	207 112 28 274 37	07 112 74
44         34         103         116         30         33         12         19         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4 <th< td=""><td>139 34</td><td>39</td></th<>	139 34	39
244         216         391         446         141         177         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         44         <	272 138 134 35	72 38 34
244         216         391         446         141         177         44         87         29           49         51         25         25         45         15         45         45         25         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45 <t< td=""><td>48</td><td>48 6</td></t<>	48	48 6
26         24         46         44         25         33         15         25         9           18         16         35         46         44         46         44         10         16         3         10         63         9           188         16         35         22         2         14         2         6         3         10         63         9           188         185         15         17         74         79         34         80         59         31         6         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80         80	1,145 609 246 246 49 290 43	40040 0000
26         24         46         32         46         47         10         16         3         10         63           188         186         469         562         158         177         30         80         59           45         28         469         562         158         177         30         80         59           45         28         469         562         158         177         30         80         59           45         28         83         106         21         74         79         34         50         31           45         28         119         176         21         70         11         4         60         59           45         28         119         21         70         22         22         22         22         22         22         22         22         26         88         30         46         44         44         44         44         44         44         44         44         44         44         44         20         21         21         22         22         22         22         22         22	225 40	25
188         185         469         562         158         177         30         80         59           45         28         83         106         21         74         79         34         50         31           45         28         83         106         21         30         10         11         4           45         28         49         137         115         45         53         12         57         102         20           45         39         61         137         115         45         53         11         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4	188 94 27 94 10	80 90 44 40 40 40 40 40 40 40 40 40 40 40 40
150         110         192         172         74         79         34         50         31           45         28         83         106         21         36         59         17         45         51         102         21         45         31         45         31         45         31         45         31         45         31         45         31         45         31         45         31         45         31         45         31         45         31         45         31         45         31         45         31         45         31         45         31         45         45         45         32         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         46         47         46         47         46         47         46         47         46         47         47         47         47         47         47         47         47         47         47         47         47         47         47         47         47         47         47         47 <t< td=""><td>1,258 291</td><td>28</td></t<>	1,258 291	28
45         28         83         106         21         30         10         11         4         4         4         11         4         4         11         4         4         11         4         4         11         4         4         11         4         4         11         4         4         11         4         4         11         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4	551 95	151
97         82         119         176         36         53         17         102         8           63         49         157         115         45         55         22         20         8           45         55         29         11         45         25         22         20         8           45         53         25         24         25         24         25         26         8           40         48         108         152         46         11         6         44         45         25         22         10         44         32         26         8         8         11         22         8         11         44         44         10         22         22         22         22         22         22         22         22         22         22         22         22         22         22         22         24         44         32         22         26         3         44         32         26         44         32         26         22         24         44         32         26         22         24         44         32         32         32	228 67	28
18     18       45     39       61     83       25     25       20     25       20     25       20     25       20     25       20     20       40     48       40     48       40     48       40     48       20     21       20     22       20     22       20     23       21     44       22     24       23     24       24     44       25     24       26     24       26     24       26     24       26     24       26     24       27     23       26     24       27     25       26     24       26     24       26     24       26     24       26     30       30     30       30     30       30     30       30     30       30     30       30     30       30     30       30     30       30	747 336 72	47
25 31 108 152 46 5 9 4 108 152 24 5 5 9 6 5 5 10 108 152 25 6 5 5 6 5 5 6 5 6 5 6 5 6 5 6 5 6	1 1 2 8 3 9 8 3 9 8 3 9 8 3 9 8 3 9 8 3 9 8 3 9 8 9 9 9 9	23993
22 22 23 34 43 24 23 10 11 23 10 11 25 25 25 25 24 25 31 14 21 21 25 25 25 24 44 44 10 16 33 12 19 63		000
25 12 53 63 20 31 14 21 6 8 2 6 3 4 4 4 5 4 4 5 10 16 7 19 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10 6 3 10	45	45
	72 72	72 72

uwoi	[X4		12	01.01	61 (1)	1	61	110	ਜ	1.1.1	,	10 4 1 H	1	1.1.1	60	C)	ı	W (V)	ળળ!!ળ!!ળનન!!!ળ!
Unkno	Σ		22	ਜਾਜ	<b>80</b> CI	ᆔ	64	1 संस	64	ਜੀਜ	-	F-4-110	7	1 (3) (3)	7	4	N	410	नक्षता चना । । यनकननन
and	[Eq.		117	00 44 4	200	7	12	या या या	00	10	N)	200 200 200 200 200 200 200 200 200 200	4	040	50	(D)	7	12 13	0 - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
75 an	Σ		288	188	10	14	44	13	Ю	17 022	9	118 62 27 29	18	100	123	4	19	54	10011 10000 1100 100111 100011 100
	E4		247	15.50	40	H	40	15	IO	18	10	94 252 20 20 20	14	100 H	108	44	18	47	044444444444444444444444444444444444444
65-	M		864	78 53 45	31	65	114	24.2	46	4 00 00 4 00 00	14	346 199 74 73	45	<b>61</b>	384	159	57	129	C08400C000000004 C0841C004C000004
	[X ₁		316	44 252	35	18	31	1001	18	35 13 13	4	11. 61. 26. 26. 26. 26.	13	2170	130	61	14	74	800 80004444804 804888888804
555	Z		1,390	119 26 93	155	93	192	76 46 70	87	151 84 67	29	496 314 101 81	73	88 44 44	809	240	103	256	11 12 13 13 13 13 13 13 13 13 13 13 13 13 13
	E		451 1	<b>₽</b> 11 10 10 10 10 10 10 10 10 10 10 10 10	<b>61</b>	N N	22	22 14 16	16	38 23 15	11	175 100 36 36	20	151	200	79	00	77	0044000004440004 00040404046
45-	M		223	125 38 87	69	77	921	74 44 58	80	140 88 52	18	415 257 97 61		52	570	220	101	92	11111111111111111111111111111111111111
	2		569 1,	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	58 1	80	-	O1 10 O1	EQ.	80 1 51 29	6			~17.00					400000000004440000 4400000000004440000
35=	E4						72	ાં લે લે	63			214 122 49 43	ñ	1100	272	105	49	58	0000 C 4400 000 000 400
Ю	M		1,000	89 18 71	108 54	54	141	80 36 45	54	122 78 44	12	377 246 70 70 61	46	13 13 13 13	492	179	90	133	88 87 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1	ít,	atory	645	41 10 31	500	34	102	222	20	72 56 16	13	240 156 56 28	21	25 0 0	333	60	47	104	40711784181877 00118048770887774
25	M	spira	882	56 122 44	118	45	115	2002	47	106 83 23	12	358 245 71 42	35	<b>8</b> 8 9	503	151	54	116	56 001 102 102 103 103 103 103 103 103 103 103 103 103
1	E	res	399	3.4 A 0.5	53	26	63	22	20	30 15 15	00	145 97 27 21	17	400	199	70	24	69	2000 1000 1000 1000 111441 1000 1000 100
200	M	sis,	483	38 10 28	52	22	87	43 15 29	32	27 27 18	-3	123 47 20	17	15	248	75	46	78	752 754 755 755 755 755 755 755 755 755 755
	Œ	Tuberculosis	270	36 111 25	34	14	47	113	19	30	10		00	7 8 7	139	47	17	452	888 888 488 488 888 888 888 888 888 888
15	M	per	335	27 11 16	52	16	26	23	29	61 47 14	60	76 42 18 16	6	⊕ ro ⊣	85	65	25	255	0000 00111 0000000104 001100
	Ē	T	154	\$-01 TO	16	Ø	24	11 10 10	13	25 17 8	1	35	4	10 4 H	75 1	50	gn	23	04010110100000000000000000000000000000
10-	M		169	Hao	200 200 200 200 200 200 200 200 200 200	10	18	477	13	34 3	8	55 151 171 6	9	P 10 01	86	о 0	Ø	5 H C) H	1001 01 10001 40000000000000001
	Ē		176	100	13	7	21	440	9	24 10	61	12 45	ID.	<b>01</b> H H	66	20	14	22	444 0444 0774000000404444
υ.	Σ		175	17 10	16	9	26	47 5	00	<b>8</b> 8 8 9	1	53	4	100	109	22	O)	21	444
	Ex.		172	400	100	6	20	-100 -100	9	32 32	63	<b>8</b> 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	60	<b>6</b> 40	111	20	10	120	4 1 4 8 8 8 C O 1 5 1 6 C 4 5
d	M		175	1004	13	4	24	27 4 8	12	3000	1	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	11	10 01 01	113	27	10	15	111 01 1 NH 1 NH NH NH NH NH NH NH NH NH NH NH NH NH
1	ft.		49	<del>+1+</del>	00 4	ເນ	13	® ←1 ←4	4	113	1	<b>0</b> 004	-	1.1.1	30	9	9	104	4001044011 ⁶ 11004
wil	Σ		45	<b>4</b> ↔ 10	വയ	$\forall$	6	m ← 1	63	₹2 4 ±	H	<b>5</b> 0000	63	610/1	27	o o	4	OI IO	450446044601446064
	Ē4		19	<b>8</b> 4 0	62 C/	М	el	-1 1 1	**	4104	1	10 H M 60	Ħ	1.1.1	10	Ю	N	40	8001040141441
0	E		24	<b>#</b> !#	හ I	Ю	2	सास	-	901	1	<b>∞</b> ™ ∽ ←	63	नना	12	00	4	40	414101014104001
s a Sa	庄		3,606	330 88 242	233	206	200	201 122 177	192	<b>441</b> 307 134	20	1,339 811 303 225	146	140 899 600	1,762	604	256	602	8686 46000111114481 16007478100144447 4047000470000177
All	M		7,075	603 176 427	<b>837</b> 433	404	1,006	443 250 313	407	836 558 278	105	2,575 1,619 404	333	373 282 91	,479	1,226	530	1,058	48000000000000000000000000000000000000
	Area		ENGLAND AND WALES (excluding Port Health Districts)	Standard regions and contrbations: North Tyneside Conurbation Rem. of North	West Yorkshire Conurbation	Humberside		Conurbation Merseyside Conurbation Rem. of North West	East Midlands	West Midlands Conurbation West Midlands Conurbation Rem. of West Midlands	East Anglia	South East Greater London Outer Metropolitan Area Rem. of South East	South West	Wales I (South East) Wales II (remainder)	Urban/Rural aggregates: Conurbations Areas outside conurbations:	Urban areas with populat- lons of 100,000 and over Urban areas with populat-	lons of 50,000 and under 100,000	formal areas with popular- lons under 50,000 Rural districts	Hospital regions: Newcastle Leeds Leeds Sheffled Eact Angilan Eact Angilan North West Metropolitan South East Metropolitan South West Metropolitan Wessex Wester Birmingham Marchester Liverpool

20	F M		© 00 m	1 1 1 1 1 1 etel 1	# 1 년 1 1 년 # 년 1 1 1 1		1	전 1 년 전 1 전 1 전 1 전 1 전 1 전 1	1 1	4001	1	111	3 2	1	H 11	
10-	M	Tuberculosis of m	ю го	ारा	01 N	ल ला।	1	111	1	1111	1	111	H		। सा	411111111111111111111111111111111111111
12	E	meninges and	9	1 ( ) elet 1	11 1	ω ⊢ι∨	1	1 1 1	1	2110	1	111	N	1	1 1 1	
-02	M	d central	4 5 10	1 1 1	11 1		1	111		M - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1	111	23	1	1 44	111110111111100
25-	(St.)	nervous	2	<b>≓</b> ₩ 1	ਜ਼ I ਜ਼ ਜ਼ਜ਼ I	1 111	1	111	1	4.80 d l	1 -	1 1 1	4	1	ਜ ਜਜ	
50	E4 W	system	9	etel I	111	4 HII	-	1 1 1	1	1111 स्टा	1	1 1 1	Ŋ	-	1 1 1	ला।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।
1.75. I	E		10	स्राम	1 1 1	1 111	ŧ	1 1 1		4×0 ← 1	1	1 1 1	23	1	H H H	HIIINIHIIIII
55-	×		4	1 1 1	ਜਜ ।	न । ल ।	1	1 1 1	ī	нін	П	1 1 1	N	ŝ	1 01	ाना।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।।
655	E		1	1 1 1	1 1 1	1 111	1	( ) ) FIEL	1	1 1 1 1	1	1 1 1	ı	i a	1 1 1	11111111111111
75 and	ßi,		-	111	1 1 1	1 111	1	1 1 1	1	1 1 1 1	1	1 1 1	1	1	1 1 1	1111111111111
Unknown	E.		1	1 1 1	1 1 1	1 1 1 1	1	1 1 1	1	1 1 1 1	1	1 1 1	1	1	1 1 1	111111111111111

DWI	[Es		6	<b>⊣</b> 1 ←	1.1	ı	e e i i	<b>H</b>	201	ŧ	4010	1	1 1 1	ທ	₩	1	1 10	।त्त्रास्त्रास्त्रा । १०५।
Unknown	Σ		9	1 1 1		1	11	6		ı	0011	1		N.	-1	ı	1 ~	1 MII WILLII I I H M M I
	ſz,		73	W W W	NO	Ю	<b>9</b> ⊣80	60	1-4M	-	110	7	Ω 4 ⊢	28	0	9	13	400147700070747
75 and	E		17	<b>6</b> 0 ←	1 1	1	0 14-	1	सना	1	1000	m	2 44		-	N	4 W	м       Ф -     н- и и и - н - н
	Et.		80	<b>6</b> ← 0	00 C/I	(ID	00 원 H 4	2	400	63	15 10 10	00	r00	24	17	11	13	WUUU0414047747
65-	Ξ		8	<b>9</b> 04	40	CV)	4 140	9	<b>8</b> ← 0	-	100 100 20	4	8 to 10	16	10	4	100	Фиочиоличии в н
	[E ₄		701	<b>o</b> ⊢ ∞	9 ~	73	13	9	000	1	7 <b>4</b> 222	2	I CU CU	42	21	o	13	0 H O 1 AN Q AN N N N Q C O
55-	Ε.		75	<b>00 1 00</b>	<b>9</b> 10	ю	<b>60</b> N4H	r.	<b>4</b> H 50	1	01 01 04 01	00	P-00-1	FG FG	10	- 10	118	@NN 1 @UU4040 ~ 444
			122	N + W	4 B	φ	<b>∞</b> 10 1 10	17	200	7	255	00	0 1 0	42	14	16	255	00000410000000000000000000000000000000
45-	ſz,													4		-		
4:	Σ		104	11	17	10	<b>6</b> 040	4	17 11 6	7	39 13 12 14	4	∇ 4 ←	36	16	o	23	11884140664878781
,	(Eq		220	17	24	12	20 0 0 4 0	15	31 21 10	9	80 52 17	11	110	103	41	17	33	<ul><li>ではいるなななななるでしまでまった。</li><li>ではいらなななななるでしまいられるよう</li></ul>
35-	×		193	<b>₽</b> ₩ ₩	26	10	10 000	15	30	8	69 47 19 5	2	00 CO I	106	56	15	200	10 41 KU KU KU KU KU KU KU KU KU KU KU KU KU
	E4	forms	596	20 6 14	31	16	31 13 13	17	24 16	2	33 44 44 44	10	100	48	44	33	34	1000 2000 1 1 1 1 2 2 2 2 2 1 1 2 2 2 2
25	Σ	er	243	21 10	15	0	34 15 14 14	16	3 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	60	96 1 78 13	11	8 ~ ~	53 1	41	7	23	0 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Œ,	oth	137	1100	13	9	9 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	15	18 12 6	1	1389 1389	4	नन।	72 1	26	7	13	1111 NH 100100000001004
20-	Σ	Sis	107	H	21	Ю	4 007	9	23 19 4	1	20 20 8	4	441	65	14	12	000	100100400004004
	(E)	uberculosis	62	400	10	C)	4 010	10	11 7 7	ı	14	n	<b>6</b> 0 €	33	10	4	17	489145446000484
13	Œ	Fuber	91	F-W-4	23	9	00 NH4	2	20 20 4	2	4000	-	el el 1	09	13	00	o ⊢	V400000011444444
10-	[II		39	सन्।	n n	CI	10	m	10101	1	1000	4	1 1 1	24	Ю	Ŋ	H 6	1001100110001000
Ħ	Σ		49	ल । ल	11 6	C/I	no vi⊣vi	90	<b>001</b>	1	2772	ı	<b>HIH</b>	28	10	N	1- N	407100411414044
	ĬL,		25	1 1 1	<b>m</b> N	Н	n net	4	441	1	© 10 ← 1	ന	1 1 1	12	Ŋ	M	101	100100011041444
က်	Σ		35	<b>⊣</b>	4 4	1	n n H n	1	P-410	1	2041	9	1 1 1	20	ю	Ŋ	410	44110V401041VNO
	(II)		20	ਜ਼ੀਜ਼	07 H	H	4 1014	4	ele.	å	w01 H	2	1 ) (	ω	4	М	OI IO	<b>ପ୍ରଥମ୍ପ । । ପ୍ରଥମ୍ପ ।</b>
2	M		17	<b>6</b> 40		1	4 NH I	1	<b>60</b> 1 10	1	4014	1		Ø	4	⊣	HN	004111001114884
-	(IL)		9	1 1 1		1	H H I	-	<b>≓</b> ← 1	ŧ	01011	ı	3 1 1	S	1	1	er 1	1951Q111111115H1
←	Σ		N	1 1 1	1 1	1	1 1 1 1	1	1.1.1	1	01011	1	1 1 1	N	1	1	1 1	111111011111
-0	Fi		N	1 1 1		ı	1 1 1 1	1		1	1111	-1	1 1 1	N	ı	1	1 4	теттитити
0	Σ		H	1 1 1	1 1	1	1 1 1 1	ŀ	1.1.1	1	नन।।	1	1 1 1		ı	1	1 1	111101111111111
ages	ſī.		1,193	77 24 53	123	09	127 59 22 22 46	98	147 95 52	13	<b>480</b> 286 121 73	70	58 13 13	543	195	110	174	41000000000000000000000000000000000000
All	E		988	34 38 38	144	45	110 20 20 46	64	186 146 40	10	331 214 78 39	40	36	539	148	75	125	1088 1088 1088 1088 1088 1088 1088 1088
	Area		ENGLAND AND WALES (excluding Port Health Districts)	Standard regions and Conurbations: North Tyneside Conurbation Rem. of North	Yorkshire and Humberside West Yorkshire Conurbation Rem. of Yorkshire and	Humberside	North West South East Lancashire Conurbation Merseyside Conurbation Rem, of North West	East Midlands	West Midlands West Midlands Conurbation Rem. of West Midlands	East Anglia	South East Greater London Outer Metropolitan Area Rem. of South East	South West	Wales I (South East) Wales II (remainder)	Urban/Rural aggregates: Conurbations Areas outside conurbations:	rban areas with populat- lons of 100,000 and over rban areas with populat-	lons of 50,000 and under 100,000	ions under 50,000 ural districts	Hospital regions: Newcastle Ledds Shefital East Angilan North West Metropolitan North East Metropolitan South East Metropolitan South East Metropolitan Wessex Welsh Birmingham Manchester Liverpool

TABLE 30 - continued

65- 75 and Unknown	M A M		82 70 26 32 62 62	44 4 10 41 4 41 4 41 4 60 1 10	40	20 20 20 20 20 20 20 20 20 20 20 20 20 2	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 1 3	4 1 4 61 + 61	1 - 4	11 4 5 4 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 21	1 1 1	25 16 7 7 13 10	17 15 5 6 6		18 5 8 21 2 15 6 7 16 1	450 444410 10441 1400 044 1040 1040 1040
55=	E E		155 140	€ C C C C C C C C C C C C C C C C C C C	15 18	14 10	32 25 18 6 12 12 15	12 12	21 11 8 5 13 6	5	41 35 114 17 111 8 16 10	13 16	<b>6</b> € € €	44 42	37 18	15 17	33 26 32	77 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
1	E		171	11 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	12	Ø	8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2	17	6	200 100 100 100 100 100 100 100 100 100	16	201	28	30	17	239	
45	Æ		1 223	13	23		150 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 23	22 172 132 133	2 10	65 22 22 18 18	23	411	2 70	33	3 24	3 43	000000 H 00000000000000000000000000000
35-	E		380 331	26 31 10 7 16 24	39 35 10 12	29 23	60 52 33 18 6 10 21 24	38 25	37 26 18 10 19 16	17 15	109 104 45 38 32 30 32 36	41 31	13 4 9 3	122 95	52	58 48	88 62 48	202410000000000000000000000000000000000
25-	H	dice *	5 636	49 63 10 20 39 43	61 67 17 19	44 48	27 122 69 69 113 16 45 37	58 63	65 50 24 12 41 38	26 22	07 176 17 03 77 41 59 58	45 39	27 34 20 19 7 15	236 213	78 67	09 83	114 163 128 110	748 F 74 G 88 B 74 F 88 G 89 G 89 G 89 G 89 G 89 G 89 G 89
20-	M H	tive jaundi	33 512 66	62 46 4 18 17 1 44 29 3	51 43 6 24 14 1	27 29 4	83 100 12 40 44 6 17 12 1 26 44 4	66 43 5	47 54 6 17 21 25 25 35 4	23 20 2	228 146 20 135 64 10 42 34 4 51 48 5	39 40 4	34 20 2 25 12 2 9 8	251 172 23	96 80 7	75 72 10	85 98 11 126 90 12	624/200 424/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/400 444/40
15-	F	Infect	3 627 6	60 72 60 47 49 49 49	70 73 8	43 58 2	108 114 57 51 174 54 44 44	65 61 6	57 57 16 22 41 35 35	19 20 2	225 156 22 107 68 13 65 33 53 55	71 37 3	29 20 20 19 17 15 17 15 17 17 17 17 17 17 17 17 17 17 17 17 17	237 198 25	100 98	85 68	167 147 8	0.45 + 1.40 4 2 4 0 8 4 2 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
10-	Et.		1,155 72	183 57 126	127	87	105 42 75	06	108 38 70	25	237 75 80 82	82	81 57 24	357	176 10	179	306	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
7	Z		893 1,188	68 164 81 55 87 109	75 142 80 47	95 95	31 216 95 118 89 33 47 65	33 108	87 119 52 33 35 86	38 30	313 217 140 86 88 53 85 78	28 95	20 97 81 66 39 31	637 372	50 184	62 177	434 249 250	2663 1888 1888 1896 1896 1997 1907 1907 1907 1907 1907 1907 1907
5	M		816 1,8	276 2 91 185 1	251 2	172 1	390 4 186 11 75 129	130 1	174 14 45 129 13	22	285 110 69 106	128 13	127 19 95 32	586 63	330 33	255 26	406 43	
2-	[īt.		406 1,	8 7 7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	<b>49</b>	31	105 58 21 26	28	37 20 20	8	20 20 20 20 20 20 20 20 20 20 20 20 20 2	24	34	157	54	45	78	0 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	M		24 428	1 64 46 46	8 63	8 41	6 112 4 54 - 31 2 27	2 27	3 33 24 24 24	- 10	11 27 11 27 27 27 27 27 27 27 27 27 27 27 27 27	2 15	1 36 1 27 - 9	6 161	9 77	1 41	4 99	1044-1111111111111111111111111111111111
<del>-</del>	× ×		7 29	1 1 1	1 1	9	<b>ф</b> мім	1	214	ı	4140	1 2	B 10 1	9	1 0	-	20	NOATAATT10000040
•	×		00	H H 1	24		H HII	-	ठालल	1	ਜ਼ਮਮ	1	1 1 1	4	F-1	1	мт	କ୍ଷ୍ୟୀକା । । । । । । ପ୍ରା
11 ages	[St.		18 6,066	26 236 233 533 533 533 533 533 533 533 533 533	44 722 46 216	98 506	94 1,239 05 574 02 226 87 439	15 477	97 567 35 186 12 381	04 171	330 70 532 55 55 56 59 432	30 426	251 251 251 114	1,970	942	30 811	54 ',435	40000000000000000000000000000000000000
All	Area		ENGLAND AND WALES 6,418 (excluding Port Health Districts)	Conurbations: 746 North Typeside Conurbation 226 Rem. of North 520	Yorkshire and Humberside West Yorkshire Conurbation 246	em. of Yorkshire and Humberside 498	North West 1,194 South East Lancashire 605 Conurbation 605 Merseyside Conurbation 202 Rem. of North West 387	East Midlands 545	West Midlands Conumbation 1855 Rem. of West Midlands 412	East Anglia 204	South East Greater London Outer Metropolitan Area 365 Rem. of South East 459	South West 480	Wales I (South East) 2899 Wales II (remainder) 125	Urban/Rural aggregates: Conurbations Areas outside conurbations:	Urban areas with populat- ions of 100,000 and over 1,029 Urban areas with populat-	ons of 50,000 and nder 100,000 860	ons under 50,000 1,334 ral districts 1,061	Nespital regions: Newcascle   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510   510

	Scar	let	Whoo	ping	Acut	te poli	omyelit:	is					Dysent	ery	Acu	ate
Age	fev		cou		Paraly	ytic	Nor Paral		Meas	les	Diphth	neria	(amoeb:		mening	itis*
	М	F	M	F	М	F	М	F	М	F	М	F	M	F	M	F
All ages	31	30	35	36	0.03	0.04	0.01	0.01	509	464	0.05	0.02	40	40	1.60	0.91
Under 1 year   1-   2-   3-   4-   5-   10-   15-   25   and over	15 41 93 164 225 192 41 10 0.70	11 40 92 155 218 220 51 9	215 190 268 135 17 1.50 0.72	218 198 314 154 19 2.67 1.13	0·24 0·24 0·47 - 0·15 -	0·51 0·25 - 0·16 0·12 0·03 0·01	0.23	0.11	1,337 3,533 4,263 4,428 4,196 2,048 109 27 2.20	1,357 3,549 4,340 4,542 4,211 2,053 113 25 3.39	0·23 0·23 0·10 0·29 0·03 0·01	0.25	123 177 206 176 172 147 43 13	107 184 190 172 162 130 38 26	17.36 8.46 5.62 3.92 5.81 3.33 2.27 1.50 0.30	11.94 6.94 5.65 3.16 1.71 1.54 1.41 0.65 0.20

	Ac	ute ence	ephalitis		Typh	oid	Paraty	phoid	Foo	d
Age	Infect	ive	Pos	t- tious	fev		fev		poison	ing
	М	F	М	F	М	F	М	F	M	F
All ages	0.27	0.17	0.17	0.13	0.26	0.22	0.19	0.17	12	12
Under 5 years 5- 15- 45- 65 and over	0.66 0.43 0.26 0.12 0.04	0·59 0·37 0·15 0·05	0·61 0·35 0·10 0·02 0·13	0·49 0·31 0·07 0·05 0·03	0·33 0·62 0·24 0·12 0·09	0·30 0·40 0·24 0·11 0·16	0·23 0·32 0·25 0·03 0·04	0·40 0·28 0·19 0·06 0·05	30 15 10 6 5	27 13 12 6 6

			Tuberc	ulosis			Infec	tive
Age	Respi	ratory	Mening C.N		Othe	er	jauni	icet
	M	F	M	F	М	F	М	F
All ages	30	15	0.25	0.13	4.18	4.77	27	24
Under 5 years 5- 15- 25- 45- 65 and over	11 9 23 31 45 50	12 9 19 21 12 10	0·75 0·24 0·28 0·26 0·16	0·44 0·14 0·17 0·15 0·03 0·02	0.94 2.27 5.51 7.16 3.09 2.79	1.38 1.82 5.65 8.76 3.61 4.01	22 81 38 17 6.53 4.64	22 87 32 16 5.01 2.68

^{*} Prior to 1st October 1968 the notifiable disease was Meningococcal infection.
† Infective jaundice became a notifiable disease on 15th June 1968.

TABLE 31. Notifications of certain infectious diseases: original and corrected notifications, 1968

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates,

	1	1	
boroughs,	α	Other	21
oro	culos	Meninges and .2.N.D	20
county boro	Tuberculosis	Respiratory	19
D H		Food potsoning	18
w		Smallpox	17
London cotals wi	‡9	olbmust evitoelni	16
ons,	ttis	Post-infectious	15
regions	Acute ence- phalitis	evitoelnī	14
0	t1s	Non-paralytic	13
4	Acute polio- myelitis	Paralytic	12
hospi		Measles	11
	(Yasi.	Dysentery (amoebic and bacil	10
	wnac	Ophthalmia neonat	6
		Anthrax	æ
3		Diphtheria	-
		Mhooping cough	9
		Scarlet fever	ω
		*sitigninem etusA	4
		Paratyphoid fever	Ю
		Typhoid fever	2
181llal and collected notification		Area	<b>ન</b>
181110		et .	

(a) Numbers originally notified

2,220	2,214	135 43	269 165 104	245	106 46 93	162	344 249 95	24	813 500 202 111	120	102 84 18
94	94	<b>0</b> 000	13	22	127	n	<b>P</b> 10 4	1	3.4 0.0 0.0	က	<b>6</b> 000
10,798	10,784	<b>944</b> 276 668	1,294 669 625	1,532	651 393 488	601	1,296 877 419	174	3,944 2,449 859 636	480	<b>519</b> 362 157
8,081	8,075	415 117 298	1,121	1,681	646 481 554	296	500 189 311	166	2,088 1,654 528 800	470	<b>444</b> 238 206
Ħ	H 1	1 1 1	1 1 1	1	8 8 1	4	1 1 1	1	HHII	1	1 1 1
12,519	12,506	1,523 462 1,061	1,484 467 1,017	2,442	1,192 424 826	1,024	1,136 794 794	375	2,836 1,209 733 894	606	777 5339 238
70	70	<b>01</b> 1 01	<b>01</b> 01	11	NIO	11	<b>20</b> 4 € €	H	22 44 00 00	က	<b>©</b> © ⊢l
104	104	18	1100 O	11	440	11	00 H L	Ħ	36 117 113 6	1O	<b>cl</b> (1)
r.	ŊΙ	8 1 1	1.1.1	1	111	7	1 1 1	1	w ol ⊢	7	1 1 1
21	12	1 1 1	<b>0</b> 00 ⊢	22	O IO I	60	404	H	<b>ଅ</b> ଠା   ମ	H	संस्था ।
236,213	236,134	27,823 9,744 18,079	<b>42,695</b> 14,088 28,607	41,029	10,793	17,669	29,138 13,757 15,381	11,338	40,632 14,842 15,797 9,993	15,533	10,277
21,487	21,483	1,980 468 1,512	3,320 1,467 1,853	4,772	2,275	937	2,036 593 1,443	473	5,577 3,036 1,153 1,388	1,436	952 647 305
208	80 1	oo ↔ Ի	<b>52</b> 8	125	36	13	248 231 17	11	102 51 25 26	27	<b>2</b> 000
10	0 1	<b>61</b> 1 (1)	1.1. 1	63	ਜ਼ਮੁਜ਼	ı	1 1 1	1	<b>™</b> 484	1	<del>न</del> ल ।
17	17	8 8 8	1 1 1	10	NIO	H	414	3	# 1 # <del> </del>	-	1 8 1
17,381	17,379	<b>682</b> 114 568	1,970 900 1,070	2,512	907 863 742	982	2,014 1,032 982	602	6,470 2,152 1,498	1,444	596 449 147
stricts): 613 14,896	14,896	843 120 723	2,283 659 1,624	2,420	721 395 1,304	1,082	1,408 774 634	572	5,087 2,561 1,287	681	383 131 131
1stri 613	612	<b>57</b> 41 45	<b>63</b> 15	98	40 12 34	44	72 23 49	21	199 113 40	34	300000000000000000000000000000000000000
11th D	හ I ග	10	<b>∞</b> 1 ∞	12	ดเฉเก	9	<b>4</b> ∞4	63	<b>4</b> 4 4 4 <b>6 6 6 7 7 9 9 9 9</b>	63	<b>©</b> ™ ←
rt Hea	122	<b>v</b> ⊢ <b>v</b>	10	28	S S 4	4	10 10 10 10 10 10 10 10 10 10 10 10 10 1	1	30 4 4 4	H	no on
ENGLAND AND WALES (including Port Health Districts):  Total   123   93   613   14,896	Total (excluding Port Health Districts) Port Health Districts	Standard regions and Conurbations: North Tyneside Conurbation Remainder of North	Yorkshire and Humberside West Yorkshire Couurbation Remainder of Yorkshire and Humberside	North West	Conurbation Merseyside Conurbation Remainder of North West	East Midlands	West Midlands West Midlands Conurbation Remainder of West Midlands	East Anglia	South Kast Greater London Outer Metropolitan Area Remainder of South East	South West	Wales I (South East) Wales II (remainder)

21	1,109	348	187	266	1149 2144 426 426 426 426 426 426 426 426 426 4		2,181	131	0 -	105	237	5.4 5.4 5.4 5.4 5.4 5.4 5.4 5.4 5.4 5.4	162	888 844 844	23	8 3	118	Ø . ,
20	46	4	7	26	LL 0 1 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0		92	F 41	21	9	23	120	61	<b>P</b> N 4	1	33	m	N 01
19	5,316	1,833	790	1,667	1, 1000 00 00 00 00 00 00 00 00 00 00 00 0		10,681	933 264	1,276	□	1,506	644 372 490	599	1,277	175	3,914 2,430 855 629	479	522
18	3,417	1,342	832	1,655	88847878748884887 448748448788860 884488878887888		5,955	267	746	427	1,012	386 214 412	281	536 277 259	116	2,216 1,160 450 606	408	373
17	Н	1	1	1 1	TITIETTITITI		-	1 1	1 1	l I	ı	1 1 1	į	1 1 1	1	ਜਜ।	1	1 1
16	4,096	1,985	1,677	2,771	1111 400440 000440 000 111 54688 000840 000 1100 000		12,484	1, 515 462	46	1,004	2,433	1,179	1,022	1,164 371 793	375	2,824 1,202 731 891	906	540
15	22	17	Ŋ	111	00111140101000C4		72	63 1 6	v 610	1 1	11	NID	11	<b>00</b> 00 01	H	26 14 6	4	6
14	36	21	12	121	H H H W W W W W W W W W W W W W W W W W		106	87	12	0	11	448	11	10	Н	3 5 5 5 5 6 6 7 7	9	<b>10</b> 10
13	2	41		CV I	I FHIH FOLLIHHILLI	uo	ro	1.1		1	- 1	1 1 1	H	ਜ਼ਜ਼ਾ	- 1	ଜ୍ଞାଧାମ	- 1	1 1
15	12	ı	N	no cn	ା ଓ ଐକ୍କ୍କ୍କ୍କ୍ । । କ୍କ୍ୟୁକ୍ତ	ecti	19	1 1	1 07 -	-1	ıo	ุ (พ.)	4	10 4 H	-	लनान	1	1 1
11	73,305	34,588	21,780	56,661	244411 6000000000000000000000000000000000	fter corr	236,075	27,817	0 0	58	41,032	10,803,10,076	17,662	29,147 13,756 15,391	11,326	40,602 14,842 15,770 9,990	15,534	10,286
10	8,781	4,369	1,551	4,125	101 111 1 001 1 001 1 0 1 1 1 1 1 1 1 1	number a	19,487	1,884	ບັ ຜິເ	0 0	3,738	1,729	936	2,008 589 1,419	469	2,265 1,121 1,221	1,359	5887
0	405	107	26	16	411400011 1011444 878180111927989	Final	588	<b>C</b> -+0	0 80	P 43	124	36	13	242 225 17	11	908 120 24 24 25	27	13
8	⊣	4	1	IO I	011101441414101	(g)	0	64 1 (	V 1 1	1 1	63	ਜ 1 ਜ	1	1 1 1	1	44601	ŧ	
7	CV	4	₩	<b>о</b> Н	11H1111HH1401	•	15	1 1	l 1	1	o,	410	1	414	1	ला।ल	7	1 1
9	6,636	2,452	1,581	3,047	11 111 1 011 N4 2 111 1 0 011 N4 2 2 111 1 0 00 00 00 00 00 00 00 00 00 00 0	-	17,367	681 114	1,961	1,076	2,527	912 871 744	585	2,012 1,030 982	710	6,461 2,814 2,151 1,496	1,441	589
ಬ	5,230	2,208	1,403	3,141	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Health Districts):	843 120	2,283	1,627	2,423	716 395	1,081	1,406	572	5,092 2,561 1,291 1,240	681	<b>516</b>
4	217	117	78	117	R 0		stric 604	56	73	47	98	40	45	63 39	20	193 106 41 46	34	34 28
ю	31	13	00	238	4 5 5 6 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		tth Di	0001	- 00 1	0	12	2000	9	401	73	0 <b>4</b> 001 001 001 001	77	910-
a	78	12	o	17	000 000 H H D 000 N I 000 D		t Heai	9 ⊣ 1	10	- M	26	004	4	110	1	74 88 11 84	r-1	n O u
₽	Urban/Rural aggregates: Conurbations Areas outside Conurbations:	Urban areas with populations of 100,000 and over	of 50,000 and under 100,000	under 50,000 Rural districts	Newcaste Newcaste Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds Leeds		ENGLAND AND WALES (excluding Port Total	Standard regions and Conurbations: North Tyneside Conurbation	Yorkshire and Humberside	Remainder of Yorkshire and Humberside	North West	Conurbation Merseyside Conurbation Remainder of North West	East Midlands	West Midlands West Midland Conurbation Remainder of West Midland	East Anglia	South East Greater London Outer Metropolitan Area Remainder of South East	South West	Wales I (South East)

sis.	Оргубъ	21	1,088	343	185	299	24 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 1110 110 110 1100 1100 1100 1100 1100 1100 1100 1100 1100	128 6 133 133	11
Tuberculosi	Meninges and C.N.S.	20	48	4	7	23	トトト 1 0 0 4 8 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 0101 4	41
Tube	Respiratory	19	5,241	1,830	786	1,660	10, 11, 00 00 00 00 00 00 00 00 00 00 00 00 00		55
	Food poisoning	18	2,453	1,127	458	1,236	20001100000000000000000000000000000000	2 2 2 2 2 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50
	Smallpox	17	Н	ı	1	1 1	TITLETTITITITE E TIT	1 1 1 3 1	1 1
19	oibnusį evitoelnī	16	4,104	1,971	1,671	2,769	1 1 11 11 11 11 11 11 11 11 11 11 11 11	40 00 00 00 00 00 00 00 00 00 00 00 00 0	29
t e	Post-infectious	15	24	17	9	15	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 1111 2	10
Acute ence- phaliti	Infective	14	37	20	12	23	# # # # # # # # # # # # # # # # # # #	। सासा क	H 10
400	Non-paralytic	13	М	$\leftarrow$	1	H 1	114141011111411 0 111	11111	1 1
Acut poli myeli	Paralytic	12	11	N	CI	N 41	निष्ठन   निन्। । । । । । । । । । । । । । । । । । ।	1 1 1 1 1	1 1
	Measles	11	73,302	34,567	21,775	56,661	25, 607 24, 600 111, 432 111, 432 11, 912 11, 912 12, 645 10, 286 10, 286 11, 054 11, 054 12, 88 12, 88 12, 88 13, 910 147 158 168 17, 054 17, 054 17, 054	1,315 551 681 1,419	777
Lary)	Dysentery bacil	10	7,584	4,119	1,504	3,765	111 1 2 2 81 81 81 81 81 81 81 81 81 81 81 81 81	128 128 128 14 90 158 158	15
wnac	ophthalmia neonate	6	399	108	23	43	44140000 401444 70 70 70 70 70 70 70 70 70 70 70 70 70	ना।तन	<del>←</del> 1
	Anthrax	Ø	4	8	ı	ro ı	ગ!ાંગાનનાાાનાગા ∞ નાન	1111 1	1 1
	Diphtheria	7	Н	4	€	01	1111111111HHHHH401 <b>10</b> 111	1111	1 1
	nyooo gurdooum	9	6,626	2,450	1,582	3,048	11 111 1 011 2 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 1 0 1 1 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	239 37 21 181	132
	Scarlet fever	2	5,221	2,215	1,404	3,142	1, 735 1, 7630 1, 7630 1, 7694 1, 7694 1, 7694 1, 7696 1, 448 1, 381 1,	110 144 27 69 108	43 65
	*sitigninəM ətuoA	4	222	104	77	117	0 8 1 0 4 8 8 8 9 8 9 8 9 9 9 9 9 9 9 9 9 9 9 9	। <del>ਖ</del> ਜਜ <b>ਨ ਖ</b> ਨ	0 0
	Paratyphoid fever	ю	31	12	Ŋ	18	800000404000400 8 111	01 HH 69 M	ю I
	Typhoid fever	2	73	12	Φ	17	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1111 😝	1 4
	Area	Ħ	Urban/Rural aggregates: Conurbations Areas outside conurbations:	Urban areas with populations of 100,000 and over	of 50,000 and under 100,000	under 50,000 Rural districts	Hospital Regions:  Newcastle Leeds Sheffield East Angilan North West Metropolitan North East Metropolitan South East Metropolitan Wessex Oxford South Western Wessex Liverpool Endingham Manchester Liverpool EnderAND EnderAND EnderAND EnderAND EnderAND Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liverpool Liver	Berkshire Reading C.B. Total M.Bs. and U.Ds. Total R.Ds. Buckinghamshire	Total M.Bs. and U.Ds.

1 1										
21	<b>01</b> e1 e1	800045410	10	133	41 10 16	000 000 000 000 000 000 000	21 6 8	<b>6</b> 4 <b>4</b> 0 1 0 1 8 8 8 8	33	75 117 117 117 117 117 117 117 117 117 1
20	1 1 1	44411111	ਜਜ।	अससा	1 1 1 1	111111	ਜ਼ਜ਼।	वालागानाला	o l ol⊣	8 8 8 8 8
19	<b>40</b> 26 14	187 107 35 35 36 84 64	60 43 17	51 122 222 17	150 72 52 52 26	118 73 14 51 51 8 27 18	32 25 7	268 268 268 268 244 243 243 273 273	186 25 134 27	147 89 78 111 119
18	22	101 101 101 100 100 100 100 100 100 100	10	เมียงเด	36 36 14	107 194 144 144 17	<b>52</b> 22 22	100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	161 48 78 35	7 20 17 44 17 44 7
17	1 1 1	1111111	8 8 8	1111	1111	1 8 8 8 7 1	1 1 1	11111111	1111	
16	199 176 23	244 200 80 00 00 00 00 00 00 00 00 00 00 00 0	117	217 171 222 24	210 81 73 75 56	00 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	25 15 10	<b>6</b> 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	364 17 328 19	2005 2005 1534 151 151 757
15	1 1 1	w4141101	1 1 1	1 1 1 1	NINI	w 1 1 1 1 01 4	<del></del>	Mailinaii	1 1 1 1	नताता।
14	1 1 1	0001010001	1 1 1	1111	4141	सारारास	1 3 1	P4141110H	0441	MITTOL
13	1 1 1	1 1 1 1 1 1 1 1	1 1 1	1 1 1 1	1 1 1 1	1 1 1 1 1 1	1 1 1	11111111	1 1 1 1	1 ( 1 1 1 1
12	1 1 1	ਜਰਾਮਰਾਮ	1 1 1	1 1 1 1	21 44 1	1 1 1 1 1 1	1 1 1	1 1 1 1 1 1 1 1 1	1 1 1 1	1 1 1 1 1 1
11	2,112 1,301 811	10,313 5,107 1,861 1,861 350 797 1,229	<b>405</b> 242 163	1,250 504 413 333	3,963 1,761 1,413	3,762 1,261 1,261 212 212 1,572 929	510 359 151	13,736 6,915 7,916 1,550 731 1,861 1,602	3,700 4443 2,154 1,103	5,914 2,005 933 1,072 1,253 2,656
10	60 38 22	343 160 160 23 21 72 139	33 33 33 33 33 33 33 33 33 33 33 33 33	343 40 227 76	<b>61</b> 27 27	2000 2000 2000 2000 2000 2000 2000 200	16 16	799 1662 27 27 56 577 577 60	185 111 152 22	253 220 197 23 29
თ	1 1 1	₩00111HI	1 1 1	<b>≓</b> ∺11	H 1 1 H	<b></b>	ਜ਼ਮਜ਼	минини	00 00 i i	1 1 3 3 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
8	1 1 1	1111111	1 1 1	1 1 1 1	ਜ਼ਮਜ਼ਮ	111111	1 1 1	11111111	1 1 1 1	1 1 1 1 1
7	8 8 8	11111111	1 1 1	1 1 1 1	1 1 1 1	1 1 1 1 1 1 1	1 1 1	11111111	1 1 1 1	11111
9	164 78 86	360 148 148 61 111 119 170 42	152 97 55	<b>78</b> 27 48	2 <b>62</b> 868 91	2.09.7 1.33.7 1.4 1.4 1.4 6.6 6.6	111 57 54	25. C C C C C C C C C C C C C C C C C C C	691 84 456 151	527 310 261 49 80 137
2	102 61 41	140 140 175 175 83 83	28 19 9	107 52 24 31	318 63 170 85	24. 76. 76. 72. 72. 72. 73. 76.	36 26 10	360 11 12 12 13 13 13 13 13 13 13 13 13 13 13 13 13	644 58 421 165	236 143 128 15 20 73
4	N I N	11 14 14 10 10 14 10 10 14 10 10 14 10 14 10 14 10 14 10 14 16 16 16 16 16 16 16 16 16 16 16 16 16	400	ro I w ci	0 H W I	H010400	<b>4</b> ℃ ⊢	401814844	17 12 12	W W W I H H
ю	1 1 1	011114N	0101	4010	1 1 1 1	1 1 1 1 1 1	111	<b>200101111</b>	<b>HII</b> H	1 1 1 1 1 1
Q	1 1 1	04411141	1 1 1	MINI	<del></del>	<b>स्ता</b> । स्ता ।	1 1 1	001111011	01-11-11	1 1 1 1 1 1
4	Cambridgeshire and Isle of Ely Total M.Bs. and U.Ds. Total R.Ds.	Cheshire  Total C.Bs. Birkenhead C.B. Chester C.B. Stockport C.B. Wallasey C.B. Total M.Bs. and U.Ds.	Cornwall Total M.Bs. and U.Ds. Total R.Ds.	Cumberland Carlisle C.B. Total M.Bs. and U.Ds. Total R.Ds.	Derbyshire Derby C.B. Total M.Bs. and U.Ds. Total R.Ds.	Devon Total C.Bs. Exeter C.B. Plymouth C.B. Torbay C.B. Total M.Bs. and U.Ds.	Dorset Total M.Bs. and U.Ds. Total R.Ds.	Durham Total C.Bs. Darlington C.B. Gateshead C.B. Hartlepool C.B. South Shields C.B. Sunderland C.B. Total M.Bs. and U.Ds.	Rssex Southend on Sea C.B. Total M.Bs. and U.Ds. Total R.Ds.	Gloucestershire Total C.Bs. Bristol C.Bs. Gloucester C.B. Total M.Bs. and U.Ds.

* Prior to 1st October, 1968 the notifiable disease was Meningococcal infection. 
† Became notifiable on 15th June, 1968.

sis	Ofher	21	500	7778 7788 7787 7787 7787	122 H 1 1 2 2 4 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	71 8 41 18 18	04 64 8	8 7 7 7 8 H	14
Tuberculosi	Meninges and C.N.S.	20	80 1	111010	1111-	Q I I I I H	1111नल	ਜਿਜ।ਜਜ	10
Tube	Hespiratory	19	2,430	61 103 23 53 47 47	137 137 54 88 90	88 44 57 48 124 124	91 76 121 36 111	41 38 130 17 102 66	113
	Food poorang	18	1,160	1130 330 330 110 010 010	044 C 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25 4 00 111 122 122 123 133	81840	0000 0000 0000 0000	28 80 80
	xoqilam2	17	<del>-1</del> 1	11111	1 1 1 1 1	11111	11111	11111	1 ल
†e	estinus, evitoeînī	16	1,202	22 24 24 20 20 20 20 20 20 20 20 20 20 20 20 20	0 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	01 11 11 11 11 11	4 200 H	0400 4000 04000	56
te ep itis	Post-infectious	15	14	11111	111141	स्सा।सल	IIIQIA	स्तावा	1 1
Acute encep phalitis	Infective	14	16	11111	111110	014411	सामास	110141	
100	Non-paralytic	13	61 1	1111	111411	elliii.	11111	1 1 1 1 1 S	1 1
Acute polio- myelitis	Paralytic	12	ਜ਼।	11111	IIIII	1 1 1 1 1	11111	11111	1 1
	Measles	11	14,842	1, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	4020 0000 4000 4000 4000 4000	38 324 471 471 666	296 2003 3722 3752	2622 2622 3422 3422 308	658 253
lary)	Dysentery Dysentery	10	2,888	7 7 7 7 8 6 2 8 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	78 140 213 49 127 62	, 669 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4404 440000000000000000000000000000000	342 195 155 155 135 135 135	133
una	ophthalmia neonato	o	51	114400	1100000	HIHIIN	IIHHIN	ਅਜਦਾ 1 ਜ	ИЮ
	Anthrax	æ	<del></del>	114111	8 8 8 8 8	11111	11111	11111	1 1
	Diphtheria	7	1 1	1 1 1 1 1 1	1 1 1 1 1	8 1 1 1 1 1	1 1 1 1 1	11111	1 1
	Mhooping cough	9	2,814	53 1111 120 120 120 120	1135 1235 1235 630 87	1234 1231 1231 1331 1331	20 20 40 40 40 64 69	860 257 38 126	131
	Scarlet fever	5	2,561	100 100 133 133 121	169 131 999 106 299	94 1140 11050 1050 69	20 20 105 105 501 205 205	4421 4424 4426 4426	93
	*stitgninem etusA	4	106	4411000	440416	0110HF	त। तथनत	140104	NN
	Paratyphoid fever	ю	19	11,1141	111110	140104	110411	1 1 1 - 1 1	1 1
	Typhoid fever	N	28	144010	441100	ниин	साम्सम्स	110101	+l 10
	Area	4	Greater London City of London	London boroughs: Barking Barnet Bexley Brent Bromley Camden	Croydon Ealing Enfield Greenwich Hackney	Haringey Harrow Harrow Hallingdon Hounslow Islington	Kensington and Chelsea Kingston upon Thames Lambeth Lewisham Merton	Redbridge Richmond upon Thames Southwark Sutton Tower Hamlets Waltham Forest	Wandsworth Westminster, City of

1	158 178 188 188 188 188 188 188 188 188 18	<b>ന</b> 1 ന	34 26 8	10 8 CU	<b>48</b> 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	288 14 17 17	32 32 31 50 50	o t する ! C/	12	54 22 7	1 1 1	लनान
21						20 7 7 7 7	(7)(7)			47 4.		
20	HIIIIHI		<b>6</b> 10 10	1 1 1	<b>6</b> 1 0 ←	20011111	114001	H	10		1 1 1	1 1 1 1
19	22 13 13 13 13 13 13 13 13 14 13 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	19 13 6	184 123 61	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	224 8 158 58	1,317 899 840 840 840 840 840 840	2219 240 240 250 250	25 45 45 45 45 45 45 45 45 45 45 45 45 45	353	134 94 20 20	<b>4</b> ⋈ ∺	18
18	221 222 488 884 894 894	28 138 15	99 74 25	13 8 5 8	70 24 26 26	88 40 00 10 40 10 10 10 10 10 10 10 10 10 1	14 82 L 14 8 C L 14 8 C C L	4.1524.12	410	81 76 23	<b>4</b> 000	<b>P</b> 0 1 H
17	111111	1 1 1	1 1 1	1 1 1	1 1 1 1	111111	11111	1 1 1 1 1 1	1 1	1111	1 1 1	1 1 1 1
16	260 34 22 442 1422 442	149 112 37	105 85 20	36 28 8	275 3 214 58	7.00 4.11 4.17 1.04 1.04 1.04 1.04	2222 2222 222 222 222 248	1000 1000 1000 1000	764	178 100 53 25	<b>24</b> 44 10	372 205 52 115
15	0111101	H   H	लना	1 1 1	8144	00 10 11 11 1	11111	ווווומו	N 01	नाना	ਜ਼ਿਜ਼।	0110
14	01111011	1 1 1	01 H H	1 1 1	4141	millili		11111	ЮΙ	2414	1 1 1	1 1 1 1
13	111111	1 1 1	1 1 1	1 1 1	1111	11111	1 1 1 1 1 1	1 1 1 1 1	1 1	1 1 1 1	<b>H</b> H I	1111
12	111111	1 1 1	1 1 1	1 1 1	1 1 1 1	<b>4</b> .011111	110111	11111	₩ 1	1 1 1 1	2101	1 1 1 1
11	3,385 1,003 1,003 1,481 1,481 1,421	1,356 766 590	3,374 2,413 961	747 523 224	4,529 42 2,797 1,690	30,387 14,677 366 451 945 559	244 310 4,444 2,777 204	1,574 5552 519 615	12,847	4,660 1,638 1,112 1,910	353 52 301	1,408 813 165 430
10	25 100 100 69 26 91	2 <b>6</b>	222 118 104	<b>22</b> 7 7 15	217 2 2 118 97	3,372 1,711 46 40 191 163	241 241 2553 259 66	4 1 4 1 4	1,548	313 114 184 15	<b>51</b>	32 9 4 5 2 2 2 2 3
o	न्ताता	<del>- </del> -  1	7 7 08	1 1 1	<b>0</b> 101	120	いしていない	114110	0 4	۱۱۵۵	ਜ਼ਮਜ਼	1 1 1 1
00	111111	1 1 1		1 1 1	1 1 1 1	#111111	11111	11111	H 1	1 1 1 1	1 1 1	1 1 1 1
7	111111	1 1 1	1 1 1	1 1 1	1 1 1 1	OH 1 1 H 1	11111	11111	ω ι	1 1 1 1	1 1 1	1 1 1 1
9	4 95 159 46 455 688 2222 114	<b>53</b> 17 36	376 282 94	135 81 54	668 369 291	2, 151 1, 348 1, 348 227 227	600 600 700 700 700 700 700 700 700 700	27 27 28 TT 4 TT 1	692	274 140 37 97	40 25 15	67 111 112 39
ro	282 852 18 35 35 160 160	31 14 17	211 116 95	78 55 23	456 13 336 107	1,934 905 905 40 40 38 10	128 158 158 158 158 158	221 35 35 119	862	200 118 39 43	3 <b>0</b>	23 16 8
4	2 - 1 1 0 0 0 1	1 4 1	<b>9</b> 4 0	<del></del>	10 10	<b>64</b>	1005	H0H1HM	24	10 1 H 4	<b>0</b> 10 10	1146
м	सामास	1 1 1	<b>6</b> → 0	<del></del>	H 1 H 1	<b>6</b> 814111	।।सासा	1 4 1 1 4 1	NH	HHII	1 1 1	1111
C/	0111101	1 1 1	<b>~</b> to cu <b>~</b>	1 1 1	H   H	<b>4</b> 811911	114614	1 1 1 1 1 1	H 1	0 HH I	1 1 1	1 1 1 1
4	Hampshire  Total C.Bs. Bournemouth C.B. Portsmouth C.B. Southampton C.B. Total M.Bs. and U.Ds.	Herefordshire Total M.Bs. and U.Ds. Total R.Ds.	Hertfordshire Total M.Bs. and U.Ds. Total R.Ds.	Huntingdon and Peterborough Total M.Bs. and U.Ds. Total R.Ds.	Kent Canterbury C.B. Total M.Bs. and U.Ds. Total R.Ds.	Lancashire Total C.Bs. Barrow in Furness C.B. Blackburn C.B. Blackpool C.B. Bolton C.B.	Burnley C.B. Bury C.B. Liverphool C.B. Manchester C.B. Oldham C.B. Preston C.B.	Rochdale C.B. St. Helens C.B. Salford C.B. Southport C.B. Warrington C.B.	Total M.Bs. and U.Ds. Total R.Ds.	Leicestershire Leicester C.B. Total M.Bs. and U.Ds. Total R.Ds.	Lincolnshire (Parts of Holland) Total M.Bs. and U.Ds. Total R.Ds.	Lincolnshire (Parts of Kesteven) Lincoln C.B. Total M.Bs. and U.Ds.

* Prior to 1st October, 1968 the notifiable disease was Meningococcal infection.

Tuberculosis	Other	21	<b>₩</b>	t~ 01 ← 1 to	# # # # # # # # # # # # # # # # # # #	<b>6</b> 0 0 4 0 4 0 4	4000 4000 4000	<b>€</b> € € ₹	1 1 1	400	<b>6</b> 0000
	Meninges and C.N.S.	20	1 1 1 1	11111	1 1 1 1	वालना,ला	elle.	1111	1 1 1	1 1 1	1 1 1 1
	Respiratory	19	79 338 255 16	20 11 10 10 10 10 10 10 10 10 10 10 10 10	20 16 36 7	181 109 86 86 64	234 121 78 35	96	61101	33 17 16	47 18 17 12
garance poof		18	27 	444885	75 26 34 15	104 77 70 118	61 16 30 30	239 210 8 21	नान	16 15	113 23 53 37
Smallpox		17	1 6 6 1	11111	1 1 1 4	11111	1111	1111	1 8 8	8 8 8	1 1 1 1
feothure jaundicet		16	88 333 333 333 333 333 333 333 333 333	106 67 62 62 44 35	167 14 112 41	240 51 41 123 123 66	105 32 32 41	133 20 44 69	1 1 1	<b>79</b> 59 20	147 39 55 53
itis	Post-infectious	15	1 1 1 1	सलाला।	1 1 1 1	11111	1 D CO	1 1 1 1	1 1 1	1 1 1	1 1 1 1
Acute ence- phalitis	Infective	14	लनान	1 1 1 1 1 3	1 1 1 1	0111144	10 4 H I	1 1 1 1	1 1 1	ਜ਼ਜ਼।	o i o i
e itis	Non-paralytic	13	1 1 1 1	4 1 1 1 1 1	1 1 1 1	1 1 1 1 1 1	1 1 1 1	1111	1 1 1	1 1 1	1 1 1 1
Acute polio- myelitis	Paralytic	12	नाला	ellie.	1 1 1 1	1 2 3 3 3 3	1 1 1 1	1 1 1 1	1 1 1	1 1 1	1 1 1 1
Measles		11	4,248 637 1,837 1,774	5,017 1,467 1,109 1,109 2,793	2,000 203 1,225 572	25,109 27,109 2,1009 1,106 701	5,572 1,380 2,785 1,407	903 306 97 500	38 53	1,172 529 643	3,518 271 1,690 1,557
Dysentery (amoebic and bacillary)		10	581 96 336 149	365 265 265 4	316 192 85 39	. 218 50 46 115 53	185 74 86 25	179 106 3 70	<del>-</del> 1 -	74 23 51	144 21 83 40
unac	Whooping cough  Diphtheria  Anthrax		थनना	117177	<b>n</b> ⊣ N I	मालला ।।	<u>ස</u> හ 1 1	00 00 1 (1)	1 1 1	स्ता	<b>4</b> ⊠ H I
			1 1 1 1	11111	1111	11111	1 1 1 1	1 1 1 1	2 2 1	F 1 1	1111
			8 8 8 8	1 1 1 1 1 1	1 1 1 1	1 1 1 1 1 1	1 1 1 1	नाना	1 1 1	1 1 1	## 1 1
			140 22 55 55	190 66 66 60 43 43	162 38 47 77	222 22 1 1 1 1 1 1 0	189 109 42 38	138 78 9 51	616	117 32 85	255 60 53 142
*aitigningieta*		D	192 51 65 76	212 91 883 8727	178 60 90 28	184 22 23 72 87 87	310 88 126 96	800 110 110	തിത	95 52 43	152 22 33 97
		4	14 80 41 10	<b>∞</b> 1 → 10 04 <b>00</b>	100	00 1 1	17	<b>6</b> ⊢ 0	1 1 1	10	ଶ । ମଧ
	Paratyphoid fever	ю	नाम	1 1 1 1 1	4001	8 8 8 8 8	#IIH	01011	1 1 1	1 1 1	1 1 1 1
Typhold fever		a	H 1 1 H	1 1 1 1 1 1	1 1 1 1		चंची 1	1 1 1 1	1 1 1	1 1 1	1 1 1 1
		स	Lincolnshire (Parts of Lindsey) Grinsby C.B. Total M.Bs. and U.Ds. Total R.Ds.	Norfolk Total C.Bs. Great Yarmouth C.B. Norwich C.B. Total M.Bs. Total R.Ds.	Northamptonshire Northampton C.B. Total M.Bs. and U.Ds. Total R.Ds.	Northumberland Total C.Bs. Newastle upon Tyne C.B. Tynemouth C.B. Total M.Bs. and U.Ds.	Nottinghamshire Nottingham C.B. Total M.Bs. and U.Ds. Total R.Ds.	Oxfordshire Oxford C.B. Total M.Bs. and U.Ds. Total R.Ds.	Rutland Oakham U.D. Total R.Ds.	Shropshire Total M.Bs. and U.Ds. Total R.Ds.	Somerset Bath C.B. Total M.Bs. and U.Ds. Total R.Ds.

21	80000000000000000000000000000000000000	00 00 to 10	<del>लाल</del> ।	22 - 22 - 22 - 22 - 22 - 22 - 22 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 23 - 2	0049864	<b>%</b> 01 ↔	191 170 137 31 22 13	ਜ਼ਿਜ਼ਾ	<b>⊣</b>	31 25 6	2000 2000 1000 1000	<b>41</b> 000 000
20	11111111	1 1 1 1	1 1 1	<b>61</b> 1 (1)	1 1 1 1 1 1 1	1 1 1	<b>6</b> 0001141	1 1 1	1 1 1		мннінн	नन।
19	4 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<b>42</b> 111 120 149	13	111 93 18	60 124 133 147 100 100	25 11 11	672 599 4995 192 430 640 640 640 640 640 640 640 640 640 64	<b>L</b> W 4	<b>0</b> 00	8 32 33	140 100 85 115 100	113 91 16
18	211 20 0 0 0 0 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0	44 0 10 31 8	<b>10</b> 00	<b>78</b> 65 13	90 50 50 50 70 70 70 70 70 70 70 70 70 70 70 70 70	132	202 191 154 154 1 6	<b>∞</b> ∞ 1	1 1 1	<b>61</b> 46	2000 T T T T T T T T T T T T T T T T T T	189 149 32
17	111111111	1 1 1 1	1 1 1	1 1 1	111111	1 1 1	111111	111	111	1 1 1	11111	1111
16	000 0044888 40000144880	70 10 10 10 10	12 0	134 114 20	133 82 70 72 24	<b>47</b> 26 21	470 337 145 145 61	11 U U U	1 1 1	333 184 149	112 47 47 19 28 38 27	260 192 57 11
15	4014101114	1 1 1 1	1 1 1		वस्ता।स	1 1 1	<b>ო</b> ოო!!!!	1 1 1	111	1 1 3	111111	1 1 1
14	411111141	नाना	1 1 1	<b>1</b> 01	0111144	1 1 1	<b>1</b> 0001110	1 1 1	1 1 1	1 1 1	1 1 1 1 1 1	1 1 1 1
13	1111111	1111	1 1 1	1 1 1	<b>स</b> ससा।।	111		111	1 1 1	1 1 1	1 1 1 1 1 1	1 1 1 1
12	11111111	1 1 1 1	1 1 1	1 1 1	ਜ਼ਿਜ਼ਾਜ਼ਾ	1 1 1	4441111	1 1 1	1 1 1	1 1 1	सागता	1 1 1 1
11	4,4 4,4 4,4 4,4 4,4 4,4 4,4 4,4 4,4 4,4	2,817 393 1,432 992	<b>633</b> 342 291	1,812 1,512 300	1, 63 30 1, 44 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1, 18 30 1,	<b>624</b> 159 465	10,767 10,375 6,342 3,342 2,711 1,681	<b>975</b> 502 473	267 231 36	1,590 878 712	3,608 939 731 1,993	<b>4,151</b> 2,358 879 914
10	<b>4</b> 0 <b>8</b> 0 <b>8</b> 0 <b>8</b> 0 <b>8</b> 0 <b>8</b> 0 <b>8</b> 0 <b>8</b> 0 <b>8</b>	20	844	237 164 73	678 4669 4688 1173 56	22 22 21	1,337 1,129 412 704 133 122	<b>10</b> 10 <b>01</b>	<b>68</b> 67	198 40 158	<b>8</b> 8 8 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	117 69 15 33
6	<b>1</b> 4 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<b>4</b> 814	1 1 1	1 1 1	10441141	111	210 206 205 205 1	1 1 1	1 1 1	1 1 1	# H H H H N O M I I	37
00	1 1 1 1 1 1 1 3 1	1 1 1 1	1 1 1	<del></del>	8 8 8 8 8 1 1	1 1 1	1 1 1 1 1 1 1	1 1 1	1 1 1	1 1 1	1 1 1 1 1 1	1 1 1 1
1	11111111	1 1 1 1	1 1 1	1 1 1	1 1 1 1 1 1	1 1 1	4414111	1 1 1	1 1 1	1 1 1	1 1 1 1 1 1	1 1 1 1
9	212 212 212 22 22 23 24 25 25 26 26 27 27 27 27 27 27 27 27 27 27 27 27 27	156 28 54 74	<b>6</b> 20 4 20 4	<b>262</b> 189 73	200 600 600 600 600 600	93 52 41	1,093 888 625 204 102 102	21 29	12 8 4	<b>124</b> 49 75	236 71 71 65 65 122 433	235 198 13
72	240 400 400 1000 1000 1000 1000 1000 100	112 11 46 55	8 4 4 8 4 4	157 128 29	309 122 96 17 153 153 34	<b>6</b> 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	472 285 285 100 20 95 95	<b>n</b> ⊢ 0	<b>છ</b> Ω ⊣	000 000 000	103 103 64 39 100	379 242 79 58
4	001144041001	00000	1 1 1	1001	10 W W 1 1 H H	100	H H H B B B B B B B B B B B B B B B B B	414	ਜਜ।	<b>9</b> 4 0	<b>™</b> ₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩	4001
м	аппппн	1 1 1 1	नान	<b>4</b> ⋈ ⊢	लन।।ननन	ਜਜ।	61001111	1 1 1	1 1 1	1 1 1	1 1 1 1 1 1	नाना
N	<b>0</b> 0044118141	1 1 1 1	1 1 1	<b>4</b> ∞4	1 1 1 1 1 1	1 1 1	011	नसः	1 1 1	1 1 1	<b>6</b> 000 € 1 1	1 1 1 1
4	Staffordshire Total C.Bs. Button upon Trent C.B. Dudley C.B. Stoke on Trent C.B. Walsall C.B. West Bromwich C.B. Wolverhampton C.B. Total M.Bs. and U.Ds.	Suffolk, East Ipswich C.B. Total M.Bs. and U.Ds. Total R.Ds.	Suffolk, West Total M.Bs. and U.Ds. Total R.Ds.	Surrey Total M.Bs. and U.Ds. Total R.Ds.	Sussex, East Total C.Bs. Brighton C.B. Eastbourne C.B. Hastings C.B. Total M.Bs. and U.Ds.	Sussex, West Total M.Bs. and U.Ds. Total R.Ds.	Warwickshire Total C.Bs. Birmingham C.B. Coventry C.B. Solihull C.B. Total M.Bs. and U.Ds.	Westmorland Total M.Bs. and U.Ds. Total R.Ds.	Wight, Isle of Total M.Bs. and U.Ds. Isle of Wight R.D.	Wiltshire Total M.Bs. and U.Ds. Total R.Ds.	Worcestershire Total C.Bs. Warley C.B. Worcester C.B. Total M.Bs. and U.Ds.	Yorkshire, East Riding Kingston upon Hull C.B. Total M.Bs. and U.Ds. Total R.Ds.

	Огреь	21	20 20 20 20 20 20 20	4061 4001 1001 1001 1001	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30	66	ପଠା	1 1 1	<b>L</b> 40	61 1 (1)	10
	Meninges and C.N.S.	20	1 1 1 1	#000H H H I	MOLHII	vi I	ເດ	1 1 1	1 1 1	1 1 1	1 1 1	सास
	Respirationy	19	195 151 233 21	1,084 778 21 186 27 14 30	220 220 16 159 173	247	522	16	12 5	<b>41</b> 24 17	14	30
Food potsoning		18	34 <b>6</b> 13 33	230 230 251 26 26 28 28	170 111 98 0	114	373	# # #	6101	16 8	1 1 1	1 1 1
xoqilmmg		17	1 1 1 1	111111	1 1 1 1 1 1	1 1	ı	1 1 1	111	1 1 8	1 1 1	1 1 1
†901brumsi evijoelmI		16	250 174 26 50	1,117 640 640 153 153 13 40	125 136 96	311	622	<b>4</b> 00	M W M	55 51 4	21 44	10
0 1 7	Post-infectious	15	1 1 1 1	0411111	H1111	₩ (	2	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
Acute ence- phalitis	evijoelnī	14	<b>6</b> 011	0 ~ 1 4 1 1 1	110411	N H	7	1 [ ]	1 1 1	1 1 1	1 1 1	1 1 1
ltis Ltis	Non-paralytic	13	1 1 1 1	11111	1 1 1 1 1 1	1 1	ı	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
Acute polio- myelitis	Paralytic	12	E I I I	<del>H</del>	11111	1 1	1	1 1 (	1 1 1	1 1 1	1 1 1	1 1 1
	Measles		6,069 3,541 1,132 1,396	134, 270 1,0047 2,273 2,273 2,459 2,459 2,459 2,459	5, 408 11, 478 7, 714 732 732	10,145	10,286	255 78 177	190 48 142	155 121 34	<b>69</b> 42 27	352 132 220
Dysentery (amoebic and bacillary)		10	519 464 25 30	1,22 1,503 1,503 1,503 2,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7,400 7	108 632 302 272 9	434	885	<b>68</b> 122 56	ນເນ	<b>142</b> 140 2	ကားက၊	43 30 13
una	Anthraxx Ophthalmia neonatorum		थनन।	4010141	111471	N 1	13	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
			9011	111111	11111	1 1	Ħ	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
	Diphtheria	7	1111	1 1 1 1 1 1 1	1 1 1 1 1 1	1 1	ı	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
	*ailigninem ətusk Searlet fever Mhooping cough		139 16 40 40 83	1, 586 1, 000 1,	108 341 58 197 24	412	589	12000	<b>00 1</b> 00	30 26 4	H 7 00	<b>6</b> 40
			189 65 102	1,712 921 41 125 6 24 15	42 C C C C C C C C C C C C C C C C C C C	460	516	17 17 17	<b>™</b> ∨ ←	გე დე	<b>4</b> 00	<b>4</b> 8 9 7
			00 Cl 100	<b>ひ</b> む401年1	848014	96	34	1 1 1			1 1 1	21 44
An An An An An An An An An An An An An A		М	01-1-1	וווומט	114411	1 ~	9	1 1 1	0110	1 1 1	1 1 1	1 4 1
		a	1111	<b>0</b> 014141	101111	l ←l	Ŋ	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
		4	Yorkshire, North Riding Teesside C.B. Total M.Bs. and U.Ds.	Yorkshire, West Riding Total C.Bs. Barnsley C.B. Bradford C.B. Dewsbury C.B. Doncaster C.B. Halifax C.B.	Huddersfield C.B. Leeds C.B. Rotherham C.B. Sheffield C.B. Wakefield C.B.	Total M.Bs. and U.Ds. Total R.Ds.	WALES	Anglesey Total M.Bs. and U.Ds. Total R.Ds.	Breconshire Total M.Bs. and U.Ds. Total R.Ds.	Caernarvonshire Total M.Bs. and U.Ds. Total R.Ds.	Cardiganshire Total M.Bs. and U.Ds. Total R.Ds.	Carmarthenshire Total M.Bs. and U.Ds. Total R.Ds.

1								
21	<b>8</b> 44	सस्	25. 25. 25. 25. 25. 25. 26.	1 1 1	<b>24</b> 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	<b>81 18</b>	214	t 1 1
20	<b>H</b> IH	ਜ਼ਿਜ਼।	11111	1 1 1	लाना	नात	1 1 1	1 1 1
19	40 23 17	80 4 4	262 1442 1442 1443 1443 1443 1443 1443 144	900	67 9 47 111	10	14	<b>8</b> 4 4
18	128 127 1	12 15 9	<b>10</b> 00 44 00 00 00 00 00 00 00 00 00 00 00	1 1 1	89 114 75	11	ਜਜ਼ਮ	1 1 1
17	1 1 1	111	111111	1 1 1	1 1 1 1	1 1 1	1 1 1	111
16	31 22 9	<b>m</b> ⊘ ⊢	476 101 101 45 22 311 64	8144	<b>46</b> 38 1	<b>49</b> 28 21	90 69 21	<b>6</b> 0 ←
15	1 1 1	1 1 1	1044111H	1 1 1	<del>स्ता</del> ।	<del></del>	1 1 1	1 1 1
14	111	1 1 1	0111101	1 1 1	1 1 1 1	1 1 1	1 1 1	1 1 1
13	111	1 1 1		I I I	1 1 1 1	1 1 1	1 1 1	1 1 1
12	1 1 1	1 1 1	1 1 1 1 1 1 1	1 1 1	1 1 1 1	1 1 1	1 1 1	1 1 1
11	912 639 273	<b>644</b> 352 292	5,168 1,711 1,711 1,409 2,332 1,125	39 111 28	2,227 598 1,405 224	195 90 105	<b>78</b> 46 32	81 10
10	<b>44</b> 28 16	38 21 17	44 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	F 1 1	89 46 40 3	1 1 1	<b>6</b> H €	1 1 1
6	नाल	ਜ਼ਮੁਜ਼	<b>0</b> 441164	1 1 1	0101	1 1 1	1 1 1	1 1 1
0	1 1 1	1 1 1	ਜਦਾਦ।।।।	i i i	1 1 1 1	1 1 1	1 1 1	1 1 1
-	4 1 1	1 1 1	1 1 1 1 1 1 1	1 1 1	1111	1 ( )	1 1 1	1 1 1
9	<b>61</b> 48 13	10 6 4	1447 466 466 1355 655	10	<b>8</b> 4.8 2.0 2.0 2.0	414	50.0	ਜਦ।
5	34 34 14	14 10 4	302 133 32 101 1118 455	ത്തി	200 200 200 200 200	ਜ਼ਮਜ਼	<b>1</b> 0104	1 1 1
4	1 1 1	441	27. 20. 4. 7. 0.	1 1 1	<b>6</b> ← Ø 1	1 1 1	<del>H</del> FH	1 1 1
ю	1 1 1	नान	सामाम	1 1 1	ससा।	<del></del>	1 1 (	1 1 6
CV	1 1 1	NOI	1111111	111	01011	1 1 1	1 1 1	ਜ਼ੀਜ਼
4	Denbighshire Total M.Bs. and U.Ds. Total R.Ds.	Flintshire Total M.Bs. and U.Ds. Total R.Ds.	Glamorganshire Total C.Bs. Cardiff C.B. Werthyr Tydfil C.B. Swansea C.B. Total M.Bs. and U.Ds.	Merionethshire Total U.Ds. Total R.Ds.	Monmouthshire Newport C.B. Total M.Bs. and U.Ds. Total R.Ds.	Montgomeryshire Total M.Bs. and U.Ds. Total R.Ds.	Pembrokeshire Total M.Bs. and U.Ds. Total R.Ds.	Radnorshire Total U.Ds. Total R.Ds.

* Prior to 1st October, 1968 the notifiable disease was Meningococcal infection. † Became notifiable on 15th June, 1968.

			Notifications				
ICD No.	Disease		Administrative area	County	Number	of cases	
			of assignment		Males	Females	
000	Cholera		-	***	-	-	
020	Plague		-		-	ess	
050	Smallpox		City of Westminster	Greater London	1	-	
080-081	Typhus fever		-		-	-	
084	Malaria (contracted in Great Britain)		-	•	-	-	
088	Relapsing fever		~	•	-	-	
			Deaths				
ICD No.	Diseases		Administrative area of assignment	County	Date of	f death	
000		M F	-	-	-		
020		MF	=				
022		M F	Teesside C.B.	Yorkshire North Riding	29th Fe		
023		M M F	Seisdon R.D. Croydon L.B.	Staffordshire Greater London	12th M 25th A		
032		M F	Atherton U.D.	Lancashire	19th Sep	tember	
050		M F	···	-	-		
071		M F	-	-	-		
080-083		M F	Exeter C.B.	Devon	1st M	larch	
084		M M F F	Hove M.B. Hammersmith L.B. Eston U.D. Chertsey U.D.	East Sussex Greater London Yorkshire North Riding Surrey	2nd Au 5th Oc 14th Fe 18th De	tober	
088		MF	-	-	-		

Clevedon U.D. Bushey U.D. Somerset Hertfordshire 3rd January 9th January

M M F

113

Actinomycosis

# TABLE 32. Quarterly air temperature, rainfall and sunshine, by district, 1968

## England and Wales

Note. The averages used for rainfall and rain-days are for the period 1916-50, while those for temperature and sunshine are for 1931-60.

sunshine	are for	1931-60.										
	Air	r temperat	ture	Rain	nfall	Sun- shine	Air	r tempera	ture	Rain	nfall	Sun- shine
District	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days differnce from average	Percentage of average
		Qua		ed 31st M				Qu		ed 30th J		
England N.E. England E. Midland Counties England S.E.	22.8 24.9 23.9 22.2	-11.7 -14.4 -13.9 -12.2	0.0 -0.1 0.0 -0.1	74 76 82 79	-3 -2 -4 -1	94 81 93 104	27.7 27.2 28.9 27.8	-8.3 -7.2 -9.4 -6.7	-0.5 -0.5 -0.4 -0.5	111 112 125 128	+1 +7 +6 +8	109 91 97 92
England N.W. and North Wales England S.W. and South Wales	21.1	-13.9 -12.2	-0.2 -0.4	104 78	<del>-</del> 6	96 84	27.3	-11·4 -6·1	-0.3 -0.7	119 153	+1 +6	102 91
Mean	-	-	-0.1	82	-4	92	-	-	-0.5	125	+5	97
		Quart	er ended	30th Sept	ember	1		Quart	er ended	31st Dece	mber	
England N.E. England E. Midland Counties England S.E. England N.W. and North Wales England S.W. and South Wales	29.4 32.3 33.1 33.3 27.2	0.6 0.6 2.2 3.1 -0.6	-0.9 -0.7 -0.7 -0.3 -0.2	143 184 176 148 123	+2 +7 +6 +5 -9	77 75 74 81 97	20.0 21.7 21.1 21.7 21.4	-7.8 -8.9 -7.2 -10.6 -10.7	+0.2 +0.2 +0.2 +0.1 +0.1 +0.3	117 82 95 83 77 89	+1 -6 -6 -11 -15	68 59 81 73 95
Mean	-	-	-0.5	149	+1	83	-	-	+0.2	91	-7	74
	.1	<u> </u>	Year	1968				1	1			
England N.E. England E. Midland Counties England S.E. England N.W. and	29.4 32.3 33.1 33.3	-11.7 -14.4 -13.9 -12.2	-0.3 -0.3 -0.2 -0.2	111 115 119 107	0 +10 +4 +1	90 79 86 86						

England N.E. England E. Midland Counties England S.E. England N.W. and	29.4 32.3 33.1 33.3	-11.7 -14.4 -13.9 -12.2	-0.3 -0.3 -0.2 -0.2	111 115 119 107	0 +10 +4 +1	90 79 86 86
North Wales England S.W. and	27.3	-13.9	-0-1	104	<b>-</b> 29	98
South Wales	30.0	-12.2	-0.2	104	-8	88
Mean	-	-	-0.2	110	-4	88

TABLE 33. Rainfall, mean temperature and sunshine, 1914 to 1968

Year	Fall of rain in inches	Departure from average of 35 years (1916-1950)	Mean temperature of the air at sea level	Departure from average of 30 years (1921-1950)*	Mean daily sunshine	Departure from average of 30 years (1921-1950)*
	ins.	ins.	С.	C.	hours	hours
1914 1915 1916 1917 1918 1919	38.1 38.8 40.1 34.5 37.7 37.0	+ 2.5 + 3.2 + 4.5 - 1.1 + 2.1 + 1.4	10.4 9.4 9.7 9.1 10.0 9.0	+0.3 -0.6 -0.4 -1.0 -0.1	4.27 4.10 3.61 4.03 4.08 4.01	+0.30 +0.13 -0.36 +0.06 +0.11 +0.04
1920 1921 1922 1923 1924 1925 1926 1927 1928 1929	38.4 24.7 37.1 39.8 42.3 37.3 35.9 43.3 40.4 35.2	+ 2.8 -10.9 + 1.5 + 4.2 + 6.7 + 1.7 - 0.3 + 7.7 + 4.8 - 0.4	10.1 11.0 9.3 9.6 9.7 9.7 10.2 9.7 10.1 9.5	+0.1 +0.9 -0.8 -0.5 -0.3 -0.4 +0.1 -0.4 0.0	3.66 4.60 4.02 3.87 3.75 4.09 3.77 3.61 4.12 4.52	-0.31 +0.63 +0.05 -0.10 -0.22 +0.12 -0.20 -0.36 +0.15 +0.55
1930 1931 1932 1933 1934 1935 1936 1937 1938 1939	41.4 38.4 36.3 28.6 33.5 39.8 38.4 38.9 34.9 39.9	+ 5.8 + 2.8 + 0.7 - 7.1 - 2.1 + 4.2 + 2.8 + 3.2 - 0.7 + 4.3	10.0 9.6 9.9 10.3 10.5 10.3 9.9 10.1 10.6 10.2	-0.1 -0.5 -0.1 +0.3 +0.4 +0.2 -0.2 0.0 +0.5 +0.1	3.84 3.60 3.53 4.42 4.08 4.13 3.56 3.46 3.84 3.97	-0.13 -0.37 -0.44 +0.45 +0.11 +0.16 -0.41 -0.51 -0.13 0.00
1940 1941 1942 1943 1944 1945 1946 1947 1948 1949	35.6 33.8 33.1 32.8 35.3 32.8 41.6 32.4 37.5 30.9	0.0 - 1.8 - 2.5 - 2.8 - 0.3 - 2.8 + 6.0 - 3.2 + 1.9 - 4.7	9.6 9.6 9.6 10.6 10.1 10.8 10.0 10.1 10.5	-0.4 -0.5 -0.5 +0.5 0.0 +0.7 -0.1 0.0 +0.4 +1.0	4.18 3.67 3.90 4.25 3.73 3.81 3.83 3.97 4.12 4.63	+0.21 -0.30 -0.07 +0.29 -0.24 -0.15 -0.14 0.00 +0.16 +0.66
1950 1951 1952 1953 1954 1955 1956 1957 1958 1959	40.2 43.7 35.5 29.8 42.7 30.9 34.0 35.7 40.5 28.4	+ 4.6 + 8.1 - 0.1 - 5.8 + 7.1 - 4.7 - 1.6 + 4.9 - 7.2	10.1 9.8 9.7 10.4 9.8 9.8 9.4 10.6 9.9	0.0 -0.2 -0.3 +0.3 -0.3 -0.2 -0.7 +0.5 -0.2 +0.9	3.94 3.98 4.10 4.04 3.52 4.47 3.88 4.04 3.52 4.67	-0.02 +0.01 +0.13 +0.08 -0.44 +0.51 -0.08 +0.08 -0.44 +0.71
1960 1961 1962 1963 1964 1965 1966 1967 1968	46.1 34.7 31.1 33.5 27.8 39.1 40.3 38.7 38.5	+10.5 - 1.2 - 4.5 - 2.1 - 7.8 + 3.5 + 4.7 + 3.1 + 2.9	10.2 10.5 9.2 9.0 10.1 9.5 10.1 10.3	+0.2 +0.4 -0.9 -1.2 -0.1 -0.7 -0.1 +0.1	3.84 4.12 4.16 3.87 3.67 3.63 4.11 3.48	-0.12 +0.16 +0.20 -0.08 -0.12 -0.28 -0.32 +0.16 -0.47

^{*} From 1963 onwards the average period used for temperature and sunshine is 1931-60.

	Rain Rain													
Month		Temperati	are of the	air	having surfac	Rain ed in a gauge a receiving e 12 inches the ground	regia	unshine stered in nours	pol	Air lution moke)				
	Highest for month*	Lowest for month*	Mean daily value†	Departure from average of 30 years‡	Total	Departure from average of 30 years‡	Total	Departure from average of 30 years‡	Max- hourly mean	Mean				
	°C	°C	°C	°C	ins.	ins.	hours	hours	microg/m³	microg/m ³				
January	12.8	-5.2	5.0	+0.8	2.28	+0.19	43.2	- 2.8	383	46				
February	8.6	-4.1	3.4	-1.0	0.96	-0.61	68.2	+ 4.2	305	54				
March	20.7	-0.2	7.6	+1.0	0.91	-0.55	143.8	+30.8	222	30				
April	23.2	-1.7	9.3	nil	2.22	+0.72	186.0	+26.0	114	28				
May	22.3	3.2	11.3	-1.1	2.52	+0.71	167.1	-31.9	116	23				
June	26.8	8.1	16.2	+0.4	2.03	+0.22	166.4	-46-6	73	15				
July	32.2	9.2	16.7	-0.9	2.83	+0.63	146.8	-51.2	76	17				
August	26.9	7.4	16.5	-0.7	3.06	+0.74	122.6	-65.4	130	16				
September	24.3	8.0	15.1	+0.3	4.82	+2.85	134.6	- 7.4	124	20				
October	19.4	5.8	13.7	+2.9	2.03	-0.21	77.1	-20.9	257	32				
November	15.1	-0.7	7.5	+0.3	1.50	-1.02	42.9	-10.1	337	47				
December	11.7	-4.7	3.4	-1.8	2.79	+0.90	32.4	- 7.6	296	53				
Means	-	-	10.5	0.0	Sum 27.95	+0.38	Sum 1331.1	-15.2	_	32				

^{*} Temperatures are for the period 0900 to 0900 hours GMT.
† Temperatures are ½(Mean Max + Mean Min).
‡ Averages of 30 years (1931-1960).

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report of the Meteorological Office, and the annual volume of the British Rainfall Organization, published by Her Majesty's Stationery Office.

APPENDIX A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), death rates by age group, and infant mortality rates from selected causes, 1968

			S.M	.R.			Death ra	tes per m	illion po	pulation	,	
ICD No.	Cause of death	Country	All	ages	All	ages	1-	4	5-	14	15-	24
			М	F	М	F	М	F	М	F	М	F
	All causes	England and Wales Scotland Northern Ireland Irish Republic	99 109 97 96	98 112 107 112	12,409 12,913 11,241 12,340	11,358 11,551 10,005 10,442	869·4 1,116 657·7 904·8	732·6 753·7 717·7 655·1	418.0 509.1 413.8 445.4	285·3 284·8 293·9 281·5	907·3 1,022 878·8 1,062	387 · 4 339 · 6 358 · 7 434 · 8
008, 009	Enteritis and other diarrhoeal diseases	England and Wales Scotland Northern Ireland Irish Republic	89 129 135 191	84 162 106 242	15 •5 23 •7 28 •7 39 •7	13 •1 25 •2 18 •2 42 •1	27 •4 36 •0 59 •8 7 •67	21 •5 27 •1 15 •9 39 •9	2 • 98 4 • 41 - -	1 •71 2 •32 6 •87	1 • 95 - 4 • 34	0 • 8 2 • 5 4 • 5
010-012	Tuberculosis of respiratory system	England and Wales Scotland Northern Ireland Irish Republic	89 120 75 261	80 162 161 354	46 °2 59 °1 34 °1 128 °7	14 •6 27 •8 24 •7 53 •2	0 • 5 8 5 • 1 4 - -	1 •23 - - -	0 • 27 - - -	-	5·11 17·3	0.5
013-019	Other tuberculosis, including late effects	England and Wales Scotland Northern Ireland Irish Republic	105 82 47 62	97 105 147 124	17 •3 12 •9 6 • 83 9 • 58	9·09 9·27 11·7 9·66	4 • 66 5 • 14 -	0 • 61 5 • 42 7 • 99	0 • 54 2 • 20 -	2 • <b>3</b> 2 6 • 87	2 •23 - - -	0•8
036	Meningococcal infection	England and Wales Scotland Northern Ireland Irish Republic	92 205 152 19	99 123 127 65	2 •71 6 •43 5 •46 0 •68	1 •72 2 •22 2 •60 1 •38	12 ·8 25 ·7 14 ·9	7•97 16•3 7•99	1 •62 2 •20 - 3 •30	1 •14 2 •32 -	1 •11	0 • 2 2 • 5
090-097	Syphilis and its sequelae	England and Wales Scotland Northern Ireland Irish Republic	101 116 177 16	103 90 206	4 • 44 4 • 82 6 • 83 0 • 68	3 •20 2 •59 5 •20		- -	- - -		-	
Rem. 000-136	All other infective and parasitic diseases	England and Wales Scotland Northern Ireland Irish Republic	94 103 177 144	94 117 175 133	23 •6 25 •7 45 •0 37 •6	22 · 2 26 · 7 39 · 0 29 · 7	27 · 4 41 · 1 44 · 8 15 · 3	21 ·5 16 ·3 47 ·8 7 ·99	9 · 74 8 · 82 20 · 4 19 · 8	7 · 68 13 · 9 7 · 17 3 · 43	7 ·52 2 ·55 8 ·53 8 ·67	7 · 3 2 · 5 4 • 5
150	Malignant neoplasm of:	England Scotland Northern Ireland Irish Republic	99 119 98 91	93 135 114 165	71 •0 81 •1 62 •8 64 •3	49 °0 64 °9 48 °1 69 °0	-	- - -		-	0 •28 - -	0 •2
151	stomach	England and Wales Scotland Northern Ireland Irish Republic	100 105 88 96	97 115 107 136	306 ·5 304 ·5 237 ·5 286 ·1	220 •6 237 •6 195 •0 246 •5	-	- - - -	- - - -	- - 6*87	0 · 84 2 · 55 8 · 53	0 • 5
153	large intestine	England and Wales Scotland Northern Ireland Irish Republic	98 119 103 106	96 121 139 112	171 · 9 196 · 8 162 · 4 188 · 2	235 •6 268 •7 272 •9 217 •5	-	- - - -	- - - -	0 •28 - - -	1 • 1 1	0 • 5
154	rectum	England and Wales Scotland Northern Ireland Irish Republic	101 105 92 76	101 99 90 79	131 ·8 128 ·5 107 ·8 99 ·9	111 •2 99 •7 79 •3 69 •0	7.67	- - -	- - - -	-	- - 4 • 34	0 •2
161	larynx	England and Wales Scotland Northern Ireland Irish Republic	101 91 61 122	90 121 120 264	22 · 6 19 · 3 12 · 3 27 · 4	4 •69 5 •93 5 •20 11 •0	-	- - -		-	8 • 53 -	
162	trachea, bronchus and lung	England and Wales Scotland Northern Ireland Irish Republic	102 113 69 53	100 112 73 81	1,012 1,060 592 •4 493 •5	197 ·6 207 ·2 118 ·3 129 ·1		0 • 61 - -	0 •27 - - -	0 • 28	2 • 51 2 • 55 - 4 • 34	1 •4.
174	breast	England and Wales Scotland Northern Ireland Irish Republic	106 84 51 47	100 104 92 87	3 •22 2 •41 1 •37 1 •37	408 •8 397 •3 313 •2 285 • 8		-	- - -	0 •28	1 1 1	1 • 7
180	cervix uteri	England and Wales Scotland Northern Ireland Irish Republic	-	102 110 75 59	-	97 •5 99 •7 61 •1 46 •3		- - -	- - -		-	0 • 8
181, 182	other uterus	England and Wales Scotland Northern Ireland Irish Republic	-	100 83 114 122	-	61 ·6 47 ·8 57 ·2 60 ·1	-	1 •23 - - -	- - -	-	-	0 • 8 2 • 5
185	prostate	England and Wales Scotland Northern Ireland Irish Republic	100 95 105 98	-	166 • 7 147 • 8 162 • 4 175 • 9	-	0•58 - -	-	0 • 2 7 - - -	-	0 • 56	
188, 189	bladder and other urinary organs	England and Wales Scotland Northern Ireland Irish Republic	102 119 83 47	100 119 76 71	148 · 9 165 · 5 109 · 2 69 · 1	67 •3 73 •8 41 •6 38 •7	8 • 1 6 25 • 7 29 • 9 7 • 6 7	13 · 5 10 · 8 32 · 0	1 • 89	3 • 41	1 •11 2 •55	0 • 5 2 • 5

Death rates per million population Death																
					Death ra	tes per m	nillion po	pulation						1 :	s under year housand	
25-	34	35-	44	45-	54	55-	64	65-	-74	75-	-84	85 and	d over		births	ICD No.
М	F	М	F	М	F	М	F	М	F	M	F	М	F	M	F	
952·1 1,305 1,189 1,314	638·9 759·2 702·2 717·0	2,327 3,129 2,299 2,719	1,650 2,123 2,096 1,975	7,007 8,920 6,926 7,137	4,282 5,482 4,686 5,349	21,133 24,096 21,119 20,420	10,360 12,653 11,783 12,149	53,698 58,462 53,025 50,042	28,164 32,689 32,290 32,670	123,237 124,387 116,742 111,032	80,180 87,708 84,821 87,701	267,379 258,236 233,714 294,615	214,115 233,184 215,714 246,625	20.7 23.6 26.7 22.2	15·8 17·7 21·1 19·6	All causes
0.66	-	0.98	1 •01	0·99 3·39 - -	2 • 55 12 • 3 11 • 6	8 •00 14 •2	7 •49 24 •8	14 ·2 12 ·3 45 ·1 10 ·2	13 ·8 50 ·0 18 ·5	21 •5 33 •8 56 •2 44 •4	32 •0 52 •2 35 •7 36 •0	108 · 8 100 · 1 130 · 1	90 · 9 88 · 6 251 · 6	0 · 53 0 · 82 0 · 82 1 · 65	0.38 0.63 0.69 1.56	008,009
4 •27 13 •5 11 •7 19 •4	3 • 76 9 • 73 11 • 3 13 • 2	17 ·1 60 ·2 12 ·2 103 ·3	14 •5 31 •8 11 •5 45 •0	44 ·8 61 ·0 37 ·0 212 ·9	17 •6 42 • 9 46 • 5 130 • 2	118 •5 106 •8 100 •4 369 •5	22 •5 37 •2 - 139 •1	213 •9 265 •1 203 •2 582 •6	40 •2 70 •8 134 •7 120 •0	305 •4 490 •5 224 •7 444 •0	60 •8 148 •0 142 •9 234 •2	296 •7 200 •3 130 •1	54 • 5 88 • 6 158 • 7 167 • 7	0.00		010-012
3 •29 3 •37 - -	3 • 76 3 • 24 6 • 58	6 •89 23 •4 12 •2 12 •9	7 • 42 3 • 18 - 6 • 43	16 · 5 16 · 9 12 · 3 18 · 3	9 · 89 12 · 3 23 · 3 6 · 20	47 °6 28 °5 14 °3 7 °11	17 •3 9•31 37 •9 22 •0	71 •5 43 •1 45 •1 71 •5	22 ·9 25 ·0 16 ·8 18 ·5	82 •5 33 •8 - 22 •2	33 • 7 52 • 2 71 • 4 36 • 0	108 • 8	43 •6 88 •6 158 • 7 83 • 9	0.00	-	013-019
0•33 - - -	0 • 34 - - -	-	0 • 34	-	0 • 32 - - -	1 •09 - - -	1 • 30	1 • 85 6 • 16 22 • 6	0 · 43 - 16 · 8	- - - -	0 * 82		-	0 •06 0 •18 0 •12	0.04	036
-	-	0.98	0 • 34 - - -	1 • 97 6 • 78	1 • 91	11 •6 17 •8 14 •3 7 • 11	4 • 89 3 • 10 -	26 •5 12 •3 45 •1	15 •6 12 •5 50 •5	29·7 50·7 112·4	14 •0 26 •1 35 •7	29·7 - - -	18.2	-	-	090-097
5 • 92 13 • 5 11 • 7 6 • 47	8 •88 9 •73 - 6 •58	10 ·8 3 · 35 12 · 2 19 · 4	12 ·1 12 ·7 34 ·4 38 ·6	21 ·4 30 ·5 37 ·0 18 ·3	16 ·0 9 · 20 23 · 3 31 · 0	33 •8 32 •0 57 •4 63 •9	31 ·0 37 ·2 50 ·6 14 ·6	51 •2 43 •1 158 •0 132 •9	35 • 9 66 • 6 101 • 0 64 • 6	85 •8 135 •3 56 •2 111 •0	59 •1 78 •3 142 •9 72 •1	207 • 7 200 • 3 571 • 4 260 • 1	123 •6 310 •0 317 •5 503 •1	0 ·20 0 ·23 0 ·41 0 ·29	0·17 0·17 0·31 0·30	Rem. 000-136
1 •64	1 •37	10 · 5 13 · 4 6 · 46	6 • 41 6 • 37 19 • 3	53 •7 98 •2 49 •4 48 • 7	27 •4 49 •1 23 •3 68 •2	155 •9 210 •0 215 •2 163 •4	72 •3 96 •2 88 •5 168 •3	349 •5 419 •2 338 •6 327 • 1	159 •9 233 •2 235 •7 267 •8	652 •0 575 •1 449 •4 532 •8	323 •5 504 •9 392 •9 540 •5	840 ·8 801 ·0 114 ·3 780 ·4	465 •3 531 •4 476 •2 335 •4		-	150
8 •87 - 46 •6 -	7 ·86 3 ·24 22 ·7 19 ·7	54 •1 90 •4 48 •7 <b>71</b> •0	27 •3 35 •0 22 •9 57 •9	203 •4 237 •2 185 •2 261 •6	87 •8 98 •2 81 •4 179 •8	719 •3 783 •0 746 •1 717 •6	280 •9 301 •0 366 •6 336 •7	1,641 1,640 1,422 1,615	727 •3 887 •0 875 •4 1,007	2,514 2,588 1,798 1,909	1,581 1,933 1,500 2,162	2,621 2,103 85 <b>7·1</b> 2,471	2,385 2,878 2,540 3,270	-	-	151
7 · 89 6 · 74 12 · 9	11 ·3 9 ·73 34 ·0 19 ·7	33 ·1 50 ·2 36 ·5 45 ·2	41 ·1 57 ·3 57 ·3 32 ·2	119 · 5 155 · 8 123 · 5 85 · 2	117 ·8 141 ·1 232 ·6 167 ·4	326 ·1 409 ·3 344 ·3 312 ·6	347 · 0 431 · 3 455 · 1 373 · 3	807 ·6 961 ·6 1,061 991 ·4	733 •0 970 •3 993 •3 849 •5	1,791 2,080 1,685 1,776	1,573 1,889 2,107 2,018	2,740 3,304 1,429 4,032	2,465 3,055 4,444 2,096	-	-	153
3 · 94 6 · 74 1 9 · 4	5 • 47 3 • 24 6 • 58	24 ·6 26 ·8 12 ·2 19 ·4	18 · 9 22 · 3 19 · 3	77 · 0 108 · 4 74 · 1 60 · 8	68 • 0 58 • 3 58 • 1 68 • 2	246 •4 256 •3 200 •9 191 •8	156 •7 201 •7 151 •7 73 •2	660 · 3 641 · 1 519 · 2 521 · 3	354 •4 395 •6 303 •0 332 •4	1,393 1,404 1,685 954 • 7	714 •3 609 •4 678 •6 576 •5	1,978 1,902 1,429 910.5	1,160 531 •4 1,111 587 •0	-		154
-	0 • 34 - 6 • 58	2 • 95 6 • 69 -	0 • 34 3 • 1 8 - -	15 ·5 20 ·3 24 ·7 6 ·08	2 · 87 6 · 14 11 · 6 24 · 8	38 · 5 64 · 1 42 · 6	13 · 4 9 · 31 12 · 6 7 · 32	130 · 7 104 · 8 67 · 7 153 · 3	18 · 2 33 · 3 64 · 6	222 ·8 67 ·7 168 ·5 310 ·8	13 · 1 8 · 71 71 · 4 54 · 0	247 ·3 100 ·1 520 ·3	25 • 4 44 • 3 -	-		. 161
17 •4 33 •7 23 •3 32 •4	7 · 86 13 · 0 11 · 3 19 · 7	141 · 7 204 · 1 170 · 3 51 · 7	50 •6 82 •8 34 •4 45 •0	832 •5 1,047 716 •0 523 •2	214 •8 282 •2 220 •9 124 •0	2,899 3,285 2,080 1,776	456 •2 446 •8 354 •0 468 •4	5,646 6,084 3,409 2,841	719 •6 703 •8 437 •7 498 •6	5,636 5,328 3,483 1,998	679 •0 922 •8 500 •0 558 •5	3,264 3,204 571 •4 390 •2	683 · 4 797 · 1 670 · 9	-	-	162
-	36 •9 55 •2 22 •7 59 •2	1 •31 - - -	210 •4 280 •1 378 •0 238 •0	3 · 62 - -	571 •5 638 • 0 488 • 4 514 • 5	6 • 91 17 • 8 -	907 •1 847 •1 632 •1 797 •8	16 · 0 6 · 16 10 · 2	1,093 1,024 1,077 840 •3	21 •5 • 56 •2 22 •2	1,402 1,637 1,250 1,207	29°7 - - -	2,370 2,303 2,381 1,509	-	-	174
	10·9 19·5 22·7	-	76 •2 95 •5 34 •4 51 •5		201 •0 227 •0 116 •3 62 •0	-	201 •4 211 •0 126 •4 153 •7	-	218.7 249.9 252.5 203.1	-	256.2 208.9 214.3 90.1	-	388 •9 310 •0 158 •7 83 •9	-	- - - -	180
-	3 • 07 3 • 24 6 • 58	-	6 • 07 15 • 9 22 • 9 25 • 7	-	49 • 5 33 • 7 58 • 1 68 • 2	-	137 •2 96 •2 177 •0 183 •0	-	213 ·9 208 ·2 218 ·9 212 ·4	-	289 •8 182 •8 321 •4 378 •3	-	294 •4 398 •5 158 •7 167 •7	-	- - -	181, 182
-	-	0 • 98 3 • 35	-	15 ·1 27 ·1 24 ·7 18 ·3		152 •3 195 •8 200 •9 99 •5	-	812 •5 671 •9 948 •1 899 •4	-	2,762 2,723 2,753 2,620	-	4,708 3,404 3,429 4,422	-	-	-	185
1 •31 - - -	2 • 73	22 ·3 26 ·8 48 ·7 12 ·9	7 • 76 15 • 9 22 • 9 19 • 3	90 · 2 111 · 8 49 · 4 36 · 5	34 ·8 49 ·1 23 ·3 55 ·8	315 •1 363 •0 258 •2 113 •7	99 • 7 117 • 9 164 • 3 65 • 9	763 •8 973 •9 744 •9 449 •7	211 ·3 291 ·5 151 ·5 147 ·7	1,380 1,302 842.7 488.4	431 •9 470 •1 142 •9 216 •2	2,028 2,704 1,143 1,301	665 •2 575 •7 158 •7 251 •6	0.00 0.02 -	0.00	188, 189

			S.M.	R.			Death ra	tes per m	illion po	pulation		
ICD No.	Causes of death	Country	All a	.ges	All	ages	1	4	5-	14	15-	24
			М	F	М	F	М	F	М	F	М	F
204-207	Leukaemia, aleukaemia	England and Wales Scotland Northern Ireland Irish Republic	102 75 102 107	102 99 72 83	70 • 9 50 • 6 66 • 9 74 • 6	58 · 3 54 · 1 36 · 4 42 • 1	47 · 2 51 · 4 29 · 9 15 · 3	42 ·9 16 ·3 32 ·0	32 · 7 15 · 4 61 · 1 33 · 0	25 · 9 13 · 9 14 · 3 30 · 9	21 ·2 17 ·9 17 ·1 26 ·0	16 ·8 20 ·6 13 ·6
Rem. 140-209	All other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	England and Wales Scotland Northern Ireland Irish Republic	99 111 106 99	98 114 104 105	477 • 4 508 • 6 457 • 3 459 • 9	551 ·9 597 ·5 487 ·4 480 · 5	47 •2 92 •6 44 •8 53 •7	38 ·6 27 ·1 31 ·9 24 ·0	30 ·6 44 ·1 33 ·9 39 ·6	24 ·5 25 ·5 35 ·8 20 ·6	70 • 7 84 • 3 59 • 7 69 • 4	42 · 9 28 · 3 51 · 2 22 · 6
210-239	Benign neoplasms and neoplasms of unspecified nature	England and Wales Scotland Northern Ireland Irish Republic	102 59 84 149	103 61 68 138	27 •4 15 •3 20 •5 38 •3	29 ·6 16 ·7 16 ·9 33 ·8	7*57 - - 7*67	5 • 52 - - -	7 •30 - - -	6 ·83 9 ·26 7 ·17 3 ·43	7 ·24 - 25 ·6 4 ·34	5 • 1 1 - - 4 • 5 3
250	Diabetes mellitus	England and Wales Scotland Northern Ireland Irish Republic	96 133 102 107	94 149 106 114	72 •6 95 •2 69 •6 82 •8	116 •2 168 •3 105 •3 111 •8	0 • 5 8 - - -	3.07 5.42 -	2 • 71 2 • 20 6 • 78 3 • 30	4 •27 - - 3 •43	2 · 78 5 · 11 17 · 3	3 · 41 - 0 · 06
260-269	Avitaminoses and other nutritional deficiency	England and Wales Scotland Northern Ireland Irish Republic	83 157 233 217	94 114 136 180	3 •09 5 •62 8 •19 8 •21	4 • 49 4 • 82 5 • 20 6 • 90	7.67	0.61	0 • 27	-	0 • 2 8 - - -	0·57 - - -
280-285	Anaemias	England and Wales Scotland Northern Ireland Irish Republic	98 91 130 133	96 114 135 129	22 •8 20 •1 28 •7 33 •5	44 •6 46 •7 49 •4 47 •6	4.66	4 • 90 16 • 3 7 • 99	3 · 25 - 3 · 30	2 • 56 2 • 32 7 • 1 7	2 • 51 - 8 • 53 4 • 34	2 · 27 - - 4 · 53
320	Meningitis	England and Wales Scotland Northern Ireland Irish Republic	92 96 150 195	95 119 91 153	9 •06 9 •64 16 •4 21 •2	6 • 49 8 • 15 6 • 50 11 • 0	17 •5 5 • 14 14 • 9 23 • 0	10 • 4 4 • 42 32 • 0	2 • 43 2 • 20 - 3 • 30	1 •71 2 •32 6 •87	1 • 95 2 • 55 13 • 0	1 °42 - - -
390-392	Active rheumatic fever	England and Wales Scotland Northern Ireland Irish Republic	103 - - 274	95 150 147	0.51	0 • 48 0 • 74 - 0 • 69	7.67		0 • 54 · · · · · · · · · · · · · · · · · ·	0 • 57 2 • 32 -	-	
393-398	Chronic rheumatic heart disease	England and Wales Scotland Northern Ireland Irish Republic	98 106 112 120	98 116 118 107	110 •5 112 •9 110 •6 128 •0	175 •7 195 •0 175 •5 155 •3	-	0.61	2 • 20	0 • 57 2 • 32 - -	6 •68 5 • 11 17 • 1 4 • 34	2 • 56 5 • 1 5 1 7 • 1 4 • 5 3
400-404	Hypertensive heart disease	England and Wales Scotland Northern Ireland Irish Republic	99 100 105 113	98 105 102 128	202 •0 193 •2 192 •5 234 •1	252 • 7 241 • 3 206 • 7 261 • 6	-	-		0 • 2 8 7 • 1 7	1 • 95	1 •42 2 •57 - 4 •53
410-414	Ischaemic heart disease	England and Wales Scotland Northern Ireland Irish Republic	98 120 111 89	97 129 118 101	3,374 3,895 3,400 3,050	2,357 2,784 2,259 1,937	0 • 5 8 - - -		0.27		3.90 10.2 8.67	2 •27 - - -
420-429	Other forms of heart disease	England and Wales Scotland Northern Ireland Irish Republic	97 75 122 171	98 77 125 183	533 •9 385 •6 644 •3 1,039	801 · 5 538 · 2 786 · 3 1,169	4 •66 5 • 14	8 • 5 8 5 • 4 2 - -	5 • 41 6 • 78 3 • 30	4 • 27 2 • 32 -	10 ·9 15 ·3 17 ·3	7 •95 5 •15 8 • 54 4 • 53
430-438	Cerebrovascular disease	England and Wales Scotland Northern Ireland Irish Republic	98 124 100 95	96 131 115 105	1,342 1,600 1,269 1,387	1,949 2,327 1,812 1,669	2 • 91 5 • 14 7 • 67	1 •84 10 •8 -	4 • 33 8 • 82 13 • 6 19 • 8	4 •27 9 •26 7 •17 3 •43	11 •4 30 •6 8 • 53 13 • 0	14 •2 15 •4 17 •1 22 •6
470-474	Influenza	England and Wales Scotland Northern Ireland Irish Republic	102 87 50 108	100 86 75 144	78 •5 63 •1 36 •9 90 •3	112 ·0 83 ·0 65 ·0 126 ·3	3 • 50 - - 7 • 67	2 • 45 - 15 • 9	1 •08 2 •20 -	1 •14 2 •32 - 13 •7	5°01 10°2 -	2 • 56 5 • 1 5 4 • 53
<b>480-4</b> 86	Pneumonia	England and Wales Scotland Northern Ireland Irish Republic	106 73 61 65	105 72 70 64	768 •0 503 •7 430 •0 520 •8	916 •6 542 •6 483 •5 451 •5	93 •2 144 •0 29 • 9 168 • 7	97 •5 48 •8 95 •7 95 •9	23 ·8 15 ·4 29 · 7	21 °0 16 °2 7 °17 30 °9	24 •2 20 •4 25 •6 60 •7	10 •8 7 • 72 8 • 54 31 • 7
490-493	Bronchitis, emphysema and asthma	England and Wales Scotland Northern Ireland Irish Republic	102 88 91 88	96 86 114 160	1,013 827 •5 814 •9 887 •7	3,534 279 •5 327 •5 457 •7	14 ·0 5 ·14	14 •7 5 •42 31 •9 7 • 99	13 ·0 19 ·8 6 ·78 6 ·60	6 •83 13 •9 7 • 17	16 ·1 10 ·2 8 ·53 4 ·34	15 •3 12 • 9 17 • 1 31 • 7
531-533	Peptic ulcer	England and Wales Scotland Northern Ireland Irish Republic	100 108 90 96	99 104 118 93	114 •0 116 •5 92 •8 110 •9	61 •5 57 •1 57 •2 45 •6	7.67	1 •23 - - -	=	1111	2 • 51 7 • 66	8 • 54 -
540-543	Appendicitis	England and Wales Scotland Northern Ireland Irish Republic	99 129 48 89	98 115 148 90	8 · 89 11 · 2 4 · 10 8 · 21	7 •09 7 •78 9 •10 5 •52	8°16 10°3 15°3	2 · 45 15 · 9	3 · 25 6 · 61 13 · 2	1 •99 - 3 •43	3 ° 34 5 ° 11	1 •42 - - 4 •53

					Death ra	tes per m	illion po	pulation							under	
25-3	54	35	44	45-5	54	55-1	64	65-	74	75-	84	85 and	over	per th	ousand irths	ICD No.
М	F	М	F	М	F	М	F	М	F	М	F	М	F	М	F	
21 ·0 20 ·2 11 ·7 45 ·3	15 · 7 6 · 49	29 ·8 13 ·4 58 ·1	24 ·3 25 ·5 11 ·5 12 ·9	50 · 0 37 · 3 37 · 0 66 · 9	51 · 4 55 · 2 11 · 6 37 · 2	127 ·2 106 ·8 143 ·5 149 ·2	76 · 9 62 · 1 75 · 9 65 · 9	263 ·2 203 ·4 338 ·6 286 ·2	141 •3 158 •2 168 •4 166 •2	407 • 7 236 • 8 393 • 3 266 • 4	248 ·0 261 ·2 142 ·9 144 ·1	583 · 6 400 · 5 - 130 · 1	309 · 0 575 · 7 476 · 2 83 · 9	0.02	0.02 0.06 0.03	204-207
114 · 4 121 · 4 163 · 2 45 · 3	74 •1 94 •1 68 •0 92 •1	208 •6 257 •7 133 •8 200 •2	195 •9 222 •8 217 •6 257 •3	454 •9 542 •1 444 •4 486 •7	523 •0 656 •4 441 •9 545 •4	1,081 1,157 1,047 994 •7	1,023 1,123 1,163 1,069	1,989 2,090 2,302 2,116	1,749 1,936 1,650 1,828	3,095 3,569 3,539 2,797	2,442 3,099 2,893 2,810	3,719 4,506 5,143 5,983	3,177 3,897 4,444 3,354	0 • 04 0 • 04 0 • 17	0.02	Rem. 140-209
6 · 90 10 · 1 11 · 7	5 · 47 6 · 49 11 · 3 19 · 7	18 ·0 3 · 35 12 · 2 45 · 2	17 ·5 19 ·1 22 ·9 12 ·9	36 ·5 13 ·6 12 ·3 97 ·3	39 ·3 15 ·3 46 ·5 49 •6	60 • 3 46 • 3 86 • 1 92 • 4	52 •1 34 •1 12 •6 51 •2	78 •9 61 •6 67 •7 92 •0	66 •6 33 •3 33 •7 147 •7	125 •5 67 •7 155 •4	101 •0 52 •2 35 •7 180 •2	158·3 200·3 260·1	170 •8 88 •6 158 • 7 83 • 9	0.05	0.03	210-239
11 •2 13 •5 6 •47	7 •86 6 •49	18 • 7 43 • 5 36 • 5 25 • 8	13 ·2 19 ·1 22 ·9 6 ·43	32 •6 33 •9 37 •0 79 •1	31 •0 55 •2 11 •6 55 •8	111 •2 188 •6 100 •4 142 •1	127 • 4 263 • 7 202 • 3 183 • 0	339 •7 487 •0 406 •3 388 •4	439 • 9 682 • 9 471 • 4 498 • 6	868 ·3 1,049 842 ·7 754 ·9	855 °6 1,341 1,071 900 °8	1,187 1,302 1,143 780°4	934 •2 1,063 634 •9 1,677	0.00	0.00	250
0 • 66	-	0.33	0 • 34 - 6 • 43	2 · 96 3 · 3 9 - -	0.96 6.14 6.20	6 · 1 8 17 · 8 14 · 3 14 · 2	3 • 26 6 • 21 7 • 32	9 · 86 30 · 8 - 30 · 7	9 · 94 12 · 5 36 · 9	19.8 16.9 224.7 66.6	36 ·1 26 ·1 142 ·9 36 ·0	69 • 2 1 00 • 1 285 • 7	90 •9 132 •8 - 83 •9	0.02 0.02 - 0.03	0.01	260-269
3 •29 - - -	4 • 1 0 6 • 4 9 -	2 • 62 - - -	3°37 6°37 -	5 · 92 - 12 · 2	11 •2 18•4 23•3 12•4	22 •2 21 •4 86 •1 49 •7	28 · 3 18 · 6 37 · 9 87 · 8	86 •3 67 •8 135 •4 173 •8	103 •7 95 •8 168 •4 203 •1	321 •9 338 •3 337 •1 333 •0	372 •0 487 •5 500 •0 450 •4	662 • 7 1,001 571 • 4 520 • 3	897 · 9 1 ,196 1 ,270 503 · 1	0.02	0.01	280-285
0 • 9 9 - - 6 • 4 7	0 • 34	1 •64 3 •35 19 •4	1 •69	3 · 29 10 · 2 12 · 3 6 · 08	4 ° 47 6 ° 14 12 ° 4	9 ·81 14 ·2 28 ·7 7 ·11	7 · 17 3 · 10 12 · 6 22 · 0	17 •3 18 • 5 22 • 6 30 • 7	13 ·4 16 ·7 33 ·7 9 •2	19.8	5 • 75 34 • 8 - -	29.7	10.9	0 · 19 0 · 20 0 · 41 0 · 48	0·13 0·20 0·12 0·14	320
0 • 33	0•34 - 6•58	0.33	-	-	3 ° 07	1 •45	1 •63	0.62	= = = = = = = = = = = = = = = = = = = =	1 • 65	2 • 4 6 - - -	9.89	3 · 64 - -	0.00	-	390-392
17 • 7 37 • 1 69 • 9 19 • 4	20 ·5 32 ·4 34 ·0 32 ·9	58 •7 103 •7 97 •3 109 •8	78 •6 140 •0 80 •2 102 •9	146 •5 159 •2 111 •1 212 •9	185 •1 297 •5 267 •4 266 •5	281 °0 284 °7 301 °3 291 °3	342 •8 465 •4 556 •3 263 •5	419 •8 443 •8 406 •3 398 •6	500 •5 508 •0 505 •1 387 •8	628 •9 541 •3 786 •5 821 •5	764 •4 748 •7 750 •0 1,099	741 ·8 500 · 7 857 · 1 1 ,821	1,309 619•9 793•7 1,761		-	390-398
8 • 22 16 • 9 11 • 7 12 • 9	5 · 81 9 · 73 22 · 7 6 · 58	46 •2 60 •2 36 •5 71 •0	23 ·6 19 ·1 22 ·9 19 ·3	128 •4 145 •7 185 •2 103 •4	61 •3 79 •8 81 •4 111 •6	376 •2 327 •5 416 •1 397 •9	196 •1 183 •1 227 •6 226 •9	924 •1 961 •6 1,061 981 •2	732 •1 724 •6 723 •9 978 •8	2,192 2,131 1,854 2,598	2,136 2,255 2,357 2,558	3,432 4,105 3,714 5,593	4,089 5,447 3,715 6,457	0.00	0.00	400-404
59 •5 77 •6 93 •2 84 •1	15 · 0 32 · 4 26 · 3	633 • 9 813 • 2 729 • 9 523 • 0	106 ·9 152 ·8 114 ·5 115 ·8	2,451 3,357 2,568 2,215	419 °0 754 °6 732 °6 700 °4	6,981 8,524 8,006 6,530	1,851 3,093 2,743 2,320	16,001 19,522 19,255 14,115	7,020 9,236 9,640 7,609	31,438 37,042 34,326 27,686	18,969 22,956 20,536 18,124	58,882 68,289 55,143 58,403	44,071 60,045 53,333 43,941	0.00	0.00	410-414
19 • 7 33 • 7 23 • 3 32 • 4	12 · 6 6 · 49 45 · 3 19 · 7	39 • 0 30 • 1 24 • 3 77 • 5	32 ·0 22 ·3 22 ·9 45 ·0	119 ·2 115 ·2 172 ·8 212 ·9	79 •5 89 •0 81 •4 155 •0	441 •3 395 •1 559 •5 774 •5	277 •0 273 •0 303 •4 556 •2	1,872 1,621 1,941 3,557	1,322 1,287 2,071 2,558	8,017 5,937 10,112 13,987	6,648 5,067 8,893 1,261	28,467 17,523 42,206 48,647	27,401 19,085 30,952 50,650	0.06	0 *07	420-429
39 · 1 67 · 4 <b>3</b> 5 · 0 64 · 7	32 ·5 35 ·7 56 ·6 19 ·7	122 · 0 153 · 9 109 · 5 206 · 6	120 •1 146 •4 137 •5 148 •0	409 •5 460 •8 395 •1 365 •0	396 •7 561 •4 465 •1 601 •2	1,675 2,132 1,607 1,570	1,271 1,762 1,542 1,639	5,968 7,650 6,208 6,081	4,744 6,588 6,178 5,854	18,473 22,986 19,888 17,073	16,698 22,164 19,893 17,295	43,709 56,073 40,286 42,664	42,388 58,761 45,714 39,497	0 · 03 0 · 12 0 · 06 0 · 03	0.02	430-438
4 °27 3 °37 11 °7	4.10	8 · 85 10 · 0 12 · 2 12 · 9	5 · 40 6 · 37 12 · 9	20 · 4 10 · 2 24 · 7 18 · 3	15 ·3 15 ·3 6 ·20	65 •8 53 •4 14 •3 135 •0	51 •2 46 •5 25 •3 102 •5	299 •6 240 •4 67 •7 255 •5	194 •0 158 •2 151 •5 369 •4	1,154 879·5 393·3 1,132	888 •4 809 •6 821 •4 1,099	3,462 3,805 2,857 3,772	3,650 2,878 2,381 5,031	0.02 0.02 0.12 0.06	0 • 03 0 • 07 - -	470-474
24 •3 37 •1 11 •7 45 •3	22 ·5 16 ·2 11 ·3 26 ·3	47 ·9 50 ·2 32 · 3	44 •2 25 •5 22 •9 64 •3	167 •9 159 •2 74 •1 158 •2	108 •2 98 •2 58 •1 142 •6	584 •9 455 •6 157 •8 575 •5	370 ·8 307 ·2 164 ·3 307 ·4	2,552 1,800 1,467 1,738	1,595 1,008 858 •6 1,191	10,921 6,478 ·5,000 4,773	7,405 5,040 4,321 3,783	36,222 21,226 16,000 15,999	27,183 17,491 18,095 11,992	2 •51 2 •52 4 •78 2 •83	1 ·88 1 ·85 3 ·56 2 ·20	480-486
19 · 7 23 · 6 23 · 3 19 · 4	18 · 4 22 · 7 - 32 · 9	68 •5 77 •0 85 •2 90 •4	50 •2 60 • 5 114 • 5 83 • 6	349 •6 393 •0 395 •1 468 •5	150 •6 190 •2 220 •9 235 •5	1,781 1,712 1,908 1,911	375 •0 378 •5 480 •4 680 •7	5,614 4,907 4,853 4,753	1,031 912.0 1,263 1,681	11,185 8,762 9,157 7,771	2,419 1,898 2,714 3,639	16,429 10,514 12,000 15,088	5,540 4,207 4,444 10,147	0.09	0 • 0 9 0 • 0 6 0 • 0 3	490-493
3 · 94 6 · 74 12 · 9	2 • 3 9 3 • 2 4 -	19 · 7 30 · 1 12 · 2 19 · 4	7 · 08 15 · 9	645 88 •1 61 •7 85 •2	20 •1 42 • 9 11 • 6 24 • 8	179 · 6 277 · 6 229 · 6 241 · 6	50 •2 77 •6 75 •9 65 •9	609 •7 530 •1 451 •5 531 •5	156 •4 133 •3 1,347 157 •0	1,198 1,201 898•9 910•3	517 ·3 435 ·3 607 ·1 450 ·4	2,008 1,502 2,857 1,951	1,072 1,196 1,746 754 • 7	0.01	0.00	531 -533
1 •31 3 •37 6 •47	2 • 05	2 · 62 10 · 0	1 • 35	5.60 10.2	4 *47 3 *07 -	14 • 9 17 • 8 14 • 3 21 • 3	9 • 45 6 • 21 14 • 6	30 •2 1 8 • 5 22 • 6 20 • 4	20 • 7 20 • 8 16 • 8 18 • 5	69 •3 50 •7 56 •2	36 ·1 87 ·1 107 ·1	98·9 100·1	54 • 5 132 • 8 158 • 7 83 • 9	0.00	0.00	540-543

			S.M	.R.			Death ra	tes per m	illion po	pulation		
ICD No.	Causes of death	Country	All	ages	All	ages	1-	4	5-	14	15-	24
			М	F	М	F	М	F	М	F	М	F
550-553, 560	Intestinal obstruction and hernia	England and Wales Scotland Northern Ireland Irish Republic	102 103 71 71	100 107 94 86	44 • 4 43 • 0 30 • 0 33 • 5	55 • 9 53 • 4 42 • 9 39 • 3	8 · 74 - 7 · 67	1 • 84 16 • 3 -	1 •08 2 •20 - 3 •30	1 •14	2 • 78 5 • 11	0 · 85 - 8 · 54
571	Cirrhosis of liver	England and Wales Scotland Northern Ireland Irish Republic	92 182 72 111	95 143 88 111	31 •7 59 •5 21 •8 35 •6	28 ·5 40 ·4 22 ·1 26 ·9	2 • 91	2 • 45	1 •08 4 •41 -	0.28	2 · 51 - 8 · 67	1 •42 2 •57 - 4 •53
580-584	Nephritis and nephrosis	England and Wales Scotland Northern Ireland Irish Republic	97 64 110 198	98 85 88 188	57 •0 35 •8 58 •7 113 •6	44 •9 36 •3 33 •8 71 •1	4 • 66 - 15 • 3	2 • 45 10 • 8 -	4 •60 2 •20 -	1 •99 4 •63 - 6 •87	15 •0 10 •2 26 • 0	7 · 67 12 · 9 13 · 6
600	Hyperplasia of prostate	England and Wales Scotland Northern Ireland Irish Republic	97 109 89 139	1	66 •9 70 •7 60 •1 109 •5	-	-	-	-	- -		-
640-645	Abortion	England and Wales Scotland Northern Ireland Irish Republic	- - -	113 21 145	-	2 •00 0 •37 2 •60	-	-		-	- - -	4 • 83
630-639, 650-678	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	England and Wales Scotland Northern Ireland Irish Republic	- - -	93 76 143 253	-	6 · 01 4 · 82 9 · 10 15 · 2	-	-	-	-	- - - -	8 • 24 7 • 72 8 • 54 9 • 06
740-759	Congenital anomalies	England and Wales Scotland Northern Ireland Irish Republic	99 105 112 104	94 116 162 122	107 •5 121 •3 150 •2 135 •5	88 •6 113 •0 184 •6 140 •8	122 •9 154 •3 74 •7 107 •3	110 •0 97 •6 175 •4 135 •8	37 •6 52 •9 33 •9 46 •2	31 ·6 32 ·4 35 ·8 13 ·7	24 •8 20 •4 17 •1 47 •7	21 ·3 12 ·9 - 22 ·6
764-768, 772, 776	Birth injury, difficult labour and other anoxic and hypoxic conditions	England and Wales Scotland Northern Ireland Irish Republic	97 126 131 83	98 <b>124</b> 99 96	94 •3 131 •0 166 •5 99 •9	54 °6 73 °0 71 °5 71 °1	-	0.61	-	- - - -	-	-
760-763, 769-771, 773-775, 777-779	Other causes of perinatal mortality	England and Wales Scotland Northern Ireland Irish Republic	99 93 122 106	100 81 137 113	80 •7 80 •7 129 •7 106 •8	57 •6 49 •7 102 •7 86 •3	-	-	-	- - - -	-	-
780-796	Symptoms and ill-defined conditions	England and Wales Scotland Northern Ireland Irish Republic	85 88 38 355	94 65 56 <b>3</b> 27	53 •5 52 •2 24 •6 265 •5	116 •3 64 •9 52 •0 310 •0	3 · 50 5 · 14 14 · 9	3 · 07 10 · 8 7 · 99	0°54 2°20 -	- - - -	2 • 23 12 • 8 8 • 53	0 • 85 2 • 57 8 • 54 4 • 53
Rem. 240-738	All other diseases	England and Wales Scotland Northern Ireland Irish Republic	100 104 94 103	99 108 100 107	964 •6 959 •3 854 •5 1,051	1,183 1,140 954 •0 1,032	136 •3 138 •9 59 •8 122 •7	129 •4 146 •4 111 •6 95 •9	47 •3 57 •3 61 •1 69 •3	49 •2 50 •9 57 •3 54 •9	87 •1 81 •7 93 •9 86 •7	46 •3 59 •2 93 •9 63 •4
E810- E823	Motor vehicle accidents	England and Wales Scotland Northern Ireland Irish Republic	96 125 119 118	101 102 99 78	182 •6 235 •0 221 •1 223 •8	81 °5 79 °7 74 °1 58 °7	86 •2 185 •1 119 •6 84 •3	57 •6 97 •6 111 •6 39 •9	94 •1 132 •2 122 •1 72 •6	48 •1 46 •3 64 •5 44 •6	355 •5 334 •6 315 •7 299 •2	87 •8 46 •3 68 •3 77 •0
E800- E807, E825- E949	All other accidents	England and Wales Scotland Northern Ireland Irish Republic	93 152 94 127	97 117 106 124	200 •6 319 •8 200 •7 283 •3	221 •4 235 •4 200 •2 237 •5	155 •0 154 •3 119 •6 191 •7	104 •8 146 •4 47 •8 79 •9	75 •2 110 •2 47 •5 69 •3	27 ·9 23 ·2 28 ·7 20 ·6	120 •5 194 •1 162 •1 229 •8	21 •6 20 •6 8 • 54 27 • 2
E950- E959	Suicide and self-inflicted injuries	England and Wales Scotland Northern Ireland Irish Republic	106 80 73 39	105 92 99 17	114 °1 81 °1 69 °6 38 °3	75 • 7 63 • 4 62 • 4 10 • 4	-	=	0 • 54	0 · 57 7 · 17	55 •1 58 •7 76 •8 21 •7	25 • 3 25 • 7 34 • 2 13 • 6
E960- E999	All other external causes	England and Wales Scotland Northern Ireland Irish Republic	92 182 39 119	94 177 46 83	37 •7 71 •9 15 •0 45 •9	26 •2 47 •4 11 •7 20 •7	15 • 7 20 • 6	15 · 9 10 · 8 15 · 9	7 •30 8 • 82 6 • 60	3 • 1 3 4 • 6 3 -	29 •8 63 •9 8 • 53 60 • 7	13 ·3 33 ·5 27 ·2
Estimated (in thou	d mid-year population usands)	England and Wales Scotland Northern Ireland Irish Republic			23,630 2,489 733 1,461	24,963 2,698 769 1,449	1,716 194 67 130	1,631 184 63 125	3,696 454 147 303	3,516 432 140 291	3,592 392 117 231	3,521 389 117 221

	. Death rates per million population Deaths under															
					Death rat	es per mi	llion pop	pulation						1 y	ear	
25-3	4	35-4	4	45-5	54	55-6	4	65-7	14	75-8	34	85 and	over	per the		ICD No.
М	F	М	F	М	F	М	F	М	F	М	F	М	F	М	F	
2 • 96 6 • 74 6 • 47	2 • 39 6 • 49 -	5 • 90 3 • 35 12 • 2 6 • 46	6·41 3·18 6·43	16 ·1 16 ·9 - 6 ·08	14 •4 24 •5 23 •3 18 •6	40 • 7 64 • 1 28 • 7 42 • 6	39 •8 43 •4 25 •3 58 •6	160 • 9 166 • 4 45 • 1 112 • 4	129 •2 104 •1 67 •3 101 •6	553 •0 507 •4 449 •4 222 •0	436 •0 435 •3 428 •6 414 •4	1,197 1,101 857·1 650·4	970 •6 1,461 1,429 670 • 9	0 •28 0 •20 0 •35 0 •38	0 • 24 0 • 17 0 • 19 0 • 10	550-553, 560
3 · 29 3 · 37 6 · 47	2 · 73 - 6 · 58	17 ·1 23 ·4 19 ·4	9 •11 22 •3 22 •9	45 •4 132 •1 24 •7 54 •8	30 · 6 33 · 7 23 · 3 37 · 2	86 •9 163 •7 71 •7 78 •2	72 •3 71 •4 75 •9 87 •8	119 •0 246 •6 135 •4 173 •8	86 •9 162 •4 67 •3 138 •5	142 •0 152 •2 168 •5 199 •8	104 •3 200 •2 107 •1 54 •0	138 • 5 400 • 5	65 • 4 221 • 4 83 • 9	-	0.01	571
20 •0 23 •6 11 •7 32 •4	13 ·3 3 ·24 11 ·3 6 ·58	29 •8 20 •1 36 •5 38 •7	20 •9 15 •9 45 •8 32 •2	58 •9 57 •6 61 •7 91 •3	34 •5 30 •7 11 •6 68 •2	113 •8 74 •7 172 •2 248 •7	59 •0 55 •8 37 •9 80 •5	178 •8 104 •8 180 •6 378 •2	128 •8 95 •8 168 •4 304 •7	401 •1 236 •8 505 •6 888 •1	219 •2 208 •9 214 •3 414 •4	840 · 8 100 · 1 1,429 2,601	450 • 7 354 • 2 158 • 7 1,006	0 • 02 0 • 02 -	0.01	580-584
-	=	-	-	1 • 97	-	29 •1 32 •0 14 •3 63 •9	- - -	221 •3 234 •2 135 •4 306 •6	-	1,182 1,370 1,348 1,510	-	4,144 4,806 3,714 6,634	-	-	-	600
-	7 •52 3 •24 - -		<b>3.71</b> - 22.9	-	-	-	-	-	- - - -	-		-	-	-	-	640~645
-	26 •0 13 •0 22 •7 52 •6	-	14 ·2 15 · 9 45 · 8 77 · 2	-	0 • 96 3 • 07		-	-	-	-	-	-	-	-	-	630-639, 650-678
14 °5 6 ° 74 11 ° 7 25 ° 9	11 ·6 22 ·7 22 ·7 6 ·58	20 °0 13 °4 12 °2 12 °9	20 ·9 22 ·3 22 ·9 19 ·3	23 •0 20 •3 12 •3 30 •4	30 •3 27 •6 69 •8 31 •0	38 • 5 28 • 5 14 • 3 28 • 4	29 •3 21 •7 37 •9 14 •6	43 •8 18•5 -	35 °0 16 °7 16 °8 9 °23	52 •8 50 •7 -	33 •7 34 •8 35 •7 18 •0	79 • 1 1 00 • 1 -	50.9	4 •06 4 •36 5 •48 4 •58	3 •59 5 •01 6 •93 5 •59	740-759
-	-		-	-	-	-	-	-	-	-		-	-	5 •29 6 •67 7 •11 4 •64	3 · 42 4 · 29 3 · 43 3 · 49	764-768, 772, 776
-	-	-	-	-	-	-	- - -	-	=	-	- - -	-	-	4 ·53 4 ·11 5 ·54 4 ·96	3 ·61 2 ·92 4 ·93 4 ·23	760-763, 769-771, 773-775, 777-779
1 •64 - - -	1 •71 9•73	3 ° 61 13 ° 4 6 ° 46	2.02 3.18 22.9	4 · 94 10 · 2 12 · 2	3 · 1 9 12 · 3 11 · 6 12 · 4	7 ·63 60 ·5 56 ·8	6 •52 24 •8 - 22 •0	43 •8 160 •3 22 •6 316 •9	35 •9 54 •1 101 •0 175 •4	714 •8 524 •3 449 •4 3,175	668 • 4 417 • 9 535 • 7 2 ,774	6,746 3,004 1,714 26,275	7,070 4,030 1,746 22,558	0 • 03 0 • 25 0 • 06 0 • 03	0 · 03 0 · 09 0 · 25	780-796
95 •6 70 •8 139 •9 129 •4	96 •7 123 •3 90 •6 78 •9	180 •0 241 •0 170 • 3 219 • 5	188 •5 232 •3 286 •4 193 •0	425 • 0 491 • 2 567 • 9 492 • 8	393 •1 401 •8 383 •7 477 •3	1,262 1,335 1,349 1,428	888 •9 1,092 897 •6 1,127	3,744 3,927 3,431 3,516	2,649 2,857 3,064 3,029	10,989 11,282 10,112 10,746	8,627 8,671 8,250 8,575	29,337 31,942 25,429 36,681	25,623 30,775 24,127 29,266	1 ·84 1 ·37 0 ·87 1 ·05	1 ·28 0 ·72 0 ·37 0 ·91	Rem. 240-738
143 °6 259 °6 256 °4 310 °6	31 ·4 38 · 9 56 · 6 39 · 5	106 •9 204 •1 182 •5 180 •8	33 · 0 50 · 9 45 · 8 45 · 0	120 •8 196 •5 148 •1 219 •0	50 •1 82 •8 46 •5 37 •2	197 •0 249 •1 200 •9 305 •5	95 •8 90 •0 101 •1 80 •5	263 •9 326 •7 474 •0 419 •1	166 •8 145 •7 101 •0 73 •9	591 •0 507 •4 674 •2 532 •8	288 •2 313 •4 178 •6 180 •2	751 •7 700 • 9 857 • 1 520 • 3	269 •0 132 •8 158 •7	0.02	0 · 03 0 · 02 - 0 · 07	E810- E823
119 •3 229 •3 116 •6 207 •1	23 ·6 19 ·5 34 ·0 52 ·6	132 ·8 220 ·9 109 ·5 226 ·0	42 · 5 47 · 7 45 · 8 70 · 8	147 ·8 288 ·0 61 ·7 231 ·2	56 •2 79 •8 69 •8 155 •0	209 • 7 313 • 2 215 • 2 248 • 7	104 •3 93 •1 164 •3 146 •4	313 •8 462 •3 361 •2 500 •8	310 •3 366 •5 353 •5 452 •5	1,167 1,387 1,742 1,310	1,596 1,732 1,607 1,856	4,500 6,508 6,000 4,162	5,871 7,262 8,095 6,876		0 •53 1 •35 0 •19 0 •81	E800- E807 E825-E949 E949
. 109 •4 91 •0 58 • 3 51 • 8	48 •2 64 •9 68 •0 13 •2	132 •8 123 •8 133 •8 77 •5	84 · 6 108 · 2 91 · 6 12 · 9	174 •8 159 •2 148 •1 60 •8	114 •2 107 •4 162 •8 24 •8	211 •9 135 •3 100 •4 85 •3	155 •1 117 •9 164 •3 22 •0	249 • 7 123 • 3 135 • 4 71 • 5	162 •1 95 •8 16 •8 9 •23	320 •2 135 •3 56 •2 44 •4	141 •2 87 •1 35 •7	435 ·2 200 ·3 -	90 • 9	-	-	E950- E959
29 • 6 64 • 1 35 • 0 51 • 8	25 •3 45 •4 11 •3 13 •2	42 • 3 97 • 1 77 • 5	17 •9 57 •3 22 •9 19 •3	43 • 4 84 • 7 37 • 0 48 • 7	30 · 0 70 · 6 11 · 6 24 · 8	54 •9 124 •6 71 •1	38 • 4 68 • 3 25 • 3 43 • 9	77 • 7 154 • 1 67 • 7 92 • 0	42 ·8 58 ·3 36 · 9	90 ·8 135 ·3 56 ·2 44 ·4	56 • 7 121 • 9 35 • 7 54 • 0	128.6 200.3 130.1	69 • 1 88 • 6 158 • 7 83 • 9	0 •08 0 • 06 - 0 • 03	0.11	E960- E999
3,043 297 86 155	2,927 308 88 152	82	2,965 314 87 155	3,038 295 81 164	3,134 326 86 161	2,751 281 70 141	3,069 322 79 137	1,622 162 44 98	2,314 240 59 108		1,218 115 28 56	101 10 4 8	275 23 6 12			

Apart from its use as a basis for calculations of probabilities of death or survival, the life table represents one useful way of providing summary indices of mortality free from peculiarities in the sex and age structure of the population. These summary indices, whether it be the number surviving out of the specified number of births or the expectation of life beyond a specified age, are sex and age standardised. They summarise the individual age death rates for each sex. For this particular purpose the following life table has been constructed from the mortality experience of 1968. Though the functions are summary indices of the mortality of a particular year they will by the same token be sensitive to fluctuations in mortality from one year to another as a result of changes in the weather conditions, irregular incidence of epidemics, etc., and they are not reliable as a basis for calculations of the probabilities of survival over a period of years. Life table functions for use in such computations should be representative of the current level of mortality and should therefore be based on more than one year's experience. For this latter purpose another life table has been constructed based on the three years 1966 to 1968, a larger body of data more representative of the general mortality of recent years; this has been published in the Registrar General's Quarterly Return for the June Quarter, 1969 No. 482.

Mal	es	Age	Fema	les
$\iota_x$	o e _x	x	$\iota_x$	o e _x
10,000	68.6	0	10,000	74.8
9,793	69.1	1	9,842	75.0
9,780	68.2	2	9,830	74.1
9,771	67.2	3	9,823	73.1
9,765	66.3	4	9,817	72.2
9,759	65.3	5	9,813	71.2
9,737	60.4	10	9,798	66.3
9,718	55.6	15	9,785	61.4
9,675	50.8	20	9,766	56.5
9,631	46.0	25	9,747	51.6
9,588	41.2	30	9,722	46.7
9,539	36.4	35	9,685	41.9
9,462	31.7	40	9,627	37.1
9,320	27.1	45	9,527	32.5
9,086	22.8	50	9,367	28.0
8,676	18.7	55	9,124	23.7
8,008	15.1	60	8,768	19.5
6,999	11.9	65	8,219	15.7
5,609	9.2	70	7,389	12.2
3,963	7.0	75	6,147	9.1
2,313	5.2	80	4,467	6.6
1,002	3.7	85	2,574	4.6

This abridged life table is constructed from the estimated home population and the total deaths in the year 1968.

The column headed  $l_x$  shows, for each sex, the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the recorded age death rates of the period.

Column  $\theta_x$  is the 'expectation of life', that is, the average future lifetime which would be lived by persons aged exactly x, if likewise subject to those death rates.

APPENDIX C1. Tuberculosis of the respiratory system: death rates per million population, by sex and age group, 1959 to 1968

						Age group					
Year	0-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 <b>-</b> 74	75 and over
						Males					^
1959 1960 1961 1962 1963	4 1 3 1 1	7 7	7	2 3 - 1 2	6 1 3 3 1	31 19 12 11 10	73 55 57 45 49	141 121 118 96 99	325 297 270 249 239	528 493 477 487 412	480 437 418 409 435
1964 1965 1966 * 1967 * 1968	1 1 2 2 1	-	7 7 - 7	2 1 1 1	3 2 1 2	85654	34 27 25 24 19	87 68 69 56 55	183 160 177 132 156	363 335 314 301 273	411 353 396 309 378
						Females					
1959 1960 1961 1962 1963	4 3 7 7	7 7 7	7 7	2321	7 3 4 2 3	33 26 21 17 14	44 40 39 31 31	46 42 44 38 36	53 44 52 49 40	86 77 70 68 49	95 91 93 82 77
1964 1965 1966 *1967 *1968	3 1 1 0	= = = = = = = = = = = = = = = = = = = =	7 7 - -	7 7 7 7	7 7 7	9 4 6 4 4	25 20 22 17 19	25 28 30 28 25	33 35 41 32 30	48 52 54 44 54	76 79 71 92 74

^{*} Includes late effects of tuberculosis of the respiratory system (ICD. 019.0).

APPENDIX C2. Tuberculosis of the respiratory system: notification rates per 100,000 population, by sex and age group, 1959 to 1968 England and Wales

				Age gr	oup									
Year	All ages	0-4	5-14	15-24	25-34	35-44	45-64	65 and over						
				Male	5									
1959         70         21         17         70         79         79         102         89           1960         60         24         15         59         65         68         89         77           1961         55         18         14         48         59         61         84         74           1962         52         18         14         44         60         59         77         69           1963         47         18         13         39         55         51         68         63           1964         43         16         13         34         50         49         63         62           1965         39         14         11         29         45         45         59         55           1966         35         12         10         27         38         38         53         56														
	43 39 35 31 30		13 11 10 10 9											
				Females	5									
1959 1960 1961 1962 1963	39 33 29 26 24	22 20 18 18 15	19 18 16 16 15	83 63 52 43 38	69 60 50 44 38	49 39 37 32 31	25 23 21 19 18	16 15 14 14 12						
1964 1965 1966 1967 1968	21 18 17 15 14	15 14 11 11 12	12 11 11 10 9	30 25 23 20 19	34 30 28 26 22	27 25 23 20 19	16 14 13 13	12 11 11 10 10						

APPENDIX C3. Tuberculosis of the respiratory system: death rates per million population by sex and age group, notifications per 100 deaths, and Standardised Mortality Ratios, 1968

				Mal	es							Fema	ales				Pe	rsons
Area	-							1		1								1 50/15
	Allages	0-	5-	15-	25~	45-	65 and over	SMR	Allages	0-	5-	15-	25-	45-	65 and over	SMR	All ages	Notifi- cation ratio
ENGLAND AND WALES	58	1	0	-	12	103	305	100	19	1	-	1	12	27	62	100	38	575
Standard regions and conurbations:																		
North Tyneside Conurbation Remainder of North	<b>68</b> 66 69	-	-	-	21 29 19	132 119 136	<b>319</b> <b>3</b> 06 323	119 115 120	18 23 17	-	-	-	10 19 6	38 55 32	46 31 51	100 123 91	43 44 42	652 714 631
Yorkshire and Humberside West Yorkshire Conurbation	<b>58</b> 49	-	_	-	12 5	<b>95</b> 87	<b>323</b> 269	<b>99</b> 84	20 21	-	-	-	9 5	23 9	81 111	106 108	38 35	693 1,110
Remainder of Yorkshire and Humberside	62	-	-	-	15	100	353	108	19	-	-	-	11	31	63	104	40	492
North West South East Lancashire	73	-	-	-	12	146	362	127	19	-	-	-	16	20	69	102	45	492
Conurbation Merseyside Conurbation Remainder of North West	75 96 62	-	-	-	13 12 11	173 200 99	314 551 327	133 183 102	19 23 18	-	-	-	24 25 6	16 29 21	63 70 72	100 126 93	46 58 39	575 477 422
East Midlands	37	-	-	-	7	75	169	63	16	-	-	-	2	30	58	87	26	689
<b>West Midlands</b> West Midlands Conurbation Remainder of West Midlands	57 64 51	-	<i>3 5</i>	-	12 19 6	106 108 103	<b>339</b> 397 291	108 123 95	20 22 18	4 9 -	- -	- - -	22 30 15	24 20 28	<b>63</b> 69 58	114 125 103	38 43 34	655 832 453
East Anglia	32	-	~		-	57	166	52	7	-		-	5	15	15	37	20	547
South East Greater London Outer Metropolitan Area Remainder of South East	70 72 34 42	3 - 6	-	1 1 1	12 15 3 8	118 116 66. 66	418 401 218 179	125 122 66 61	27 27 14 14	-	- - -	1 - 3 -	14 17 6	42 40 20 27	90 84 60 32	144 140 81 66	48 49 24 27	<b>629</b> 639 684 538
South West	53	***	~	-	14	71	280	83	14	7	-	~	7	6	61	70	33	393
Wales I (South East) Wales II (remainder)	99 84 136	~~ ~~	-	~ - -	21 25 11	165 141 224	<b>492</b> 423 639	161 142 206	26 26 25	-	-	5 7 -	12 17 -	51 52 48	60 55 69	134 140 119	61 55 78	<b>313</b> 350 248
Urban/Rural aggregates: Conurbations Areas outside conurbations:	71	1	1	~	15	127	379	124	24	1		-	19	30	78	127	47	680
Urban areas with populations of 100,000 and over	66	-	-	-	11	119	337	112	19		-	2	13	28	54	97	42	-668
Urban areas with populations of 50,000 and under 100,000 Urban areas with populations	51	-	-	-	9	96	253	87	17	-	-	-	7	32	46	86	33	501
under 50,000 Rural districts	53 44	2	-	-	9	76 84	299 211	87 75	16 15	2	-	1 -	3	26 19	51 59	81 83	34 30	<b>47</b> 3 <b>3</b> 82
Hospital regions: Newcastle Leeds Sheffield East Anglian North West Metropolitan	69 55 49 33 63	2 1 7 1 1	-	1111	23 8 12 -	134 88 96 60 128	335 312 248 168 327	123 93 87 53	17 21 16 9 21		-	-	8 10 5 7	37 17 28 24 33	47 91 56 14 80	97 109 88 47 114	43 37 32 21 42	680 761 616 514 739
North East Metropolitan South East Metropolitan South West Metropolitan Wessex Oxford	49 52 58 56 21	7 - 12 -	-	-	14 10 10 4 4	70 78 93 89 29	300 260 298 272 150	86 81 93 87 39	18 18 29 17 14		-	- - - 7	5 7 28 9 4	28 19 44 36 28	66 63 65 33 38	94 85 142 81 77	33 34 43 36 17	707 545 485 434 1,018
South Western Welsh Birmingham Manchester Liverpool	52 99 57 71 75	-	3 -	-	14 21 12 13 11	70 165 106 135 165	340	79 161 108 120 144	14 26 20 18 23	8 - 4	-	5 -	8 12 22 15 18	2 51 24 15 36	63 66	70 134 114 91 130	32 61 38 44 48	382 313 655 528 428

APPENDIX C4. Tuberculosis of the respiratory system: notification rates per 100,000 population by sex and age group, and Standardised Notification Ratios, 1968

													0				
				М	ales							Fema	les				
Area	All	o-	5-	15-	25-	45-	65 and over	SNR	All ages	0-	5-	15-	25-	45-	65 and over	SNR	Persons
ENGLAND AND WALES	30	11	9	23	31	45	49	100	14	12	9	19	21	12	10	100	22
Standard regions and conurbations:																	
<b>North</b> Tyneside Conurbation Remainder of North	37 43 35	8 20 5	10 13 9	27 35 24	34 29 36	62 63 61	68 115 52	125 147 118	19 20 19	13 27 9	8 11 8	29 24 31	23 23 23	23 22 23	12 14 11	135 14. 139	28 31 27
Yorkshire and Humberside West Yorkshire Conurbation Remainder of Yorkshire	<b>36</b> 52	10 18	<b>12</b> 27	<b>34</b> 66	<b>38</b> 60	<b>52</b> 63	<b>53</b> 50	120 175	18 26	15 22	<b>10</b> 16	<b>25</b> 39	26 43	16 19	10 12	124 183	27 38
and Humberside	27	6	4	17	25	46	55	90	13	12	7	18	17	14	3	91	2:
North West South East Lancashire	31	11	8	30	31	46	51	105	14	12	9	23	22	9	10	100	22
Conurbation Merseyside Conurbation Remainder of North West	38 39 22	19 8 7	9 12 5	38 25 26	43 34 19	51 60 36	55 10° 27	128 135 73	16 17 12	16 10 9	12 4 9	27 24 19	22 28 19	10 14 7	136	112 121 81	26 28 17
East Midlands	25	11	8	24	24	39	32	84	11	8	8	16	18	8	5	79	18
<b>West Midlands</b> West Midlands Conurbation Remainder of West Midlands	33 46 21	21 41 3	18 33 4	27 39 16	34 50 19	48 58 38	<b>43</b> 45 41	113 158 72	17 25 10	24 43 7	16 23 9	20 30 11	24 36 13	12 15 9	8 9	118 172 69	25 36 15
East Anglia	13	1	-	8	13	24	22	43	8	5	2	11	11	7	11	59	11
South East Greater London Outer Metropolitan Area Remainder of South East	31 43 22 20	11 18 7 5	9 13 7 3	21 28 18 11	34 50 20 21	<b>44</b> 58 34 29	<b>56</b> 75 48 36	104 143 75 65	15 20 11 10	11 19 5 5	11 17 7 7	18 25 15 10	21 29 15 15	13 15 11 11	11 13 10 7	104 138 79 72	23 31 17 15
South West	19	10	4	10	19	31	31	62	8	3	3	10	12	8	5	54	13
Wales Wales I (South East) Wales II (remainder)	28 30 24	7 7 6	9 9 <b>7</b>	10 13 4	25 25 25	<b>49</b> 51 44	55 60 44	94 99 80	11 9 15	6 5 7	3 3 4	15 12 22	12 10 18	12 10 15	12	75 63 105	19 19 19
Urban and rural aggregates: Conurbations Areas outside conurbations:	43	21	17	35	48	58	70	146	21	22	15	27	30	15	12	143	32
Urban areas with populations of 100,000 and over	39	14	10	27	42	58	64	129	18	11	10	24	27	17	12	125	26
Urban areas with populations of 50,000 and under 100,000 Urban areas with populations	23	7	5	20	25	37	33	78	10	9	6	12	17	9	6	72	16
under 50,000 Rural districts	21 15	5	5 4	15 8	19	37 27	35 34	70 52	11 7	5 4	6 5	17 9	15	11 8	6.3	78 51	16 11
Hospital regions:										47	-	0.0					
. Newcastle Leeds Sheffield. East Anglian North West Metropolitan	38 38 27 13 41	9 11 11 1 18	10 15 7 1	28 40 24 7 32	36 43 25 13 45	66 52 44 24 55	73 48 45 21 67	132 128 92 43 136	20 19 13 9 20	13 14 12 4 18	7 13 7 2 15	29 30 18 12 26	25 29 19 12 27	24 15 12 8 16	13 9 7 11	138 135 90 62 136	29 25 20 11 30
North East Metropolitan South East Metropolitan South West Metropolitan Wessex Oxford	32 26 29 21 24	12 7 12 7 5	11 4 6 3 8	22 13 21 8 17	33 27 33 25 24	46 41 40 30 40	63 54 50 44 40	109 87 95 69 83	17 13 12 10 11	15 7 10 2 6	14 10 7 6	17 20 16 9 8	25 19 17 13 20	13 12 10 13 11	12 7 10 12 8	114 91 84 73 79	24 19 20 15
South Western Welsh Birmingham Manchester Liverpool	18 28 33 32 29	7 21 14 5	19 98	10 10 27 34 20	17 25 34 34 25	30 49 48 45 48	28 55 43 43 72	59 94 113 107 100	7 11 17 15 13	2 6 24 14 7	3 16 12 4	10 15 20 25 19	12 12 24 21 22	8 12 12 9	4 12 8 8 13	52 75 118 103 93	12 19 25 23 21

APPENDIX D. Cancer for selected sites: Standardised Mortality Ratios by sex, 1968

Area		sites -209)			Oesop			mach 51)		tines ectum 154)	Lar (16		Trac bron and (16	chus lung
	M	F	М	F	М	F	М	F	М	F	М	F	М	F
ENGLAND AND WALES	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Standard regions:														
North Yorkshire and Humberside North West East Midlands West Midlands	103 100 107 93 104	103 102 100 98 100	110 104 114 84 131	150 139 114 90 76	99 90 118 92 97	77 91 122 82 85	122 104 119 94 105	133 107 122 100 102	115 106 107 102 113	102 99 106 103 106	104 104 122 57 120	92 96 150 106 140	101 99 111 90 100	97 90 95 80 83
East Anglia South East South West Wales	91 142 93 91	94 141 97 99	70 123 111 106	69 121 77 142	77 140 97 112	82 136 116 144	94 122 96 113	72 121 85 134	91 132 92 97	93 139 96 96	90 147 72 85	75 102 114 89	86 148 86 78	87 170 89 68
Conurbations:														
Tyneside West Yorkshire South East Lancashire Merseyside West Midlands Greater London	122 103 112 123 113 111	103 103 102 108 102 105	139 137 113 97 134 102	124 159 124 120 55 86	113 94 121 133 107 112	79 97 118 136 81 94	134 108 122 124 110 96	122 111 131 121 114 94	129 112 101 113 123 93	106 102 111 111 106 98	133 113 165 141 164 120	150 181 151 255 96 77	137 102 118 143 115 121	107 83 103 126 84 139
Urban and rural aggregates:														
Conurbations	112	104	113	100	112	99	107	107	104	103	134	120	120	118
Areas outside conurbations: Urban areas with populations of 100,000 and over Urban areas with populations	104	100	114	114	92	98	111	100	101	100	101	104	108	98
of 50,000 and under 100,000 Urban areas with populations	97	99	87	117	103	109	97	90	99	97	82	69	97	104
under 50,000 Rural districts	94 87	98 95	92 86	92 90	96 89	96 104	98 87	103 89	100 95	100 97	77 82	85 96	87 80	86 84
Hospital regions:														
Newcastle Leeds Sheffield East Anglian North West Metropolitan	106 100 96 91 105	104 105 99 95 106	107 120 79 69 98	151 151 96 84 69	98 100 87 81 92	73 100 75 80 100	127 105 100 93 90	143 104 101 74 94	117 108 104 91 95	105 103 100 93 101	113 105 73 90 104	103 113 78 72 93	106 97 95 86 111	96 95 81 85 138
North East Metropolitan South East Metropolitan South West Metropolitan Wessex Oxford	104 100 101 90 89	98 98 103 95 92	83 92 79 77 102	58 99 93 120 87	122 96 101 85 85	84 105 99 92 93	101 84 79 74 75	101 80 80 63 81	91 90 91 97 91	94 97 96 99	94 108 121 89 60	50 83 57 96 149	109 106 108 89 87	113 113 134 98 92
South Western Wales Birmingham Manchester Liverpool	93 91 104 104 115	97 99 100 98 107	111 106 131 114 118	74 142 76 111 122	95 112 97 115 129	118 144 85 121 128	100 113 105 117 124	84 134 102 121 126	91 97 113 107 109	97 96 106 104 114	70 85 120 110 148	84 89 140 129 197	87 78 100 104 127	89 68 83 92 108

				LIND		00/00									
Area	Bor. (170		Brea (174		Cervix uteri (180)	Other parts of uterus (181, 182)	Pros- tate (185)	Blad (18		retic cell		Hodgk dise (20	ease	Leuka an aleuk (204-	nd kaemia
	M	F	М	F	F	F	M	M	F	M	F	М	F	М	F
ENGLAND AND WALES	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Standard regions:															
North Yorkshire and Humberside North West East Midlands West Midlands	82 92 106 77 116	97 121 132 104 94	96 27 78 77 110	89 97 93 100 104	113 128 107 99 117	97 95 94 118 93	87 87 89 102 102	86 111 110 88 94	101 105 96 82 86	97 75 92 87 92	124 79 85 100 105	130 88 79 76 99	100 79 105 101 119	85 106 100 94 111	101 108 93 113 101
East Anglia South East South West Wales	103 138 96 128	87 121 93 97	108 166 95 179	101 146 101 94	100 114 99 103	102 138 117 106	101 159 111 90	94 152 83 90	78 159 105 75	112 159 124 57	102 156 85 81	170 136 103 105	126 135 57 142	88 140 100 96	107 136 91 110
Conurbations:									7.0	7.0	4.07	115	470	7.4	0.3
Tyneside West Yorkshire South East Lancashire Merseyside West Midlands Greater London	91 80 91 73 139 116	99 91 126 155 121 74	232 37 83 108 117 92	92 90 88 94 108 105	98 153 102 119 114 85	85 99 93 107 83 100	92 93 101 92 96 109	78 119 122 93 106 116	78 133 98 101 99 127	70 94 87 78 90 132	173 84 84 109 107	117 77 81 77 124 97	138 88 69 156 119 112	74 92 90 119 104 101	93 90 85 93 107 100
Urban and rural aggregates:															
Conurbations	107	98	97	100	102	96	102	112	115	108	104	96	109	99	97
Areas outside conurbations: Urban areas with populations of 100,000 and over	107	91	136	100	107	98	92	102	89	103	89	113	109	98	100
Urban areas with populations of 50,000 and under 100,000 Urban areas with populations	118	84	108	105	101	96	96	102	99	81	110	90	78	98	96
under 50,000 Rural districts	95 81	111 106	101 78	99 98	100	109 99	103	96 85	92 91	105	93 103	102	86 105	101	106 101
Hospital regions:					110	404	00	0.0	00	98	123	133	101	87	97
Newcastle Leeds Sheffield East Anglian North West Metropolitan	85 75 95 98 86	100 106 119 83 76	107 20 70 103 32	89 97 102 101 109	110 135 110 101 92	101 102 102 111 112	86 90 94 103 116	86 117 94 94 111	92 121 85 82 129	78 84 107 110	92 86 108 97	97 76 164 114	87 97 121 101	104 101 88 104	111 111 109 93
North East Metropolitan South East Metropolitan South West Metropolitan Wessex Oxford	122 101 110 79 73	117 78 69 153 82	135 166 153 118 35	104 102 110 98 90	73 80 79 92 90	92 90 98 100 98	95 118 110 90 101	107 112 101 96 92	105 105 117 102 79	134 99 137 97 98	99 114 133 104 115	75 101 110 98 107	110 . 122 73 69 80	103 97 103 97 93	84 105 108 102 99
South Western Wales Birmingham Manchester Liverpool	100 128 116 120 73	73 97 94 117 162	112 179 110 56 128	101 94 104 90 98	96 103 117 106 113	113 106 93 92 99	113 90 102 93 84	76 90 94 118 95	100 75 86 98 97	124 57 92 99 81	81 81 105 83 97	106 105 99 74 87	55 142 119 88 137	102 96 111 92 115	87 110 101 84 113

APPENDIX E. Diseases of the circulatory system and vascular lesions affecting the central nervous system: death rates per million population, by sex at ages 45-64 and 65 and over, 1968

Area	Tot	cal	Chron rheums hear dises (393-3	tic t se	di	tensive sease -404)	he	aemic art ease -414)	of dis	r forms heart sease )-429)	vas	ebro- cular ease -438)
	М	F	М	F	М	F	М	F	М	F	М	F
		Death	rates a	t ages	45-64							
ENGLAND AND WALES	13,720	7,290	210	263	246	128	4,604	1,128	272	177	1,011	829
Standard regions:												
North Yorkshire and Humberside North West East Midlands West Midlands	15,037 14,235 16,090 12,878 14,130	7,914 7,870 8,259 7,224 7,147	208 220 257 249 227	277 318 332 287 311	198 239 226 254 313	151 120 134 116 165	5,118 4,901 5,496 4,127 4,456	1,393 1,487 1,002	251 363 271	187 181 243 171 180	1,072 1,274 1,003	821 1,036 883
East Anglia South East South West Wales	11,400 12,641 12,936 14,910	6,619 6,720 7,018 7,822	151 181 202 235	134 208 235 326	229 221 250 396	84 106 128 211	3,866 4,197 4,423 5,370	915 965	231 287	174 144 155 239	825 1,040	719 856
Conurbations:												
Tyneside West Yorkshire South East Lancashire Merseyside West Midlands Greater London	16,647 15,075 16,255 16,433 15,086 13,361	7,546 8,363 8,296 8,300 7,217 6,921	179 250 296 307 254 210	321 350 349 429 310 233	248 274 218 207 373 239	201 106 140 129 126 118	5,079 5,494 5,316 5,567 4,493 4,370	1,637 1,510 1,500 1,012	337 350 307	174 181 249 212 190 138	1,204 1,388 1,273 1,105	978 1,053 1,018 856
Areas outside conurbations: Urban areas with populations of 100,000 and over Urban areas with populations	14,388	7,597	210	328	224	116	4,874	1,206	271	177	1,067	819
of 50,000 and under 100,000 Urban areas with populations	13,562	7,238	190	228	250	117	4,560	1,042	247	181	981	744
under 50,000 Rural districts	13,518 12,078	7,140 6,981	202 182	233 217	250 237	140 132	4,752 4,026	1,165 993		171 189		
		Death	rates a	t ages	65 and	over						
ENGLAND AND WALES	81,062	58,242	488	643	1,363	1,424	21,878	13,520	4,625	4,911	10,859	11,288
Standard regions:												
North Yorkshire and Humberside North West East Midlands West Midlands	82,545 83,347 85,612 79,680 82,050	59,637 59,243 59,981 58,269 58,410	375 482 501 589 535	554 651 669 684 714	1,176 1,340 1,237 1,392 1,734	1,342 1,400 1,206 1,537 1,687	22,675 23,234 20,088	15,436 14,714 14,111 12,534 13,557	4,204 4,931 5,561	4,415 5,049 5,575	12,214 11,711 12,103 11,392 11,323	12,000 11,905 11,158
East Anglia South East South West Wales	77,217 79,143 78,013 83,963	57,175 57,144 57,738 58,940	410 500 425 492	531 662 514 654	1,020 1,263 1,491 1,911	1,188 1,393 1,432 1,903	21,027	12,892 12,752 13,399 14,502	4,441	4,929 5,254	10,543 9,530 10,979 11,722	10,474
Conurbations:												
Tyneside West Yorkshire South East Lancashire Merseyside West Midlands Greater London	83,776 85,361 88,194 84,504 83,747 81,233	58,630 61,444 61,143 55,936 58,035 56,818	561 588 485 515 459 630	724 781 653 611 757 759	1,301 1,297 1,331 1,305 1,952 1,334	1,355 1,106 1,321 1,821	24,737 22,871 21,599 20,605	15,639 13,986 12,262 13,667	4,504 4,563 4,926 4,238	4,686 4,497 5,395 4,186	10,561 11,518 13,070 9,798 11,868 8,149	12,522 12,370 9,309 11,214
Areas outside conurbations: Urban areas with populations of 100,000 and over Urban areas with populations	82,441	56,337	479	727	1,432	1,399	22,627	13,799	4,283	4,315	10,684	10,717
	00 700	58,727	454	589	1 175	1,405	21 812	13 704	4.672	5 245	10 934	11,488
of 50,000 and under 100,000 Urban areas with populations under 50,000	80,769	59,585	470	563		1,443					11,970	

APPENDIX F1. Maternal deaths from principal causes and associated maternal deaths, and death rates per 100,000 total births, 1938 to 1968

England and Wales

			(соп	plicati	ons of	pregnar	MATI	ERNAL DE	EATHS n and pu	nerperium	n, inclu	ding abou	rtion)				ATED MATE DEATHS	ERNAL	
	phlebitis and	EQ.				8 /	lon		nen		Abort	lon		forms		abortion			Total attributed to or associated with maternal causes
	and	sepsis		PT 41		labour	Trauma, shock; other complicatio	so.	maternal s other than ion	Crimin	nal	Oth	ner	all f	nal.	abor	lon		Dute ed w
	al posts		Ante-partum haemorrhage	Post-partum haemorrhage	8		shc compl	causes	othe		77 C 18		12 C 80		maternal	than	abortion		attri ociat al ce
	Puerperal thrombosis embolism	Puerperal	e-pe	st-ps	Toxaemi	Prolonged	auma, ner deli	Other (	Total m	With	Without mention of sepsi	With	Without mention of sepsi	Abortion,	Total r	Other (	th a	Total	tal asscrern
	Pue	Pué	Ant	Pos	To	Pro	of of	0£]	Tongo	₩ 1 00	N E O	× 1	Wil	Ab	de de	0¢]	W£	Ho	Ton
ICD No.	<b>671,</b> 673	<b>630</b> , 635, 670	632, 651	<b>652</b> , 653	<b>636-</b> 639	<b>654-</b> 657	<b>658-</b> 661	Rem. 630-639 650-678	630-639 650-678	642.0 642.2	Rem 642	(640,641, 643-645) .0, .2	(640,641, 643-645) ·1, ·9	640- 645	<b>630-</b> 678				
1938	178	277	3:	12	472		503		1,742	54	26	173	101	354	2,096	449	81	530	2,626
1939	154	248	117	179	478		467		1,643	80	28	167	79	354	1,997	429	49	478	2,475
1940 1941 1942 1943 1944	134 134 128 136 107	195 141 151 132 105	106 101 87 86 84	180 210 198 187 179	398 381 410 375 328	125 155 158 165 176	111 109 94 106 87	124 122 133 112 113	1,373 1,353 1,359 1,299 1,179	43 66 64 76 75	33 24 12 15	116 145 175 166 168	76 90 62 64 63	268 325 313 321 313	1,641 1,678 1,672 1,620 1,492	368 358 363 437 383	56 47 49 57 52	424 405 412 494 435	2,065 2,083 2,084 2,114 1,927
1945	86	82	68	158	321	148	72	92	1,027	65	9	109	50	233	1,260	342	19 37	361	1,621
1946 1947 1948 1949	102 110 67 56	53 33 33 32	85 56 46 38	162 156 115 90	359 312 249 199	117 110 66 69	83 63 55 60	91 77 55 65	1,052 917 686 609	41 37 34 20	5 3 4 9	69 54 55 58	42 49 32 31	157 143 125 118	1,209 1,060 811 727	353 264 231 157	16 19	390 308 247 176	1,599 1,368 1,058 903
1950 1951	62 49	26 16	44 35	38 53	185 141	42 38	54 37	66 50	517 419	25 33	21 26	39 34	18 14	103 107	620 526	180 151	21 9	201 160	821 686
1952 1953 1954	52 49 51	10 17 13	19 39 32	39 51 44	122 143 104	32 31 32	43 34 41	56 55 53	373 419 370	19 17 10	28 24 25	28 22 22	15 13 19	90 76 76	463 495 446	153 121 116	. 8 7 5	161 128 121	624 623 567
1955 1956 1957 1958	55 32 32 40	17 13 18 13	24 33 27 25	41 24 22 33	91 93 77 66	31 34 27 21	23 15 23 20	57 58 46 47	339 302 272 265	17 20 15 8	15 16 15 12	19 20 18 27	15 16 13 16	66 72 61 63	405 374 333 328	108 119 122 94	7 6 6 4	115 125 128 98	520 499 461 426
1959 1960	30	17	21	23	57 63	18 26	26 36	51	243	13	10	16	8	62	290 310	75	7 5	82 75	372 385
1961 1962 1963 1964	24 34 20 22	6 12 8 10	20 23 17 7	23 20 21 12	55 53 46 34	15 20 9 13	32 23 18 26	45 57 55 53	220 242 194 177	8 11 15 13	15 18 6 11	24 17 17 16	7 11 11 10	54 57 49 50	274 299 243 227	68 75 61 54	3 2 6 1	71 77 67 55	345 376 310 282
1965 1966 1967	17 11 10	5 9 3	13 13 7	11 14 5	48 38 44	12 16 12	23 23 13	40 46 44	169 170 138	8 12 8	13 18 9	21 17 7	10 6 10	52 53 34	221 223 172	42 53 64	6 3 4	48 56 68	269 279 240
1968	28	7	11	8	33	16	5 MA	TERNAL	150 MORTALI	10 TY RATES	12	16	12	50	200	ASSOCI	ATED MAT	44 ERNAL	244
4070	1	1	1		1	f pregn	ancy, c	hildbir	th and	puerperi 	1	uding ab	ortion)	55	324	70	DEATHS	82	407
1938 1939	28	43	18	48	73		78 73		270	13	4	26	12	55	313	67	8	75	387
1940	22	32	17	29	65	20	18	20	224	7	5	19 24	12 15	44	268 280	60 60	9 8	69 68	337 347
1941 1942 1943 1944	22 19 19 14	24 22 19 14	17 13 12 11	35 29 27 23	64 61 53 42	26 23 23 23	18 14 15 11	20 20 16 15	226 202 184 153	11 9 11 10	2 2 1	26 24 22	9 9	54 46 45 41	248 230 193	54 62 50	7 8 7	61 70 56	309 300 249
1945 1946 1947 1948	12 12 12 8	12 6 4 4	10 10 6 6	23 19 17 14	46 43 35 31	21 14 12 8	10 10 7 7	13 11 9 7	147 125 102 86	9 5 4 4	1 1 0 1	16 8 6 7	9 5 4	33 19 16 16	180 143 117 102	49 42 29 29	3 4 5 2	52 46 34 31	232 190 152 133
1949	7	4	5	12	27	9	8	9	81	3	1	8	4	16	97	21	3	24	121
1950 1951 1952 1953 1954	9 7 8 7 7	2 1 2 2	6 5 3 6 5	5 8 6 7 6	26 20 18 20 15	6 5 5 4 5	8 5 6 5 6	9 7 8 8 8	72 60 54 60 54	5 3 2 1	3 4 4 3 4	5 5 4 3 3	3 2 2 3	14 15 13 11 11	87 76 67 71 65	25 22 22 17 17	3 1 1 1 1 1	28 23 23 18 18	115 99 91 89 82
1955	8	2 2	4	6	13	5	3	8 8	50	2	2 2	3		10	59 52	16 17	1,	17 17	76
1956 1957 1958 1959	4 4 5 4	2 2 2	. 4 3 3	3 4 3	13 10 9 7	5 4 3 2	3 3	6 6 7	42 37 35 32	3 2 1 2	2 2 1	3 2 4 2	2 2 2 1	8 8	45 43 38	16 12 10	7 7 7	17 13 11	70 62 56 49
1960 1961 1962 1963 1964	3 3 4 2 2	7 7 7	3 2 3 2	2 3 2 2 1	8 7 6 5 4	3 2 2 1 1	4 3 2 3	5 5 7 6 6	31 27 28 22 20	1 1 1 2 1	2 2 1 1	3 3 2 2 2 2	1 1 1 1	8 7 7 6 6	39 33 35 28 25	9 8 9 7 6	1000	9 9 9 8 6	48 42 44 36 32
1965 1966 1967 1968	2 1 1 3	1 0 1	1 2 1 1	1 2 1 1	5 4 5 4	1 2 1 2	3 3 2 1	55555	19 20 16 18	1 7 7 1	1 2 1 1	2 2 1 2	1 7 7 7	6 6 4 6	25 26 20 24	5 6 8 5	1 0 0	5 7 8 5	31 32 28 29
				1															

Note. Figures for 1938 are based on live and stillbirth registrations, and for 1939 onwards on occurrences.

*Excludes the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months: 1951-40, 1952-35, 1953-32, 1954-34, 1955-34, 1956-25, 1957-16, 1958-22, 1959-21, 1960-26, 1961-11, 1962-20, 1963-24, 1964-25, 1965-9, 1966-17, 1967-11, 1968-12.

APPENDIX F2. Deaths certified as associated with pregnancy or childbearing but not assigned to those causes, by assigned cause and age group, 1968

ICD No.	Cause of death	All ages	15-19	20-24	25-29	30-34	35-39	40-44	45 and over
	All Causes	44	2	9	12	11	7	3	-
070	Infective hepatitis	1	-	-	~	1	-	-	-
135	Disseminated sarcoidosis	1	-	-	-	-	1	-	-
140-199	Malignant neoplasms	8	ann	1	5	1	-	1	-
201	Hodgkin's disease	1	-	an	-	1	-	-	-
205.0	Acute myeloblastic leukaemia	1	-	1	-	-	-	-	-
218	Myoma	1	-	-	-	-	1	-	-
220	Ovarian cyst	2	-	1	-	-	1	-	•
242.2	Thyrotoxicosis	1	-	-	1	-	-	-	-
273.1	Acute porphyria	1	-	-	-	1	-	-	-
284	Aplastic anaemia	1	-	-	-	1	-	-	-
286.9	Hypocoagulability	1	-	-	1	-	-	-	-
421.0	Malignant aortic endocarditis	1	-	-	-	1	-	-	-
425	Myocardiopathy	1	-	-	1	-	-	-	-
426	Pulmonary hypertension	1	-	-	-	-	-	1	-
430.9	Rupture of cerebral aneurysm	1	-	1	-	-	-	-	-
436.0	Hypertensive cererovascular accident	1	-	-	-	-	1	-	-
460	Common cold	1	-	-	-	1	-	-	-
470-474	Influenza	3	-	-	1	1	1	-	-
481	Lobar pneumonia	1	-	-	-	-	1	-	-
486	Pneumonia N.O.S.	1	1	-	-	-	-	-	-
493	Asthma	2	-	1	1	-	-	-	-
532.9	Bleeding duodenal ulcer	1	-	-	-	1	-	-	-
540.0	Acute appendicitis (with perforation)	2	-	-	-	1	-	1	-
553.8	Hernia of other specified site (with obstruction)	1	-	1	-	-	-	-	-
592	Renal calculus	1	-	1	-	-	-	-	-
733.0	Myasthenia gravis	1	-	-	-	1	-	-	-
746.3	Eisenmenger's syndrome	1	-	-	-	-	1	-	-
747.0	Patent ductus arteriosus	1	-	-	1	-	-	-	-
E800-E999	Violence	4	1	2	1	-	-	-	-
	Associated with abortion (included above)	3	1	-	1	-	1	-	-

TCD					Males					Females			Persons
ICD 'B' List Number	Cause of death		All ages	0-	15-	45~	65 and over	All ages	0-	15-	45-	65 and over	All ages
	number of deaths ALL CAUSES autopsy or operation percentage	(a) (b) (c)	293,213 91,990 31	11,742 6,992 60	13,252 8,176 62	79,426 31,680 40	188,793 45,142 24	283,541 67,170 24	8,475 4,783 56	8,128 4,087 50	45,216 15,102 33	221,722 43,198 19	576,754 159,160 28
B4	Enteritis and other diarrhoeal diseases	(a) (b) (c)	366 244 67	282 202 72	12 9 75	25 14 56	47 19 40	326 183 56	193 125 65	6 4 67	31 20 65	96 34 35	692 427 62
B5	Tuberculosis of respiratory system	(a) (b) (c)	1,092 444 41	3 3 100	65 27 42	462 220 48	562 194 35	364 149 41	2 2 100	56 18 32	124 54 44	182 75 41	1,456 593 41
B6	Other tuberculosis, including late effects	(a) (b) (c)	408 159 39	11 7 64	39 18 46	181 80 44	177 54 31	227 98 <b>4</b> 3	1 -	36 12 33	84 46 55	106 40 38	635 257 40
B11	Meningococcal infection	(a) (b) (c)	64 50 78	53 40 75	5 5 100	3 2 67	3 3 100	<b>43</b> 29 67	33 21 64	3 1 33	5 5 100	2 2 100	107 79 74
B17	Syphilis and its sequelae	(a) (b) (c)	105 39 37	-	3 2 67	38 16 42	64 21 33	80 40 50	-	1 1 100	21 7 33	<b>58</b> 32 55	185 79 43
B1-B18 (Rem.)	All other infective and parasitic diseases	(a) (b) (c)	558 272 49	166 98 59	78 48 62	158 74 47	156 52 33	553 246 44	131 78 60	88 57 65	145 63 43	189 48 25	1,111 518 47
/	Malignant neoplasm of:												
	oesophagus (150)	(a) (b) (c)	<b>1,677</b> 360 21	-	38 6 16	592 149 25	1,047 205 20	<b>1,224</b> 259 21	-	24 7 29	308 79 26	. 892 173 19	2,901 619 21
	stomach (151)	(a) (b) (c)	7,242 1,802 25	600 107 108	195 62 32	2,597 711 27	<b>4,450</b> 1,029 23	5,507 1,148 21	004 000 000	106 28 26	1,137 287 25	<b>4,264</b> 833 20	12,749 2,950 23
	large intestine (153)	(a) (b) (c)	<b>4,061</b> 980 24	, <u>-</u>	129 35 27	1,260 311 25	2,672 634 24	5,882 1,265 22	1 -	157 36 23	1,434 302 21	<b>4,29</b> 0 927 22	9,943 2,245 23
	rectum (154)	(a) (b) (c)	3,114 622 20	-	87 15 17	912 172 19	2,115 435 21	2,776 478 17	-	73 15 21	694 130 19	2,009 333 17	5,890 1,100 19
	larynx (161)	(a) (b) (c)	534 113 21	-	9 2 22	153 39 25	372 72 19	117 25 21	-	2 1 50	50 15 30	65 9 14	651 138 21
	trachea, bronchus and lung (162)	(a) (b) (c)	23,903 4,453 19	1 1 100	494 99 20	10,505 1,936 18	12,903 2,417 19	4,933 1,060 21	2 -	178 48 27	2,073 409 20	2,680 603 23	28,836 5,513 19
B19	breast (174)	(a) (b) (c)	76 10 13	-	4 1 25	30 6 20	42 3 7	10,204 1,423 14	1 1 100	738 110 15	<b>4,575</b> 697 15	4,890 615 13	10,280 1,433 14
	cervix uteri (180)	(a) (b) (c)	-	-	-	-	-	2,434 235 10	-	261 30 11	1,248 121 10	925 84 9	2,434 235 10
	other uterus (181, 182)	(a) (b) (c)	-	- -	-	-	=	1,537 292 19	2 -	30 13 43	576 111 19	929 168 18	1,537 292 19
,	prostate (185)	(a) (b) (c)	3,939 456 12	2 -	5	465 61 13	3,467 395 11	-		-	-	-	3,939 456 12
	bladder and other urinary organs (188, 189)	(a) (b) (c)	3,519 758 22	22 3 14	76 20 26	1,141 260 23	2,280 475 21	1,681 328 20	35 7 20	33 8 24	415 90 22	1,198 223 19	5,200 1,086 21
	leukaemia and aleukaemia (204-207)	(a) (b) (c)	1,676 361 22	210 40 19	231 64 28	502 117 23	733 140 19	1,456 285 20	168 25 15	177 34 19	397 79 20	714 147 21	3,132 646 21
	All other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	(a) (b) (c)	11,281 2,659 24	209 62 30	1,238 295 24	4,357 1,063 24	5,477 1,239 23	13,778 2,750 20	155 46 30	949 188 20	4,780 958 20	7,894 1,558 20	25,059 5,409 22
B20	Benign neoplasms and neoplasms of unspecified nature	(a) (b) (c)	647 304 47	48 29 60	102 55 54	277 129 47	220 91 41	738 380 51	45 20 44	86 55 64	283 146 52		1,385 684 49
B21	Diabetes mellitus	(a) (b) (c)	1,716 354 21	13 8 62	101 50 50	405 118 29	1,197 178 15	2,900 585 20	21 14 67	74 42 57	488 157 32	2,317 372 16	4,616 939 20
B22	Avitaminoses and other nutritional deficiency	(a) (b) (c)	73 25 34	8 6 75	4 -	26 10 38	35 9 26	112 32 29	4 3 75	3 1 33	13 5 38	23	185 57 31

ICD					Males				I	Pemales			Persons
'B' List Number	Cause of death		All ages	0-	15-	45-	65 and over	All ages	0-	15-	45-	65 and over	All ages
B23	Anaemias	(a) (b) (c)	538 154 29	30 17 57	27 15 56	79 29 37	402 93 23	1,113 219 20	21 14 67	30 16 53	122 42 34	940 147 16	1,651 373 23
B24	Meningitis	(a) (b) (c)	214 149 70	119 82 69	15 14 93	37 25 68	43 28 65	162 107 66	<b>74</b> 50 68	11 6 73	36 21 58	41 28 68	376 256 68
B25	Active rheumatic fever	(a) (b) (c)	12 10 83	3 2 67	2 1 50	4 4 100	3 3 100	12 11 92	2 1 50	1 1 100	5 5 100	4 4 100	24 21 88
B26	Chronic rheumatic heart disease	(a) (b) (c)	2,612 1,288 49	-	257 182 71	1,218 652 54	1,137 454 40	4,386 1,660 38	3 1 33	302 185 61	1,632 698 43	2,449 776 32	6,998 2,948 42
B27	Hypertensive disease	(a) (b) (c)	4,774 1,600 34	2 2 100	173 78 45	1,425 606 43	3,174 914 29	6,309 1,653 26	2 1 50	92 35 38	794 326 41	5,421 1,291 24	11,083 3,253 29
B28	Ischaemic heart disease	(a) (b) (c)	79,735 31,530 40	3 2 67	2,128 1,476 69	26,651 13,453 50	50,953 16,599 33	58,834 16,116 27	1 1 100	369 255 69	6,994 3,000 43	51,470 12,860 25	138,569 47,646 34
B29	Other forms of heart disease	(a) (b) (c)	12,617 1,800 14	52 34 65	218 150 69	1,576 574 36	10,771 1,042 10	20,008 2,138 11	55 40 73	160 95 59	1,099 342 31	18,694 1,661 9	32,625 3,938 12
B30	Cerebrovascular disease	(a) (b) (c)	31,707 4,216 13	32 21 66	532 320 60	5,853 1,741 30	25,290 2,134 8	48,645 5,481 11	27 25 93	501 317 63	5,143 1,615 31	42,974 3,524 8	80,352 9,697 12
B31	Influenza	(a) (b) (c)	1,855 199 11	19 10 53	58 32 55	243 72 30	1,535 85 6	2,797 192 7	20 10 50	37 23 62	205 64 31	2,535 95 4	4,652 391 8
B32	Pneumonia	(a) (b) (c)	18,147 4,611 25	1,303 990 76	307 154 50	2,119 944 45	14,418 2,523 17	22,880 3,839 17	982 735 75	235 114 49	1,477 523 35	20,186 2,467 12	41,027 8,450 21
B33	Bronchitis, emphysema and asthma	(a) (b) (c)	23,945 5,021 21	112 78 70	327 175 54	5,962 1,581 27	17,544 3,187 18	8,821 1,922 22	85 61 72	257 137 53	1,623 489 30	6,856 1,235 18	32,766 6,943 21
B34	Peptic ulcer	(a) (b) (c)	2,694 1,753 65	5 4 80	81 63 78	690 514 74	1,918 1,172 61	1,535 910 59	3 3 100	28 21 75	217 169 78	1,287 717 56	4,229 2,663 63
B35	Appendicitis	(a) (b) (c)	210 166 79	27 22 81	24 22 92	58 50 86	101 72 71	177 121 68	12 7 58	15 12 80	43 32 74	107 70 65	387 287 74
B36	Intestinal obstruction and hernia	(a) (b) (c)	1,050 725 69	135 91 67	37 33 89	161 132 82	717 469 65	1,396 860 62	103 72 70	29 24 83	167 126 75	1,097 638 58	2,446 1,585 65
B37	Cirrhosis of liver	(a) (b) (c)	750 367 49	9 2 22	71 47 66	377 207 55	293 111 38	712 353 50	8 2 25	40 22 55	318 168 53	346 161 47	1,462 720 49
B38	Nephritis and nephrosis	(a) (b) (c)	1,348 385 29	32 17 53	206 89 43	492 156 32	618 123 20	1,120 299 27	14 8 57	128 51 40	289 77 27	689 163 24	2,468 684 28
B39	Hyperplasia of prostate	(a) (b) (c)	1,580 694 44		-	86 59 69	1,494 635 43	-	-	-	=	-	1,580 694 44
B40	Abortion	(a) (b) (c)	- - -	-	-	-	-	50 36 72	-	50 36 72	-	-	50 36 72
B41	Other complications of pregnancy, childbirth and puerperium	(a) (b) (c)	-	-	- - -	-	-	150 128 85		147 125 85	3 3 100	-	150 128 85
B42	Congenital anomalies	(a) (b) (c)	2,540 1,533 60	2,059 1,241 60	194 125 64	176 89 51	111 78 70	2,212 1,192 54	1,720 918 53	171 110 64	185 88 48	136 76 56	4,752 2,725 57
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	(a) (b) (c)	2,228 1,319 59	2,228 1,319 59	-	-	-	1,363 793 58	1,363 793 58	=	-	-	3,591 2,112 59
B44	Other causes of perinatal mortality	(a) (b) (c)	1,907 503 26	1,907 503 26	-	-	-	1,439 360 25	1,439 360 25	-	-	-	3,346 863 26
B45	Symptoms and ill-defined conditions	(a) (b) (c)	1,265 79 6	19 13 68	24 17 71	36 20 56	1,186 29 2	2,904 85 3	18 13 72	14 11 79	30 16 53	2,842 45 2	4,169 164 4

ICD					Males				F	emales			Persons
'B' List Number	Cause of death		All ages	0-	15-	45-	65 and over	All ages	0-	15-	45-	65 and over	All ages
B46	All other diseases	(a) (b) (c)	22,793 9,264 41	1,182 860 73	1,153 655 57	4,762 2,575 54	15,696 5,174 33	29,542 9,770 33	892 623 70	1,005 586 58	3,960 1,889 48	23,685 6,672 28	52,335 19,034 36
BE47	Motor vehicle accidents	(a) (b) (c)	4,315 3,610 84	504 419 83	2,040 1,724 85	909 758 83	862 709 82	2,034 1,725 85	273 229 84	499 431 86	451 382 85	811 683 84	6,349 5,335 84
BE48	All other accidents	(a) (b) (c)	4,739 3,644 77	841 690 82	1,201 973 81	1,026 819 80	1,671 1,162 70	5,526 3,826 69	482 407 84	271 226 83	496 393 79	4,277 2,800 65	10,265 7,470 73
	Accidental poisoning by drugs and medicaments (E850-E859)	(a) (b) (c)	170 143 84	16 15 94	68 62 91	59 42 71	27 24 89	229 191 83	10 9 90	57 48 84	106 90 85	56 44 79	399 334 84
	Accidental poisoning by other solid and liquid substances (E860-E869)	(a) (b) (c)	32 30 94	3 3 100	10 8 80	15 15 100	4 4 100	11 7 64	1 -	2 -	4 3 75	4 4 100	43 37 86
	Accidental poisoning by gases and vapours (E870-E877)	(a) (b) (c)	219 184 84	16 13 81	57 47 82	53 46 87	93 78 84	303 247 82	15 12 80	18 13 72	39 28 72	231 194 84	522 431 83
BE49	Suicide and self-inflicted injuries	(a) (b) (c)	2,695 2,183 81	2 2 100	936 757 81	1,114 903 81	643 521 81	1,889 1,558 82	2 2 100	481 398 83	834 678 81	572 480 84	4,584 3,741 82
BE50	All other external causes	(a) (b) (c)	892 722 81	89 72 81	326 261 80	283 229 81	194 160 82	653 526 81	80 65 81	174 139 80	212 175 83	187 147 79	1,545 1,248 81

APPENDIX H1. Deaths from encephalitis certified as secondary to infectious disease, by underlying cause, sex and age group, 1968

					Deat	hs fro	m ence	phalit	is sec	ondary	to infe	ectious	disease	:	
ICD No.	Cause of death		All deaths	All ages	0-	1-	2-	3-	4-	5-9	10-14	15-24	25-44	45-64	65 and over
008.9	Virus gastro-enteritis	M F	20 23	- 1	- 1	-	-	-	-	-	-	-	-	-	-
009.2	Gastro-enteritis	M F	292 246	1 1	-	-	1 -	_	-	1	-	-	-	- -	-
027.0	Listeria	M F	4 1	1	-	-	-	-	-	-	-	-	-	-	1
033.9	Whooping cough	MF	8 5	- 1	1	-	<del>-</del>	-	-	-	-	-	-	-	-
037	Tetanus	M F	10	1 -	-	-	-	-	Ī	-	-	-	-	1 -	-
044	Poliomyelitis	M F	11 4	1 -	-	-	-	_	-	-	-	-	1 -		-
052	Chickenpox	M F	10 7	2 2	1	-	-	_	1 -	1 1	-	_	-	-	-
053	Herpes zoster	M F	20 38	1 3	-	-	-	-	-	-	-	-	- 1	-	1 2
054	Herpes simplex	M F	8 11	- 5	-	-	-	-	-	-	_	1	- 1	2	1
055	Measles	M F	23 28	2 8	1 2	- 1	1	_	1	1 3	_	-	-	-	-
070	Viral hepatitis	M F	119 135	1 -	-	-	-	_	-	-	1_	_	- -	-	-
072	Mumps	M F	1 2	1 -	-	-	-	-	-	1 -	-	-	-	-	-
075	Glandular fever	M F	5 -	1 -	-	-	-	-	-	1 -	-	_		-	-
079.9	Viral infection unspecified	M F	35 29	1 2	-	-	-	-	Ī	-	-	-	1	1	-
466	Virus bronchitis	M F	1,383 1,409	1 -	-	-	-	-	-	-	-	-	-	-	1 -
474	Influenza	M F	2	1	-	-	-	-	-	-	-	-	-	-	1
	Total	M F	1,951 1,942	13 25	1 5	1	1	-	1 1	4 5	1 -	1	1 3	2 3	2 5

# APPENDIX H2. Deaths due to tetanus, by cause (where stated), sex and age, 1968

		Cause of tetanus where stated
Age	Sex	Cause of tetating where source
10 years 16 years 21 years 28 years 45 years 51 years 59 years 69 years 69 years 74 years 75 years 75 years	M M F M M F M M M	(a) Assigned to tetanus (ICD No. 037)  Cut on knee, playing football  Abrasion of the scalp  Cut hand in garden  Injury to hand in garden
		(b) Assigned elsewhere
9 years 17 years 20 years 22 years 57 years 73 years 74 years 79 years	M M M F F M F	Laceration to thigh, fall from tree Lacerations to fingers, operating laminating machine Lacerated scalp, road traffic accident Injury to knee, playing football Paronychia on left ring finger Varicose ulceration of left ankle Chronic bronchitis Fracture left ankle, fall in garden Varicose ulceration of legs

# APPENDIX H3. Deaths in which anaesthesia was mentioned, by cause, sex and age group, 1968

ICD Lict B	Cause of death	Al:			)-	5	-	15	-	25	-	35	;-	45	-	55	-		and
List B Number	cause of death	М	F	M	F	M	F	М	F	М	F	M	F	M	F	M	F	M	F
	ALL CAUSES	70	79	2	3	4	6	6	3	4	10	2	12	9	5	14	11	29	29
B4	Enteritis and other diarrhoeal diseases	-	_	_	_	_	-	_	_	-	_	_	-	_	_	-	-	_	-
B5	Tuberculosis of respiratory system	-		-	-	-	-		~	-	440	-	core	-			-	-	-
B6	Other tuberculosis, including late effects	-	-	-	-	-	-		_	-	-	_	-	~		-	-	_	-
B11	Meningococcal infection	-	-	-	-	-	-	-	-	-	-	-	-	-	-		400	***	-
B17	Syphilis and its sequelae	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B1-B18 (Rem.)	All other infective and parasitic diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	~	-	-	. ~	-
	Malignant neoplasm of:																		
	oesophagus (150) stomach (151) large intestine (153) rectum (154) larynx (161)	1 2 1 1	1	1 1 1 1 1			1 1 1 1		-	-			1111	1 - 1	-			2 1	1 -
B19 <	trachea, bronchus and lung (162)	1	1	-	-	-	-	-	-	-	410	-	-	1	-	-	1	~	-
	breast (174) cervix uteri (180) other uterus (181,182) prostate (185)	- 1	1 2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	- - 1	-
	bladder and other urinary organs (188,189) leukaemia and aleukaemia (204,207)	3	-	-	-	-	-	-	-	-	-	1 -	-	-	~	-	-	2	-
B19 (Rem.)	Other malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (Rem. 140-209)	-	6	-	-	_	-	_	_	-	_	-	1	-	-	_	-	-	5
B20	Benign neoplasms and neoplasms of unspecified nature	3	4	_	1	-	1	-	~	1	-	-	1	~		1	-	1	1
B21	Diabetes mellitus	-	-	_	-	-	-	-	-	-	-	-		-	-	-	-	-	-
B22	Avitaminoses and other nutritional deficiency	-	1	-	***	-	_			-	-	-	-	-	-	-	1	en.	~
B46 (pt.)	Other endocrine, nutritional and metabolic diseases (Rem. 240-279)	-	1	_	-	-	-	-	-	-	-	640-	∞ :	And.	-	_	1	ato 1	-
B23	Anaemias	-	-	-	~	-	~	-	-	-	-	-	-	-	-	-		-	-
B46 (pt.)	Mental disorders (290-315)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
B24	Meningitis	1	~	-	~	-	-	444	~	~	-	-	-	04	-	-	-	1	-
B46 (pt.)	Other diseases of the nervous system and sense organs (Rem. 320-389)	2	5	-	-	1	1	-	-	tion	.1	-	1	-	-	₩.	-	1	2
B25 B26 B27 B28 B29	Active rheumatic fever Chronic rheumatic heart disease Hypertensive disease Ischaemic heart disease Other forms of heart disease	1 4	1 - 3 1		-		1 1 1 1		-		- - - 1	1 -	1 1 1 1	11121	1 1 2		-	2 -	1 1
B30 B46 (pt.)	Cerebrovascular disease Other diseases of the circulatory system (Rem. 390-458)	2 5	-	-	-	-	-	-	_	-	-	-	-	-	-	1 2	-	1	~
B31	Influenza	_		-	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
B32 B33 (pt.) B33 (Rem.) B46 (pt.)	Pneumonia Bronchitis emphysema (490-492) Asthma (493) Other diseases of the respiratory system (Rem. 460-519)	- 4	1 -	- 1	-			1	-	-	-		-	-	1	1		- 1	
B34 B35 B36 B37	Peptic ulcer Appendicitis Intestinal obstruction and hernia Cirrhosis of liver	4 3 3 -	2 2 3 -			000 000 000	-	1	1 -		-		-	1 1 1 -	1111	2 - 1 -	1	1 1 1 -	1 1 3 -
†B46 (pt.)	Other diseases of the digestive system (Rem. 520-577)	12	12	-	1	1	2	2	1	1	-	-	3	1	-	2	2	5	3

[†] Included in these figures are 5 Males; (1 in each of the following age groups: 5-9, 20-24, 30-34, 55-59, 65-69) and 6 Females; (1 in each of the following age groups: 1-4, 5-9, 10-14, 20-24 and 2 in age group 40-44) associated with dental anaesthesia.

# Appendix H3 - continued

ICD	Cause of death	A1 ag	1 es		) <b>-</b>	5	-	15	5-	25	5-	35	5-	45	5-	55	;-		and ver
List B Number	Cause of death	М	F	M	F	M	F	М	F	M	F	М	F	M	F	M	F	M	F
B38 B39 B46 (pt.)	Nephritis and nephrosis Hyperplasia of prostate Other diseases of the genito-urinary system (Rem. 580-629)	2 3	- 3	-	-	1 -			1 1 1		-	1 1 1	1	-	- 1	1 -	1	3	- 1
B40 B41	Abortion Other complications of pregnancy, childbirth and puerperium	-	10	-	-	-	-	-	-	-	7	-	3	-	-	-	-	-	-
B46 (Rem.)	Diseases of the musculoskeletal system and connective tissue (710-738)	-	1	-	-	-	_	-	-	420	-	-	-	-	-	-	-	-	1
B42 B43	Congenital anomalies Birth injury, difficult labour and	2	3	1	•	1	1	-	-	-	1	-	1	-	-	-	-	-	-
B44	other anoxic and hypoxic conditions Other causes of perinatal mortality	-	-	-	-	_	_	-	-	-	-	-	-	_		-	-	-	-
B45	Symptoms and ill-defined conditions	1	-	-		-	-	-	-	-	-	-	-	-		-	-	1	
BE47	Motor vehicle accidents	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
BE48	All other accidents	6	13	-	1	-	1	1	1	1	-	-	1	-	-	3	2	1	7

ler	and	[Es	12,775	20	41		សូរហ	•	87)	63     63	4	2,243	22	696	221	425	380	119	1118	00 H 0	K 44	+ yc	00 ↔	r~ 1
In other	private houses and other places	×	17,151	64 24	27	H	840	ı	Ю	1 7 1	1	903	17	298	376	18	100	39	4 6 6 8	3.3	. Na	) oc	12 2	10
ased	c own	E.	96,286	365	137		2000	1	36	IMI	17	17,310	196	6,553	1,579	4,281	3,185	179	617	1,031 168 748	22 23	298	66	52
At deceased	person	×	107,556	637	434	9	14	Ļ	32	ни	4	22,516	401	7,725	9,355	391	2,793	901	861 40 49	565 21 448	19	138	53 24	27
	tions	E	14,054	4,0	814	'	MUM	1	н	l I I	1	739	12	327	48	179	114	33	N N I	92	0.4	51	17	1 1
	other institutions	Σ	7,040	31	17	П	462	,	89	1 1 1	2	502	12	193	142	10	112	17	50 H	44 K	ma	6	<b>ග</b> ග	ΗΙ
7	er an	Eq	10,01	E 4	E 1 4	2	10 W	ŧ	1	1 1 1	1	2,585	31	951	188	643	529	153	64 112 12	75 10 10 10	ഗഗ	23	<b>16</b>	1 1
sals and ons for the sick	Other than N.H.S.	Σ	4,848	12	410	ı	। ਜਜ	1	4	ı <del></del>	t	1,741	39	589	929	38	254	107	77 3	28 2 2.4 2.4	<b>⊢</b> ⊢	9	<b>m</b> N	+ +
Other hospitals and institutions for the care of the sici	Š	[±,	138,988	1,069	404 1 139	6	48 51 128	2	30	1 1 4	36	28,741	358	9,827	3,117	5,397	5,301	1,872	2,323	2,681	64	823	367	33
Othe 1r the	N.H.S	Σ	149,330	1,750	979	00	43 60 124	М	49	ນ ນູ ເ	32	35,487	542	10,799	14,056	535	4,477	1,793	2,765 191 329	1,572 39 1,264	39 230	483	<b>203</b> 172	28
v ₂	7 4 5	Ē	352	01	1 1 1	1	1 11	1	H 1	) I	1	20	1	10	N	Ŋ	23	1	1 1 1	ਜ਼ਮੁਜ	1 1	ŀ	40	
spital	Other than N.H.S	Σ	120	m ۱ ۰	H 1 1	1	1 44	1	1 1	1 1	- 1	က	1	1	Ю	1	1	ı	1 1 1	1 1 1	1 1	1	1 7	। ल
Psychiatric hospitals	Š	ſ£,	11,055	56 10	22 1 22	ᆏ	N & N	1	01	1 1	ı	629	7	234	63	137	96	43	25 14 10	110 15 76	14	28	357	00
Psychia	N.H.S	Æ	7,168	96	90	Т	8 <del>11</del> 8	1	18	1 1	0	517	16	180	165	Φ	72	42	2000	60 1 4 4	თდ	14	130	134
4 4 4		[iz ₁	283,541	1,593	162	13	86 73 169	8	0g 1	12	22	52,267	626	18,871	5,218	11,067	9,608	2,999	3,140	4,075	112 350	1,249	835	72
T	1000	М	293,213	2,593	1,500	17	64 81 166	ო	106	19 8	94	61,669	1,027	19,784	24,723	1,000	7,808	2,899	3,781 248 399	2,316 68 1,851	73	658	412	71
	Cause of death		ALL CAUSES	Infective and parasitic diseases Intestinal infectious diseases	Zonotic bacterial diseases Other bacterial diseases Dalominities of the second	formulations and other enterovirus diseases of central nervous system Viral diseases accompanied by	exanthem Arthropod-borne viral diseases Other viral diseases	archropod-borne dollar arthropod-borne dollar Syphilis and other usenersal	diseases Other spirochaetal diseases	Mycoses Helmin, hiases	Other injective and parasitic diseases	Neoplasms	Malignant neoplasm of directive	organs and peritoneum Malignant neoplasm of respiratory	system Malignant neoplasm of bone,	connective tissue, skin and breast Malignant neoplasm of genito-urinary	organs Malignant neoplasm of other and	unspecified sites Neoplasms of lymphatic and	haematopoietic tissue Benign neoplasms Neoplasm of unspecified nature	Endocrine, nutritional and metabolic diseases Diseases of thyroid gland Diseases of other endocrine glands	defictency Other metabolic diseases	Diseases of blood and blood-forming organs	Mental disorders Psychoses Neuroses, personality disorders and	Other non-psychotic mental disorders Mental retardation
	ICD			000-136	020-027	050-050	060-068	660-060		120-117		140-239				180-189	190-199	200-209	210-228	240-279 240-246 250-258		280-289 I	290-315 1 290-299 300-309	310-315

APPENDIX H4 - continued

													l		-		
			d t	Psychia	Psychiatric hospitals	spitals		Other ins the c	Other hospitals institutions f the care of the	ls and s for he sick		Other		At deceased person's own	ased	In other private	er e
ICD . Number	Cause of death	TRAOT	Surgeon	N.H.S	o,	Other than N.H.S.		N.H.S		Other than N.H.S.		institutions	lons	home		houses and other places	and
		×	[ize	×	[ž.	Σ	Įī,	Σ	[it ₄	Σ	(E)	Æ	(Ita	Σ	Ēt,	Σ	Et.
320-389	P	3,098	3,230	203	175	9	00	1,877	1,971	69	168	100	147	764	169	79	64
320-324	Inflammatory diseases of central nervous system	343	244	6	М	₩	1	301	221	1	1	еł	1	27	18	4	2
330-333		194	112	19	24	7	1	93	55	8	2	б	ω	61	25	ю	Ŧ
340-349		2,430	2,755	173	146	4	00	1,386	1,617	58	166	90	141	653	622	99	52
360-369		45	32	1 1 1	el 1 1	1 1 1	1 1 1	36	22 2 15	юні	1 1 1	1 1 1	1 1 1	७।स	4-14	1 1 1	
380-389	Diseases of the ear and mastoid process	74	65	8	н	1	1	20	34	1	1	1	Н	16	23	Ø	9
390-458	8	142,171	152,214	3,402	5,249		242 (	61,321	64,395	2,082 5	,546	4,298	9,717	60,730	59,872	10,273	7,193
390-392 393-398 400-404 410-414 420-429		2,612 4,774 79,735	4,386 6,309 58,834 20,008	1,731 1,731	2,397	1 1 1 1 1 1 1 1	1 7 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1,501 1,911 28,227 5,076	2,534 2,017 20,428 6,800	30 61 793 1	1,637 1,637 955	1,693 841 841	3,064 20,030	842 2,260 38,790 5,566	1,418 3,191 27,411 8,560	165 272 8,460 447	181 353 3,800 848
430-438		31,707	10,441	224	1,23/	9		4,180	4,346				876	3,156	3,943	304	416
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	2,312	3,579	56	140	N	4	1,808	2,453	26	53	21	79	340	712	59	138
460-519		47,458	37,288	2,252	3,733	29	58	25,116	18,622	570	666	1,695	2,448	16,572	10,254	1,224	1,174
460-466 470-474 480-486 490-493		1,453 1,855 18,147 23,945	1,487 2,797 22,880 8,821	28 95 1,690 389	204 3,126 270	27 12 2	100	425 405 11,498 11,681	391 611 13,105 3,889	10 47 273 220	35 144 637 143	52 215 674 716	1,381 395	816 1,031 3,617 10,326	1,221	120 61 372 610	132 122 492 383
500-508	Other diseases of upper respiratory tract Other diseases of respiratory system	2,011	38	49	79	1.1	1 4	1,078	21 605	19	- 40	38	74	111	424	265	24
<b>520-577</b> 520-529		6,801	7,069	130	128	7	,	5,480	5,395	91	146	11	137	940	1,114	00	149
530-537		19	54	2 ;	00 (	ı	1	16	31	-1 5	4 (	1 0	o 0	1 0	102	1 7	1 4
540-543	duodenum Appendicitis Hernia of ab	2,954 210 569	1,766	61	13		1 1 1	2,314 182 441	1,769	ა ყი.4	13.52	10	13	21 21 102	123	717	22 23
570-577		1,479	2,221	33	39	•	1	1,257	1,743	22	56	74	33	138	310	15	40
	pancreas	1,570	2,040	28	37	н	1	1,270	1,571	28	53	15	30	207	331	21	42
580-629 580-584 590-599 600-607	Diseases of genito-un Nephritts and nephro Other diseases of un Diseases of male ger	4,678 1,348 1,702 1,627	3,604	125 29 29 59 37	140 33 104	1111	लला ।	3,414 990 1,250 1,173	2,496 745 1,622	84 29 42	77 27 48	76 10 34 32	96 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	916 282 310 324	<b>72.4</b> 26.3 44.6	80 20 119	26 42
610-616		т	47	1	2	1	1	н	42	1	н	1	1	1	H	1	н
829-029	_	1	106	1	4	1	1	1	87	1	Н	1	N	1	14	1	↔
630-678	Complications of pregnancy, childbirth and the puerperium Complications of pregnancy	1 1	33	1 1	\$ I	1 1	1.1	1 1	162 24	1 1	24	1 1	1 1	f 1	20 00	1 1	œη
635-639		11	34	1 1	1 1	ł I	1 1	1 1	35	1 1	<del>el</del> 1	1.1	1 1	1 1	123	1 1	₩ W
650-662	Delivery Complications of the puerperium	i ı	41	1 1	1 1	1 1	1 1	1 1	333	1 1	1 1	1 1	1 1	1 1	N 60	1 1	1 4

		Total deaths	antha tha	rsychiatric nospitals	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	400		institutions for the care of the sick	ons for the sic	2	Otho		At deceased	sased	In other	ther
	Cause of death	,		S.H.N	တိ	Other than N.H.S.		N.H.S.	Other than N.H.S	an s.S.	institutions	tions	home	O ME	private houses and other places	s and places
_		М	(St	M	Œ	Σ	M	E4	Σ	CZ.	M	E,	Σ	Er.	Σ	Çz.
680-709 I	Diseases of the skin and															
680-686	subcutaneous tissue Infections of skin and	115	236	13	<u>e</u>	ŧ	æ	83 148	-	IO .	63	11	13	40	63	61
890-698	subcutaneous tissue Other inflammatory conditions of	44	83	ဖ	10	ı	1 10	35 55	1	रन	+1	9	0	11	1	,
700-709	skin and subcutaneous tissue Other diseases of skin and	41	00 00	63	#1	1	1	26 43	1	1	e4	4	10	42	2	71
	subcutaneous tissue	90	92	ro.	19	ı	2	22 50	+1	4	1	4	el	17	Ħ	vil
	Diseases of the musculoskeletal system and connective tissue	663	1,661	11	25	1	1 46	462 1,141	15	10	20	45	159	376	60	20
750-750	Arumatis and rheumatism, except rheumatis fever	410	1,106	4	00	1	- 271	71 719	10	40	9	33	112	290	7	11
730-738	Usue and joint and other diseases of bone and joint of mismilations.	134	283	Ю	15	1	- 106	220	ю	o	н	7	21	80	1	'
3	system	119	272	4	63	1	1 8	85 202	03	4	H	1	92	54	1	Ø
740-759	Congenital anomalies	2,540	2,212	47	45	ю	7 2,118	1,839	21	10	œ	NO.	279	255	62	51
760-779	Certain causes of perinatal morbidity and mortality	4,135	2,802	'	Ħ	9	- 4,010	10 2,708	ю го	32	Ħ	1	16	46	13	15
780-796 780-789	Symptoms and ill-defined conditions Symptoms referable to eveteme on	1,265	2,904	20	40	က	3 425	25 796	28	189	139	465	290	1,337	9	74
962-062	organs Senility and ill-defined diseases	1,132	2,686	18	31	1 10	2 354	71 106 54 690	25.3	180	11 128	457	35	1,256	11	70
E800-E999	Accidents, poisonings and violence (external cause)	12,641	10,102	148	309	က	2	5.634	5.9	100	S	9		9 473	4 244	1 536
E800-E807 E810-E819	Railway accidents Motor vehicle traffic accidents	114	14	1 4	1 00	1 1	2.51			1 1	3 1 1	3 1 -	2 7 7		80	11
E825-E823	Motor vehicle non-traffic accidents Other road vehicle accidents	87	12 27	1 1	त।					1 1		111	1-1-	4 1 1	, t	200
E840-E845	Water transport accidents Air and space transport accidents	117	40	1 1	4 1	F 1	255	6 6	1 1	1 1	1.1	1 1	4 +4 02	1 1	918	0 € 00
	medicaments possessing by usuge and medicaments Accidental polygoning by other	170	229	н	23	1	77	51 65	N	1	,	ı	87	138	29	23
E870-E877	solid and inquid substances Accidental poisoning by gases and	32	11	1	1	1	1	13 3	1	1	1	н	ø	7	13	-
E880-E887 E890-E899 E900-E909	Vapours Accidental falls Accidents caused by fires and flames Accidents due to natural and	1,788	3,715	424	217	1 1 1	4 1,408 - 136	52 18 3,083 56 218	121	1 99	4101	± 64 1 € 1	138 148 135	221 256 171	43 145 64	20 30 39
	environmental factors Other accidents Surefuel and medical commissions	1,570	92	59	55 4. 4. 5.	₩ 1	444	14 41	11-	1 10	1 00	10	27	31	36	133
	Dar Ercar and Meurea Complications and misadventures	34	34	ri (	# .	1			н	e-1	vi	ı	9	9		w-6
E950-E959	Suicide and self-inflicted injury Homicide and injury purposely	2,695	1,889	31.2	16	100	- 40.	76 32 101 453	1 10	100	20	1 9	1,425	1,091	813	321
E970-E978	inflicted by other persons Legal intervention	178	166	el 1	3 3	1 1	1 1	61 32	1 1	1 1	₩ 1	1 1	49	87	99	47
	Injury undetermined whether actionists or purposely	1										1				•
E990-E999	Injury resulting from operations	107	487	*	00	3	168	135	-1	C/J	es.	4	199	215	332	127
	OI War	2	ı	1	1	1	1	0	1	1	1	1	2	1	1	'

APPENDIX H5.	IX H5. Deaths by method	of	rtifi	certification,	by	cause	and	sex, 1	1968							England	nd and	_	Wales
						Coroner	J.				Ce	Certifying	g medical		practitioner				
		Total death	eaths		Inquest	held		Post-mortem	tem	After		Operati		Other		No examinati	nation	Uncert1-	t1-
ICD 'B' List No.	Cause of death			With post- mortem	ost-	No post- mortem	at t	Without	at t	post-mortem		mentioned on death certificate		mentioned on death certificate	ned th cate	mentioned	ned		1
		×	₽4	×	Ēt,	×	Ē	Σ	压	M	H	M	ſĿı	Σ	Ē	M	Ĭ ^z i	Σ	CE4
	ALL CAUSES	293,213	283,541	12,001	7,911	2,642	2,216	49,958 3	34,896	26,306	20,618	3,725	3,745	639	502 1	197,436	213,288	206	365
B4	Enteritis and other diarrhoeal	366	326	11		Ŧ	71	162	121	70	56	₩	H		ā	120	142	44	ı
BS	Tuberculosis of respiratory system	1,092	364	70	9	74	i	228	71	136	65	10	7	wi	8	633	215	1	1
B6	Other tuberculosis, including late effects	408	227	11	C/	CI	1	69	32	68	57	11	7	10	Ю	244	126	1	
B11 B17	Meningococcal infection Syphilis and its sequelae	105	43	1 1	1 1	1 1	1 1	32 29	18	18	113	1 स	1 1	1 1	1 1	14	14	1 1	1 6
B1-B18 (Rem.)	All other infective and parasitic diseases	558	553	31	12	ഗ	ю	87	96	152	134	N	0	CI	1	278	303	⊣	н
	Malignant neoplasm of:														•	i i		,	
	oesophagus (150)	1,677	1,224	4	М	1	'	82	74	191	130	83	25	Н .	N	1,315	963	- 1	1 1
	stomach (151)	7,242	5,507	18	ю	4	-1	358	195	277	375	849	575	352	266	5,081	4,091	ю (	<b>⊢</b> ≀
	large intestine (153)	4,061	5,882	7	o	N	<b>H</b>	204	283	372	464	397	209	42	40		4,573	CI	10
	rectum (154)	3,114	2,776	10	N	1	₩	114	113	207	149	291	214	ю	4	2,488	2,292	-	<del>r</del> -l
	larynx (161)	534	117	FI	ı	i .	1	34	σ	37	12	41	4	15	М	406	89	1	ı
	traches, bronchus and lung (162)	23,903	4,933	111	ю	17	C)	1,399	308	2,658	669	285	20	42	12	19,380	3,857	11	N
	breast (174)	92	10,204	1	Ŋ	1	4	2	255	Ŋ	486	ю	677	ı	7	99	8,772	_	7
B19	cervix uteri (180)	1	2,434	1	4	1	1	1	20	1	149	•	32	1	ю	ı	2,195	1	
	other uterus (181, 182)	t	1,537	1	1	1	1	1	53	1	132	1	106	ı	o	•	1,236		
	prostate (185)	3,939	1	ľ	1	1	1	119	1	280	į.	52	1	N	ı	3,479	•	N	
	bladder and other urinary organs (188, 189)	3,519	1,681	32	4	7	1	173	81	433	184	120	000	ဖ	ю	2,746	1,348	N	N
	leukaemia and aleukaemia (204-207)	1,676	1,456	Ŋ	1	1	1	72	63	282	222	N	1	Н	4	1,313	1,167	H	ı
	All other malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue (Rem. 140-209)	11,281	13,778	79	16	φ	Ŋ	260	533	1,626	1,634	394	567	136	109	8,472	10,909	Φ	ß
B20 B21	Benign neoplasms and neoplasms of unspecified nature Diabetes mellitus	1,716	738	17	120	ហេ	υH	92	153	166 180	172	8 8 8	440	11	15	327	338	I IO	l ro
B22 B23	Avitaminoses and other nutritional deficiency Anaemias	73	112	0.4	7	H 1	ਜਜ	53	74	10	16	1.1	i i	1.1	1 1	384	78	1 1	e 1
B24 B25	Meningitis Active rheumatic fever	214	162	N I	1 ↔	H 1	1 1	63	44	82 4	63	01	1 1	ਜ਼ਾ	N I	63	53	1 1	1 1
B26 B27 B28	Chronic rheumatic heart disease Hypertensive disease Ischaemic heart disease	2,612 4,774 79,735	4,386 6,309 58,834	27	20 111 75	545	1981	710 1,171 26,917	1,323 13,374	486 411 4,254	674 317 2,664	65	9000	1160	110	1,322 3,162 47,858	2,722 4,646 42,521	230	3 8 172
																			1

	Uncert1-		[Zi	35 38 17	9	1.1	ны	1.1	1	4	ю	Ø	29 20 10	•	•	,	1 1
	Unc		Σ	31 12 12 12	25	H I	240	CI I	1	ਜ	М	15	217 211 84	1	1	1	ню
	nation	ned	Įžą.	17,829 43,118 2,603 19,019	6,888	621	532 353 821	1 ल	15	1,014	566	1,071	2,804 19,691	8	,	1	ž 5
ų	No examination	mentioned	Σ	10,785 27,451 1,655 13,509	18,843	930	320 379 961	880	1	1,004	905	1,389	1,164 13,411 144	*	1	1	14
titione	ration	oned ath icate	(Eq.	सस्रा	1	мі	ਜਜ਼ੀ	1 1	1	स्त	1	8	1 ហេ 1	1	1	1	1 1
al prac	Other	mentioned on death certificate	M	1 11 1	₩	Η Ι	N) 8 8	el 1	ı	•	1	4	101	ı	٠	•	• •
Certifying medical practitioner	lon	ned th cate	(Es	0011	ю	24	133	l H	7	45	í	1	386	8	ı	1	1 1
rtifyin	Operat	mentioned on death certificate	M	r-410	ю	195	113	243	1	52	1	•	396	1	1	1	1 4
Ceo	ų		(Eq.	630 1,991 27 1,376	516	396	297 185 198	10	20	748	714	334	3,752		1	1	1 1
	After	post-mortem	M	642 1,685 37 1,762	1,466	765	242 158 281	243		935	1,210	472	3,486 25	1	1	1	1 10
	rtem	ut st	Ēτ	1,487 3,461 159 2,422	1,366	451	411 137 95	1 #	87	388	74	25	5,330	1	ı	1	1 (1)
	Post-mortem	without	E	1,119 2,453 160 2,766	3,257	764	344 147 94	187	1	535	105	30	17 4,834 192	1	Ħ		мα
3r		st-	E4	ω ← +1 ω	N	40	OID I	13.1	7	н	ęd	1	10 47 307 1,294	38	4	26	331
Coroner	neld	No post- mortem	×	151 8 7	52	o (	101	юΙ	1	N	₽	1	10 87 697 946	27	Ø	35	511
	Inquest held	ost-	压	23 4 4 1	37	4 N	300	22	14	11	Ŋ	н	240 1,725 3,383	191	7	247	1,558
		With post- mortem	M	32 77 81	295	29	26 60 8	21	•	11	4	н	48 548 3,607 3,416	143	29	184	2,180
	aths		ĵit _e	20,008 48,645 2,797 22,880	8,821	1,535	1,396 712 1,120	20	150	2,212	1,363	1,439	2,904 29,542 2,034 5,526	229	Ħ	303	1,889
	Total deaths		×	12,617 31,707 1,855 18,147	23,945	2,694	1,050 750 1,348	1,580	•	2,540	2,228	1,907	1,265 22,793 4,315 4,739	170	32	219	2,695
		Cause of death		Other forms of heart disease Cerebrovascular disease Influenza Pheumonia	asthma	Peptic ulcer Appendicitis	investing observation and hernia Cirrhosis of liver Nephritis and nephrosis	Hyperplasia of prostate Abortion Other complications of pregnancy, childbirth and	the puerperium. Delivery Without mention of complication	Congenital anomalies Birth injury, difficult labour	and other anoxic and hypoxic conditions	mortality	Symptoms and ill-defined conditions All other diseases Motor vehicle accidents All other accidents	Accidental poisoning by drugs and medicaments (E850-E859)	Accidental poisoning by other solid and liquid substances (E860-E869)	Accidental poisoning by gases and vapours (E870-E877)	Suicide and self-inflicted injuries All other external causes
		ICD 'B' List No.		B29 B30 B31 B32	pss	B34 B35	B37 B38	B39 B40 B41		B42 B43	474	***************************************	B45 B46 BE47 BE48				BE49 BE50

APPENDIX I(a). Estimated home population, by sex and age group, as at 30th June 1966*

											ı					(Figures	in thousands)	ands)
Area	All	Under	1-4	5-9	10-14 1	15-19 2	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59 (	60-64	62-69	70-74	75 and over
ENGLAND AND WALES	M 23,295.4 F 24,689.9		430.5 1,706.9 1 409.0 1,620.8 1	1,863.9 1,	,666.7 1, ,589.2 1,	873.6 1,	638.9 1,	510.8	1,493.6 1,	516.7	1,605.3	1,534.8	1,516.5 1	1,468.7 1	1,260.4	916.5	618.0	694.2
Standard regions and conurbations:																		
North	M 1,621.5 F 1,695.4	29.2	119.6	143.3	123.0	132.8	106.2	98.4	103.1	107.6	115.1	105.4	100.4	98.7	99.5	64.9	42.5	84.5
Tyneside Conurbation	M 407.1 F 436.9	7.4	29.9	36.2	30.7	33.6	25.9	24.4	25.0	26.6	29.4	27.4	25.4	25.5	21.9	16.2	10.5	11.1
Remainder of North	M 1,214.4 F 1,258.5	21.8	89.7	107.1	92.3	99.2	80.3	74.0	78.1	81.0	85.7	78.0	75.0	73.2	73.9	48.7	32.0	34.2
Yorkshire and Humberside	M 2,305.6	42.7	169.5	187.6	168.5	187.9	157.5	148.1	145.8	148.2	161.0	150.1	151.4	146.1	125.2	90.6	60.5	64.9
West Yorkshire Conurbation	M 833.0 F 894.4	15.6	62.2	67.3	60.2	66.6	56.7	53.0	52.5	53.0	57.9	54.6	55.0	52.5	46.8	34.4	22.4	22.3
Remainder of Yorkshire and Humberside	M 1,472.6 F 1,531.3	27.1	107.3	120.3	108.3	121.3	100.8	95.1	93.3	95.2	103.1	95.5	96.4	93.6	78.4	56.2	38.1	42.6
North West	M 3,230.6 3,482.1	61.2	249.2	272.4	241.2	258.0	219.2	205.8	204.6	202.6	222.7	206.4	206.8	207.0	175.9	125.4	84.3	87.9
South East Lancashire Conurbation	M 1,180.4 F 1,266.4	22.7	91.7	97.1	86.8	94.6	81.6	74.9	73.5	73.7	84.3	76.5	77.7	78.1	64.9	43.8	29.0	29.5
Merseyside Conurbation	M 653.5 F 710.5	13.2	55.0	61.1	52.3	56.3	46.1	42.0	41.9	40.6	41.4	39.7	39.2	38.9	33.1	22.3	14.9	15.5
Remainder of North West	M 1,396.7 F 1,505.2	25.3	102.5	114.2	102.1	107.1	91.5	88.9	83.2	88.0	97.0	90.2	89.9	99.0	77.9	84.3	40.4	42.9
East Midlands	M 1,627.1 F 1,671.5	30.1	119.7	130.7	119.6	130.5	116.4	103.6	103.4	107.6	115.5	106.7	105.2	98.9	86.0	63.6	41.6	48.0
West Midlands	K 2,477.3	47.7	186.8	201.7	178.5	200.8	183.4	168.3	163.7	170.0	177.3	165.4	162.3	146.8	125.3	85.1	54.9	59.3
West Midlands Conurbation	M 1,197.4 F 1,219.5	23.4	90.4	94.7	84.6	96.6	90.3	81.7	79.3	82.5	85.8	82.8	80.3	72.2	60.4	40.5	25.1	26.8
Remainder of West Midlands	M 1,279.9 F 1,302.1	24.3	96.4	107.0	93.9	104.2	93.1	84.0	84.4	87.5	91.5	82.6	82.0	74.6	64.9	44.6	29.8	32.5
East Anglia	F 779.7	13.3	52.6	60.8	52.2	63.1	62.0	50.7	49.9	51.6	52.3	49.4	47.9	47.1	42.2	33.5	33.3	28.7
South East	M 8,185.0 F 8,821.3	152.7	591.7	618.7	562.5	633.4	594.9	549.9	534.8	537.3	554.2	524.4	545.2	532.2	523.1	317.0	218.4	255.3
Greater London	M 3,756.7 F 4,079.4	71.5	256.1	249.2	239.0	293.4	296.1	270.0	246.0	244.0	258.3	248.1	291.9	266.7	218.6	142.7	91.8	104.8
Outer Metropolitan Area	M 2,446.8	2 45.9	193.1	212.5	180.7	200.3	158.4	159.2	171.8	176.3	176.8	157.4	155.5	142.4	117.8	78.8	53.9	65.6
Remainder of South East	M 1,981.5 F 2,179.7	34.9	142.5	157.0	142.8	161.1	140.4	120.7	117.0	117.0	119.1	118.9	122.9	123.1	111.0	95.5	72.7	84.9
South West	H 1,752.6	30.9	124.9	140.7	125.7	142.9	121.7	106.4	107.4	109.3	114.7	108.7	112.2	110.4	98.8	78.4	55.1	64.4

^{*} Table 2 figures revised in the light of the 1966 Census.

ales	֡	Jack	1-4	5-9	10-14	15-19 2	1	62-62	*0-00	10000	40-44	15-49	50-54	25-58	60-64 -	65-	23	-69   70-74
	1.316.0			108.0		109.2							85.1	81.5			9	6 58.0
Çe4	1,388.1	21.7	88.2	103.7	92.1	105.5	86.1	77.6	75.4	80.3	95.6		89.6	90.4			3 75.	3 75.0 58.
Wales I (South East) M	946.4	16.5	67.8	78.2	69.2	77.8	64.7	58.4	59.4	59.8	67.9	62.8	64.0	57.4		59.4		9 40.
Wales II (Remainder) M	399.6	6.0	23.8	29.8	26.3	31.4	24.3	21.2	21.5	22.7	24.6	23.5	23.7	24.1	() ()	21.7		7 18.
ban and rural aggregates:																		
onurbations M	8,028.1	153.8	585.3	605.6	553.6	634.7	596.7	546.0	518.2 5481.1 5	520.4	557.1	529.1	544.4	533.9	445.	5.9		7 299. 9 427.
reas outside conurbations:																		
Urban areas with populations M of 100,000 and over	2,948.6	52.0	208.1	233.5	207.1	245.5	226.5	186.8	178.2 1	183.6	201.3	190.6	195.6	186.7	161.	9.1		1
Urban areas with populations M of 50,000 and under 100,000 F	2,255.0	40.0	166.8	191.2	165.8	182.8	158.4	138.3	140.4	148.1	159.4	148.3	142.6	138.8	115.	9.		6 87. 7 120.
Urban areas with populations M under 50,000	5,028.6	91.7	373.6	413.1	368.9	402.6	330.5	314.8	321.1 3 311.8 3	326.2	346.3	320.1	320.4	309.2	273.	. 6		7 209. 6 281.
Rural districts M	5,035.1	93.0	373.1	420.5	371.3	402.9	338.2 318.7	324.9	335.7 3 316.9 3	338.4 321.6	341.2	314.7	313.5	300.1	263.	œ٠.		8 202. 9 246.
spital regions																		
Newcastle M	1,505.3	27.7	113.7	135.6	116.4	124.9	97.9	91.0	95.5	99.8	107.2	96.7	92.2	96.9	78.	41	4 58.5	58.
Leeds M	1,553.2	28.6	113.6	127.3	114.3	127.8	105.6	97.8	97.2	98.7	107.7	100.7	101.6	98.2	102.	10 LO	5 62.5	62.
Sheffleld M	2,245.0	41.8	166.7	181.1	165.8	181.4	160.8 154.9	145.0	142.4	148.2	159.7	147.7	145.7	137.2	117.6	(0.10)	84.7	84.
East Anglian F	814.6	14.6	57.7	65.2	56.0	64.9	61.3	52.0	51.6	53.4	54.3	51.5	49.9	49.1 52.9	43.8		35.4	35.
North West Metropolitan M	2,080.5	37.6	145.9	150.4	136.7	155.8	160.9	153.7 143.9	132.9	143.5	148.6	137.1	142.6	139.3	112.7		98.3	
North East Metropolitan M	1,589.8	29.8	115.4	123.2	112.1	129.4	111.3	105.3	106.0	106.6	110.3	101.6	105.8	103.4	95.7		57.2	57.2 39.4
South East Metropolitan M	1,598.5	29.6	114.8	121.3	110.2	127.2	107.9	96.5	99.9	100.4	103.8	102.9	107.1	104.7	90.6		72.9	72.9 50.3 101.3 82.9
South West Metropolitan M	1,566.6	26.9	104.0	112.4	102.1	123.4	118.0 125.2	105.9	100.2	100.7	104.1	104.1	108.3	105.8	90.4		64.4	64.4 95.4 44.3
Wessex	921.5	17.4	67.2	74.5	67.7	73.9	63.7	56.9	56.2	56.6	58.4	55.8	57.9	56.6	50.6		43.3	43.3 29.9 56.2
Oxford M	906.2	18.7	72.3	74.3	67.6	74.0	67.6	63.1	60.5	60.9	62.9	52.3	54.3	53.0	43.7		32.5	32.5 22.4 40.3 33.0
South Western M	1,462.4	25.7	103.7	115.0	102.8	115.8	100.5	88.3	89.5	91.1	95.9	92.3	95.4	94.0	84.0		66.8 90.2	66.8 90.2 74.3
Welsh , M	1,316.0	22.7	92.9	108.0	95.5	109.2	89.0	79.6	80.9	82.5	92.5	86.3	85.1	81.5	73.6		58.0	58.
Birmingham M	2,521.6	47.7	186.8	201.7	178.5	200.8	183.4	168.3 159.5	163.7	170.0	177.3	165.4	162.3	146.8	125.3		85.1	112.
Manchester Manchester F	2,180.6	40.3	162.9	173.2	154.8	174.0	148.6	137.5	136.3	135.7	152.4	143.0	143.8	144.4	123.6	ωю	88.5	88. 129.
Liverpool	1,077.9	21.4	89.3	100.7	86.2	91.1	73.8	69.9	70.8	68.6	70.2	65.4	64.5	64.0	53.7		57.3	53.7 25.0

APPENDIX I(b). Estimated home population, by sex and age group, as at 30th June 1967*

																(Ilgares	דנו מוסמי	dallas /
Area	All	Under	1-4	10 0	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	62-69	70-74	75 and over
ENGLAND AND WALES	M 23,465.	425.4	1,715.6	1,921.6 1	1,682.1 1	1,791.1	1,777.4	1,512.6 1	1,493.3 1	1,513.1	1,567.0	1,585.6	1,566.7	1,464.9 1	1,277.4	954.7	626.4 1,020.3 1,	705.6
Standard regions and conurbations:																		
North	H 1,628.6 F 1,701.5	5 28.4	117.8	146.1	123.0	126.9	114.2	98.5	103.2	104.2	112.7	109.5	98.0	98.5	87.3	67.7	43.1	46.2
Tyneside Conurbation	M 407.	9 7.0	29.3	36.6	20.5	32.1	27.9	24.4	25.0	26.6	28.8	28.5	24.8	25.4	22.2	16.9	10.6	11.3
Remainder of North	M 1,220.	20.3	88.5	109.5	92.5 88.0	94.8	86.3	74.1	78.2	80.9	83.9	81.0	73.2	73.1	65.1	50.8	32.5	54.9
Yorkshire and Humberside	E 2,450.3	3 40.1	171.0	194.3	170.8	180.1	170.0	148.9	146.4	148.6	157.9	156.4	148.3	146.5	127.4	94.7	61.6	66.3
West Yorkshire Conurbation	M 834.	15.4	59.6	69 65 6	58.6	63.1	60.6	52.7	52.2 48.8	52.6 49.4	55.0	56.3	53.3	52.1	47.1	35.6	22.6	52.6
Remainder of Yorkshire and Humberside	M 1,496.	27.1	108.3	125.1	110.3	117.0	109.4	96.2	94.2	96.0	101.7	100.1	98.8	94.4	80.3	59.1	39.0	43.7
North West	M 3,244.5 F 3,493.2	5 60.7	248.2	281.5	243.9	245.3	234.7	205.2	203.9	201.5	216.8	213.6	220.9	205.9	177.7	130.3	85.2	198.8
South East Lancashire Conurbation	M 1,180. F 1,265.	22.6	91.4	100.3	87.7	89.4	86.9	74.3	72.9	72.9	81.6	78.7	75.0	77.2	65.3	45.2	29.2	29.8
Merseyside Conurbation	M 651.	11.8	53.3	62.4	52.2	53.4	49.2	41.7	41.6	40.3	40.2	41.0	38.0	38.6	33.3	23.1	15.0	15.7
Remainder of North West	M 1,412.6 F 1,520.1	25.6	103.5	118.8	104.0	102.5	98.6	89.2	83.3	88.3	95.0	93.9	95.7	100.0	79.1	62.0	41.0	43.7
East Midlands	M 1,625.0 F 1,667.6	29.6	119.6	133.3	119.4	123.2	124.1	102.9	102.5	106.5	111.8	109.9	101.7	97.8 101.6	986.6	65.8	41.9	48.4
West Midlands	M 2,501.6 F 2,544.0	6 47.5	188.0	208.6	180.8	192.2	197.6	168.8	164.0	154.5	173.7	172.1 166.8	158.7	146.8	127.4	89.0	55.8 89.3	60.4
West Midlands Conurbation	M 1,202.7	23.1	90.8	96.9	84.8	98.0	96.9	81.6	79.1	82.2	81.0	82.8	78.2	71.9	61.1	42.2	25.4	27.2
Remainder of West Midlands	M 1,298. F 1,320.	224.4	97.4	111.7	96.0	100.2	100.7	87.2	84.9	88.0	90.0	86.3	80.5	74.9	66.3	46.8	30.4	53.2
East Anglia	M 796.2 F 814.6	13.3	53.1	62.9 59.0	52. 52.8	62.0	68.6	51.6	50.6	52.1 48.9	51.7	50.9	47.2	47.5	43.3	35.3	34.2	29.5
South East	W 8,247.3	3 150.4 0 142.7	599.5	639.7	569.2	620.0	640.9	550.3	534.3	535.2	540.0	543.4	530.7	530.3	453.0	329.9	221.2 367.2	259.3
Greater London	M 3,743. F 4,060.	8 66.0	257.2	255.4	239.8	270.6	315.2	267.1	242.9	240.3	248.9	254.4	256.8	262.9	218.9	146.8	91.9	105.1
Outer Metropolitan Area	M 2,486.	46.2	203.9	220.0	183.1	192.4	171.3	160.6	173.0	177.1	173.7	164.5	152.7	143.2	120.4	108.2	54.9	67.1
Remainder of South East	M 2,016.	1 33.0	138.4	164.3	146.3	146.0	154.4	122.6	118.4	117.8	117.4	124.5	121.2	124.2	113.7	100.4	74.4	87.1
South West	1,769.5 F 1,897.0	30.5	126.1	144.9	120.6	130.4	131.7	106.9	107.6	109.2	112.2	113.0	109.6	110.4	100.3	105.6	55.9	130.0

^{*} Table 2 figures revised in the light of the 1966 Census.

Area		All	Under 1	1-4	S=0	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54 5	55-59	60-64 6	62-69	70-74	75 and over
Wales	ZA	1,320.9	22.5	92.3	110.3	95.4	104.1	95.6	79.5	80.8	82.3	90.2	89.5	82.8	81.2	74.4	60.3	38.8	40.9
Wales I (South East)	医压	948.9	16.3	67.2	79.8	69.1	74.0	69.4	58.3	59.3	59.6	66.1	65.1	59.7	57.2	52.4	41.6	26.7	27.1
Wales II (Remainder)	Z fs	372.0	5.0	25.1	28.9	26.3	29.1	26.2	21.2	21.5	22.3	24.1	24.4	23.1	24.0	22.0	18.7	12.1	13.8
rban and rural aggregates:																			
Conurbations	ΣFI	8,021.0	150.1	584.5	620.8 589.7	555.5	600.6	636.7	541.8 520.5	513.7	514.9	539.4	544.7	526.1	528.1	517.5	309.8	194.7	211.7
Areas outside conurbations:																			
Urban areas with populations of 100,000 and over	ZH	3,019.1	49.9	212.3	244.2	212.0	243.7	247.8	190.3	181.1	186.2	199.8	200.9	193.9	189.4	193.0	124.2	83.8	90.4
Urban areas with populations of 50,000 and under 100,000	ΣĿ	2,292.8	40.1	169.1	198.9	168.7	176.7	172.3	139.8	141.7	149.0	157.1	155.1	140.3	159.7	118.2	91.8	62.2	72.1
Urban areas with populations under 50,000	Σà	5,060.2	90.7	374.7	424.9	371.6	384.6	355.7	315.1	321.0	325.2	337.7	332.0 337.8	311.9	308.3	328.5	218.0	145.4	166.1
Rural districts	ΣŒ	5,072.2	92.0	353.0	432.8 409.6	374.3	349.1	364.9	325.6	335.8	337.8	333.0	326.5	305.7	299.4	267.4	249.7	140.3	165.3
ospital regions;																			
Newcastle	ΣĿ	1,511.3	27.5	113.9	138.6	118.1	118.8	104.9	90.8	95.3	99.2	104.4	100.1	89.6	90.1	79.2	60.8	38.7	41.3
Leeds	Σħ	1,559.4	28.3	113.9	139.2	106.9	121.5	113.1	97.6	96.8	98.3	104.8	104.1	98.8	97.6	86.2	64.9	42.1	45.3
Sheffield	ΣĒ	2,260.5	41.5	167.4	185.8	168.3	173.0	172.6	145.2	142.4	148.0	155.8	153.3	141.9	136.8	119.2	88.3	56.3	64.7
East Anglian	MH	831.6 853.9	14.6	58.5	67.6	57.4	63.5	67.7	52.8	52.2	53.8	53.6	53.9	49.1	49.5	44.9	37.2	24.2	31.1
North West Metropolitan	Σ£	2,085.0	36.7	146.1	153.5	138.2	148.0	172.3	153.2	142.1	142.5	144.2	141.6	138.3	138.3	113.7	71.9	48.2	56.2
North East Metropolitan	ΣĿ	1,599.2	29.1	116.0	126.2	113.7	123.9	120.2	105.4	105.9	106.1	107.4	105.3	103.0	103.0	88.0	59.4	39.9	46.7
South East Metropolitan	ΣĿ	1,612.0	29.1	115.8	124.6	112.1	121.6	116.0	96.6	100.0	100.2	101.4	107.0	104.6	104.7	91.9	76.0	51.0	59.4
South West Metropolitan	MH	1,570.5	26.2	104.6	114.8	103.4	116.9	125.6	105.3	99.8	99.9	101.2	107.5	105.1	105.1	91.3	66.8 96.3	44.7	52.3 122.4
Wessex	Σħ	1,015.0	17.2	68.4	77.1	69.5	71.9	70.1	57.7	56.8	56.9	57.6	58.4	57.0	57.0	51.7	45.6	30.6	35.8
Oxford	医压	927.0	18.5	73.9	77.1	69.6	72.6	74.9	59.2	61.3	61.5	62.3	54.9	53.6	53.6	44.9	34.2	23.0	26.9
South Western	医压	1,474.8	25.3	104.4	118.0	104.5	111.0	108.6	88.5	89.5	90.9	93.6	95.9	93.0	93.7	85.1	69.6	47.7	55.5
Welsh	ΣĿ	1,320.9	22.5	92.3	110.3	95.4	104.1	95.6	79.5	80.8	82.3	90.2	89.5	82.8	81.2	74.4	60.3	38.8 59.6	40.9
Birmingham	ΣĿ	2,501.6	47.5	188.0	208.6	180.8	192.2	197.6	168.8	164.0 150.8	170.2	173.7	172.1	158.7	146.8	127.4	89.0	55.8 89.3	60.4
Manchester	ΣŒ	2,361.6	40.4	162.7	177.1	156.9	165.4	159.2	137.3	135.9	135.1	148.4	148.0	159.7	143.8	125.2	91.9	60.2	62.7
Liverpool	医压	1,082.3	21.0	89.7	103.1	87.3	86.7	79.0	69.7	70.5	68.2	68.4	67.6	62.7	63.7	54.3	38.8	25.2	26.4
																ı			-

# The Registrar General's Decennial Supplement England and Wales 1961

# **Area Mortality Tables**

This report presents an analysis of deaths and death rates from all causes and principal causes of death in a number of geographical sub-divisions and local areas of England and Wales during the period 1959–63. The deaths have been classified to the areas of residence and are related to the populations of those areas as enumerated at the 1961 Census. The tabulations in this volume have been prepared in a form so that they are, as far as possible, comparable with those in the preceding volume, covering the period 1950–53.

Price £1. 15s. net (By post £1. 16s. 7d.)

Published by

# HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

# The Registrar General's Annual Estimates of the Population of England and Wales and of Local Authority Areas

An annual publication issued to meet a general demand for the most recent figures of populations of local administrative area, county boroughs, administrative and geographical counties, the revised standard regions and conurbations. The latest estimates of the population of England and Wales as a whole, by sex, by single years of age to age 24 and by five-year age-groups thereafter, are also given.

Price 3s. 6d. (1969 edition). By post 3s. 10d.

# Published by HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

# The Registrar General's Statistical Review of England and Wales

# Part III: Commentary

This annual volume contains detailed analyses of the statistics of life and death already presented in Parts I and II of the Review which are designed to assist, in their administration or research, demographers, statisticians, medical research organisations, public health authorities, and all other individuals and organisations who have to take account of the vital statistics of England and Wales.

The Commentary for 1966 contains a critical examination of migration estimates, reviewed in the light of the 1966 Sample Census, and an account of the resulting revisions to the national population estimates. A chapter on external migration describes the basis of the estimates derived from the International Passenger Survey and evaluates their accuracy. There is also a chapter on fertility trends and a special study of multiple births.

Among the medical subjects considered are the causes of mortality generally, cardiovascular disease and violence as causes of infant mortality, the accuracy of stated age at death and the methods and results of a multiple cause coding study.

Price £1. 7s. net (By post £1. 8s. 8d.)

# Published by HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.I), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

© Crown copyright 1970

Printed and published by
HER MAJESTY'S STATIONERY OFFICE

To be purchased from
49 High Holborn, London WC1
13a Castle Street, Edinburgh EH2 3AR
109 St Mary Street, Cardiff CF1 1JW
Brazennose Street, Manchester M60 8AS
50 Fairfax Street, Bristol BS1 3DE
258 Broad Street, Birmingham 1
7 Linenhall Street, Belfast BT2 8AY
or through any bookseller

Printed in England